

Estilos de formatação

```
{
  "swagger": "2.0",
  "info": {
    "version": "v1",
    "contact": {
      "name": "FluxoTI",
      "email": "desenvolvimento@fluxoti.com"
    },
    "title": "Documentation 3Cplus V2",
    "description": "There's three main ways to interface with the 3C+ V2 dialer, HTTP REST API,
Realtime Events and VoIP.\n\nYou can choose which integration to use based on your needs, mainly:\n
- Use the REST API if you need a portable way to retrieve/persist/update specific data about a
resource.\n
- Use the Realtime Events if you need to handle large amounts of data in realtime, e.g
changes in state of agents or calls.\n
- Use the VoIP integration if you need to handle multimedia
yourself, either by using SIP over UDP or WSS(websockets).\n\n## HTTP REST API\n\n[CHECK THE API
ENDPOINTS HERE!](#operations-tag-Agents)\n\n### Authentication\n\nEvery API request needs to be
authenticated using the api_token parameter:\n\n```\n?api_token=API_TOKEN_HERE\n```\n\n###
Structure\n\nEvery API response contains predefined fields such as status, title, detail and
transaction_id(an internal token to track the request lifecycle):\n\n```\njson\n{\n  \"status\":
200,\n  \"title\": \"OK\", \n  \"detail\": \"Success\", \n  \"transaction_id\": \"5ecd6fd6-c57a-11e7-
a01f-3718fe4a36d2\"\n}\n```\n\n```\njson\n{\n  \"status\": 404, \n  \"title\": \"Not Found\", \n
  \"detail\": \"Resource not found\", \n  \"transaction_id\": \"5ecd6fd6-c57a-11e7-a01f-
3718fe4a36d2\"\n}\n```\n\n### Resources\n\nIf an endpoint returns a resource, it'll be embedded in a
data parent field. Also, if the resource has relations, they'll be returned too:\n\n```\njson\n {\n
  \"status\": 200, \n  \"title\": \"OK\", \n  \"detail\": \"Success\", \n  \"transaction_id\":
\"5ecd6fd6-c57a-11e7-a01f-3718fe4a36d2\", \n  \"data\": {\n    \"id\": 1, \n    \"name\":
\"test\", \n    \"some_relation\": {\n      \"relation_field_one\": \"some\", \n    } \n  } \n}
```\n\nIf you only need specific fields from the resource, use a `fields` get parameter
containing a comma separated list of fields that you want to be returned, for example:\n\n```\n?
fields=id,name\n```\n\nYou can also filter fields from the relations, using the example resource
defined above, it'll look like this:\n\n```\n?fields=id,some_relation.relation_field_one\n```\n\n###
Validation Errors\n\nAll validation errors will result in a 422 status code and a field named errors
will be added to the response containing the error messages:\n\n```\njson\n {\n \"status\": 422, \n
 \"detail\": \"Validation errors found\", \n \"transaction_id\": \"5ecd6fd6-c57a-11e7-a01f-
3718fe4a36d2\", \n \"errors\": {\n \"field_name\": [\n \"Error message\"\n], \n
 \"another_field\": [\n \"Another error message\"\n] \n } \n} \n```\n\n###
Pagination\n\nEndpoints that support pagination have a notice in the description.\n\n```\njson\n{\n
 \"status\": 200, \n \"title\": \"OK\", \n \"detail\": \"Success\", \n \"data\": {\n ... \n }, \n
 \"meta\": {\n \"pagination\": {\n \"total\": 4, \n \"count\": 4, \n \"per_page\":
15, \n \"current_page\": 1, \n \"total_pages\": 1, \n \"links\": [] \n } \n } \n}
```\n\n[CHECK THE API ENDPOINTS HERE!](#operations-tag-Agents)\n\n## VoIP / SIP\n\nPlease
contact us to know more about those integrations.\n\n## Realtime Events\n\nTo connect to real-time
events you need a socket.io client, Here's some examples using Javascript:\n\n```\njs\n const io =
require('socket.io-client')\n const socket = io(\"{{ env('SOCKET_SERVER_ADDR') }}\", { transports:
['websocket'], query: { token: \"token-da-api\" } })\n\nlisten to especif events:\n\n```\njs\n
socket.on(\"agent-is-idle\", function (event) {\n  console.log(event);\n})\n\nThe event payload
is a json encoded structure described bellow:\n\n|
\n|-----| \n| [agent-is-idle](#model-
AgentEvent) \n| \n| [agent-in-acw](#model-AgentEvent) \n| \n| [agent-login-failed](#model-AgentEvent) \n| \n| [agent-was-logged-out]
\n| \n| [agent-entered-manual](#model-AgentEvent) \n| \n| [agent-failed-to-enter-manual](#model-AgentEvent) \n| \n| [agent-left-manual-mode]
\n| \n| [agent-failed-to-leave-manual-mode](#model-AgentEvent) \n| \n| [agent-entered-manual-acw](#model-AgentEvent) \n| \n| [agent-left-manual-acw]
\n| \n| [agent-entered-work-break](#model-AgentEvent) \n| \n| [agent-enter-work-break-failed](#model-AgentEvent) \n| \n| [agent-left-work-break]
\n| \n| [agent-leave-work-break-failed](#model-AgentEvent) \n| \n| [agent-schedule](#model-AgentEvent) \n| \n| [call-was-created](#model-
CallEvent) \n| \n| [call-was-answered](#model-CallEvent) \n| \n| [call-was-connected](#model-CallEvent) \n| \n| [call-was-ended](#model-
CallEvent) \n| \n| [call-was-finished](#model-CallEvent) \n| \n| [call-was-abandoned](#model-CallEvent) \n| \n| [call-was-abandoned-due-amd]
\n| \n| [call-was-not-answered](#model-CallEvent) \n| \n| [call-history-was-created]
\n| \n| [manual-call-acw-connected](#model-CallEvent) \n| \n| [manual-call-acw-disconnected](#model-CallEvent) \n| \n| [hold-call](#model-
CallEvent) \n| \n| [spy-started](#model-SpyEvent)
```

Estilos de formatação

```

SpyEvent) |\\n| [list-empty](#model-ListEvent)
|\\n| [reached-max-online-agents](#model-ReachedMaxOnlineAgents) |\\n| [consult-hold](#model-
CallTransferEvent) |\\n| [consult-exit](#model-CallTransferEvent)
|\\n| [consult-transfer](#model-CallTransferEvent) |\\n| [consult-cancel-hold]
(#model-CallTransferEvent) |\\n| [consult-connected](#model-CallTransferEvent)
|\\n| [consult-failed](#model-CallTransferEvent) |\\n| [consult-transfer-failed]
(#model-CallTransferEvent) |\\n\\n---\\n"
},
"host": "3c.fluxoti.com",
"schemes": [
  "https",
  "http"
],
"basePath": "/api/v1",
"produces": [
  "application/json"
],
"consumes": [
  "application/x-www-form-urlencoded"
],
"securityDefinitions": {
  "ApiToken": {
    "type": "apiKey",
    "in": "query",
    "name": "api_token",
    "description": "API Authentication"
  }
},
"security": [
  {
    "ApiToken": []
  }
],
"paths": {
  "/agent/calls": {
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter in Y-m-d H:i:s format",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "The end date to filter in Y-m-d H:i:s format",
        "type": "string",
        "required": false
      },
      {
        "name": "limit",
        "in": "query",
        "description": "Limit of items returned",
        "type": "integer",
        "required": false
      },
      {
        "name": "offset",
        "in": "query",
        "description": "An offset to apply.",
        "type": "integer",
        "required": false
      }
    ],
    "get": {
      "tags": [
        "Agents"
      ]
    }
  }
}

```

Estilos de formatação

```

    "summary": "Agent call history",
    "description": "Only available for users with the agent or manager roles\n",
    "responses": {
      "200": {
        "description": "An array of calls.",
        "schema": {
          "$ref": "#/definitions/CallHistoryReports"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/agent/login": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Agent login",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [
        {
          "name": "campaign",
          "in": "formData",
          "description": "The campaign id to login in",
          "type": "integer",
          "required": true
        },
        {
          "name": "mode",
          "in": "formData",
          "description": "The login mode, dialer or manual.",
          "type": "string"
        }
      ],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/webphone/login": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Agent login in the webphone",
      "description": "Only available for users with the agent or manager roles and the Webphone permission.\n",
      "parameters": [
        {
          "name": "campaign",
          "in": "formData",
          "description": "The campaign id to login in",
          "type": "integer",
          "required": true
        }
      ]
    }
  }
}

```

Estilos de formatação

```

    },
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/agent/logout": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Agent logout",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/connect": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Connect an agent",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/work_break/{work-break-id}/enter": {
    "parameters": [
      {
        "name": "work-break-id",
        "in": "path",
        "description": "The work break interval id",
        "type": "string",
        "required": true
      }
    ],
    "post": {
      "tags": [

```

Estilos de formatação

```

    ],
    "summary": "Enter in the work break",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/agent/work_break/exit": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Exit from work break",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/manual_call/enter": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Enter manual call mode",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/manual_call/dial": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Start a manual call",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [

```

Estilos de formatação

```

      "in": "formData",
      "description": "The phone number",
      "type": "integer",
      "required": true
    },
    {
      "name": "shedule_id",
      "in": "formData",
      "description": "The schedule id",
      "type": "string",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created manual call",
      "schema": {
        "$ref": "#/definitions/ManualCall"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/agent/manual_call/{call-id}/qualify": {
  "post": {
    "tags": [
      "Agents",
      "Schedules"
    ],
    "summary": "Qualify a manual call",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [
      {
        "name": "call-id",
        "in": "path",
        "description": "The call id",
        "type": "string",
        "required": true
      },
      {
        "name": "qualification_id",
        "in": "formData",
        "description": "The qualification id",
        "type": "integer",
        "required": true
      },
      {
        "name": "qualification_note",
        "in": "formData",
        "description": "The qualification note",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    }
  }
},
"/agent/manual_call/exit": {
  "post": {
    "tags": [
      "Agents"
    ],
    "summary": "Exit manual call mode",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agent/manual_call_acw/enter": {
  "post": {
    "tags": [
      "Agents"
    ],
    "summary": "Enter manual call acw mode",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agent/manual_call_acw/dial": {
  "post": {
    "tags": [
      "Agents"
    ],
    "summary": "Start a manual call in acw",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [
      {
        "name": "phone",
        "in": "formData",
        "description": "The phone number",
        "type": "integer",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The created manual call",
        "schema": {
          "$ref": "#/definitions/ManualCall"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "/agent/manual_call_acw/exit": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Exit manual call acw mode",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/call/{call-id}/qualify": {
    "post": {
      "tags": [
        "Agents",
        "Schedules"
      ],
      "summary": "Qualify a call or/and create a scheduled call",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [
        {
          "name": "call-id",
          "in": "path",
          "description": "The call id",
          "type": "string",
          "required": true
        },
        {
          "name": "qualification_id",
          "in": "formData",
          "description": "The qualification id",
          "type": "integer",
          "required": true
        },
        {
          "name": "phone",
          "in": "formData",
          "description": "The phone number (10 ~ 13 numbers) to schedule",
          "type": "integer",
          "required": false
        },
        {
          "name": "note",
          "in": "formData",
          "description": "The schedule note",
          "type": "integer",
          "required": false
        }
      ]
    }
  }
}

```

Estilos de formatação

```

    "in": "formData",
    "description": "The schedule date, date format Y-m-d H:i:s",
    "type": "string",
    "required": false
  },
  {
    "name": "qualification_note",
    "in": "formData",
    "description": "The qualification note",
    "type": "string",
    "required": false
  },
  {
    "name": "end_mode",
    "in": "formData",
    "description": "The mode in which the agent will be put on after the end of the
call.\nThis option can be either dialer or manual.\n",
    "type": "string"
  }
],
"responses": {
  "204": {
    "description": "No Content"
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/agent/call/{call-id}/hangup": {
  "post": {
    "tags": [
      "Agents"
    ],
    "summary": "hangup a call connected to the agent",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [
      {
        "name": "call-id",
        "in": "path",
        "description": "The call id",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agent/campaigns": {
  "get": {
    "tags": [
      "Agents"
    ],
    "summary": "Get the campaigns the agent belongs.",

```

Estilos de formatação

want to snow only the paused or the running campaigns you'll need to pass a parameter to the request. If you want only the paused campaigns, just pass the `paused` parameter. Otherwise, if you only want the running ones, just pass the `running` parameter.

```

"responses": {
  "200": {
    "description": "A list of all campaigns the agent belongs",
    "schema": {
      "$ref": "#/definitions/AgentCampaigns"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/agent/work_break_intervals": {
  "get": {
    "tags": [
      "Agents"
    ],
    "summary": "Get work break intervals from logged campaign.",
    "description": "Only available for users with the agent or manager roles",
    "responses": {
      "200": {
        "description": "A list of all work break intervals",
        "schema": {
          "$ref": "#/definitions/WorkBreakInterval"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agents/{user-id}/work_break": {
  "put": {
    "tags": [
      "Agents"
    ],
    "summary": "Change the work break interval of an agent.",
    "description": "Only available for users with the manager role",
    "parameters": [
      {
        "name": "user-id",
        "in": "path",
        "type": "integer",
        "description": "The agent id that will change the work break interval",
        "required": true
      },
      {
        "name": "work_break_id",
        "in": "formData",
        "type": "integer",
        "description": "The work break id",
        "required": true
      }
    ],
    "responses": {
      "204": {
        "description": "No Content"
      }
    }
  }
}

```

Estilos de formatação

```

    "422": {
      "description": "The agent is not idle to engage in a work break interval.",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/agent/schedules": {
  "get": {
    "tags": [
      "Agents",
      "Schedules"
    ],
    "summary": "Get schedules expired and about to expire from logged campaign.",
    "description": "Only available for users with the agent or manager roles\n",
    "responses": {
      "200": {
        "description": "A list of schedules expired and about to expire",
        "schema": {
          "$ref": "#/definitions/Schedules"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agents": {
  "get": {
    "tags": [
      "Agents"
    ],
    "summary": "List all agents that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "status",
        "in": "query",
        "description": "The status of the users. Either active or inactive.",
        "type": "string",
        "required": false
      },
      {
        "name": "search",
        "in": "query",
        "description": "A search term to be used.",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "All agents paginated.",
        "schema": {
          "$ref": "#/definitions/Agents"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "/agents/status": {
    "get": {
      "tags": [
        "Agents"
      ],
      "summary": "Get the actual status of all active agents on the company",
      "description": "Only available for users with the manager role\n",
      "responses": {
        "200": {
          "description": "A list of all agents, with extensions and status",
          "schema": {
            "$ref": "#/definitions/AgentStatus"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agents/online": {
    "get": {
      "tags": [
        "Agents"
      ],
      "summary": "List User that belongs to the company of the authenticated user and are logged
in",
      "description": "Available for users with the manager and agent role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "All agents online",
          "schema": {
            "$ref": "#/definitions/AgentStatus"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agents/{agent-id}/logout": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Agent logout",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "agent-id",
          "in": "path",

```

Estilos de formatação

```
    "type": "string",
    "required": true
  }
],
"responses": {
  "204": {
    "description": "No Content"
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/agent/statistics": {
  "get": {
    "tags": [
      "Agents"
    ],
    "summary": "Get connected calls statistics",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "Filter by start date (format Y-m-d)",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "Filter by end date (format Y-m-d)",
        "type": "string",
        "required": true
      },
      {
        "name": "campaign_id",
        "in": "query",
        "description": "Filter by campaign_id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent_id",
        "in": "query",
        "description": "Filter by agent_id",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "A list of all statistics",
        "schema": {
          "$ref": "#/definitions/AgentStatistics"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}
```

Estilos de formatação

```

    },
    "/agents/statistics/by_agent": {
      "get": {
        "tags": [
          "Agents"
        ],
        "summary": "Get statistics by agent",
        "description": "Only available for users with the manager role\n",
        "parameters": [
          {
            "name": "start_date",
            "in": "query",
            "description": "Filter by start date",
            "type": "string",
            "required": true
          },
          {
            "name": "end_date",
            "in": "query",
            "description": "Filter by end date",
            "type": "string",
            "required": true
          },
          {
            "name": "campaign_id",
            "in": "query",
            "description": "Filter by campaign_id",
            "type": "string",
            "required": true
          }
        ],
        "responses": {
          "200": {
            "description": "A list of all statistics by agent",
            "schema": {
              "$ref": "#/definitions/AgentStatisticsByAgentList"
            }
          },
          "default": {
            "description": "Unexpected error",
            "schema": {
              "$ref": "#/definitions/Error"
            }
          }
        }
      }
    },
    "/agents/statistics/by_agent/csv": {
      "get": {
        "tags": [
          "Agents"
        ],
        "summary": "Get statistics by agent CSV",
        "description": "Only available for users with the manager role\n",
        "parameters": [
          {
            "name": "start_date",
            "in": "query",
            "description": "Filter by start date",
            "type": "string",
            "required": true
          },
          {
            "name": "end_date",
            "in": "query",
            "description": "Filter by end date",
            "type": "string",
            "required": true
          }
        ]
      }
    }
  }
}

```

Estilos de formatação

```

    {
      "name": "campaign_id",
      "in": "query",
      "description": "Filter by campaign_id",
      "type": "string",
      "required": true
    },
    {
      "name": "webhook_url",
      "in": "query",
      "description": "A HTTP URL where we can send a POST request to notify about the
completion of your report. The body of the request will contain a HTTPS url that you can use to
download your report.",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "204": {
      "description": "A generated CSV"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/qualification/statistics": {
  "get": {
    "tags": [
      "Agents"
    ],
    "summary": "Get qualification statistics",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "Filter by start date (format Y-m-d)",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "Filter by end date (format Y-m-d)",
        "type": "string",
        "required": true
      },
      {
        "name": "campaign_id",
        "in": "query",
        "description": "Filter by campaign_id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent_id",
        "in": "query",
        "description": "Filter by agent_id",
        "type": "string",
        "required": false
      }
    ],
    "responses": {

```

Estilos de formatação

```

    "description": "A list of all statistics",
    "schema": {
      "$ref": "#/definitions/QualificationStatistics"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/agents/login_history": {
  "get": {
    "tags": [
      "Agents"
    ],
    "summary": "Get Login history from agents",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "Filter by start date (format Y-m-d H:i:s)",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "Filter by end date (format Y-m-d H:i:s)",
        "type": "string",
        "required": true
      },
      {
        "name": "campaign_id",
        "in": "query",
        "description": "Filter by campaign_id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent_id",
        "in": "query",
        "description": "Filter by agent_id",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "A list of all agents login history",
        "schema": {
          "$ref": "#/definitions/LoginHistory"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agent/consult": {

```

Estilos de formatação

```

    "tags": [
      "Agents"
    ],
    "summary": "Start a consult.",
    "description": "Only available for users with the agent or manager roles\n",
    "parameters": [
      {
        "name": "consultedId",
        "in": "formData",
        "description": "The consulted agent id.",
        "type": "integer",
        "required": true
      }
    ],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "400": {
        "description": "The agent or consulted is offline.",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/agent/consult/queue": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Start a consult for a receptive queue.",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [
        {
          "name": "queueId",
          "in": "formData",
          "description": "The receptive queue id.",
          "type": "integer",
          "required": true
        }
      ],
      "responses": {
        "204": {
          "description": "No Content"
        },
        "400": {
          "description": "The agent is offline.",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  }
},

```

Estilos de formatação

```

    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Cancel the consult on hold.",
      "description": "Only available for users with the agent or manager roles\n",
      "responses": {
        "204": {
          "description": "No Content"
        },
        "400": {
          "description": "The agent is offline.",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/consult/exit": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Exit the consult.",
      "description": "Only available for users with the agent or manager roles\n",
      "responses": {
        "204": {
          "description": "No Content"
        },
        "400": {
          "description": "The agent is offline.",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/agent/consult/transfer": {
    "post": {
      "tags": [
        "Agents"
      ],
      "summary": "Start a transfer.",
      "description": "Only available for users with the agent or manager roles\n",
      "parameters": [
        {
          "name": "consultedId",
          "in": "formData",
          "description": "The consulted agent id.",
          "type": "integer",
          "required": true
        }
      ],
      "responses": {

```

Estilos de formatação

```

      "description": "No Content"
    },
    "400": {
      "description": "The agent is offline.",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/click2call": {
  "post": {
    "tags": [
      "Agents"
    ],
    "summary": "Start a manual call if the agent is idle.",
    "description": "Only available for users with the manager role.\n",
    "parameters": [
      {
        "name": "extension",
        "in": "formData",
        "description": "The agent extension.",
        "type": "integer",
        "required": true
      },
      {
        "name": "phone",
        "in": "formData",
        "description": "The phone number.",
        "type": "integer",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The created manual call",
        "schema": {
          "$ref": "#/definitions/ManualCall"
        }
      },
      "422": {
        "description": "The agent is not idle.",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/agent/loggedCampaign": {
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Get the agent logged Campaign",

```

Estilos de formatação

```

    "responses": {
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      },
      "200": {
        "description": "The campaign",
        "schema": {
          "$ref": "#/definitions/Campaign"
        }
      }
    }
  },
  "/agents/status/metrics/total": {
    "get": {
      "tags": [
        "Status",
        "Metrics"
      ],
      "summary": "Get status and metrics the agent",
      "description": "Only available for users with the manager or supervisor role",
      "parameters": [
        {
          "name": "start_date",
          "in": "query",
          "description": "The start date to filter in Y-m-d H:i:s format",
          "type": "string",
          "required": true
        },
        {
          "name": "end_date",
          "in": "query",
          "description": "The end date to filter in Y-m-d H:i:s format",
          "type": "string",
          "required": true
        },
        {
          "name": "search",
          "in": "query",
          "description": "Search by name or e-mail",
          "type": "string",
          "required": false
        },
        {
          "name": "active",
          "in": "query",
          "description": "The user's 1 active, 0 inactive",
          "type": "string",
          "required": false
        },
        {
          "name": "teamId",
          "in": "query",
          "description": "The team id to filter",
          "type": "string",
          "required": false
        },
        {
          "name": "status",
          "in": "query",
          "description": "The status to filter, use ONLINE or OFFLINE",
          "type": "string",
          "required": false
        }
      ]
    }
  },

```

Estilos de formatação

```

    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    },
    "200": {
      "description": "The agent status and metrics",
      "schema": {
        "$ref": "#/definitions/AgentStatusMetrics"
      }
    }
  }
},
"/authenticate": {
  "post": {
    "tags": [
      "Auth"
    ],
    "summary": "Authenticate a user to receive a token. You should specify either the company subdomain in the url, company_domain or company_id.",
    "parameters": [
      {
        "name": "user",
        "in": "formData",
        "description": "Either the user's email or the extension number",
        "type": "string",
        "required": true
      },
      {
        "name": "password",
        "in": "formData",
        "description": "The user's password",
        "type": "string",
        "required": true
      },
      {
        "name": "company_id",
        "in": "formData",
        "description": "The user's company id",
        "type": "integer",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "The authenticated user",
        "schema": {
          "$ref": "#/definitions/User"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/callbacks": {
  "get": {
    "tags": [
      "Callbacks"
    ],
    "summary": "Retrieve all company callbacks.",
    "description": "Only available for users with the manager role\n",

```

Estilos de formatação

```

    "200": {
      "description": "An array of callbacks",
      "schema": {
        "$ref": "#/definitions/Callbacks"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/calls": {
  "get": {
    "tags": [
      "Calls"
    ],
    "summary": "Retrieve and filter call reports",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "per_page",
        "in": "query",
        "description": "How many items per page",
        "type": "string",
        "required": true
      },
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter in Y-m-d H:i:s format",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "The end date to filter in Y-m-d H:i:s format",
        "type": "string",
        "required": false
      },
      {
        "name": "lists",
        "in": "query",
        "description": "An array of mailing list ids",
        "type": "array",
        "items": {
          "type": "integer"
        },
        "required": false
      },
      {
        "name": "identifier",
        "in": "query",
        "description": "The client identifier.",
        "type": "string"
      },
      {
        "name": "identifiers",
        "in": "query",
        "description": "An array of identifiers",
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    ]
  }
}

```

Estilos de formatação

```
    },
    {
      "name": "campaigns",
      "in": "query",
      "description": "An array of campaign ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "agents",
      "in": "query",
      "description": "An array of agent ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "qualifications",
      "in": "query",
      "description": "An array of qualification ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "numbers",
      "in": "query",
      "description": "An array of phone numbers",
      "type": "array",
      "items": {
        "type": "string"
      },
      "required": false
    },
    {
      "name": "type",
      "in": "query",
      "description": "Either mobile or landline",
      "type": "string",
      "required": false
    },
    {
      "name": "limit",
      "in": "query",
      "description": "Limit of items returned",
      "type": "integer",
      "required": false
    },
    {
      "name": "offset",
      "in": "query",
      "description": "An offset to apply.",
      "type": "integer",
      "required": false
    },
    {
      "name": "with_mailing",
      "in": "query",
      "description": "If true include the mailing data in the report.",
      "type": "boolean",
      "default": false,
```

Estilos de formatação

```
    },
    {
      "name": "minimum_duration",
      "in": "query",
      "description": "The minimum duration of the call in seconds.",
      "type": "integer",
      "required": false
    },
    {
      "name": "maximum_duration",
      "in": "query",
      "description": "The maximum duration of the call in seconds.",
      "type": "integer",
      "required": false
    },
    {
      "name": "sid",
      "in": "query",
      "description": "The call sid.",
      "type": "string",
      "required": false
    },
    {
      "name": "is_consult",
      "in": "query",
      "description": "If the call is a consult (warm transfer).",
      "type": "boolean",
      "default": false,
      "required": false
    },
    {
      "name": "is_transfer",
      "in": "query",
      "description": "If the call is a transfer.",
      "type": "boolean",
      "default": false,
      "required": false
    },
    {
      "name": "is_transferred",
      "in": "query",
      "description": "If the call was transferred.",
      "type": "boolean",
      "default": false,
      "required": false
    },
    {
      "name": "simple_paginate",
      "in": "query",
      "description": "A simple pagination implementation that does not yield the number of
pages. Simply follow the links to previous / next page instead. Will be the default paginator in the
future.",
      "type": "boolean",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "An array of call reports",
      "schema": {
        "$ref": "#/definitions/CallHistoryReports"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
```

Estilos de formatação

```
}
}
},
"/calls/total": {
  "get": {
    "tags": [
      "Calls"
    ],
    "summary": "Retrieve and filter total call reports",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter in Y-m-d H:i:s format",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "The end date to filter in Y-m-d H:i:s format",
        "type": "string",
        "required": false
      },
      {
        "name": "lists",
        "in": "query",
        "description": "An array of mailing list ids",
        "type": "array",
        "items": {
          "type": "integer"
        },
        "required": false
      },
      {
        "name": "campaigns",
        "in": "query",
        "description": "An array of campaign ids",
        "type": "array",
        "items": {
          "type": "integer"
        },
        "required": false
      },
      {
        "name": "agents",
        "in": "query",
        "description": "An array of agent ids",
        "type": "array",
        "items": {
          "type": "integer"
        },
        "required": false
      },
      {
        "name": "qualifications",
        "in": "query",
        "description": "An array of qualification ids",
        "type": "array",
        "items": {
          "type": "integer"
        },
        "required": false
      },
      {
        "name": "numbers",
        "in": "query",

```

Estilos de formatação

```

    "type": "array",
    "items": {
      "type": "string"
    },
    "required": false
  },
  {
    "name": "type",
    "in": "query",
    "description": "Either mobile or landline",
    "type": "string",
    "required": false
  },
  {
    "name": "limit",
    "in": "query",
    "description": "Limit of items returned",
    "type": "integer",
    "required": false
  },
  {
    "name": "offset",
    "in": "query",
    "description": "An offset to apply.",
    "type": "integer",
    "required": false
  },
  {
    "name": "is_consult",
    "in": "query",
    "description": "If the call is a consult (warm transfer).",
    "type": "boolean",
    "default": false,
    "required": false
  },
  {
    "name": "is_transfer",
    "in": "query",
    "description": "If the call is a transfer.",
    "type": "boolean",
    "default": false,
    "required": false
  },
  {
    "name": "is_transferred",
    "in": "query",
    "description": "If the call was transferred.",
    "type": "boolean",
    "default": false,
    "required": false
  }
],
"responses": {
  "200": {
    "description": "The total call report",
    "schema": {
      "$ref": "#/definitions/TotalCallHistoryReport"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
}
},

```

Estilos de formatação

```
get: {
  "tags": [
    "Calls"
  ],
  "summary": "Generate a call history csv report.",
  "description": "Only available for users with the manager role\n",
  "parameters": [
    {
      "name": "start_date",
      "in": "query",
      "description": "The start date to filter in Y-m-d H:i:s format",
      "type": "string",
      "required": true
    },
    {
      "name": "end_date",
      "in": "query",
      "description": "The end date to filter in Y-m-d H:i:s format",
      "type": "string",
      "required": false
    },
    {
      "name": "lists",
      "in": "query",
      "description": "An array of mailing list ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "identifiers",
      "in": "query",
      "description": "An array of identifiers",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "campaigns",
      "in": "query",
      "description": "An array of campaign ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "agent_ids",
      "in": "query",
      "description": "An array of agent ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": false
    },
    {
      "name": "statuses",
      "in": "query",
      "description": "An array of status ids",
      "type": "array",
      "items": {
        "type": "integer"
      }
    }
  ]
}
```

Estilos de formatação

```

    "required": false
  },
  {
    "name": "qualifications",
    "in": "query",
    "description": "An array of qualification ids",
    "type": "array",
    "items": {
      "type": "integer"
    },
    "required": false
  },
  {
    "name": "numbers",
    "in": "query",
    "description": "An array of phone numbers",
    "type": "array",
    "items": {
      "type": "string"
    },
    "required": false
  },
  {
    "name": "type",
    "in": "query",
    "description": "Either mobile or landline",
    "type": "string",
    "required": false
  },
  {
    "name": "limit",
    "in": "query",
    "description": "Limit of items returned",
    "type": "integer",
    "required": false
  },
  {
    "name": "offset",
    "in": "query",
    "description": "An offset to apply.",
    "type": "integer",
    "required": false
  },
  {
    "name": "with_mailing",
    "in": "query",
    "description": "If true include the mailing data in the report.",
    "type": "boolean",
    "default": false,
    "required": true
  },
  {
    "name": "webhook_url",
    "in": "query",
    "type": "string",
    "description": "A HTTP URL where we can send a POST request to notify about the completion of your report. The body of the request will contain a HTTPS url that you can use to download your report.",
    "required": true
  }
],
"responses": {
  "204": {
    "description": "No Content."
  },
  "default": {
    "description": "Unexpected error",
    "schema": {

```

Estilos de formatação

```

    }
  }
}
},
"/calls/receptive": {
  "get": {
    "tags": [
      "Calls"
    ],
    "summary": "List all active receptive calls group by queue id",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "An array of calls",
        "schema": {
          "$ref": "#/definitions/Calls"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/calls/{call-id}": {
  "parameters": [
    {
      "name": "call-id",
      "in": "path",
      "description": "The call id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Calls"
    ],
    "summary": "Retrieve a single call report",
    "description": "Only available for users with the manager and agent role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "A call history report",
        "schema": {
          "$ref": "#/definitions/CallHistoryReport"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/calls/{call-id}/recording": {
  "parameters": [
    {
      "name": "call-id",
      "in": "path",
      "description": "The call id",

```

Estilos de formatação

```

      "required": true
    },
    {
      "name": "original",
      "in": "query",
      "description": "Return the original recording without conversion.",
      "type": "boolean",
      "required": false
    }
  ],
  "get": {
    "tags": [
      "Calls",
      "Records"
    ],
    "summary": "Download a recording for the given call",
    "description": "A call recording",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The recording file.",
        "headers": {
          "Content-type": {
            "type": "string",
            "description": "audio/mpeg, audio/wave or audio/gsm"
          },
          "Content-Disposition": {
            "type": "string",
            "description": "attachment; filename=filename.ext"
          }
        }
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/calls/{call-id}/recording_amd": {
  "parameters": [
    {
      "name": "call-id",
      "in": "path",
      "description": "The call id",
      "type": "string",
      "required": true
    },
    {
      "name": "original",
      "in": "query",
      "description": "Return the original recording without conversion.",
      "type": "boolean",
      "required": false
    }
  ],
  "get": {
    "tags": [
      "Calls",
      "Records"
    ],
    "summary": "Download an AMD recording for the given call",
    "description": "Download AMD recording",
    "parameters": [],
    "responses": {
      "200": {

```

Estilos de formatação

```

      "headers": {
        "Content-type": {
          "type": "string",
          "description": "audio/mpeg, audio/wave or audio/gsm"
        },
        "Content-Disposition": {
          "type": "string",
          "description": "attachment; filename=filename.ext"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    },
    "/calls/{call-id}/recording_consult": {
      "parameters": [
        {
          "name": "call-id",
          "in": "path",
          "description": "The call id",
          "type": "string",
          "required": true
        }
      ],
      "get": {
        "tags": [
          "Calls",
          "Records"
        ],
        "summary": "Download a consult recording for the given call",
        "parameters": [],
        "responses": {
          "200": {
            "description": "The recording file, if the call is a transfer.",
            "headers": {
              "Content-type": {
                "type": "string",
                "description": "audio/mpeg, audio/wave or audio/gsm"
              },
              "Content-Disposition": {
                "type": "string",
                "description": "attachment; filename=filename.mp3"
              }
            }
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "/calls/{call-id}/recording_transfer": {
      "parameters": [
        {
          "name": "call-id",
          "in": "path",
          "description": "The call id",
          "type": "string",
          "required": true

```

Estilos de formatação

```

    ],
    "get": {
      "tags": [
        "Calls",
        "Records"
      ],
      "summary": "Download a transfer recording for the given call",
      "parameters": [],
      "responses": {
        "200": {
          "description": "The recording file, if the call is a transfer.",
          "headers": {
            "Content-type": {
              "type": "string",
              "description": "audio/mpeg, audio/wave or audio/gsm"
            },
            "Content-Disposition": {
              "type": "string",
              "description": "attachment; filename=filename.mp3"
            }
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "/records/{year}/{month}/{day}": {
      "parameters": [
        {
          "name": "year",
          "in": "path",
          "description": "The four digit number corresponding to the respective year, e.g. 2019.",
          "type": "string",
          "required": true
        },
        {
          "name": "month",
          "in": "path",
          "description": "The two digit number corresponding to the respective month, e.g. 09.",
          "type": "string",
          "required": true
        },
        {
          "name": "day",
          "in": "path",
          "description": "The two digit number corresponding to the respective day, e.g. 05.
Optional.",
          "type": "string",
          "required": true
        }
      ],
      "get": {
        "tags": [
          "Calls",
          "Records"
        ],
        "summary": "Download a zip archive containing all call recordings for the given timestamp.
NOTE: Your download will likely get interrupted by network outage if you choose large timestamps,
like months or year. Since we stream this archive on-the-fly from memory, this operation can't be
resumed, so we recommend to download only by day.",
        "description": "Download call recordings for a given timestamp.",
        "parameters": [],
        "responses": {

```

Estilos de formatação

```

    "description": "The zip archive.",
    "headers": {
      "Content-type": {
        "type": "string",
        "description": "application/zip, application/octet-stream"
      },
      "Content-Disposition": {
        "type": "string",
        "description": "attachment; filename=filename.zip"
      }
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
},
"/calls/sid/{sid}": {
  "parameters": [
    {
      "name": "sid",
      "in": "path",
      "description": "The call string identifier.",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Calls"
    ],
    "summary": "Retrieve a call report for a specific call string identifier",
    "description": "Use the [calls/id](#/Calls/get_calls__call_id_) endpoint.\nOnly available for users with the manager and agent role\n",
    "parameters": [],
    "deprecated": true,
    "responses": {
      "200": {
        "description": "A call history report",
        "schema": {
          "$ref": "#/definitions/CallHistoryReport"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/campaigns": {
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "List all campaigns that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "paused",
        "in": "query",
        "type": "boolean",

```

Estilos de formatação

```
    },
    {
      "name": "search",
      "in": "query",
      "type": "string",
      "description": "Search term"
    }
  ],
  "responses": {
    "200": {
      "description": "All campaigns Paginated",
      "schema": {
        "$ref": "#/definitions/Campaigns"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"post": {
  "tags": [
    "Campaigns"
  ],
  "summary": "Create a new campaign",
  "description": "Only available for users with the manager role",
  "parameters": [
    {
      "name": "name",
      "in": "formData",
      "description": "The campaign's name",
      "type": "string",
      "required": true
    },
    {
      "name": "extension_number",
      "in": "formData",
      "description": "The campaign's extension number",
      "type": "integer",
      "required": true
    },
    {
      "name": "start_time",
      "in": "formData",
      "description": "The time for the start of the campaign. Must be in 09:00 format",
      "type": "string",
      "required": true
    },
    {
      "name": "qualification_list",
      "in": "formData",
      "description": "The qualification id list",
      "type": "string",
      "required": true
    },
    {
      "name": "end_time",
      "in": "formData",
      "description": "The time for the end of the campaign. Must be in 09:00 format",
      "type": "string",
      "required": true
    },
    {
      "name": "allows_manual",
      "in": "formData",
```

Estilos de formatação

```
    "type": "boolean",
    "required": false
  },
  {
    "name": "url",
    "in": "formData",
    "description": "A valid url for the campaign",
    "type": "string",
    "required": false
  },
  {
    "name": "acw_timeout",
    "in": "formData",
    "description": "The ACW timeout before auto qualification. The number 0 is the default
and means unlimited.",
    "type": "integer",
    "required": false
  },
  {
    "name": "caller_id",
    "in": "formData",
    "description": "The campaign's caller id",
    "type": "string",
    "required": false
  },
  {
    "name": "route_landline_id",
    "in": "formData",
    "description": "The Route landline id",
    "type": "string",
    "required": false
  },
  {
    "name": "route_mobile_id",
    "in": "formData",
    "description": "The Route mobile id",
    "type": "string",
    "required": false
  },
  {
    "name": "check_amd",
    "in": "formData",
    "description": "True to enable the amd, false disable",
    "type": "boolean",
    "required": false
  },
  {
    "name": "copy_identifier",
    "in": "formData",
    "description": "If true, copy the identifier of the connected call",
    "type": "boolean",
    "required": false
  },
  {
    "name": "active_list_notify",
    "in": "formData",
    "description": "True to enable the completed list nofication, false disable",
    "type": "boolean",
    "required": false
  },
  {
    "name": "limit_call_per_agent",
    "in": "formData",
    "description": "The call limit per agent",
    "type": "integer",
    "required": false
  },
  {

```

Estilos de formatação

```

      "in": "formData",
      "description": "The limit call time",
      "type": "integer",
      "required": false
    },
    {
      "name": "work_break_group_id",
      "in": "formData",
      "description": "The work_break_group_id id list",
      "type": "string",
      "required": false
    },
    {
      "name": "ivr_after_call_id",
      "in": "formData",
      "description": "The ivr_after_call_id id list",
      "type": "string",
      "required": false
    },
    {
      "name": "recalls",
      "in": "formData",
      "description": "The amount recalls, Within 1 to 10",
      "type": "integer",
      "required": false
    },
    {
      "name": "call_time",
      "in": "formData",
      "description": "The call time (seconds), Within 20 to 50 seconds",
      "type": "integer",
      "required": false
    },
    {
      "name": "wait_time",
      "in": "formData",
      "description": "The wait time (seconds) Within 3 to 20 seconds",
      "type": "integer",
      "required": false
    },
    {
      "name": "ura_limit",
      "in": "formData",
      "description": "The number of channels that ivr should dial",
      "type": "integer",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created campaign",
      "schema": {
        "$ref": "#/definitions/Campaign"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}": {
  "parameters": [
    {
      "name": "campaign-id",

```

Estilos de formatação

```

      "description": "line campaign id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Get a campaign",
    "description": "Only available for users with the manager role\n",
    "responses": {
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      },
      "200": {
        "description": "The campaign",
        "schema": {
          "$ref": "#/definitions/Campaign"
        }
      }
    }
  },
  "delete": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Delete a campaign on the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "put": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Update a campaign",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The campaign's name",
        "type": "string",
        "required": true
      },
      {
        "name": "extension_number",
        "in": "formData",
        "description": "The campaign's extension number",
        "type": "integer",
        "required": true
      },
      {
        "name": "start_time",

```

Estilos de formatação

```

    "description": "The time for the start of the campaign. Must be in 09:00 format",
    "type": "string",
    "required": true
  },
  {
    "name": "end_time",
    "in": "formData",
    "description": "The time for the end of the campaign. Must be in 09:00 format",
    "type": "string",
    "required": true
  },
  {
    "name": "qualification_list",
    "in": "formData",
    "description": "The qualification id list",
    "type": "string",
    "required": true
  },
  {
    "name": "ivr_after_call_id",
    "in": "formData",
    "description": "The ivr_after_call_id id list",
    "type": "string",
    "required": false
  },
  {
    "name": "url",
    "in": "formData",
    "description": "A valid url for the campaign",
    "type": "string",
    "required": false
  },
  {
    "name": "allows_manual",
    "in": "formData",
    "description": "True to enable the manual calls, false disable",
    "type": "boolean",
    "required": false
  },
  {
    "name": "acw_timeout",
    "in": "formData",
    "description": "The ACW timeout in seconds before auto qualification. The number 0 means
unlimited.",
    "type": "integer",
    "required": false
  },
  {
    "name": "caller_id",
    "in": "formData",
    "description": "The campaign's caller id",
    "type": "string",
    "required": false
  },
  {
    "name": "route_landline_id",
    "in": "formData",
    "description": "The Route landline id",
    "type": "string",
    "required": false
  },
  {
    "name": "route_mobile_id",
    "in": "formData",
    "description": "The Route mobile id",
    "type": "string",
    "required": false
  },

```

Estilos de formatação

```
{
  "name": "check_amd",
  "in": "formData",
  "description": "True to enable the amd, false disable",
  "type": "boolean",
  "required": false
},
{
  "name": "copy_identifier",
  "in": "formData",
  "description": "If true, copy the identifier of the connected call",
  "type": "boolean",
  "required": false
},
{
  "name": "active_list_notify",
  "in": "formData",
  "description": "True to enable the completed list nofication, false disable",
  "type": "boolean",
  "required": false
},
{
  "name": "limit_call_per_agent",
  "in": "formData",
  "description": "The call limit per agent",
  "type": "integer",
  "required": false
},
{
  "name": "limit_call_time",
  "in": "formData",
  "description": "The limit call time",
  "type": "integer",
  "required": false
},
{
  "name": "work_break_group_id",
  "in": "formData",
  "description": "The work_break_group_id id list",
  "type": "string",
  "required": false
},
{
  "name": "recalls",
  "in": "formData",
  "description": "The amount recalls, Within 1 to 10",
  "type": "integer",
  "required": false
},
{
  "name": "call_time",
  "in": "formData",
  "description": "The call time (seconds), Within 20 to 50 seconds",
  "type": "integer",
  "required": false
},
{
  "name": "wait_time",
  "in": "formData",
  "description": "The wait time (seconds) Within 3 to 20 seconds",
  "type": "integer",
  "required": false
},
{
  "name": "ura_limit",
  "in": "formData",
  "description": "The number of channels that ivr should dial",
  "type": "integer",
  "required": false
}
```

Estilos de formatação

```

    },
    "responses": {
      "200": {
        "description": "The campaign",
        "schema": {
          "$ref": "#/definitions/Campaign"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "patch": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Partial update a campaign",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The campaign's name",
        "type": "string",
        "required": false
      },
      {
        "name": "start_time",
        "in": "formData",
        "description": "The time for the start of the campaign. Must be in 09:00 format",
        "type": "string",
        "required": false
      },
      {
        "name": "end_time",
        "in": "formData",
        "description": "The time for the end of the campaign. Must be in 09:00 format",
        "type": "string",
        "required": false
      },
      {
        "name": "allows_manual",
        "in": "formData",
        "description": "True to enable the manual calls, false disable",
        "type": "boolean",
        "required": false
      },
      {
        "name": "acw_timeout",
        "in": "formData",
        "description": "The ACW timeout in seconds before auto qualification. The number 0 means
unlimited.",
        "type": "integer",
        "required": false
      },
      {
        "name": "route_landline_id",
        "in": "formData",
        "description": "The Route landline id",
        "type": "string",
        "required": false
      },
      {
        "name": "route_mobile_id",

```

Estilos de formatação

```

      "description": "The route mobile id",
      "type": "string",
      "required": false
    },
    {
      "name": "check_amd",
      "in": "formData",
      "description": "True to enable the amd, false disable",
      "type": "boolean",
      "required": false
    },
    {
      "name": "copy_identifier",
      "in": "formData",
      "description": "If true, copy the identifier of the connected call",
      "type": "boolean",
      "required": false
    },
    {
      "name": "active_list_notify",
      "in": "formData",
      "description": "True to enable the completed list notification, false disable",
      "type": "boolean",
      "required": false
    },
    {
      "name": "limit_call_per_agent",
      "in": "formData",
      "description": "The call limit per agent",
      "type": "integer",
      "required": false
    },
    {
      "name": "work_break_group_id",
      "in": "formData",
      "description": "The work_break_group_id id list",
      "type": "string",
      "required": false
    },
    {
      "name": "is_predictive",
      "in": "formData",
      "description": "True to enable the productive/predictive, false disable",
      "type": "boolean",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The campaign",
      "schema": {
        "$ref": "#/definitions/Campaign"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/intervals": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",

```

Estilos de formatação

```

    "type": "string",
    "required": true
  }
],
"get": {
  "tags": [
    "Campaigns",
    "Work Break"
  ],
  "summary": "Get all company's work break intervals",
  "description": "Only available for users with the manager role\n",
  "responses": {
    "200": {
      "description": "The company's work break intervals",
      "schema": {
        "$ref": "#/definitions/WorkBreakIntervals"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
},
"/campaigns/{campaign-id}/pause": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "summary": "Pause a campaign on the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "200": {
      "description": "The paused campaign",
      "schema": {
        "$ref": "#/definitions/Campaign"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
},
"/campaigns/{campaign-id}/resume": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "summary": "Resume a campaign on the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "200": {
      "description": "The resumed campaign",
      "schema": {
        "$ref": "#/definitions/Campaign"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
},
}

```

Estilos de formatação

```

    ],
    "put": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Resume a campaign on the user's company",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "The resumed campaign",
          "schema": {
            "$ref": "#/definitions/Campaign"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/campaigns/{campaign-id}/agents": {
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      }
    ],
    "get": {
      "tags": [
        "Campaigns"
      ],
      "summary": "List all agents in this campaign",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "An array of agents",
          "schema": {
            "$ref": "#/definitions/Agents"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "post": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Add agents in a campaign",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "agents[]",
          "in": "formData",
          "description": "An array of agent ids",
          "type": "array",

```

Estilos de formatação

```

        "type": "integer",
        "required": true
    },
    ],
    "responses": {
        "200": {
            "description": "An array of attached agents",
            "schema": {
                "$ref": "#/definitions/Agents"
            }
        },
        "default": {
            "description": "Unexpected error",
            "schema": {
                "$ref": "#/definitions/Error"
            }
        }
    }
},
"/campaigns/{campaign-id}/agents/metrics": {
    "get": {
        "tags": [
            "Campaigns"
        ],
        "summary": "Agent metrics by hour.",
        "description": "Only available for users with the manager role\n",
        "parameters": [
            {
                "name": "campaign-id",
                "in": "path",
                "description": "The campaign id",
                "type": "string",
                "required": true
            },
            {
                "name": "startDate",
                "in": "query",
                "description": "Start date",
                "type": "string",
                "required": true
            },
            {
                "name": "endDate",
                "in": "query",
                "description": "End date",
                "type": "string",
                "required": true
            }
        ],
        "responses": {
            "200": {
                "description": "Agent metrics",
                "schema": {
                    "$ref": "#/definitions/AgentMetrics"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    }
},
"/campaigns/{campaign-id}/agents/metrics/total": {

```

Estilos de formatação

```

    "tags": [
      "Campaigns"
    ],
    "summary": "Agent metrics by total.",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      },
      {
        "name": "startDate",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "endDate",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      },
      {
        "name": "orderBy",
        "in": "query",
        "description": "Sort the result in ascending order.",
        "type": "string",
        "required": false
      },
      {
        "name": "orderByDesc",
        "in": "query",
        "description": "Sort the result in descending order.",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "Agent metrics",
        "schema": {
          "$ref": "#/definitions/AgentMetrics"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/campaigns/{campaign-id}/agents/metrics/total/csv": {
    "get": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Generate a csv with the agent metrics aggregated by totals.",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "campaign-id",

```

Estilos de formatação

```

      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "startDate",
      "in": "query",
      "description": "Start date",
      "type": "string",
      "required": true
    },
    {
      "name": "endDate",
      "in": "query",
      "description": "End date",
      "type": "string",
      "required": true
    },
    {
      "name": "orderBy",
      "in": "query",
      "description": "Sort the result in ascending order.",
      "type": "string",
      "required": false
    },
    {
      "name": "orderByDesc",
      "in": "query",
      "description": "Sort the result in descending order.",
      "type": "string",
      "required": false
    },
    {
      "name": "webhook_url",
      "in": "query",
      "description": "A HTTP URL where we can send a POST request to notify about the
completion of your report. The body of the request will contain a HTTPS url that you can use to
download your report.",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "204": {
      "description": "A generated CSV"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/agents/metrics/total_per_time": {
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Agent metrics by day if time filtered is above 24 hours or by hour if time
filtered is below 24 hours.",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",

```

Estilos de formatação

```

        "required": true
      },
      {
        "name": "startDate",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "endDate",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      },
      {
        "name": "agent_id",
        "in": "query",
        "description": "The agent id.",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "An array of Agent metrics Per time",
        "schema": {
          "$ref": "#/definitions/AgentMetricsPerTime"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  {
    "path": "/campaigns/{campaign-id}/agents/status",
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      }
    ],
    "get": {
      "tags": [
        "Campaigns"
      ],
      "summary": "List all agents status in this campaign",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "An array of agents status",
          "schema": {
            "$ref": "#/definitions/AgentStatus"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  }
}

```

Estilos de formatação

```

    }
  }
},
"/campaigns/{campaign-id}/agents/{agent-id}": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "agent-id",
      "in": "path",
      "description": "The agent id",
      "type": "string",
      "required": true
    }
  ],
  "delete": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Remove an agent from a campaign",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/campaigns/{campaign-id}/agents/qualifications": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Filter agent qualifications statistics.",
    "description": "",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter. Format: Y-m-d",
        "type": "string",
        "required": false
      },
      {
        "name": "end_date",
        "in": "query",

```

Estilos de formatação

```

    "type": "string",
    "required": false
  }
],
"responses": {
  "200": {
    "description": "The filtered qualification stats",
    "schema": {
      "$ref": "#/definitions/TotalQualificationStats"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/campaigns/{campaign-id}/agents/qualifications/csv": {
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Generate a csv with the qualifications count per agent during the specified time interval.",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      },
      {
        "name": "startDate",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "endDate",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      },
      {
        "name": "webhook_url",
        "in": "query",
        "description": "A HTTP URL where we can send a POST request to notify about the completion of your report. The body of the request will contain a HTTPS url that you can use to download your report.",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "204": {
        "description": "A generated CSV"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    }
  }
},
"/campaigns/{campaign-id}/calls": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "ura",
      "in": "query",
      "description": "True to return ura lists, false to return dialer lists",
      "type": "boolean",
      "required": false,
      "default": false
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "List all active calls group by status in this campaign",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "An array of calls",
        "schema": {
          "$ref": "#/definitions/Calls"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/campaigns/{campaign-id}/lists": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "List all mailing lists this campaign",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "An array of mailing lists",
        "schema": {
          "$ref": "#/definitions/MailingLists"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "post": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Create a new mailing list",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The mailing list name",
        "type": "string",
        "required": true
      },
      {
        "name": "file_name",
        "in": "formData",
        "type": "string",
        "description": "Name of uploaded file unsing [ `this endpoint` ]
(#post_campaigns_campaign_id_listMailingFile)"
      },
      {
        "name": "original_name",
        "in": "formData",
        "type": "string",
        "description": "The original file name"
      },
      {
        "name": "header",
        "in": "formData",
        "type": "array",
        "items": {
          "type": "string"
        },
        "description": "Array with header of mailing data. Requires one column with
“areacodephone” or two columns with “phone” and “areacodephone”. Required if “file_name” is
present"
      },
      {
        "name": "delimiter",
        "in": "formData",
        "type": "string",
        "description": "The character that delimit text. Required if “file_name” is present"
      },
      {
        "name": "separator",
        "in": "formData",
        "type": "string",
        "description": "The character that separate fields. Required if “file_name” is present"
      },
      {
        "name": "has_header",
        "in": "formData",
        "type": "boolean",
        "description": "True if first line of file is header. Required if “file_name” is
present"
      },
      {
        "name": "ura_id",
        "in": "formData",

```

Estilos de formatação

```

      "description": "The url id that should play when the phone is called",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created mailing list",
      "schema": {
        "$ref": "#/definitions/MailingList"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Campaigns"
  ],
  "summary": "Delete all mailing list in a campaign",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/campaigns/{campaign-id}/lists/csv": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "post": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Create a new mailing list",
    "description": "Only available for users with the manager role\n",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "mailing",
        "in": "formData",
        "type": "file",
        "required": true,
        "description": "The CSV file with mailing list data"
      },
      {
        "name": "name",

```

Estilos de formatação

```

      "description": "The mailing list name",
      "type": "string",
      "required": true
    },
    {
      "name": "header",
      "in": "formData",
      "type": "array",
      "items": {
        "type": "string"
      },
      "description": "Array with header of mailing data. Requires one column with
"areacodephone" or two columns with "phone" and "areacodephone". Required if "file_name" is
present"
    },
    {
      "name": "delimiter",
      "in": "formData",
      "type": "string",
      "description": "The character that delimit text. Required if "file_name" is present"
    },
    {
      "name": "separator",
      "in": "formData",
      "type": "string",
      "description": "The character that separate fields. Required if "file_name" is present"
    },
    {
      "name": "has_header",
      "in": "formData",
      "type": "boolean",
      "description": "True if first line of file is header. Required if "file_name" is
present"
    },
    {
      "name": "ura_id",
      "in": "formData",
      "type": "integer",
      "description": "The ura id that should play when the phone is called",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created mailing list",
      "schema": {
        "$ref": "#/definitions/MailingList"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/campaigns/{campaign-id}/lists/metrics": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
  ],
  {

```

Estilos de formatação

```

      "in": "query",
      "description": "The start date to filter. Format: Y-m-d",
      "type": "string",
      "required": false
    },
    {
      "name": "end_date",
      "in": "query",
      "description": "The end date to filter. Format: Y-m-d",
      "type": "string",
      "required": false
    },
    {
      "name": "csv",
      "in": "query",
      "description": "Set true to generate the csv",
      "type": "string",
      "required": false
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "List all mailing lists metrics",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "An array of mailing lists",
        "schema": {
          "$ref": "#/definitions/MailingListsMetrics"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/campaigns/{campaign_id}/lists/qualifications": {
  "parameters": [
    {
      "name": "campaign_id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "start_date",
      "in": "query",
      "description": "The start date to filter. Format: Y-m-d",
      "type": "string",
      "required": false
    },
    {
      "name": "end_date",
      "in": "query",
      "description": "The end date to filter. Format: Y-m-d",
      "type": "string",
      "required": false
    },
    {
      "name": "csv",

```

Estilos de formatação

```

      "description": "Set true to generate the csv",
      "type": "string",
      "required": false
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "List all mailing lists qualification statistic",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "An array of mailing lists qualification statistic",
        "schema": {
          "$ref": "#/definitions/ListQualificationStatistics"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/campaigns/{campaign-id}/lists/total_metrics": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "start_date",
      "in": "query",
      "description": "The start date to filter. Format: Y-m-d",
      "type": "string",
      "required": false
    },
    {
      "name": "end_date",
      "in": "query",
      "description": "The end date to filter. Format: Y-m-d",
      "type": "string",
      "required": false
    }
  ],
  "get": {
    "tags": [
      "Campaigns",
      "MailingLists"
    ],
    "summary": "Get total by mailing lists metrics",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "Total mailing lists metrics",
        "schema": {
          "$ref": "#/definitions/MailingListTotalMetrics"
        }
      },
      "default": {

```

Estilos de formatação

```

        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    },
  },
  "/campaigns/{campaign-id}/lists/{list-id}": {
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      },
      {
        "name": "list-id",
        "in": "path",
        "description": "The mailing list id",
        "type": "string",
        "required": true
      }
    ],
    "delete": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Delete a mailing list in a campaign",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No content"
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/campaigns/{campaign-id}/mailing": {
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      }
    ],
    "post": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Upload a csv file containing the mailing lines into a fresh new mailing list",
      "description": "Only available for users with the manager role\n",
      "consumes": [
        "multipart/form-data"
      ],
      "parameters": [
        {
          "name": "mailing",
          "in": "formData",
          "type": "file",

```

Estilos de formatação

```

      "description": "The CSV file with mailing list data"
    },
    {
      "name": "delimiter",
      "in": "formData",
      "type": "string",
      "required": true,
      "description": "The character that delimit text"
    },
    {
      "name": "separator",
      "in": "formData",
      "type": "string",
      "required": true,
      "description": "The character that separate fields"
    },
    {
      "name": "has_header",
      "in": "formData",
      "type": "boolean",
      "required": true,
      "description": "True if first line of file is header"
    }
  ],
  "responses": {
    "202": {
      "description": "Info about uploaded file and preview of CSV data (header and 5 first
lines)",
      "schema": {
        "$ref": "#/definitions/MailingFilePreview"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/lists/{list-id}/mailing": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "list-id",
      "in": "path",
      "description": "The mailing list id",
      "type": "string",
      "required": true
    }
  ],
  "post": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Insert new mailing on the list",
    "description": "Use the [mailing.json]
(#!/Campaigns/post_campaigns__campaign_id__lists__list_id__mailing_json) endpoint.\n\n\nThis endpoint
accepts an array of mailing to insert on the list. Each mailing object has the following
schema:\n\n**phone** (required): The phone number\n**identifier** (optional): The mailing
identifier\n**data** (optional): Array of additional fields for the mailing\n",

```

Estilos de formatação

```

    {
      "name": "mailing[]",
      "in": "formData",
      "description": "An array of mailing to insert",
      "type": "array",
      "required": true,
      "format": "form",
      "items": {
        "type": "string"
      }
    }
  ],
  "deprecated": true,
  "responses": {
    "200": {
      "description": "The inserted mailing lists"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Campaigns"
  ],
  "summary": "Delete all mailing lines in a list",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/campaigns/{campaign-id}/qualifications": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Filter qualification stats",
    "description": "",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter. Format: Y-m-d",
        "type": "string",
        "required": true
      }
    ]
  }
}

```

Estilos de formatação

```

    {
      "name": "end_date",
      "in": "query",
      "description": "The end date to filter. Format: Y-m-d",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "200": {
      "description": "The filtered qualification stats",
      "schema": {
        "$ref": "#/definitions/MultipleDailyQualificationStats"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/lists/{list-id}/mailing.json": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    },
    {
      "name": "list-id",
      "in": "path",
      "description": "The mailing list id",
      "type": "string",
      "required": true
    }
  ],
  "post": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Insert new mailings in a list",
    "description": "This endpoint accepts an array of mailings to insert in a list. Each mailing is a json object with the following fields:\n\n**phone** (required): A phone number\n\n**identifier** (optional): A mailing identifier\n\n**data** (optional): Additional fields for the mailing\n\nExample of a single mailing:\n\n```\njson\n[{\n  \"phone\": \"2012345678\",\n  \"identifier\": \"28394\",\n  \"data\": {\n    \"name\": \"John Doe\",\n    \"address\": \"xxx\" \n  } \n}]\n```\n",
    "consumes": [
      "application/json"
    ],
    "parameters": [
      {
        "name": "body",
        "in": "body",
        "description": "An array of mailings to insert",
        "required": true,
        "schema": {
          "type": "array",
          "items": {
            "$ref": "#/definitions/MailingItem"
          }
        }
      }
    ]
  }
},

```

Estilos de formatação

```

    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/mailing/delete": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "delete": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Delete mailings in a campaign",
    "description": "This endpoint accepts an array of mailings to delete. Each mailing is a json
object with the following fields:\n\n**phone** (optional): A phone number\n\n**identifier**
(optional): A mailing identifier\n\nExample of a mailing to delete:\n\n```\njson\n{\n  \"phone\":
\\\"2012345678\\\", \"identifier\": \\\"28394\\\" }\n```\n",
    "consumes": [
      "application/json"
    ],
    "parameters": [
      {
        "name": "body",
        "in": "body",
        "description": "An array of mailings to delete",
        "required": true,
        "schema": {
          "type": "array",
          "items": {
            "$ref": "#/definitions/MailingDelete"
          }
        }
      }
    ]
  },
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/qualifications/total": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",

```

Estilos de formatação

```

    },
    "get": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Filter qualifications total stats",
      "description": "",
      "parameters": [
        {
          "name": "start_date",
          "in": "query",
          "description": "The start date to filter. Format: Y-m-d",
          "type": "string",
          "required": false
        },
        {
          "name": "end_date",
          "in": "query",
          "description": "The end date to filter. Format: Y-m-d",
          "type": "string",
          "required": false
        }
      ],
      "responses": {
        "200": {
          "description": "The filtered qualification stats",
          "schema": {
            "$ref": "#/definitions/TotalQualificationStats"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/campaigns/{campaign-id}/lists/{list-id}/updateWeight": {
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      },
      {
        "name": "list-id",
        "in": "path",
        "description": "The mailing list id",
        "type": "string",
        "required": true
      }
    ],
    "put": {
      "tags": [
        "Campaigns"
      ],
      "summary": "Update a list weight in a campaign.",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "weight",
          "in": "formData",
          "description": "The list Weight.",

```

Estilos de formatação

```

    "required": true
  }
},
"responses": {
  "200": {
    "description": "The created mailing list",
    "schema": {
      "$ref": "#/definitions/MailingList"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/campaigns/{campaign-id}/callbacks": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "post": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Create a new callback.",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "did",
        "in": "formData",
        "description": "The did phone number.",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The created callback",
        "schema": {
          "$ref": "#/definitions/Callback"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/campaigns/{campaign-id}/callbacks/{callback-id}": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ]
}
}
}

```

Estilos de formatação

```
{
  "name": "callback-id",
  "in": "path",
  "description": "The callback id",
  "type": "string",
  "required": true
},
"delete": {
  "tags": [
    "Campaigns"
  ],
  "summary": "Delete a callback in a campaign",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/campaigns/{campaign-id}/schedules": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The campaign id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Campaigns",
      "Schedules"
    ],
    "summary": "List all or filter schedules for a given campaign",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The campaign id",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The schedules",
        "schema": {
          "$ref": "#/definitions/Schedules"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}
```

Estilos de formatação

```

    },
    "/campaigns/{campaign-id}/statistics": {
      "get": {
        "tags": [
          "Campaigns"
        ],
        "summary": "Campaign Statistic of Last",
        "description": "Only available for users with the manager role\n",
        "parameters": [
          {
            "name": "campaign-id",
            "in": "path",
            "description": "The campaign id",
            "type": "string",
            "required": true
          },
          {
            "name": "startDate",
            "in": "query",
            "description": "Start date",
            "type": "string",
            "required": true
          },
          {
            "name": "endDate",
            "in": "query",
            "description": "End date",
            "type": "string",
            "required": true
          }
        ],
        "responses": {
          "200": {
            "description": "The campaign statistics",
            "schema": {
              "$ref": "#/definitions/CampaignStatistics"
            }
          }
        }
      }
    },
    "/company/settings": {
      "put": {
        "tags": [
          "Companies"
        ],
        "summary": "Update the settings on the user's company",
        "description": "Only available for users with the manager role\n",
        "parameters": [
          {
            "name": "company_name",
            "in": "formData",
            "description": "The company name",
            "type": "string",
            "required": true
          },
          {
            "name": "username",
            "in": "formData",
            "description": "The default user name",
            "type": "string",
            "required": true
          },
          {
            "name": "email",
            "in": "formData",
            "description": "The email for the default user",
            "type": "string"
          }
        ]
      }
    }
  }
}

```

Estilos de formatação

```
{
  "name": "password",
  "in": "formData",
  "description": "The password for the default user",
  "type": "string",
  "required": true
},
{
  "name": "domain",
  "in": "formData",
  "description": "The new company domain",
  "type": "string",
  "required": true
},
{
  "name": "logo_name",
  "in": "formData",
  "description": "The new company name for the logo",
  "type": "string",
  "required": false
},
{
  "name": "logo_image_link",
  "in": "formData",
  "description": "The new company image for the logo",
  "type": "string",
  "required": false
},
{
  "name": "socket_channel",
  "in": "formData",
  "description": "A 32 characters string that will be used to listen for events.",
  "type": "string",
  "required": false
},
{
  "name": "language",
  "in": "formData",
  "description": "Default to pt-br",
  "type": "string",
  "required": false
},
{
  "name": "timezone",
  "in": "formData",
  "description": "The user's timezone. Example: America/Sao_Paulo",
  "type": "string",
  "required": false
},
{
  "name": "caller_id",
  "in": "formData",
  "description": "The Caller ID for calls",
  "type": "string",
  "required": false
}
],
"responses": {
  "200": {
    "description": "The updated company",
    "schema": {
      "$ref": "#/definitions/Company"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
```

Estilos de formatação

```

    }
  }
},
"/company/generate-bill": {
  "post": {
    "tags": [
      "Companies"
    ],
    "summary": "Update the settings on the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "billing_at",
        "in": "formData",
        "description": "The billing date from bill, format Y-m-d, min: 1 day from now, max: 5
days from now",
        "type": "string",
        "required": true
      },
      {
        "name": "amount",
        "in": "formData",
        "description": "The amount credit, min: 200, max: 2000",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The updated company",
        "schema": {
          "type": "object",
          "properties": {
            "email": {
              "type": "string",
              "description": "The email that will receive the bill"
            }
          }
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/company/calls": {
  "get": {
    "tags": [
      "Companies"
    ],
    "summary": "List all active calls group by status in this company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "An array of calls",
        "schema": {
          "$ref": "#/definitions/Calls"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {

```

Estilos de formatação

```

    }
  }
}
},
"/company_role": {
  "get": {
    "tags": [
      "Company Role"
    ],
    "summary": "List all company roles with pagination",
    "description": "Only available for users with the admin/manager role.\n",
    "responses": {
      "200": {
        "description": "All company roles Paginated.",
        "schema": {
          "$ref": "#/definitions/CompanyRole"
        }
      },
      "default": {
        "description": "Unexpected error.",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/criterion_lists": {
  "get": {
    "tags": [
      "Criterion Lists"
    ],
    "summary": "List all criterion lists that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "search",
        "in": "query",
        "type": "string",
        "description": "Filter by name"
      }
    ],
    "responses": {
      "200": {
        "description": "All criterion lists paginated",
        "schema": {
          "$ref": "#/definitions/CriterionLists"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "post": {
    "tags": [
      "Criterion Lists"
    ],
    "summary": "Create a new criterion list in the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",

```

Estilos de formatação

```

        "type": "string",
        "required": true
    }
  ],
  "responses": {
    "200": {
      "description": "The created criterion list",
      "schema": {
        "$ref": "#/definitions/CriterionList"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/criterion_list/{criterion-list-id}": {
  "parameters": [
    {
      "name": "criterion-list-id",
      "in": "path",
      "description": "The Criterion List id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Criterion Lists"
    ],
    "summary": "Retrieve a criterion list from the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The criterion list",
        "schema": {
          "$ref": "#/definitions/CriterionList"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/criterion_list/{criterion-list-id}/criteria": {
  "parameters": [
    {
      "name": "criterion-list-id",
      "in": "path",
      "description": "The Criterion List id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Criterion Lists"
    ],
    "summary": "Retrieve a criterion list with all criteria related",

```

Estilos de formatação

```

    "parameters": [],
    "responses": {
      "200": {
        "description": "The criterion list",
        "schema": {
          "$ref": "#/definitions/CriterionList"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/criterion_lists/{criterion-list-id}": {
    "parameters": [
      {
        "name": "criterion-list-id",
        "in": "path",
        "description": "The Criterion List id",
        "type": "string",
        "required": true
      }
    ],
    "put": {
      "tags": [
        "Criterion Lists"
      ],
      "summary": "Update a criterion list in the user's company",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "name",
          "in": "formData",
          "description": "The criterion list's name",
          "type": "string",
          "required": true
        }
      ],
      "responses": {
        "200": {
          "description": "The updated criterion list",
          "schema": {
            "$ref": "#/definitions/CriterionList"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "delete": {
      "tags": [
        "Criterion Lists"
      ],
      "summary": "Delete a criterion list in the user's company",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "204": {
          "description": "No content"
        }
      }
    }
  }
}

```

Estilos de formatação

```

        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    }
},
"/criterion_lists/{criterion-list-id}/criteria": {
    "parameters": [
        {
            "name": "criterion-list-id",
            "in": "path",
            "description": "The Criterion List id",
            "type": "string",
            "required": true
        }
    ],
    "get": {
        "tags": [
            "Criterion Lists"
        ],
        "summary": "Retrieve all criteria from the criterion list",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
            "200": {
                "description": "The criteria",
                "schema": {
                    "$ref": "#/definitions/Criterion"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    },
    "post": {
        "tags": [
            "Criterion Lists"
        ],
        "summary": "Create a new criterion in a criterion list",
        "description": "Only available for users with the manager role\n",
        "parameters": [
            {
                "name": "name",
                "in": "formData",
                "description": "The criterion name",
                "type": "string",
                "required": true
            },
            {
                "name": "description",
                "in": "formData",
                "description": "The description of the criterion",
                "type": "string",
                "required": true
            },
            {
                "name": "color",
                "in": "formData",
                "description": "The criterion color in hexadecimal format. Example: #3b4151",
                "type": "string",
                "required": true
            }
        ],

```

Estilos de formatação

```

      "name": "emoji",
      "in": "formData",
      "description": "The criterion emoji",
      "type": "string",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created criterion",
      "schema": {
        "$ref": "#/definitions/Criterion"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/criterion_lists/{criterion-list-id}/criteria/{criterion-id}": {
  "parameters": [
    {
      "name": "criterion-list-id",
      "in": "path",
      "description": "The Criterion List id",
      "type": "string",
      "required": true
    },
    {
      "name": "criterion-id",
      "in": "path",
      "description": "The Criterion id",
      "type": "string",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Criterion Lists"
    ],
    "summary": "Update a criterion in a criterion list",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The criterion name",
        "type": "string",
        "required": true
      },
      {
        "name": "description",
        "in": "formData",
        "description": "The description of the criterion",
        "type": "string",
        "required": true
      },
      {
        "name": "color",
        "in": "formData",
        "description": "The criterion color in hexadecimal format. Example: #3b4151",
        "type": "string",
        "required": true
      }
    ],

```

Estilos de formatação

```

      "name": "emoji",
      "in": "formData",
      "description": "The criterion emoji",
      "type": "string",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created criterion",
      "schema": {
        "$ref": "#/definitions/Criterion"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Criterion Lists"
  ],
  "summary": "Delete a criterion in a criterion list",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/feedbacks": {
  "post": {
    "tags": [
      "Feedbacks"
    ],
    "summary": "Create a new feedback for a call history",
    "description": "Only available for users with the manager role.\nThis endpoint accepts an array of criterion to insert. Each criterion object has the following schema:\n```\n{\n  \"name\": \"Criterion 1\", \n  \"description\": \"this criterion is a example behavior for agents\", \n  \"color\": \"#0000FF\", \n  \"grade\": 5\n}\n```\n**all fields are required\n",
    "parameters": [
      {
        "name": "call_history_id",
        "in": "formData",
        "description": "The call history id",
        "type": "string",
        "required": true
      },
      {
        "name": "comment",
        "in": "formData",
        "description": "The comment for the whole feedback",
        "type": "string",
        "required": false
      }
    ],
  }
}

```

Estilos de formatação

```

      "in": "formData",
      "description": "The list of criterion for the campaign with the grades",
      "type": "array",
      "required": false,
      "format": "form",
      "items": {
        "type": "string"
      }
    },
  ],
  "responses": {
    "200": {
      "description": "The created feedback",
      "schema": {
        "$ref": "#/definitions/Feedback"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"put": {
  "tags": [
    "Feedbacks"
  ],
  "summary": "Updates a feedback for a call history",
  "description": "Only available for users with the manager role.\nThis endpoint accepts an array of criterion to insert. Each criterion object has the following schema:\n```\n{\n  \"name\": \"Criterion 1\",\n  \"description\": \"this criterion is a example behavior for agents\",\n  \"color\": \"#0000FF\",\n  \"grade\": 5\n}\n```\n**all fields are required\n",
  "parameters": [
    {
      "name": "id",
      "in": "formData",
      "description": "The feedback id",
      "type": "string",
      "required": true
    },
    {
      "name": "comment",
      "in": "formData",
      "description": "The comment for the whole feedback",
      "type": "string",
      "required": false
    },
    {
      "name": "criterion_json[]",
      "in": "formData",
      "description": "The list of criterion for the campaign with the grades",
      "type": "array",
      "required": false,
      "format": "form",
      "items": {
        "type": "string"
      }
    }
  ],
  "responses": {
    "200": {
      "description": "The updated feedback",
      "schema": {
        "$ref": "#/definitions/Feedback"
      }
    }
  },

```

Estilos de formatação

```

        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    }
},
"/feedbacks/{campaign-id}/{call-history-id}": {
    "parameters": [
        {
            "name": "campaign-id",
            "in": "path",
            "description": "The Campaign of the call history",
            "type": "string",
            "required": true
        },
        {
            "name": "call-history-id",
            "in": "path",
            "description": "The Call History id",
            "type": "string",
            "required": true
        }
    ],
    "get": {
        "tags": [
            "Feedbacks"
        ],
        "summary": "Get the feedback for a call history, a new feedback instance is provided if
there is no feedback for the call history",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
            "200": {
                "description": "The feedback for call history",
                "schema": {
                    "$ref": "#/definitions/Feedback"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    }
},
"/feedbacks/{campaign-id}/total": {
    "parameters": [
        {
            "name": "campaign-id",
            "in": "path",
            "description": "The Campaign of the call history",
            "type": "string",
            "required": true
        }
    ],
    "get": {
        "tags": [
            "Feedbacks"
        ],
        "summary": "Get the statistics for a campaign, start_date and end_date must be provided on
query string",
        "description": "Only available for users with the manager role.\nThis endpoint return an
array of statistics based on agents. Each statistics object has the following schema:\n```\n{\n  \"agent_id\": 2,\n  \"agent\": \"Agent 2\",\n  \"criterion_json\": [\n    \"Criterion 1\": {\n

```

Estilos de formatação

```

\Criterion 2\:\n      \name\:\ Criterion 2\,\n      \total_grade\:\ 5,\n      \total_count\:\ 1,\n    },\n  ],\n  \"total_feedbacks\": 1,\n}\n``\n",
  "parameters": [
    {
      "name": "start_date",
      "in": "query",
      "description": "The start date to filter in Y-m-d format",
      "type": "string",
      "required": true
    },
    {
      "name": "end_date",
      "in": "query",
      "description": "The end date to filter in Y-m-d format",
      "type": "string",
      "required": true
    },
    {
      "name": "manager_id",
      "in": "query",
      "description": "The manager id to filter",
      "type": "integer",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The feedback statistics for Campaign",
      "schema": {
        "$ref": "#/definitions/Feedback"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/feedbacks/{campaign-id}/agent": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The Campaign of the call history",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Feedbacks"
    ],
    "summary": "Get the feedbacks for a agent in a campaign, start_date and end_date must be provided on query string",
    "description": "Only available for users with the manager role.\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter in Y-m-d format",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",

```

Estilos de formatação

```

      "description": "The end date to filter in Y-m-d format",
      "type": "string",
      "required": true
    },
    {
      "name": "agent_id",
      "in": "query",
      "description": "The agent id to filter",
      "type": "integer",
      "required": true
    },
    {
      "name": "manager_id",
      "in": "query",
      "description": "The manager id to filter",
      "type": "integer",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "The feedbacks for a Agent and Campaign",
      "schema": {
        "$ref": "#/definitions/Feedbacks"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/feedbacks/{campaign-id}/agent/stats": {
  "parameters": [
    {
      "name": "campaign-id",
      "in": "path",
      "description": "The current Campaign of the Agent",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Feedbacks"
    ],
    "summary": "Get the feedbacks statistics for a agent in a campaign, start_date and end_date must be provided on query string",
    "description": "Only available for users with the agent or manager role.\nThis endpoint return an array of statistics based on agent currently authenticated. Each statistics object has the following schema:\n```\n{\n  \"agent_id\": 2,\n  \"agent\": \"Agent 2\",\n  \"criterion_json\": [\n    {\n      \"criterion_1\": {\n        \"name\": \"Criterion 1\",\n        \"total_grade\": 5,\n        \"total_count\": 1,\n      },\n    {\n      \"criterion_2\": {\n        \"name\": \"Criterion 2\",\n        \"total_grade\": 5,\n        \"total_count\": 1,\n      },\n    ],\n    \"total_feedbacks\": 1,\n  }\n```\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter in Y-m-d format",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",

```

Estilos de formatação

```

    "type": "string",
    "required": true
  },
  {
    "name": "manager_id",
    "in": "query",
    "description": "The manager id to filter",
    "type": "integer",
    "required": false
  }
],
"responses": {
  "200": {
    "description": "The feedbacks statistics for a Agent and Campaign",
    "schema": {
      "$ref": "#/definitions/Feedbacks"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/feedbacks/agent/stats": {
  "get": {
    "tags": [
      "Feedbacks"
    ],
    "summary": "Get the feedbacks statistics for the agent agent currently authenticated",
    "description": "Only available for users with the agent or manager role.\nThis endpoint return an array of statistics based on agent currently authenticated. Each statistics object has the following schema:\n``\n{\n  \"agent_id\": 2,\n  \"agent\": \"Agent 2\",\n  \"criterion_json\": [\n    {\n      \"criterion_1\": {\n        \"name\": \"Criterion 1\",\n        \"total_grade\": 5,\n        \"total_count\": 1,\n      },\n    {\n      \"criterion_2\": {\n        \"name\": \"Criterion 2\",\n        \"total_grade\": 5,\n        \"total_count\": 1,\n      },\n    },\n    {\n      \"total_feedbacks\": 1,\n    }\n  ]\n}\n``\n",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter in Y-m-d format",
        "type": "string",
        "required": false
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "The end date to filter in Y-m-d format",
        "type": "string",
        "required": false
      },
      {
        "name": "manager_id",
        "in": "query",
        "description": "The manager id to filter",
        "type": "integer",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "The feedbacks statistics for a Agent and Campaign",
        "schema": {
          "$ref": "#/definitions/Feedbacks"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "/feedbacks/{id}": {
    "parameters": [
      {
        "name": "id",
        "in": "path",
        "description": "The feedback id",
        "type": "integer",
        "required": true
      }
    ],
    "get": {
      "tags": [
        "Feedbacks"
      ],
      "summary": "Get the feedback for a given id",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "The feedback for a given id",
          "schema": {
            "$ref": "#/definitions/Feedback"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/feedbacks/{campaign-id}/total/csv": {
    "parameters": [
      {
        "name": "campaign-id",
        "in": "path",
        "description": "The current Campaign of the Agent",
        "type": "string",
        "required": true
      }
    ],
    "get": {
      "tags": [
        "Feedbacks"
      ],
      "summary": "Get the statistics for a campaign, start_date and end_date must be provided on query string",
      "description": "Only available for users with the manager role.\n",
      "parameters": [
        {
          "name": "start_date",
          "in": "query",
          "description": "The start date to filter in Y-m-d format",
          "type": "string",
          "required": true
        }
      ],
    }
  }
}

```

Estilos de formatação

```

      "in": "query",
      "description": "The end date to filter in Y-m-d format",
      "type": "string",
      "required": true
    },
    {
      "name": "manager_id",
      "in": "query",
      "description": "The manager id to filter",
      "type": "integer",
      "required": false
    }
  ],
  "responses": {
    "200": {
      "description": "No Content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/ivr_after_call": {
  "get": {
    "tags": [
      "IVR AFTER CALL"
    ],
    "summary": "List all ivrs after call with pagination",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "All ivrs after call Paginated",
        "schema": {
          "$ref": "#/definitions/IvrAfterCall"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "post": {
    "tags": [
      "IVR AFTER CALL"
    ],
    "summary": "Create a new ivr after call",
    "description": "Only available for users with the manager role",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The ivrs after call name",
        "type": "string",
        "required": true
      },
      {
        "name": "audio_start",

```

Estilos de formatação

```

      "type": "file",
      "required": true,
      "description": "The mp3 file with the audio start"
    },
    {
      "name": "audio_null_key",
      "in": "formData",
      "type": "file",
      "required": true,
      "description": "The mp3 file with the audio null key"
    },
    {
      "name": "audio_invalid_key",
      "in": "formData",
      "type": "file",
      "required": true,
      "description": "The mp3 file with the audio invalid key"
    },
    {
      "name": "audio_end",
      "in": "formData",
      "type": "file",
      "required": true,
      "description": "The mp3 file with the audio end"
    },
    {
      "name": "max_wait_time",
      "in": "formData",
      "description": "The key press max wait time",
      "type": "integer",
      "required": true
    },
    {
      "name": "attempt_number",
      "in": "formData",
      "description": "The attempt number",
      "type": "integer",
      "required": true
    }
  ],
  "responses": {
    "200": {
      "description": "The created ivr after call",
      "schema": {
        "$ref": "#/definitions/IvrAfterCall"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/ivr_after_call/{ivr-id}": {
  "parameters": [
    {
      "name": "ivr-id",
      "in": "path",
      "description": "The ivr after call id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [

```

Estilos de formatação

```

    ],
    "summary": "Retrieve a ivr after call",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The ivr after call",
        "schema": {
          "$ref": "#/definitions/IvrAfterCall"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "delete": {
    "tags": [
      "IVR AFTER CALL"
    ],
    "summary": "Delete a ivr after call",
    "description": "Only available for users with the manager role\n",
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "put": {
    "tags": [
      "URA",
      "IVR"
    ],
    "summary": "Update a ivr/ura",
    "description": "Only available for users with the manager role\n",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The ivrs after call name",
        "type": "string",
        "required": true
      },
      {
        "name": "audio_start",
        "in": "formData",
        "type": "file",
        "required": false,
        "description": "The mp3 file with the audio start"
      },
      {
        "name": "audio_null_key",
        "in": "formData",
        "type": "file",
        "required": false,
        "description": "The mp3 file with the audio null key"
      }
    ]
  }
}

```

Estilos de formatação

```

    {
      "name": "audio_invalid_key",
      "in": "formData",
      "type": "file",
      "required": false,
      "description": "The mp3 file with the audio invalid key"
    },
    {
      "name": "max_wait_time",
      "in": "formData",
      "description": "The key press max wait time",
      "type": "integer",
      "required": true
    },
    {
      "name": "audio_end",
      "in": "formData",
      "type": "file",
      "required": false,
      "description": "The mp3 file with the audio end"
    },
    {
      "name": "attempt_number",
      "in": "formData",
      "description": "The attempt number",
      "type": "integer",
      "required": true
    }
  ],
  "responses": {
    "200": {
      "description": "The updated ivr after call",
      "schema": {
        "$ref": "#/definitions/IvrAfterCall"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/ivr_after_call/{ivr-after-call-id}/criteria": {
  "parameters": [
    {
      "name": "ivr-after-call-id",
      "in": "path",
      "description": "The ivr after call",
      "type": "integer",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "IVR AFTER CALL CRITERION"
    ],
    "summary": "Retrieve a ivr after call criterion",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The ivr after call criterion",
        "schema": {
          "$ref": "#/definitions/IvrAfterCallCriterion"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "post": {
    "tags": [
      "Criterion"
    ],
    "summary": "Create a new criterion",
    "description": "Only available for users with the manager role\n",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The criterion name",
        "type": "string",
        "required": true
      },
      {
        "name": "audio",
        "in": "formData",
        "type": "file",
        "required": true,
        "description": "The mp3 file with the audio"
      },
      {
        "name": "keys",
        "in": "formData",
        "description": "The key to evaluation",
        "type": "array",
        "required": true,
        "items": {
          "type": "boolean"
        }
      }
    ],
    "responses": {
      "200": {
        "description": "The created criterion",
        "schema": {
          "$ref": "#/definitions/IvrAfterCallCriterion"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/ivr_after_call/{ivr-after-call-id}/criteria{criterion-id)": {
  "parameters": [
    {
      "name": "ivr-after-call-id",
      "in": "path",
      "description": "The ivr after call id",
      "type": "integer",
      "required": true
    },
  ],

```

Estilos de formatação

```

      "name": "criterion-id",
      "in": "path",
      "description": "The ivr after call criterion id",
      "type": "integer",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Ivr after call criterion"
    ],
    "summary": "Update a ivr after call criterion",
    "description": "Only available for users with the manager role\n",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The criterion name",
        "type": "string",
        "required": true
      },
      {
        "name": "audio",
        "in": "formData",
        "type": "file",
        "required": false,
        "description": "The mp3 file with the audio"
      },
      {
        "name": "keys",
        "in": "formData",
        "description": "The key to evaluation",
        "type": "array",
        "required": true,
        "items": {
          "type": "boolean"
        }
      }
    ],
    "responses": {
      "200": {
        "description": "The created criterion",
        "schema": {
          "$ref": "#/definitions/IvrAfterCallCriterion"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "delete": {
    "tags": [
      "Ivr after call criterion"
    ],
    "summary": "Delete ivf after call criterion",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No content"
      }
    }
  },

```

Estilos de formatação

```

        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    },
    },
    },
    },
    "/line_of_work": {
        "get": {
            "tags": [
                "Line Of Work"
            ],
            "summary": "List lines of works with pagination",
            "description": "Only available for users with the admin/manager role.\n",
            "responses": {
                "200": {
                    "description": "All lines of works Paginated.",
                    "schema": {
                        "$ref": "#/definitions/LineOfWork"
                    }
                },
                "default": {
                    "description": "Unexpected error.",
                    "schema": {
                        "$ref": "#/definitions/Error"
                    }
                }
            }
        },
    },
    },
    "/office_hours": {
        "get": {
            "tags": [
                "Office Hours"
            ],
            "summary": "List all office hours",
            "description": "Office hours only available for with manager role\n",
            "parameters": [],
            "responses": {
                "200": {
                    "description": "All office hours",
                    "schema": {
                        "$ref": "#/definitions/OfficeHours"
                    }
                },
                "default": {
                    "description": "Unexpected error",
                    "schema": {
                        "$ref": "#/definitions/Error"
                    }
                }
            }
        },
    },
    },
    "post": {
        "tags": [
            "Office Hours"
        ],
        "summary": "Crate a new office hours",
        "description": "Only available for users with the manager role",
        "parameters": [
            {
                "name": "name",
                "in": "formData",
                "description": "The office hours name",
                "type": "string",
                "required": true
            },
        ],
    },

```

Estilos de formatação

```

      "name": "day_week",
      "in": "formData",
      "description": "The days of week. Integer 0 to 6",
      "type": "array",
      "required": true,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    },
    {
      "name": "start_time",
      "in": "formData",
      "description": "The start time. Example 'H:i'",
      "type": "array",
      "required": true,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    },
    {
      "name": "agents",
      "in": "formData",
      "description": "The end time. Example 'H:i'",
      "type": "array",
      "required": true,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    }
  ],
  "responses": {
    "200": {
      "description": "The created office hours",
      "schema": {
        "$ref": "#/definitions/OfficeHours"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/office_hours/{office-hours-id}": {
  "parameters": [
    {
      "name": "office-hours-id",
      "in": "path",
      "description": "The office hours id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Office Hours"
    ]
  }
}

```

Estilos de formatação

```

"summary": "Show office hours",
"description": "Only available for users with the manager role\n",
"parameters": [],
"responses": {
  "200": {
    "description": "The office hours",
    "schema": {
      "$ref": "#/definitions/OfficeHours"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
},
},
"put": {
  "tags": [
    "Office Hours"
  ],
  "summary": "Update a office hours",
  "description": "Only available for users with the manager role\n",
  "parameters": [
    {
      "name": "name",
      "in": "formData",
      "description": "The office hours name",
      "type": "string",
      "required": true
    },
    {
      "name": "day_week",
      "in": "formData",
      "description": "The days of week. Integer 0 to 6",
      "type": "array",
      "required": true,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    },
    {
      "name": "start_time",
      "in": "formData",
      "description": "The start time. Example 'H:i'",
      "type": "array",
      "required": true,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    },
    {
      "name": "agents",
      "in": "formData",
      "description": "The end time. Example 'H:i'",
      "type": "array",
      "required": true,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    }
  ],

```

Estilos de formatação

```

    }
  },
  "responses": {
    "200": {
      "description": "The update office hours",
      "schema": {
        "$ref": "#/definitions/OfficeHours"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Office Hours"
  ],
  "summary": "Delete a office hours",
  "description": "Only available for users with the manager role\n",
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/me/password": {
  "put": {
    "tags": [
      "Profile"
    ],
    "summary": "Edit the user's password",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "password",
        "in": "formData",
        "description": "The new password",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/me": {
  "get": {

```

Estilos de formatação

```

    "Profile": {
      "summary": "Return the authenticated user",
      "description": "",
      "parameters": [],
      "responses": {
        "200": {
          "description": "The user profile",
          "schema": {
            "$ref": "#/definitions/User"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "put": {
      "tags": [
        "Profile"
      ],
      "summary": "Edit the user's profile",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "name",
          "in": "formData",
          "description": "The users's name",
          "type": "string",
          "required": true
        },
        {
          "name": "extension_number",
          "in": "formData",
          "description": "The users's extension number",
          "type": "integer",
          "required": true
        },
        {
          "name": "email",
          "in": "formData",
          "description": "The users's email",
          "type": "string",
          "required": true
        },
        {
          "name": "timezone",
          "in": "formData",
          "description": "The users's timezone, e.g America/Sao_Paulo",
          "type": "string",
          "required": true
        }
      ],
      "responses": {
        "200": {
          "description": "The updated user",
          "schema": {
            "$ref": "#/definitions/User"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  }
}

```

Estilos de formatação

```

    }
  },
  "/promoter": {
    "get": {
      "tags": [
        "Promoter"
      ],
      "summary": "List promoters with pagination",
      "description": "Only available for users with the admin/manager role.\n",
      "responses": {
        "200": {
          "description": "All promoters Paginated.",
          "schema": {
            "$ref": "#/definitions/Promoter"
          }
        },
        "default": {
          "description": "Unexpected error.",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/qualification_lists": {
    "get": {
      "tags": [
        "Qualification Lists"
      ],
      "summary": "List all qualification lists that belongs to the company of the authenticated
user",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "All qualification lists paginated",
          "schema": {
            "$ref": "#/definitions/QualificationLists"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "post": {
      "tags": [
        "Qualification Lists"
      ],
      "summary": "Create a new qualification list in the user's company",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "name",
          "in": "formData",
          "description": "The qualification list's name",
          "type": "string",
          "required": true
        }
      ],
      "responses": {
        "200": {
          "description": "The created qualification list",

```

Estilos de formatação

```

    "$ref": "#/definitions/QualificationList"
  }
},
"default": {
  "description": "Unexpected error",
  "schema": {
    "$ref": "#/definitions/Error"
  }
}
}
},
"/qualification_list/{qualification-id}": {
  "parameters": [
    {
      "name": "qualification-id",
      "in": "path",
      "description": "The qualification id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Qualification Lists"
    ],
    "summary": "Retrieve a qualification list from the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The qualification list",
        "schema": {
          "$ref": "#/definitions/QualificationList"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/qualification_lists/{qualification-id}": {
  "parameters": [
    {
      "name": "qualification-id",
      "in": "path",
      "description": "The qualification id",
      "type": "string",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Qualification Lists"
    ],
    "summary": "Update a qualification list in the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The qualification list's name",
        "type": "string",
        "required": true
      }
    ]
  }
}
}

```

Estilos de formatação

```

    },
    "responses": {
      "200": {
        "description": "The updated qualification list",
        "schema": {
          "$ref": "#/definitions/QualificationList"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "delete": {
    "tags": [
      "Qualification Lists"
    ],
    "summary": "Delete a qualification list in the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/qualification_list/{qualification-id}/campaigns": {
  "parameters": [
    {
      "name": "qualification-id",
      "in": "path",
      "description": "The qualification id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Qualification Lists"
    ],
    "summary": "Retrieve the campaigns that has a given qualification list in the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The qualification list",
        "schema": {
          "$ref": "#/definitions/QualificationList"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}

```

Estilos de formatação

```

},
"/qualification_lists/{qualification-list-id}/qualifications": {
  "parameters": [
    {
      "name": "qualification-list-id",
      "in": "path",
      "description": "The qualification list id",
      "type": "integer",
      "required": true
    }
  ],
  "post": {
    "tags": [
      "Qualification"
    ],
    "summary": "Create a new qualification in a qualification list",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The qualification name",
        "type": "string",
        "required": true
      },
      {
        "name": "behavior",
        "in": "formData",
        "description": "The qualification behavior",
        "type": "integer",
        "required": true
      },
      {
        "name": "color",
        "in": "formData",
        "description": "The qualification color in hexadecimal format. Example: #3b4151",
        "type": "string",
        "required": true
      },
      {
        "name": "emoji",
        "in": "formData",
        "description": "The qualification emoji",
        "type": "string",
        "required": false
      },
      {
        "name": "conversion",
        "in": "formData",
        "description": "If the qualification is a conversion",
        "type": "boolean",
        "required": false,
        "default": false
      },
      {
        "name": "allow_schedule",
        "in": "formData",
        "description": "If the qualification allow the agent to schedule a call",
        "type": "boolean",
        "required": false,
        "default": false
      },
      {
        "name": "allow_schedule_to_another_number",
        "in": "formData",
        "description": "If the qualification allow the agent to schedule a call for a different
number of the call",
        "type": "boolean",

```

Estilos de formatação

```

      "default": false
    },
    {
      "name": "days_limit",
      "in": "formData",
      "description": "Days limit to schedule a call, required if the allow_schedule is true",
      "type": "integer",
      "required": false
    },
    {
      "name": "should_insert_blacklist",
      "in": "formData",
      "description": "Add number to blacklist",
      "type": "boolean",
      "required": false,
      "default": false
    }
  ],
  "responses": {
    "200": {
      "description": "The created qualification",
      "schema": {
        "$ref": "#/definitions/Qualification"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"get": {
  "tags": [
    "Qualification"
  ],
  "summary": "Retrieve all qualifications from the qualification list",
  "description": "Only available for users with the manager role\n",
  "responses": {
    "200": {
      "description": "The qualifications",
      "schema": {
        "$ref": "#/definitions/Qualification"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/qualification_lists/{qualification-list-id}/qualifications/{qualification-id}": {
  "parameters": [
    {
      "name": "qualification-list-id",
      "in": "path",
      "description": "The qualification list id",
      "type": "integer",
      "required": true
    },
    {
      "name": "qualification-id",
      "in": "path",
      "description": "The qualification id",

```

Estilos de formatação

```

    "required": true
  },
],
"put": {
  "tags": [
    "Qualification"
  ],
  "summary": "Update a qualification in the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [
    {
      "name": "name",
      "in": "formData",
      "description": "The qualification name",
      "type": "string",
      "required": true
    },
    {
      "name": "behavior",
      "in": "formData",
      "description": "The qualification behavior",
      "type": "integer",
      "required": true
    },
    {
      "name": "color",
      "in": "formData",
      "description": "The qualification color in hexadecimal format. Example: #3b4151",
      "type": "string",
      "required": true
    },
    {
      "name": "emoji",
      "in": "formData",
      "description": "The qualification emoji",
      "type": "string",
      "required": false
    },
    {
      "name": "conversion",
      "in": "formData",
      "description": "If the qualification is a conversion",
      "type": "boolean",
      "required": false,
      "default": false
    },
    {
      "name": "allow_schedule",
      "in": "formData",
      "description": "If the qualification allow the agent to schedule a call",
      "type": "boolean",
      "required": false,
      "default": false
    },
    {
      "name": "allow_schedule_to_another_number",
      "in": "formData",
      "description": "If the qualification allow the agent to schedule a call for a different
number of the call",
      "type": "boolean",
      "required": false,
      "default": false
    },
    {
      "name": "days_limit",
      "in": "formData",
      "description": "Days limit to schedule a call, required if the allow_schedule is true",
      "type": "integer",

```

Estilos de formatação

```

    },
    {
      "name": "should_insert_blacklist",
      "in": "formData",
      "description": "Add number to blacklist",
      "type": "boolean",
      "required": false,
      "default": false
    }
  ],
  "responses": {
    "200": {
      "description": "The updated qualification",
      "schema": {
        "$ref": "#/definitions/Qualification"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Qualification"
  ],
  "summary": "Delete a qualification in the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/qualifications/total": {
  "get": {
    "tags": [
      "Campaigns"
    ],
    "summary": "Filter qualifications total stats",
    "description": "",
    "parameters": [
      {
        "name": "start_date",
        "in": "query",
        "description": "The start date to filter. Format: Y-m-d",
        "type": "string",
        "required": false
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "The end date to filter. Format: Y-m-d",
        "type": "string",
        "required": false
      }
    ],
  },
}

```

Estilos de formatação

```

        "in": "query",
        "description": "The campaign id",
        "type": "integer",
        "required": false
    },
    {
        "name": "agent_id",
        "in": "query",
        "description": "The agent id",
        "type": "integer",
        "required": false
    }
],
"responses": {
    "200": {
        "description": "The filtered qualification stats",
        "schema": {
            "$ref": "#/definitions/TotalQualificationStats"
        }
    },
    "default": {
        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    }
}
},
"/qualifications/total/csv": {
    "get": {
        "tags": [
            "Campaigns"
        ],
        "summary": "Filter qualifications total stats",
        "description": "",
        "parameters": [
            {
                "name": "start_date",
                "in": "query",
                "description": "The start date to filter. Format: Y-m-d",
                "type": "string",
                "required": false
            },
            {
                "name": "end_date",
                "in": "query",
                "description": "The end date to filter. Format: Y-m-d",
                "type": "string",
                "required": false
            },
            {
                "name": "campaign_id",
                "in": "query",
                "description": "The campaign id",
                "type": "integer",
                "required": false
            },
            {
                "name": "agent_id",
                "in": "query",
                "description": "The agent id",
                "type": "integer",
                "required": false
            },
            {
                "name": "webhook_url",
                "in": "query",

```

Estilos de formatação

```

      "description": "A HTTP URL where we can send a POST request to notify about the
completion of your report. The body of the request will contain a HTTPS url that you can use to
download your report.",
      "required": true
    }
  ],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/receptive_number_settings": {
  "get": {
    "tags": [
      "Receptive Number Settings"
    ],
    "summary": "List receptive Settings that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "All receptive Settings paginated",
        "schema": {
          "$ref": "#/definitions/ReceptiveNumberSettings"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "post": {
    "tags": [
      "Receptive Number Settings"
    ],
    "summary": "Create a new receptive Numbers Settings in the user's company",
    "description": "Only available for users with the manager role",
    "parameters": [
      {
        "name": "receptive_queue_id",
        "in": "formData",
        "description": "The receptive queue id",
        "type": "integer",
        "required": true
      },
      {
        "name": "receptive_ivr_id",
        "in": "formData",
        "description": "The receptive ivr id",
        "type": "integer",
        "required": true
      },
      {
        "name": "did",
        "in": "formData",
        "description": "The receptive did",
        "type": "string",

```

Estilos de formatação

```
    },
    "responses": {
      "200": {
        "description": "The created receptive setting",
        "schema": {
          "$ref": "#/definitions/ReceptiveNumberSetting"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/receptive_number_settings/{did}": {
    "parameters": [
      {
        "name": "did",
        "in": "path",
        "description": "The receptive did",
        "type": "string",
        "required": true
      }
    ],
    "put": {
      "tags": [
        "Receptive Number Settings"
      ],
      "summary": "Update the receptive Number Setting in the user's company",
      "description": "Only available for users with the manager role",
      "parameters": [
        {
          "name": "receptive_queue_id",
          "in": "formData",
          "description": "The receptive queue id",
          "type": "integer",
          "required": true
        },
        {
          "name": "receptive_ivr_id",
          "in": "formData",
          "description": "The receptive ivr id",
          "type": "integer",
          "required": true
        }
      ],
      "responses": {
        "200": {
          "description": "The updated receptive number setting",
          "schema": {
            "$ref": "#/definitions/ReceptiveNumberSettings"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "delete": {
      "tags": [
        "Receptive Number Settings"
      ]
    }
  }
},
```

Estilos de formatação

```

    "summary": "Delete the Receptive Number Setting in the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "204": {
        "description": "No content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/receptive_queues": {
    "get": {
      "tags": [
        "Receptive queues"
      ],
      "summary": "List receptive queues that belongs to the company of the authenticated user",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "All receptive queues paginated",
          "schema": {
            "$ref": "#/definitions/ReceptiveQueues"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "post": {
      "tags": [
        "Receptive queues"
      ],
      "summary": "Create a new receptive queue in the user's company",
      "description": "Only available for users with the manager role",
      "consumes": [
        "multipart/form-data"
      ],
      "parameters": [
        {
          "name": "name",
          "in": "formData",
          "description": "The receptive queue name",
          "type": "string",
          "required": true
        },
        {
          "name": "wait_time",
          "in": "formData",
          "description": "The receptive queue wait time",
          "type": "integer",
          "required": true
        },
        {
          "name": "acw_timeout",
          "in": "formData",
          "description": "The acw timeout from receptive queue",
          "type": "integer",

```

Estilos de formatação

```

    },
    {
      "name": "extension_number",
      "in": "formData",
      "description": "The receptive queue extension number",
      "type": "integer",
      "required": true
    },
    {
      "name": "qualification_list_id",
      "in": "formData",
      "description": "The qualification id list",
      "type": "integer",
      "required": true
    },
    {
      "name": "limit_call_time",
      "in": "formData",
      "description": "The limit call time",
      "type": "integer",
      "required": false
    },
    {
      "name": "ivr_after_call_id",
      "in": "formData",
      "description": "The ivr after call id ",
      "type": "integer",
      "required": false
    },
    {
      "name": "agents[]",
      "in": "formData",
      "description": "An array of agent ids",
      "type": "array",
      "items": {
        "type": "integer"
      },
      "required": true
    },
    {
      "name": "audio",
      "in": "formData",
      "type": "file",
      "required": true,
      "description": "The mp3 file with the audio"
    }
  ],
  "responses": {
    "200": {
      "description": "The created receptive queue",
      "schema": {
        "$ref": "#/definitions/ReceptiveQueue"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/receptive_queues/active": {
  "get": {
    "tags": [
      "Receptive queues"
    ],

```

Estilos de formatação

```

user",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "200": {
      "description": "All active receptive queues",
      "schema": {
        "$ref": "#/definitions/ReceptiveQueues"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/receptive_queues/agents": {
  "get": {
    "tags": [
      "Receptive queues"
    ],
    "summary": "List receptive queues along with their agents that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "All receptive queues",
        "schema": {
          "$ref": "#/definitions/ReceptiveQueues"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/receptive_queues/{receptive-queue-id}": {
  "parameters": [
    {
      "name": "receptive-queue-id",
      "in": "path",
      "description": "The receptive queues id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Receptive queues"
    ],
    "summary": "Retrieve a receptive queues from the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The receptive queue",
        "schema": {
          "$ref": "#/definitions/ReceptiveQueue"
        }
      }
    }
  },

```

Estilos de formatação

```

        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    }
},
"/receptive_queues/{receptive-queue-id}/metrics": {
    "parameters": [
        {
            "name": "receptive-queue-id",
            "in": "path",
            "description": "The receptive queues id",
            "type": "string",
            "required": true
        }
    ],
    "get": {
        "tags": [
            "Receptive queues"
        ],
        "summary": "Retrieve a receptive queue metrics",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
            "200": {
                "description": "The receptive queue",
                "schema": {
                    "$ref": "#/definitions/ReceptiveMetricList"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    }
},
"/receptive_queues/{receptive-queue-id}/metrics/qualifications": {
    "parameters": [
        {
            "name": "receptive-queue-id",
            "in": "path",
            "description": "The receptive queues id",
            "type": "string",
            "required": true
        }
    ],
    "get": {
        "tags": [
            "Receptive queues"
        ],
        "summary": "Retrieve a receptive queue qualifications metrics",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
            "200": {
                "description": "The receptive queue",
                "schema": {
                    "$ref": "#/definitions/TotalQualificationStats"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {

```

Estilos de formatação

```
}
}
}
},
"put": {
  "tags": [
    "Receptive queues"
  ],
  "summary": "Update the receptive queue in the user's company",
  "description": "Only available for users with the manager role",
  "consumes": [
    "multipart/form-data"
  ],
  "parameters": [
    {
      "name": "name",
      "in": "formData",
      "description": "The receptive queue name",
      "type": "string",
      "required": true
    },
    {
      "name": "wait_time",
      "in": "formData",
      "description": "The receptive queue wait time",
      "type": "integer",
      "required": true
    },
    {
      "name": "acw_timeout",
      "in": "formData",
      "description": "The acw timeout from receptive queue",
      "type": "integer",
      "required": false
    },
    {
      "name": "extension_number",
      "in": "formData",
      "description": "The receptive queue extension number",
      "type": "integer",
      "required": true
    },
    {
      "name": "qualification_list_id",
      "in": "formData",
      "description": "The qualification id list",
      "type": "integer",
      "required": true
    },
    {
      "name": "limit_call_time",
      "in": "formData",
      "description": "The limit call time",
      "type": "integer",
      "required": false
    },
    {
      "name": "ivr_after_call_id",
      "in": "formData",
      "description": "The ivr after call id",
      "type": "integer",
      "required": false
    },
    {
      "name": "agents[]",
      "in": "formData",
      "description": "An array of agent ids",
      "type": "array",
```

Estilos de formatação

```

        "type": "integer"
      },
      "required": false
    },
    {
      "name": "audio",
      "in": "formData",
      "type": "file",
      "required": false,
      "description": "The mp3 file with the audio"
    }
  ],
  "responses": {
    "200": {
      "description": "The updated receptive queue",
      "schema": {
        "$ref": "#/definitions/ReceptiveQueue"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Receptive queues"
  ],
  "summary": "Delete the Receptive queues in the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/receptive_queues/{receptive-queue-id}/calls": {
  "parameters": [
    {
      "name": "receptive-queue-id",
      "in": "path",
      "description": "The receptive queues id",
      "type": "integer",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Receptive queues"
    ],
    "summary": "Retrieve the calls from the receptive queue",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The receptive queue",
        "schema": {

```

Estilos de formatação

```

    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "/receptive_queues/{receptive-queue-id}/agents_status": {
    "parameters": [
      {
        "name": "receptive-queue-id",
        "in": "path",
        "description": "The receptive queue id",
        "type": "string",
        "required": true
      }
    ],
    "get": {
      "tags": [
        "Receptive queues"
      ],
      "summary": "List all agents status in this receptive queue",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "An array of agents status",
          "schema": {
            "$ref": "#/definitions/AgentStatus"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/receptive_queues/online": {
    "get": {
      "tags": [
        "Receptive queues"
      ],
      "summary": "List receptive queues that belongs to the company of the authenticated user and have at least one agent online",
      "description": "Available for users with the manager and agent role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "All receptive queues with agents online",
          "schema": {
            "$ref": "#/definitions/ReceptiveQueues"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  }
}

```

Estilos de formatação

```

"/receptive_ivr": {
  "get": {
    "tags": [
      "Receptive IVR"
    ],
    "summary": "List receptive IVR that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "All receptive IVR paginated",
        "schema": {
          "$ref": "#/definitions/ReceptiveIVRList"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "post": {
    "tags": [
      "Receptive IVR"
    ],
    "summary": "Create a new receptive IVR in the user's company",
    "description": "Only available for users with the manager role",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The receptive IVR name",
        "type": "string",
        "required": true
      },
      {
        "name": "timeout",
        "in": "formData",
        "description": "The receptive IVR wait time",
        "type": "integer",
        "required": true
      },
      {
        "name": "redirect_id",
        "in": "formData",
        "description": "The receptive IVR default redirect id",
        "type": "integer",
        "required": true
      },
      {
        "name": "redirect_type",
        "in": "formData",
        "description": "The receptive IVR default redirect type. Types: ReceptiveQueue",
        "type": "string",
        "required": true
      },
      {
        "name": "keys[]",
        "in": "formData",
        "description": "An array of keys",
        "type": "array",
        "required": true,
        "items": {

```

Estilos de formatação

```

        "items": {
          "type": "string"
        }
      },
      {
        "name": "keys[][id]",
        "in": "formData",
        "description": "The redirect id",
        "type": "integer"
      },
      {
        "name": "keys[][type]",
        "in": "formData",
        "description": "The redirect type Types: ReceptiveQueue",
        "type": "string"
      },
      {
        "name": "keys[][key]",
        "in": "formData",
        "description": "The key",
        "type": "string"
      },
      {
        "name": "audio",
        "in": "formData",
        "type": "file",
        "required": true,
        "description": "The mp3 file with the audio"
      }
    ],
    "responses": {
      "200": {
        "description": "The created receptive IVR",
        "schema": {
          "$ref": "#/definitions/ReceptiveIVR"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  {
    "/receptive_ivr/{receptive-IVR-id}": {
      "parameters": [
        {
          "name": "receptive-IVR-id",
          "in": "path",
          "description": "The receptive IVR id",
          "type": "string",
          "required": true
        }
      ],
      "get": {
        "tags": [
          "Receptive IVR"
        ],
        "summary": "Retrieve a receptive IVR from the user's company",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
          "200": {
            "description": "The receptive IVR",
            "schema": {

```

Estilos de formatação

```

    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "put": {
    "tags": [
      "Receptive IVR"
    ],
    "summary": "Update the receptive IVR in the user's company",
    "description": "Only available for users with the manager role",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The receptive IVR name",
        "type": "string",
        "required": true
      },
      {
        "name": "timeout",
        "in": "formData",
        "description": "The receptive IVR wait time",
        "type": "integer",
        "required": true
      },
      {
        "name": "redirect_id",
        "in": "formData",
        "description": "The receptive IVR default redirect id",
        "type": "integer",
        "required": true
      },
      {
        "name": "redirect_type",
        "in": "formData",
        "description": "The receptive IVR default redirect type. Types: ReceptiveQueue",
        "type": "string",
        "required": true
      },
      {
        "name": "keys[]",
        "in": "formData",
        "description": "An array of keys",
        "type": "array",
        "required": true,
        "items": {
          "type": "array",
          "items": {
            "type": "string"
          }
        }
      },
      {
        "name": "keys[][id]",
        "in": "formData",
        "description": "The redirect id",
        "type": "integer"
      }
    ]
  }
}

```

Estilos de formatação

```

      "in": "formData",
      "description": "The redirect type Types: ReceptiveQueue",
      "type": "string"
    },
    {
      "name": "keys[][key]",
      "in": "formData",
      "description": "The key",
      "type": "string"
    },
    {
      "name": "audio",
      "in": "formData",
      "type": "file",
      "required": false,
      "description": "The mp3 file with the audio"
    }
  ],
  "responses": {
    "200": {
      "description": "The updated receptive IVR",
      "schema": {
        "$ref": "#/definitions/ReceptiveIVR"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Receptive IVR"
  ],
  "summary": "Delete the Receptive IVR in the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/receptive_metrics": {
  "get": {
    "tags": [
      "Receptive Metrics"
    ],
    "summary": "The receptive metrics by queue",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "List of metrics for receptive queues",
        "schema": {
          "$ref": "#/definitions/ReceptiveMetricList"
        }
      }
    }
  },

```

Estilos de formatação

```

        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    }
},
"/total_receptive_metrics": {
    "get": {
        "tags": [
            "Receptive Metrics"
        ],
        "summary": "The all receptive metrics",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
            "200": {
                "description": "List metrics for all receptive queues",
                "schema": {
                    "$ref": "#/definitions/TotalReceptiveMetricList"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    }
},
"/routes": {
    "get": {
        "tags": [
            "Routes"
        ],
        "summary": "List all routes that belongs to the company of the authenticated user",
        "description": "Only available for users with the manager role\n",
        "responses": {
            "200": {
                "description": "The routes",
                "schema": {
                    "$ref": "#/definitions/Routes"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    },
    "put": {
        "tags": [
            "Routes"
        ],
        "summary": "Update Routes the company",
        "description": "Only available for users with the manager role\n",
        "parameters": [
            {
                "name": "route_landline_id",
                "in": "formData",
                "type": "integer",
                "description": "The landline id route",
                "required": true
            }
        ],

```

Estilos de formatação

```

        "name": "route_mobile_id",
        "in": "formData",
        "type": "integer",
        "description": "The mobile id route",
        "required": true
    }
],
"responses": {
    "200": {
        "description": "No Content"
    },
    "default": {
        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    }
}
},
"/routes/{routeId}/hangupCauseReport": {
    "get": {
        "tags": [
            "Route"
        ],
        "summary": "Get Hangup Cause statistic grouped by minutes interval",
        "description": "Only available for users with the manager role\n",
        "parameters": [
            {
                "name": "routeId",
                "in": "path",
                "type": "string",
                "required": true,
                "description": "The route id"
            },
            {
                "name": "startDate",
                "in": "query",
                "description": "Start date",
                "type": "string",
                "required": true
            },
            {
                "name": "endDate",
                "in": "query",
                "description": "End date",
                "type": "string",
                "required": true
            },
            {
                "name": "interval",
                "in": "query",
                "type": "integer",
                "description": "Interval in minutes",
                "default": 1
            },
            {
                "name": "phoneType",
                "in": "query",
                "type": "string",
                "description": "Phone type (landline or mobile)",
                "default": "all"
            }
        ],
        "responses": {
            "200": {
                "description": "Hangup Cause statistics",
                "schema": {

```

Estilos de formatação

```

    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/schedules": {
  "get": {
    "tags": [
      "Schedules"
    ],
    "summary": "Schedules",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign",
        "in": "query",
        "description": "The campaign id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent",
        "in": "query",
        "description": "The agent id",
        "type": "string",
        "required": false
      },
      {
        "name": "start_date",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The schedules",
        "schema": {
          "$ref": "#/definitions/Schedules"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "put": {
    "tags": [
      "Schedules"
    ],
    "summary": "Create a new schedule",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign",
        "in": "query",
        "description": "The campaign id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent",
        "in": "query",
        "description": "The agent id",
        "type": "string",
        "required": false
      },
      {
        "name": "start_date",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "201": {
        "description": "The schedule created",
        "schema": {
          "$ref": "#/definitions/Schedule"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/schedules/{schedule-id}": {
  "put": {
    "tags": [
      "Schedules"
    ],
    "summary": "Update a schedule",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign",
        "in": "query",
        "description": "The campaign id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent",
        "in": "query",
        "description": "The agent id",
        "type": "string",
        "required": false
      },
      {
        "name": "start_date",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The schedule updated",
        "schema": {
          "$ref": "#/definitions/Schedule"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}

```

Estilos de formatação

```

"summary": "Update a Schedule",
"description": "Only available for schedules you own",
"parameters": [
  {
    "name": "schedule-id",
    "in": "path",
    "description": "The schedule id",
    "type": "string",
    "required": true
  },
  {
    "name": "date",
    "in": "formData",
    "type": "string",
    "description": "The date that the scheduled call should fire. Must be in 2000-01-30
23:00:00 format",
    "required": false
  },
  {
    "name": "note",
    "in": "formData",
    "type": "string",
    "description": "The note of the scheduled call",
    "required": false
  },
  {
    "name": "phone",
    "in": "formData",
    "type": "string",
    "description": "The phone of the scheduled call",
    "required": false
  }
],
"responses": {
  "200": {
    "description": "The updated schedule",
    "schema": {
      "$ref": "#/definitions/Schedule"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"delete": {
  "tags": [
    "Schedules"
  ],
  "summary": "Delete a schedule",
  "description": "Only available for schedules you own",
  "parameters": [
    {
      "name": "schedule-id",
      "in": "path",
      "description": "The schedule id",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "204": {
      "description": "No Content"
    },
    "default": {

```

Estilos de formatação

```

    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/schedules/csv": {
  "get": {
    "tags": [
      "Schedules"
    ],
    "summary": "Generate Schedules CSV file",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "campaign",
        "in": "query",
        "description": "The campaign id",
        "type": "string",
        "required": false
      },
      {
        "name": "agent",
        "in": "query",
        "description": "The agent id",
        "type": "string",
        "required": false
      },
      {
        "name": "start_date",
        "in": "query",
        "description": "Start date",
        "type": "string",
        "required": true
      },
      {
        "name": "end_date",
        "in": "query",
        "description": "End date",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "Success message for csv creation"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/spy/{agent-id}/start": {
  "post": {
    "tags": [
      "Agents",
      "Spy"
    ],
    "summary": "Start spying an agent in call",
    "description": "Only available for users with the manager and agent role\n",
    "parameters": [
      {
        "name": "agent-id",

```

Estilos de formatação

```

      "description": "The agent to spy on",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "204": {
      "description": "No Content"
    },
    "404": {
      "description": "The agent is not logged in",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    },
    "409": {
      "description": "The user is already spying another agent",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/spy/stop": {
  "delete": {
    "tags": [
      "Agents",
      "Spy"
    ],
    "summary": "Stop spying an agent",
    "description": "Only available for users with the manager and agent role\n",
    "responses": {
      "204": {
        "description": "No Content"
      },
      "404": {
        "description": "The agent web extension was not found",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}
},
"/teams": {
  "get": {
    "tags": [
      "Teams"
    ],
    "summary": "List all teams with pagination",
    "description": "Only available for teams with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "All teams paginated",

```

Estilos de formatação

```

    "$ref": "#/definitions/Teams"
  }
},
"default": {
  "description": "Unexpected error",
  "schema": {
    "$ref": "#/definitions/Error"
  }
}
},
"post": {
  "tags": [
    "Teams"
  ],
  "summary": "Crate a new team",
  "description": "Only available for users with the manager role",
  "parameters": [
    {
      "name": "name",
      "in": "formData",
      "description": "The team's name",
      "type": "string",
      "required": true
    },
    {
      "name": "color",
      "in": "formData",
      "description": "The team's color",
      "type": "string",
      "required": true
    },
    {
      "name": "supervisors",
      "in": "formData",
      "description": "The team's supervisors ids",
      "type": "array",
      "required": false,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    },
    {
      "name": "agents",
      "in": "formData",
      "description": "The team's agents ids",
      "type": "array",
      "required": false,
      "items": {
        "type": "array",
        "items": {
          "type": "integer"
        }
      }
    }
  ],
  "responses": {
    "200": {
      "description": "The created team",
      "schema": {
        "$ref": "#/definitions/Team"
      }
    },
    "default": {
      "description": "Unexpected error",

```

Estilos de formatação

```

    "$ref": "#/definitions/Error"
  }
}
}
},
"/teams/{team-id}": {
  "parameters": [
    {
      "name": "team-id",
      "in": "path",
      "description": "The user id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Teams"
    ],
    "summary": "Get the team for a given id",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The team for a given id",
        "schema": {
          "$ref": "#/definitions/Team"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "put": {
    "tags": [
      "Teams"
    ],
    "summary": "Update a team",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The team's name",
        "type": "string",
        "required": true
      },
      {
        "name": "color",
        "in": "formData",
        "description": "The team's color",
        "type": "string",
        "required": true
      },
      {
        "name": "supervisors",
        "in": "formData",
        "description": "The team's supervisors ids",
        "type": "array",
        "required": false,
        "items": {
          "type": "array",
          "items": {

```

Estilos de formatação

```

    }
  },
  {
    "name": "agents",
    "in": "formData",
    "description": "The team's agents ids",
    "type": "array",
    "required": false,
    "items": {
      "type": "array",
      "items": {
        "type": "integer"
      }
    }
  }
],
"responses": {
  "200": {
    "description": "The created team",
    "schema": {
      "$ref": "#/definitions/Team"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"delete": {
  "tags": [
    "Teams"
  ],
  "summary": "Delete a team",
  "description": "Only available for users with the manager role\n",
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
}
},
"/uras": {
  "get": {
    "tags": [
      "URA",
      "IVR"
    ],
    "summary": "List all ivrs/uras with pagination",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "All ivr/uras Paginated",
        "schema": {
          "$ref": "#/definitions/Uras"
        }
      },
      "default": {

```

Estilos de formatação

```

    "schema": {
      "$ref": "#/definitions/Error"
    }
  },
  "post": {
    "tags": [
      "URA",
      "IVR"
    ],
    "summary": "Create a new ivr/ura",
    "description": "Only available for users with the manager role",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The ura's name",
        "type": "string",
        "required": true
      },
      {
        "name": "audio",
        "in": "formData",
        "type": "file",
        "required": true,
        "description": "The mp3 file with the audio"
      },
      {
        "name": "wait_time",
        "in": "formData",
        "description": "The ura's wait time",
        "type": "integer",
        "required": true
      },
      {
        "name": "keys",
        "in": "formData",
        "description": "The keys that when pressed will redirect to the campaign",
        "type": "array",
        "required": true,
        "items": {
          "type": "boolean"
        }
      }
    ],
    "responses": {
      "200": {
        "description": "The created ivr/ura",
        "schema": {
          "$ref": "#/definitions/Ura"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/uras/{ura-id}": {
    "parameters": [
      {

```

Estilos de formatação

```

      "in": "path",
      "description": "The ura id",
      "type": "string",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "URA"
    ],
    "summary": "Get the ura for a given id",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {
        "description": "The ura for a given id",
        "schema": {
          "$ref": "#/definitions/Ura"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "delete": {
    "tags": [
      "URA",
      "IVR"
    ],
    "summary": "Delete a ivr/ura",
    "description": "Only available for users with the manager role\n",
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "put": {
    "tags": [
      "URA",
      "IVR"
    ],
    "summary": "Update a ivr/ura",
    "description": "Only available for users with the manager role\n",
    "consumes": [
      "multipart/form-data"
    ],
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The ura's name",
        "type": "string",
        "required": true
      },
      {
        "name": "audio",
        "in": "formData",

```

Estilos de formatação

```

    "required": false,
    "description": "The mp3 file with the audio"
  },
  {
    "name": "wait_time",
    "in": "formData",
    "description": "The ura's wait time",
    "type": "integer",
    "required": true
  },
  {
    "name": "keys",
    "in": "formData",
    "description": "The keys that when pressed will redirect to the campaign",
    "type": "array",
    "required": true,
    "items": {
      "type": "boolean"
    }
  }
],
"responses": {
  "200": {
    "description": "The updated ivr/ura",
    "schema": {
      "$ref": "#/definitions/Ura"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/user_data": {
  "get": {
    "tags": [
      "User Data"
    ],
    "summary": "List all users data with pagination",
    "description": "Only available for users with the admin/manager role.\n",
    "responses": {
      "200": {
        "description": "All users Paginated.",
        "schema": {
          "$ref": "#/definitions/UserData"
        }
      },
      "default": {
        "description": "Unexpected error.",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"post": {
  "tags": [
    "User Data"
  ],
  "summary": "Create a new user data",
  "description": "Only available for users with the admin/manager role.",
  "parameters": [
    {
      "name": "name",

```

Estilos de formatação

```

      "description": "The user's name.",
      "type": "string",
      "required": true
    },
    {
      "name": "email",
      "in": "formData",
      "description": "The user's email. This field is required.",
      "type": "string",
      "required": true
    },
    {
      "name": "whatsapp_number",
      "in": "formData",
      "description": "The user's whatsapp number.",
      "type": "string",
      "required": true
    },
    {
      "name": "roles_ids",
      "in": "formData",
      "description": "The user's company roles ids.",
      "type": "array",
      "required": true,
      "items": {
        "type": "integer"
      }
    },
    {
      "name": "lines_of_works_ids",
      "in": "formData",
      "description": "The user's lines of works ids.",
      "type": "array",
      "required": true,
      "items": {
        "type": "integer"
      }
    },
    {
      "name": "promoters_ids",
      "in": "formData",
      "description": "The user's promoters ids.",
      "type": "array",
      "required": false,
      "items": {
        "type": "integer"
      }
    }
  ],
  "responses": {
    "200": {
      "description": "The created user.",
      "schema": {
        "$ref": "#/definitions/UserData"
      }
    },
    "default": {
      "description": "Unexpected error.",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"put": {
  "tags": [
    "User Data"
  ],

```

Estilos de formatação

```

    "description": "Only available for users with the admin/manager role.",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The user's name.",
        "type": "string",
        "required": true
      },
      {
        "name": "email",
        "in": "formData",
        "description": "The user's email. This field is required.",
        "type": "string",
        "required": true
      },
      {
        "name": "whatsapp_number",
        "in": "formData",
        "description": "The user's whatsapp number.",
        "type": "string",
        "required": true
      },
      {
        "name": "roles_ids",
        "in": "formData",
        "description": "The user's company roles ids.",
        "type": "array",
        "required": true,
        "items": {
          "type": "integer"
        }
      },
      {
        "name": "lines_of_works_ids",
        "in": "formData",
        "description": "The user's lines of works ids.",
        "type": "array",
        "required": true,
        "items": {
          "type": "integer"
        }
      },
      {
        "name": "promoters_ids",
        "in": "formData",
        "description": "The user's promoters ids.",
        "type": "array",
        "required": false,
        "items": {
          "type": "integer"
        }
      }
    ],
    "responses": {
      "200": {
        "description": "The updated user data.",
        "schema": {
          "$ref": "#/definitions/UserData"
        }
      },
      "default": {
        "description": "Unexpected error.",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
}

```

Estilos de formatação

```

    },
    "/users": {
      "get": {
        "tags": [
          "Users"
        ],
        "summary": "List all users with pagination",
        "description": "Only available for users with the manager role\n",
        "parameters": [
          {
            "name": "active",
            "in": "query",
            "description": "The user's 1 active, 0 inactive",
            "type": "string",
            "required": false
          }
        ],
        "responses": {
          "200": {
            "description": "All users Paginated",
            "schema": {
              "$ref": "#/definitions/Users"
            }
          },
          "default": {
            "description": "Unexpected error",
            "schema": {
              "$ref": "#/definitions/Error"
            }
          }
        }
      },
    },
    "post": {
      "tags": [
        "Users"
      ],
      "summary": "Create a new user",
      "description": "Only available for users with the manager role",
      "parameters": [
        {
          "name": "name",
          "in": "formData",
          "description": "The user's name",
          "type": "string",
          "required": true
        },
        {
          "name": "extension_number",
          "in": "formData",
          "description": "The user's extension number",
          "type": "integer",
          "required": true
        },
        {
          "name": "email",
          "in": "formData",
          "description": "The user's email. This field is required if the role of the user is
manager",
          "type": "string",
          "required": false
        },
        {
          "name": "password",
          "in": "formData",
          "description": "The user's password",
          "type": "string",
          "required": true
        }
      ],
    },
  },

```

Estilos de formatação

```

    "name": "web_extension",
    "in": "formData",
    "description": "If provided the web extension will be set to true, otherwise false will
be used.",
    "type": "string",
    "required": false
  },
  {
    "name": "role",
    "in": "formData",
    "description": "The user's role. Must be agent or manager",
    "type": "string",
    "required": true
  },
  {
    "name": "timezone",
    "in": "formData",
    "description": "The user's timezone. Example: America/Sao_Paulo",
    "type": "string",
    "required": true
  },
  {
    "name": "date_format",
    "in": "formData",
    "description": "A date format to be used for dates. Example: d-m-Y, Y/m/d\nDefault to
d/m/Y\n",
    "type": "string",
    "required": false
  },
  {
    "name": "hour_format",
    "in": "formData",
    "description": "A format to be used for hours. Example: H:i, h:i, H:i:s\nDefault to
H:i:s\n",
    "type": "string",
    "required": false
  },
  {
    "name": "user_document",
    "in": "formData",
    "description": "The user's CPF. Send 11 digits only numbers",
    "type": "string",
    "required": false
  }
],
"responses": {
  "200": {
    "description": "The created user",
    "schema": {
      "$ref": "#/definitions/User"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/users/csv": {
  "get": {
    "tags": [
      "Users"
    ],
    "description": "Only available for users with the manager role\n",
    "responses": {

```

Estilos de formatação

```

      "description": "Success message for csv creation"
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/users/{user-id}": {
  "parameters": [
    {
      "name": "user-id",
      "in": "path",
      "description": "The user id",
      "type": "string",
      "required": true
    }
  ],
  "delete": {
    "tags": [
      "Users"
    ],
    "summary": "Delete a user",
    "description": "Only available for users with the manager role\n",
    "responses": {
      "204": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "put": {
    "tags": [
      "Users"
    ],
    "summary": "Update a user",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The user's name",
        "type": "string",
        "required": true
      },
      {
        "name": "extension_number",
        "in": "formData",
        "description": "The user's extension number",
        "type": "integer",
        "required": true
      },
      {
        "name": "email",
        "in": "formData",
        "description": "The user's email",
        "type": "string",
        "required": true
      }
    ]
  }
}

```

Estilos de formatação

```

    "in": "formData",
    "description": "The user's password",
    "type": "string",
    "required": true
  },
  {
    "name": "web_extension",
    "in": "formData",
    "description": "If provided the web extension will be set to true, otherwise false will
be used.",
    "type": "string",
    "required": false
  },
  {
    "name": "role",
    "in": "formData",
    "description": "The user's role. Must be agent or manager",
    "type": "string",
    "required": true
  },
  {
    "name": "user_document",
    "in": "formData",
    "description": "The user's CPF. Send 11 digits only numbers",
    "type": "string",
    "required": false
  },
  {
    "name": "timezone",
    "in": "formData",
    "description": "The user's timezone. Example: America/Sao_Paulo",
    "type": "string",
    "required": true
  },
  {
    "name": "date_format",
    "in": "formData",
    "description": "A date format to be used for dates. Example: d-m-Y, Y/m/d",
    "type": "string",
    "required": true
  },
  {
    "name": "hour_format",
    "in": "formData",
    "description": "A format to be used for hours. Example: H:i, h:i, H:i:s",
    "type": "string",
    "required": true
  }
],
"responses": {
  "200": {
    "description": "The updated user",
    "schema": {
      "$ref": "#/definitions/User"
    }
  },
  "default": {
    "description": "Unexpected error",
    "schema": {
      "$ref": "#/definitions/Error"
    }
  }
}
},
"/users/{user-id}/disable": {
  "parameters": [
    {

```

Estilos de formatação

```

      "in": "path",
      "description": "The user id",
      "type": "string",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Users"
    ],
    "summary": "Disable a user",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "remove_schedules",
        "in": "query",
        "description": "The condition to remove schedules or not (0, 1, false, true)",
        "type": "boolean",
        "required": false
      },
      {
        "name": "user_id",
        "in": "query",
        "description": "The user ID that will receive the schedules",
        "type": "string",
        "required": false
      }
    ],
    "responses": {
      "200": {
        "description": "The updated user",
        "schema": {
          "$ref": "#/definitions/User"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/users/{user-id}/enable": {
  "parameters": [
    {
      "name": "user-id",
      "in": "path",
      "description": "The user id",
      "type": "integer",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Users"
    ],
    "summary": "Enable a user",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The user's name",
        "type": "string",
        "required": true
      }
    ],

```

Estilos de formatação

```

    "name": "extension_number",
    "in": "formData",
    "description": "The user's extension number",
    "type": "integer",
    "required": true
  },
  {
    "name": "email",
    "in": "formData",
    "description": "The user's email",
    "type": "string",
    "required": true
  },
  {
    "name": "password",
    "in": "formData",
    "description": "The user's password",
    "type": "string",
    "required": true
  },
  {
    "name": "role",
    "in": "formData",
    "description": "The user's role. Must be agent or manager",
    "type": "string",
    "required": true
  },
  {
    "name": "user_document",
    "in": "formData",
    "description": "The user's CPF. Send 11 digits only numbers",
    "type": "string",
    "required": false
  },
  {
    "name": "timezone",
    "in": "formData",
    "description": "The user's timezone. Example: America/Sao_Paulo",
    "type": "string",
    "required": true
  },
  {
    "name": "date_format",
    "in": "formData",
    "description": "A date format to be used for dates. Example: d-m-Y, Y/m/d",
    "type": "string",
    "required": true
  },
  {
    "name": "hour_format",
    "in": "formData",
    "description": "A format to be used for hours. Example: H:i, h:i, H:i:s",
    "type": "string",
    "required": true
  },
  {
    "name": "web_extension",
    "in": "formData",
    "type": "boolean",
    "description": "True if the web extension is enabled otherwise false",
    "required": false
  }
],
"responses": {
  "200": {
    "description": "The updated user",
    "schema": {
      "$ref": "#/definitions/User"
    }
  }
}

```

Estilos de formatação

```

    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/users/{user-id}/enable/web_extension": {
  "parameters": [
    {
      "name": "user-id",
      "in": "path",
      "description": "The user id",
      "type": "integer",
      "required": true
    },
    {
      "name": "name",
      "in": "formData",
      "description": "The user's name",
      "type": "string",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Users"
    ],
    "summary": "Enable or disable the user web extension",
    "description": "Only available for users with the manager role\n",
    "responses": {
      "200": {
        "description": "The updated user",
        "schema": {
          "$ref": "#/definitions/User"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/users/{user-id}/deactivate": {
  "parameters": [
    {
      "name": "user-id",
      "in": "path",
      "description": "The user id",
      "type": "integer",
      "required": true
    }
  ],
  "get": {
    "tags": [
      "Users"
    ],
    "summary": "Deactivate user",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {
      "200": {

```

Estilos de formatação

```

    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/webphone/users": {
  "post": {
    "tags": [
      "Users"
    ],
    "summary": "Create multiple webhpone users",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "names",
        "in": "formData",
        "description": "The user's names",
        "required": true,
        "type": "array",
        "items": {
          "type": "string"
        }
      },
      {
        "name": "emails",
        "in": "formData",
        "description": "The user's emails",
        "required": true,
        "type": "array",
        "items": {
          "type": "string"
        }
      }
    ],
    "responses": {
      "200": {
        "description": "No Content"
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/users/{user-id}/basic-data": {
  "parameters": [
    {
      "name": "user-id",
      "in": "path",
      "description": "The user id",
      "type": "string",
      "required": true
    }
  ],
  "put": {
    "tags": [
      "Users"
    ],
    "summary": "Update user basic data",
    "description": "Only available for users with the manager role\n",

```

Estilos de formatação

```

    {
      "name": "name",
      "in": "formData",
      "description": "The user's name",
      "type": "string",
      "required": true
    },
    {
      "name": "password",
      "in": "formData",
      "description": "The user's password",
      "type": "string",
      "required": true
    },
    {
      "name": "password_confirmation",
      "in": "formData",
      "description": "The user's password confirmed",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "200": {
      "description": "The updated user",
      "schema": {
        "$ref": "#/definitions/User"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"/version": {
  "get": {
    "summary": "Application version",
    "description": "Returns information about the current application version.\n",
    "responses": {
      "200": {
        "description": "The app version",
        "schema": {
          "$ref": "#/definitions/ApplicationVersion"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  }
},
"/work_break_group": {
  "get": {
    "tags": [
      "Work break groups"
    ],
    "summary": "List all work break groups that belongs to the company of the authenticated user",
    "description": "Only available for users with the manager role\n",
    "parameters": [],
    "responses": {

```

Estilos de formatação

```

      "description": "All work break groups paginated",
      "schema": {
        "$ref": "#/definitions/WorkBreakGroup"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  },
  "post": {
    "tags": [
      "Work break groups"
    ],
    "summary": "Create a new work break group in the user's company",
    "description": "Only available for users with the manager role\n",
    "parameters": [
      {
        "name": "name",
        "in": "formData",
        "description": "The work break group's name",
        "type": "string",
        "required": true
      }
    ],
    "responses": {
      "200": {
        "description": "The created work break group",
        "schema": {
          "$ref": "#/definitions/WorkBreakGroup"
        }
      },
      "default": {
        "description": "Unexpected error",
        "schema": {
          "$ref": "#/definitions/Error"
        }
      }
    }
  },
  "/work_break_group/{qualification-id}": {
    "parameters": [
      {
        "name": "qualification-id",
        "in": "path",
        "description": "The qualification id",
        "type": "string",
        "required": true
      }
    ],
    "get": {
      "tags": [
        "Work break groups"
      ],
      "summary": "Retrieve a work break group from the user's company",
      "description": "Only available for users with the manager role\n",
      "parameters": [],
      "responses": {
        "200": {
          "description": "The work break group",
          "schema": {
            "$ref": "#/definitions/WorkBreakGroup"
          }
        }
      }
    },

```

Estilos de formatação

```

        "description": "Unexpected error",
        "schema": {
            "$ref": "#/definitions/Error"
        }
    },
    },
    "put": {
        "tags": [
            "Work break groups"
        ],
        "summary": "Update a work break group in the user's company",
        "description": "Only available for users with the manager role\n",
        "parameters": [
            {
                "name": "name",
                "in": "formData",
                "description": "The work break group's name",
                "type": "string",
                "required": true
            }
        ],
        "responses": {
            "200": {
                "description": "The updated work break group",
                "schema": {
                    "$ref": "#/definitions/WorkBreakGroup"
                }
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    },
    },
    "delete": {
        "tags": [
            "Work break groups"
        ],
        "summary": "Delete a work break group in the user's company",
        "description": "Only available for users with the manager role\n",
        "parameters": [],
        "responses": {
            "204": {
                "description": "No content"
            },
            "default": {
                "description": "Unexpected error",
                "schema": {
                    "$ref": "#/definitions/Error"
                }
            }
        }
    },
    },
    "/work_break_group/{work-break-id}/intervals": {
        "parameters": [
            {
                "name": "work-break-id",
                "in": "path",
                "description": "The work break group id",
                "type": "integer",
                "required": true
            }
        ],
        "post": {

```

Estilos de formatação

```

    "interval": {
      "summary": "Create a new interval in a work break group",
      "description": "Only available for users with the manager role\n",
      "parameters": [
        {
          "name": "name",
          "in": "formData",
          "description": "The interval name",
          "type": "integer",
          "required": true
        },
        {
          "name": "minutes",
          "in": "formData",
          "description": "The interval minutes",
          "type": "integer",
          "required": true
        },
        {
          "name": "color",
          "in": "formData",
          "description": "The interval color in hexadecimal format. Example: #3b4151",
          "type": "string",
          "required": true
        }
      ],
      "responses": {
        "200": {
          "description": "The created interval",
          "schema": {
            "$ref": "#/definitions/WorkBreakInterval"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    },
    "get": {
      "tags": [
        "Interval"
      ],
      "summary": "Retrieve all intervals from the work break group",
      "description": "Only available for users with the manager role\n",
      "responses": {
        "200": {
          "description": "The intervals",
          "schema": {
            "$ref": "#/definitions/WorkBreakInterval"
          }
        },
        "default": {
          "description": "Unexpected error",
          "schema": {
            "$ref": "#/definitions/Error"
          }
        }
      }
    }
  },
  "/work_break_group/{work-break-id}/intervals/{interval-id}": {
    "parameters": [
      {
        "name": "work-break-id",

```

Estilos de formatação

```

    "description": "The work break group id",
    "type": "integer",
    "required": true
  },
  {
    "name": "interval-id",
    "in": "path",
    "description": "The interval id",
    "type": "integer",
    "required": true
  }
],
"put": {
  "tags": [
    "Interval"
  ],
  "summary": "Update a interval in the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [
    {
      "name": "name",
      "in": "formData",
      "description": "The interval name",
      "type": "integer",
      "required": true
    },
    {
      "name": "minutes",
      "in": "formData",
      "description": "The interval minutes",
      "type": "integer",
      "required": true
    },
    {
      "name": "color",
      "in": "formData",
      "description": "The interval color in hexadecimal format. Example: #3b4151",
      "type": "string",
      "required": true
    }
  ],
  "responses": {
    "200": {
      "description": "The updated interval",
      "schema": {
        "$ref": "#/definitions/WorkBreakInterval"
      }
    },
    "default": {
      "description": "Unexpected error",
      "schema": {
        "$ref": "#/definitions/Error"
      }
    }
  }
},
"delete": {
  "tags": [
    "Interval"
  ],
  "summary": "Delete a interval in the user's company",
  "description": "Only available for users with the manager role\n",
  "parameters": [],
  "responses": {
    "204": {
      "description": "No content"
    },
    "default": {

```

Estilos de formatação

```

    "schema": {
      "$ref": "#/definitions/Error"
    }
  },
  "definitions": {
    "AgentCampaign": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64",
          "description": "The campaign id"
        },
        "name": {
          "type": "string",
          "description": "The campaign name"
        },
        "paused": {
          "type": "boolean",
          "description": "If the campaign is paused or not"
        }
      }
    },
    "AgentCampaigns": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/AgentCampaign"
      }
    },
    "AgentMetricsPerTime": {
      "type": "object",
      "properties": {
        "date": {
          "type": "string",
          "description": "The date when the metric was collected."
        },
        "speaking": {
          "type": "string",
          "description": "How much time the agent spend speaking in a call."
        },
        "idle": {
          "type": "string",
          "description": "How much time the agent spend in idle."
        },
        "acw": {
          "type": "string",
          "description": "How much time the agent spend in After Call Work."
        },
        "manual": {
          "type": "string",
          "description": "How much time the agent spend in manual mode."
        },
        "manual_acw": {
          "type": "string",
          "description": "How much time the agent spend in After Call Work in manual mode."
        },
        "interval": {
          "type": "string",
          "description": "How much time the agent spend in Interval."
        }
      }
    },
    "AgentMetrics": {
      "type": "object",

```

Estilos de formatação

```
"date": {
  "type": "string",
  "description": "The date when the metric was collected."
},
"speaking": {
  "type": "string",
  "description": "How much time the agent spend speaking in a call."
},
"average": {
  "type": "string",
  "description": "The average time logged in."
},
"total_calls": {
  "type": "integer",
  "format": "int64",
  "description": "Total count of calls during this period."
},
"calls": {
  "type": "integer",
  "format": "int64",
  "description": "Count of calls dialed during this period."
},
"manual_calls": {
  "type": "integer",
  "format": "int64",
  "description": "Count of manual calls during this period."
},
"manual_calls_acw": {
  "type": "integer",
  "format": "int64",
  "description": "Count of manual calls in acw during this period."
},
"idle": {
  "type": "string",
  "description": "How much time the agent spend in idle."
},
"acw": {
  "type": "string",
  "description": "How much time the agent spend in After Call Work."
},
>manual": {
  "type": "string",
  "description": "How much time the agent spend in manual mode."
},
>manual_acw": {
  "type": "string",
  "description": "How much time the agent spend in After Call Work in manual mode."
},
>manual_calls_calling": {
  "type": "string",
  "description": "How much time the agent spend calling in manual mode."
},
>manual_calls_speaking": {
  "type": "string",
  "description": "How much time the agent spend speaking in manual mode."
},
>manual_calls_made": {
  "type": "string",
  "description": "How much calls the agent made in manual mode."
},
>manual_calls_answered": {
  "type": "string",
  "description": "Of calls made how many were answered in manual mode."
},
>manual_calls_acw_calling": {
  "type": "string",
  "description": "How much time the agent spend calling in After Call Work in manual mode."
},
```

Estilos de formatação

```

    "type": "string",
    "description": "How much time the agent spend speaking in After Call Work in manual mode."
  },
  "manual_calls_acw_made": {
    "type": "string",
    "description": "How much calls the agent made in After Call Work in manual mode."
  },
  "manual_calls_acw_answered": {
    "type": "string",
    "description": "Of calls made how many were answered in After Call Work in manual mode."
  },
  "agent": {
    "$ref": "#/definitions/Agent"
  }
},
"AgentStatisticsByAgent": {
  "type": "object",
  "properties": {
    "agent": {
      "$ref": "#/definitions/Agent"
    },
    "converted": {
      "type": "integer",
      "description": "Total converted calls"
    },
    "dmc": {
      "type": "integer",
      "description": "Total Decision Maker Contact (DMC) calls"
    },
    "answered": {
      "type": "integer",
      "description": "Total answered calls"
    }
  }
},
"AgentStatisticsByAgentList": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/AgentStatisticsByAgent"
  }
},
"AgentStatistic": {
  "type": "object",
  "properties": {
    "date": {
      "type": "string",
      "description": "Agent statistics aggregation date using Y-m-d H:i:s format"
    },
    "converted": {
      "type": "integer",
      "description": "Total converted calls"
    },
    "dmc": {
      "type": "integer",
      "description": "Total Decision Maker Contact (DMC) calls"
    },
    "answered": {
      "type": "integer",
      "description": "Total answered calls"
    }
  }
},
"AgentStatistics": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/AgentStatistic"
  }
}

```

Estilos de formatação

```
"AgentStatusMetrics": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The agent id"
    },
    "name": {
      "type": "string",
      "description": "The agent name"
    },
    "extension": {
      "type": "integer",
      "format": "int64",
      "description": "The agent extension number"
    },
    "logged_campaign": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign id"
    },
    "status": {
      "type": "integer",
      "format": "int64",
      "description": "The agent status"
    },
    "metrics": {
      "type": "object",
      "properties": {
        "_id": {
          "type": "integer",
          "format": "int64",
          "description": "The agent id"
        },
        "speaking": {
          "type": "string",
          "description": "How much time the agent spend speaking in a call."
        },
        "calls": {
          "type": "integer",
          "format": "int64",
          "description": "Count of calls dialed during this period."
        },
        "manual_calls": {
          "type": "integer",
          "format": "int64",
          "description": "Count of manual calls during this period."
        },
        "manual_calls_acw": {
          "type": "integer",
          "format": "int64",
          "description": "Count of manual calls in acw during this period."
        },
        "idle": {
          "type": "integer",
          "format": "int64",
          "description": "How much time the agent spend in idle."
        },
        "acw": {
          "type": "integer",
          "format": "int64",
          "description": "How much time the agent spend in After Call Work."
        },
        "manual": {
          "type": "integer",
          "format": "int64",
          "description": "How much time the agent spend in manual mode."
        }
      }
    }
  }
}
```

Estilos de formatação

```

    "manual_acw": {
      "type": "integer",
      "format": "int64",
      "description": "How much time the agent spend in After Call Work in manual mode."
    },
    "manual_calls_calling": {
      "type": "integer",
      "format": "int64",
      "description": "How much time the agent spend calling in manual mode."
    },
    "manual_calls_speaking": {
      "type": "integer",
      "format": "int64",
      "description": "How much time the agent spend speaking in manual mode."
    },
    "manual_calls_made": {
      "type": "integer",
      "format": "int64",
      "description": "How much calls the agent made in manual mode."
    },
    "manual_calls_answered": {
      "type": "integer",
      "format": "int64",
      "description": "Of calls made how many were answered in manual mode."
    },
    "manual_calls_acw_calling": {
      "type": "integer",
      "format": "int64",
      "description": "How much time the agent spend calling in After Call Work in manual
mode."
    },
    "manual_calls_acw_speaking": {
      "type": "integer",
      "format": "int64",
      "description": "How much time the agent spend speaking in After Call Work in manual
mode."
    },
    "manual_calls_acw_made": {
      "type": "integer",
      "format": "int64",
      "description": "How much calls the agent made in After Call Work in manual mode."
    },
    "manual_calls_acw_answered": {
      "type": "integer",
      "format": "int64",
      "description": "Of calls made how many were answered in After Call Work in manual
mode."
    }
  }
}
},
"AgentsStatusMetrics": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/AgentStatusMetrics"
  }
},
"AgentStatus": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The agent id"
    },
    "name": {
      "type": "string",

```

Estilos de formatação

```

    },
    "extension": {
      "type": "integer",
      "format": "int64",
      "description": "The agent extension number"
    },
    "status": {
      "type": "string",
      "description": "The agent status"
    },
    "status_start_time": {
      "type": "integer",
      "format": "int64",
      "description": "A timestamp indicating the time when the agent entered the actual status"
    },
    "count": {
      "type": "integer",
      "format": "int64",
      "description": "The amount of finished calls"
    },
    "total_time": {
      "type": "integer",
      "format": "int64",
      "description": "The amount of time in seconds for all finished calls"
    },
    "average": {
      "type": "string",
      "description": "The average time in mm:ss format"
    }
  },
  "AgentsStatus": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/AgentStatus"
    }
  },
  "Agent": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The agent id"
      },
      "name": {
        "type": "string",
        "description": "The agent name"
      },
      "active": {
        "type": "boolean",
        "description": "True if the agent is active or false otherwise"
      },
      "extension": {
        "$ref": "#/definitions/Extension"
      },
      "profile_url": {
        "type": "string",
        "description": "An api url to retrieve the agent data"
      }
    }
  },
  "Agents": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/Agent"
    }
  },

```

Estilos de formatação

```
"type": "object",
"properties": {
  "id": {
    "type": "string",
    "description": "The call id"
  },
  "list": {
    "type": "string",
    "description": "The list name"
  },
  "number": {
    "type": "string",
    "description": "The phone number"
  },
  "call_date": {
    "type": "string",
    "description": "The date of this call"
  },
  "call_date_rfc3339": {
    "type": "string",
    "description": "The call date in RFC3339 format."
  },
  "campaign_id": {
    "type": "integer",
    "description": "The campaign id"
  },
  "campaign": {
    "type": "string",
    "description": "The campaign name"
  },
  "queue_name": {
    "type": "string",
    "description": "The queue name"
  },
  "has_agent": {
    "type": "boolean",
    "description": "If the call has a agent"
  },
  "agent": {
    "type": "string",
    "description": "The agent name"
  },
  "acw_time": {
    "type": "string",
    "description": "The time spend by the agent after a call."
  },
  "speaking_time": {
    "type": "string",
    "description": "The speaking time"
  },
  "speaking_with_agent_time": {
    "type": "string",
    "description": "The time spend by the agent speaking with the client."
  },
  "route": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The route id"
      },
      "name": {
        "type": "string",
        "description": "The route name"
      },
      "host": {
        "type": "string",
```

Estilos de formatação

```
    },
    "route": {
      "type": "string",
      "description": "The route"
    }
  },
  "ivr_time": {
    "type": "string",
    "description": "The ivr time"
  },
  "billed_time": {
    "type": "string",
    "description": "The billed time"
  },
  "billed_value": {
    "type": "string",
    "description": "The billed value"
  },
  "qualification": {
    "type": "integer",
    "format": "int64",
    "description": "The qualification id"
  },
  "behavior": {
    "type": "integer",
    "format": "int64",
    "description": "The behavior id"
  },
  "readable_behavior_text": {
    "type": "string",
    "description": "The readable behavior text"
  },
  "phone_type": {
    "type": "string",
    "description": "Either mobile or landline"
  },
  "recording": {
    "type": "string",
    "description": "The url of the recorded call"
  },
  "recording_amd": {
    "type": "string",
    "description": "The url of the recorded amd call"
  },
  "status_id": {
    "type": "string",
    "description": "The status id"
  },
  "readable_status_text": {
    "type": "string",
    "description": "The readable status text"
  },
  "readable_amd_status_text": {
    "type": "string",
    "description": "The amd status text string"
  },
  "mode": {
    "type": "string",
    "description": "The call mode"
  },
  "hangup_cause": {
    "type": "string",
    "description": "The hangup cause code"
  },
  "readable_hangup_cause_text": {
    "type": "string",
    "description": "The hangup cause text string"
  }
```

Estilos de formatação

```

"recorded": {
  "type": "boolean",
  "description": "If the call was recorded"
},
"ended_by_agent": {
  "type": "boolean",
  "description": "If the call was ended by the agent"
},
"qualification_note": {
  "type": "boolean",
  "description": "The note the agent left at the call when was qualifying"
},
"sid": {
  "type": "string",
  "description": "A human readable string identifier which is unique per call."
},
"is_dmc": {
  "type": "boolean",
  "description": "if the call was qualified as decision maker contact (DMC)."
},
"is_transferred": {
  "type": "boolean",
  "description": "If the call was transferred"
},
"is_consult": {
  "type": "boolean",
  "description": "If the call is a consult (warm transfer)"
},
"is_transfer": {
  "type": "boolean",
  "description": "If the call is a transfer"
},
"consults": {
  "type": "array",
  "items": {
    "type": "string"
  },
  "description": "An array with consults (warm transfer) generated by this call."
},
"consult_ids": {
  "type": "object",
  "properties": {
    "sid": {
      "type": "string",
      "description": "The sid of the consult (warm transfer)"
    }
  }
},
"parent": {
  "type": "string",
  "description": "The url to the parent call, if it's a call transfer or call consult (warm transfer)."
},
"parent_id": {
  "type": "string",
  "description": "The sid to the parent call, if it's a call transfer or call consult (warm transfer)."
},
"transfer": {
  "type": "string",
  "description": "The url to the transfer call"
},
"transfer_id": {
  "type": "string",
  "description": "The sid to the transfer call"
},
"consult": {
  "type": "string",

```

Estilos de formatação

```

    },
    "consult_id": {
      "type": "string",
      "description": "The sid to the consult call (warm transfer)"
    },
    "recording_transfer": {
      "type": "string",
      "description": "Download a call recording for the transfer portion of the call"
    },
    "recording_consult": {
      "type": "string",
      "description": "Download a call recording for the consult (warm transfer) portion of the
call"
    },
    "mailing_data": {
      "$ref": "#/definitions/MailingData"
    },
    "feedback": {
      "$ref": "#/definitions/Feedback"
    }
  }
},
"CallHistoryReports": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/CallHistoryReport"
  }
},
"Callback": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign id"
    },
    "did": {
      "type": "string",
      "description": "The did number"
    },
    "company": {
      "$ref": "#/definitions/Company"
    },
    "mailingList": {
      "$ref": "#/definitions/MailingList"
    },
    "campaign": {
      "$ref": "#/definitions/Campaign"
    }
  }
},
"Callbacks": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Callbacks"
  }
},
"Call": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The call id"
    },
    "phone": {
      "type": "string",
      "description": "The phone number."
    }
  }
}

```

Estilos de formatação

```
    "mode": {
      "type": "string",
      "description": "A string describing the mode of this call. E.g: manual, dialer\n"
    },
    "agent": {
      "$ref": "#/definitions/User"
    },
    "campaign": {
      "$ref": "#/definitions/Campaign"
    }
  }
},
"Calls": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Call"
  }
},
"CampaignStatistics": {
  "type": "object",
  "properties": {
    "data": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/SingleCampaignStatistics"
      }
    }
  }
},
"SingleCampaignStatistics": {
  "type": "object",
  "properties": {
    "date": {
      "type": "string",
      "description": "The timestamp of the statistics snapshot."
    },
    "not_answered": {
      "type": "integer",
      "description": "Amount of not answered calls"
    },
    "answered": {
      "type": "integer",
      "description": "Amount of answered calls"
    },
    "abandoned": {
      "type": "integer",
      "description": "Amount of abandoned calls"
    },
    "abandoned_due_and": {
      "type": "integer",
      "description": "Amount of abandoned_due_and calls"
    },
    "failed": {
      "type": "integer",
      "description": "Amount of failed calls"
    }
  }
},
"Campaign": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign id"
    },
    "name": {
      "type": "string",
```

Estilos de formatação

```
    },
    "start_time": {
      "type": "string",
      "description": "The campaign start time"
    },
    "end_time": {
      "type": "string",
      "description": "The campaign end time"
    },
    "paused": {
      "type": "boolean",
      "description": "True if the campaign is paused, otherwise false"
    },
    "acw_timeout": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign's acw timeout in seconds, 0 means no timeout."
    },
    "limit_call_time": {
      "type": "integer",
      "format": "int64",
      "description": "Limit call time."
    },
    "is_on_active_time": {
      "type": "boolean",
      "description": "True if the campaign is on it's active time, otherwise false."
    },
    "caller_id": {
      "type": "string",
      "description": "The campaign caller id"
    },
    "asr": {
      "type": "number",
      "format": "float",
      "description": "The campaign asr"
    },
    "amd_enabled": {
      "type": "boolean",
      "description": "True if amd is enabled, false disabled"
    },
    "copy_identifider": {
      "type": "boolean",
      "description": "If true, copy the identifier of the connected call"
    },
    "company": {
      "$ref": "#/definitions/Company"
    },
    "extension": {
      "$ref": "#/definitions/Extension"
    },
    "dialer_settings": {
      "$ref": "#/definitions/DialerSettings"
    },
    "route_landline": {
      "$ref": "#/definitions/Route"
    },
    "route_mobile": {
      "$ref": "#/definitions/Route"
    },
    "work_break_group": {
      "$ref": "#/definitions/WorkBreakGroup"
    },
    "limit_call_per_agent": {
      "type": "number",
      "format": "float",
      "description": "The call limit per agent"
    }
  }
}
```

Estilos de formatação

```
"Campaigns": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Campaign"
  }
},
"Company": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The company id"
    },
    "name": {
      "type": "string",
      "description": "The company name"
    },
    "currency": {
      "type": "string",
      "description": "The company default currency format"
    },
    "balance": {
      "type": "number",
      "format": "float",
      "description": "The company balance"
    },
    "domain": {
      "type": "string",
      "description": "The company subdomain"
    },
    "logo_name": {
      "type": "string",
      "description": "The company logo"
    },
    "logo_image_link": {
      "type": "string",
      "description": "The url for the company logo"
    },
    "socket_channel": {
      "type": "string",
      "description": "The company socket channel that will be used to listen for events"
    },
    "users": {
      "$ref": "#/definitions/Users"
    }
  }
},
"Companies": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Company"
  }
},
"CompanyRole": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The company role id."
    },
    "name": {
      "type": "string",
      "description": "The company role name."
    }
  }
},
}
```

Estilos de formatação

```
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The criterion list id"
      },
      "name": {
        "type": "string",
        "description": "The criterion list name"
      }
    }
  },
  "CriterionLists": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/CriterionList"
    }
  },
  "Criterion": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The criterion id"
      },
      "name": {
        "type": "string",
        "description": "The criterion name"
      },
      "description": {
        "type": "string",
        "description": "The criterion description"
      },
      "color": {
        "type": "string",
        "description": "The criterion color"
      },
      "emoji": {
        "type": "string",
        "description": "The criterion emoji"
      }
    }
  },
  "Criteria": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/Criterion"
    }
  },
  "CriterionData": {
    "type": "object"
  },
  "DailyFinanceStats": {
    "type": "object",
    "properties": {
      "company_id": {
        "type": "integer",
        "format": "int64",
        "description": "The company id"
      },
      "date": {
        "type": "string",
        "description": "The report date in Y-m-d format"
      },
      "landline": {
        "$ref": "#/definitions/DailyFinanceCallStats"
      }
    }
  }
}
```

Estilos de formatação

```
    "mobile": {
      "$ref": "#/definitions/DailyFinanceCallStats"
    },
    "total": {
      "$ref": "#/definitions/DailyFinanceTotalStats"
    }
  },
  "MultipleDailyFinanceStats": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/DailyFinanceStats"
    }
  },
  "DailyFinanceCallStats": {
    "type": "object",
    "properties": {
      "calls": {
        "type": "integer",
        "format": "int64",
        "description": "The number of calls of this type on this day"
      },
      "speaking_time": {
        "type": "integer",
        "format": "int64",
        "description": "The sum of the calls speaking time on this day"
      },
      "billed_time": {
        "type": "number",
        "format": "double",
        "description": "The sum of the calls billed time on this day"
      },
      "billed_value": {
        "type": "number",
        "format": "double",
        "description": "The sum of the calls billed value on this day"
      },
      "bill_value": {
        "type": "number",
        "format": "double",
        "description": "The bill value for calls on this day"
      }
    }
  },
  "DailyFinanceTotalStats": {
    "type": "object",
    "properties": {
      "speaking_time": {
        "type": "integer",
        "format": "int64",
        "description": "The sum of the speaking time for all calls on this day"
      },
      "billed_time": {
        "type": "number",
        "format": "double",
        "description": "The sum of the billed time for all calls on this day"
      },
      "billed_value": {
        "type": "number",
        "format": "double",
        "description": "The sum of the billed value for all calls on this day"
      }
    }
  },
  "DailyQualificationStats": {
    "type": "object",
    "properties": {
      "date": {
```

Estilos de formatação

```
    "description": "The date in Y-m-d format"
  },
  "calls": {
    "type": "integer",
    "format": "int64",
    "description": "The number of calls on this day"
  },
  "qualifications": {
    "type": "array",
    "items": {
      "type": "string"
    },
    "description": "An array of qualification ids"
  }
},
"MultipleDailyQualificationStats": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/DailyQualificationStats"
  }
},
"DialerCampaign": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign id"
    },
    "url": {
      "type": "string",
      "description": "The campaign url"
    },
    "wait_time": {
      "type": "string",
      "description": "The campaign wait time"
    },
    "call_time": {
      "type": "string",
      "description": "The campaign call time"
    },
    "recalls": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign's recall count"
    },
    "acw_time": {
      "type": "string",
      "description": "The campaign acw time"
    },
    "start_time": {
      "type": "string",
      "description": "The campaign start time"
    },
    "end_time": {
      "type": "string",
      "description": "The campaign end time"
    },
    "acw_timeout": {
      "type": "integer",
      "format": "int64",
      "description": "The campaign's acw timeout in seconds, 0 means no timeout."
    },
    "company": {
      "$ref": "#/definitions/Company"
    },
    "extension": {
```

Estilos de formatação

```
    }
  },
  "DialerCampaigns": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/DialerCampaign"
    }
  },
  "DialerSettings": {
    "type": "object",
    "properties": {
      "url": {
        "type": "string",
        "description": "The dialer url"
      }
    }
  },
  "Error": {
    "properties": {
      "status_code": {
        "type": "integer",
        "format": "int32"
      },
      "title": {
        "type": "string"
      },
      "detail": {
        "type": "string"
      }
    }
  },
  "BaseEvent": {
    "type": "object",
    "properties": {
      "type": {
        "type": "string",
        "description": "The name of the event."
      },
      "company": {
        "$ref": "#/definitions/Company"
      }
    }
  },
  "AgentEvent": {
    "allOf": [
      {
        "$ref": "#/definitions/BaseEvent"
      },
      {
        "type": "object",
        "properties": {
          "agent": {
            "$ref": "#/definitions/User"
          }
        }
      }
    ]
  },
  "SpyEvent": {
    "allOf": [
      {
        "$ref": "#/definitions/BaseEvent"
      },
      {
        "type": "object",
        "properties": {
          "spy": {
```

Estilos de formatação

```
    },
    "spied": {
      "$ref": "#/definitions/User"
    }
  }
]
},
"CallHistoryEvent": {
  "allOf": [
    {
      "$ref": "#/definitions/BaseEvent"
    },
    {
      "type": "object",
      "properties": {
        "call": {
          "$ref": "#/definitions/CallHistoryReport"
        }
      }
    }
  ]
},
"ListEvent": {
  "allOf": [
    {
      "$ref": "#/definitions/BaseEvent"
    },
    {
      "type": "object",
      "properties": {
        "list": {
          "$ref": "#/definitions/MailingList"
        }
      }
    }
  ]
},
"CallEvent": {
  "allOf": [
    {
      "$ref": "#/definitions/BaseEvent"
    },
    {
      "type": "object",
      "properties": {
        "call": {
          "$ref": "#/definitions/Call"
        }
      }
    }
  ]
},
"ReachedMaxOnlineAgents": {
  "allOf": [
    {
      "$ref": "#/definitions/BaseEvent"
    },
    {
      "type": "object"
    }
  ]
},
"CallTransferEvent": {
  "allOf": [
    {
      "$ref": "#/definitions/BaseEvent"
    },
  ],
}
```

Estilos de formatação

```

    "type": "object",
    "properties": {
      "call": {
        "$ref": "#/definitions/Call"
      },
      "agent": {
        "$ref": "#/definitions/Agent"
      },
      "consultant": {
        "$ref": "#/definitions/Agent"
      },
      "consultedQueue": {
        "$ref": "#/definitions/ReceptiveQueue"
      }
    }
  }
},
"Extension": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The extension id"
    },
    "extension_number": {
      "type": "integer",
      "format": "int64",
      "description": "The extension number"
    },
    "type": {
      "type": "integer",
      "format": "int64",
      "description": "The extension type"
    }
  }
},
"Feedback": {
  "type": "object",
  "properties": {
    "id": {
      "type": "string",
      "description": "The feedback id"
    },
    "call_history_id": {
      "type": "string",
      "description": "The Call History Id for Feedback"
    },
    "campaign_id": {
      "type": "integer",
      "format": "int64",
      "description": "The feedbacks's campaign id"
    },
    "company_id": {
      "type": "integer",
      "format": "int64",
      "description": "The feedbacks's company id"
    },
    "agent_id": {
      "type": "integer",
      "format": "int64",
      "description": "The agent who receives the feedback"
    },
    "manager_id": {
      "type": "integer",
      "format": "int64",
      "description": "The manager that gives the feedback"
    }
  }
}

```

Estilos de formatação

```
"criterion_json": {
  "type": "array",
  "description": "The list of criterion used by the campaign",
  "items": {
    "$ref": "#/definitions/CriterionData"
  }
},
"comment": {
  "type": "string",
  "description": "The comment it self"
}
},
"Feedbacks": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Feedback"
  }
},
"HangupCauseStatistics": {
  "type": "object",
  "properties": {
    "date": {
      "type": "string",
      "description": "The start timestamp of the statistics snapshot."
    },
    "route_id": {
      "type": "integer",
      "description": "The route id"
    },
    "success": {
      "type": "boolean",
      "description": "Call status"
    },
    "hangup_causes": {
      "type": "object",
      "description": "Count of each hangup cause occurrence in time interval as key: value"
    }
  }
},
"IvrAfterCallCriterionKey": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The ivr after call criterion key id"
    },
    "key": {
      "type": "string",
      "description": "The key to evaluation"
    }
  }
},
"IvrAfterCallCriterionKeys": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/IvrAfterCallCriterionKey"
  }
},
"IvrAfterCallCriterion": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The ivr after call criterion id"
    },
```

Estilos de formatação

```
    "type": "string",
    "description": "The name criterion"
  },
  "audio": {
    "type": "string",
    "description": "The audio name"
  },
  "original_audio_name": {
    "type": "string",
    "description": "The original audio name"
  },
  "keys": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/IvrAfterCallCriterionKey"
    }
  }
},
"IvrAfterCallCriteria": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/IvrAfterCallCriterion"
  }
},
"IvrAfterCall": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The ivr after call id"
    },
    "name": {
      "type": "string",
      "description": "The ivr after call name"
    },
    "audio_start": {
      "type": "string",
      "description": "The audio sart"
    },
    "original_audio_name_start": {
      "type": "string",
      "description": "The original audio start name"
    },
    "audio_null_key": {
      "type": "string",
      "description": "The audio null key name"
    },
    "original_audio_name_null_key": {
      "type": "string",
      "description": "The original audio null key name"
    },
    "audio_invalid_key": {
      "type": "string",
      "description": "The audio invalid key name"
    },
    "original_audio_name_invalid_key": {
      "type": "string",
      "description": "The original audio invalid key name"
    },
    "audio_end": {
      "type": "string",
      "description": "The audio end name"
    },
    "original_audio_name_end": {
      "type": "string",
      "description": "The original audio end name"
    }
  }
}
```

Estilos de formatação

```

    "max_wait_time": {
      "type": "integer",
      "description": "The max wait time"
    },
    "attempt_number": {
      "type": "integer",
      "description": "The attempt number"
    },
    "criterion": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/IvrAfterCallCriterion"
      }
    }
  },
  "IvrAfterCalls": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/IvrAfterCall"
    }
  },
  "LineOfWork": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The line of work id."
      },
      "name": {
        "type": "string",
        "description": "The line of work name."
      }
    }
  },
  "ListQualificationStatistic": {
    "type": "object",
    "properties": {
      "list": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "description": "The list id"
          },
          "name": {
            "type": "string",
            "description": "The list name"
          }
        }
      }
    }
  },
  "import_date": {
    "type": "string",
    "description": "import list date, format Y-m-d H:i:s"
  },
  "campaign_id": {
    "type": "integer",
    "format": "int64",
    "description": "The campaign id"
  },
  "qualifications": {
    "type": "array",
    "items": {
      "type": "object",
      "properties": {
        "id": {

```

Estilos de formatação

```

        "format": "int64",
        "description": "The qualification id"
      },
      "name": {
        "type": "string",
        "description": "The qualification name"
      },
      "color": {
        "type": "string",
        "description": "The qualification color"
      },
      "count": {
        "type": "integer",
        "description": "The count the qualification by list"
      }
    }
  }
},
"ListQualificationStatistics": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/ListQualificationStatistic"
  }
},
>LoginData": {
  "type": "object",
  "properties": {
    "login": {
      "type": "string",
      "description": "The date the agent logged in d/m/Y H:i:s format"
    },
    "logout": {
      "type": "string",
      "description": "The date the agent logged out d/m/Y H:i:s format (Return '-' if the agent
is still logged in)"
    },
    "agent": {
      "$ref": "#/definitions/Agent"
    },
    "campaign": {
      "$ref": "#/definitions/Campaign"
    }
  }
},
>LoginHistory": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/LoginData"
  }
},
>MailingData": {
  "type": "object",
  "description": "Optional mailing data"
},
>MailingItem": {
  "type": "object",
  "required": [
    "phone"
  ],
  "properties": {
    "phone": {
      "type": "string",
      "description": "The phone number"
    },
    "identifier": {
      "type": "string",

```

Estilos de formatação

```
    },
    "data": {
      "$ref": "#/definitions/MailingData"
    }
  },
  "MailingDelete": {
    "type": "object",
    "required": [
      "phone"
    ],
    "properties": {
      "phone": {
        "type": "string",
        "description": "The phone number"
      },
      "identifier": {
        "type": "string",
        "description": "The mailing identifier"
      }
    }
  },
  "MailingFilePreview": {
    "type": "object",
    "properties": {
      "file_name": {
        "type": "string",
        "description": "Uploaded file name"
      },
      "original_name": {
        "type": "string",
        "description": "Original file name"
      },
      "header": {
        "type": "array",
        "items": {
          "type": "string"
        }
      },
      "data": {
        "type": "array",
        "items": {
          "type": "array",
          "items": {
            "type": "string"
          }
        }
      }
    }
  },
  "MailingListTotalMetrics": {
    "type": "object",
    "properties": {
      "phones": {
        "type": "object",
        "properties": {
          "total": {
            "type": "integer",
            "description": "Total of phones"
          },
          "dialed": {
            "type": "integer",
            "description": "Dialed phones"
          },
          "completed": {
            "type": "integer",
            "description": "Number of completed phones"
          }
        }
      }
    }
  }
}
```

Estilos de formatação

```

    },
    "calls": {
      "type": "object",
      "properties": {
        "total": {
          "type": "integer",
          "description": "Total of calls"
        },
        "failed": {
          "type": "integer",
          "description": "Failed calls"
        },
        "not_answered": {
          "type": "integer",
          "description": "Not answered calls"
        },
        "mailbox": {
          "type": "integer",
          "description": "Total of mailbox"
        },
        "abandoned": {
          "type": "integer",
          "description": "Total of abandoned calls"
        }
      }
    },
    "connected": {
      "type": "object",
      "properties": {
        "total": {
          "type": "integer",
          "description": "Total of answered calls"
        },
        "converted": {
          "type": "integer",
          "description": "Total of converted calls"
        },
        "dmc": {
          "type": "integer",
          "description": "Total of dmc calls"
        }
      }
    },
    "MailingListMetrics": {
      "type": "object",
      "properties": {
        "list": {
          "type": "object",
          "properties": {
            "id": {
              "type": "integer",
              "format": "int64",
              "description": "The list id"
            },
            "name": {
              "type": "string",
              "description": "The list name"
            },
            "created_at": {
              "type": "string",
              "description": "Creation date, format d/m/Y H:i:s"
            }
          }
        }
      }
    },
    "phones": {
      "type": "object",

```

Estilos de formatação

```

    "total": {
      "type": "integer",
      "description": "Total of phones"
    },
    "dialed": {
      "type": "integer",
      "description": "Dialed phones"
    },
    "completed": {
      "type": "integer",
      "description": "Number of completed phones"
    }
  },
  "calls": {
    "type": "object",
    "properties": {
      "total": {
        "type": "integer",
        "description": "Total of calls"
      },
      "failed": {
        "type": "integer",
        "description": "Failed calls"
      },
      "not_answered": {
        "type": "integer",
        "description": "Not answered calls"
      },
      "mailbox": {
        "type": "integer",
        "description": "Total of mailbox"
      },
      "abandoned": {
        "type": "integer",
        "description": "Total of abandoned calls"
      }
    }
  },
  "connected": {
    "type": "object",
    "properties": {
      "total": {
        "type": "integer",
        "description": "Total of answered calls"
      },
      "converted": {
        "type": "integer",
        "description": "Total of converted calls"
      },
      "dmc": {
        "type": "integer",
        "description": "Total of dmc calls"
      }
    }
  }
},
"MailingListsMetrics": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/MailingListMetrics"
  }
},
"MailingList": {
  "type": "object",
  "properties": {
    "id": {

```

Estilos de formatação

```
    "format": "int64",
    "description": "The list id"
  },
  "name": {
    "type": "string",
    "description": "The list name"
  },
  "dial": {
    "type": "integer",
    "format": "int64",
    "description": "The total phones to dial on this list"
  },
  "redial": {
    "type": "integer",
    "format": "int64",
    "description": "The total phones to redial on this list"
  },
  "dialed": {
    "type": "integer",
    "format": "int64",
    "description": "The total phones dialed on this list"
  },
  "dialed_percentage": {
    "type": "number",
    "format": "float",
    "description": "The percentage of dialed phones based on total."
  },
  "completed": {
    "type": "integer",
    "format": "int64",
    "description": "The total calls completed on this list"
  },
  "completed_percentage": {
    "type": "number",
    "format": "float",
    "description": "The percentage of completed calls on this list."
  },
  "total": {
    "type": "integer",
    "format": "int64",
    "description": "The total phones of this list"
  },
  "answered": {
    "type": "integer",
    "format": "int64",
    "description": "The number of calls answered on this list"
  },
  "abandoned": {
    "type": "integer",
    "format": "int64",
    "description": "The number of calls abandoned on this list"
  },
  "asr": {
    "type": "number",
    "format": "float",
    "description": "The asr of this list"
  },
  "asr_percentage": {
    "type": "number",
    "format": "float",
    "description": "The asr percentage in this list."
  },
  "answered_percentage": {
    "type": "number",
    "format": "float",
    "description": "The answered percentage in this list."
  },
  "weight": {
```

Estilos de formatação

```

    "format": "int64",
    "description": "The list weight in campaign."
  },
  "weight_percentage": {
    "type": "number",
    "format": "float",
    "description": "The list weight percentage in the campaign."
  },
  "dial_percentage": {
    "type": "number",
    "format": "float",
    "description": "The list dial percentage in the campaign."
  },
  "redial_percentage": {
    "type": "number",
    "format": "float",
    "description": "The list redial percentage in the campaign."
  },
  "created_at": {
    "type": "string",
    "description": "The date when the list was created in 'Y-m-d H:i:s' format."
  }
},
"MailingLists": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/MailingList"
  }
},
"ManualCall": {
  "type": "object",
  "properties": {
    "call": {
      "type": "object",
      "properties": {
        "id": {
          "type": "string",
          "description": "The call id"
        },
        "number": {
          "type": "integer",
          "format": "int64",
          "description": "The call phone number"
        }
      }
    }
  }
},
"agent": {
  "type": "object",
  "properties": {
    "name": {
      "type": "string",
      "description": "The agent name"
    },
    "telephony_id": {
      "type": "string",
      "description": "The agent telephony id"
    }
  }
}
},
"OfficeHour": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",

```

Estilos de formatação

```
    },
    "name": {
      "type": "string",
      "description": "The office hours name"
    },
    "audio": {
      "type": "string",
      "description": "The audio name"
    },
    "original_audio_name": {
      "type": "string",
      "description": "The original audio name"
    },
    "day_week": {
      "type": "array",
      "description": "The array with all days of week",
      "items": {
        "type": "integer"
      }
    },
    "start_time": {
      "type": "array",
      "description": "The array with all start time",
      "items": {
        "type": "string"
      }
    },
    "end_time": {
      "type": "array",
      "description": "The array with all end time",
      "items": {
        "type": "string"
      }
    }
  },
  "OfficeHours": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/OfficeHours"
    }
  },
  "Promoter": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The promoter id."
      },
      "name": {
        "type": "string",
        "description": "The promoter name."
      }
    }
  },
  "QualificationList": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The qualification list id"
      },
      "name": {
        "type": "string",
        "description": "The qualification list name"
      }
    }
  },
```

Estilos de formatação

```

    "$ref": "#/definitions/DialerCampaigns"
  }
}
},
"QualificationLists": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/QualificationList"
  }
},
"QualificationStatistic": {
  "type": "object",
  "properties": {
    "date": {
      "type": "string",
      "description": "Agent statistics aggregation date using Y-m-d H:i:s format"
    },
    "qualifications": {
      "type": "array",
      "items": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "description": "The qualification id"
          },
          "count": {
            "type": "integer",
            "description": "Amount of this qualification"
          },
          "name": {
            "type": "string",
            "description": "Qualification name"
          },
          "color": {
            "type": "string",
            "description": "Qualification color"
          }
        }
      }
    }
  }
},
"QualificationStatistics": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/QualificationStatistic"
  }
},
"Qualification": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The qualification id"
    },
    "name": {
      "type": "string",
      "description": "The qualification name"
    },
    "behavior": {
      "type": "integer",
      "format": "int64",
      "description": "The qualification behavior code"
    },
    "readable_behavior": {

```

Estilos de formatação

```

    "description": "A readable string for the behavior code"
  },
  "color": {
    "type": "string",
    "description": "The qualification color"
  },
  "emoji": {
    "type": "string",
    "description": "The qualification emoji"
  },
  "conversion": {
    "type": "boolean",
    "description": "If the qualification is a conversion"
  },
  "allow_schedule": {
    "type": "boolean",
    "description": "If the qualification allow to schedule a call"
  },
  "allow_schedule_to_another_number": {
    "type": "boolean",
    "description": "If the qualification allow to schedule a call to different number"
  },
  "days_limit": {
    "type": "boolean",
    "description": "Days limit to schedule a call"
  },
  "should_insert_blacklist": {
    "type": "boolean",
    "description": "Add number to blacklist"
  }
}
},
"Qualifications": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Qualification"
  }
},
"ReceptiveIVR": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The Receptive IVR id"
    },
    "name": {
      "type": "string",
      "description": "The Receptive IVR name"
    },
    "timeout": {
      "type": "integer",
      "format": "int64",
      "description": "The Receptive IVR timeout"
    },
    "audio_path": {
      "type": "string",
      "description": "The Receptive IVR audio path"
    },
    "redirect": {
      "description": "The Receptive IVR default redirect",
      "$ref": "#/definitions/ReceptiveQueue"
    },
    "keys": {
      "description": "The keys from receptive IVR",
      "type": "array",
      "items": {
        "type": "object",

```

Estilos de formatação

```

      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The Receptive IVR Key id"
      },
      "key": {
        "type": "string",
        "description": "The Receptive IVR Key"
      },
      "redirect": {
        "description": "The Receptive IVR Key redirect",
        "$ref": "#/definitions/ReceptiveQueue"
      }
    }
  }
},
"ReceptiveIVRList": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/ReceptiveIVR"
  }
},
"ReceptiveMetric": {
  "type": "object",
  "properties": {
    "abandoned": {
      "type": "integer",
      "format": "int64",
      "description": "Total abandoned calls."
    },
    "connected": {
      "type": "integer",
      "format": "int64",
      "description": "Total connected calls."
    },
    "waiting_time": {
      "type": "integer",
      "format": "int64",
      "description": "Total waiting time."
    },
    "speaking": {
      "type": "integer",
      "format": "int64",
      "description": "Total speaking time."
    },
    "speaking_with_agent": {
      "type": "integer",
      "format": "int64",
      "description": "Total speaking with agent time."
    },
    "acw": {
      "type": "integer",
      "format": "int64",
      "description": "Total acw time."
    },
    "date": {
      "type": "string",
      "description": "The date of this metric"
    },
    "queue_id": {
      "type": "integer",
      "format": "int64",
      "description": "Total abandoned calls."
    }
  }
},

```

Estilos de formatação

```
    "type": "array",
    "items": {
      "$ref": "#/definitions/ReceptiveMetric"
    }
  },
  "ReceptiveNumberSetting": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The Receptive queue id"
      },
      "name": {
        "type": "string",
        "description": "The Receptive name"
      },
      "did": {
        "type": "string",
        "description": "The Receptive did"
      },
      "receptive_ivr": {
        "$ref": "#/definitions/ReceptiveIVR"
      },
      "receptive_queue": {
        "$ref": "#/definitions/ReceptiveQueue"
      }
    }
  },
  "ReceptiveNumberSettings": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/ReceptiveNumberSetting"
    }
  },
  "ReceptiveQueue": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The Receptive queue id"
      },
      "name": {
        "type": "string",
        "description": "The Receptive queue name"
      },
      "wait_time": {
        "type": "integer",
        "format": "int64",
        "description": "The Receptive queue wait time"
      },
      "acw_timeout": {
        "type": "integer",
        "format": "int64",
        "description": "The acw timeout"
      },
      "priority": {
        "type": "integer",
        "format": "int64",
        "description": "The queue priority"
      },
      "qualification_list_id": {
        "type": "integer",
        "format": "int64",
        "description": "The qualification list id"
      },
      "audio_path": {
```

Estilos de formatação

```

    "description": "The Receptive queue audio path",
  },
  "limit_call_time": {
    "type": "integer",
    "format": "int64",
    "description": "Limit call time"
  },
  "ivr_after_call_id": {
    "type": "integer",
    "description": "The ivr after call id"
  },
  "extension": {
    "$ref": "#/definitions/Extension"
  },
  "agents": {
    "description": "The agents from receptive queue",
    "type": "array",
    "items": {
      "$ref": "#/definitions/Agent"
    }
  }
},
"ReceptiveQueues": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/ReceptiveQueue"
  }
},
"Role": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The role id"
    },
    "name": {
      "type": "string",
      "description": "The role name"
    },
    "readable_name": {
      "type": "string",
      "description": "The role readable name"
    }
  }
},
"Route": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The route id"
    },
    "name": {
      "type": "string",
      "description": "The route name"
    },
    "endpoint": {
      "type": "string",
      "description": "The endpoint"
    },
    "route": {
      "type": "string",
      "description": "The route"
    },
    "uses_country_code": {

```

Estilos de formatação

```

      "description": "User country code"
    },
    "allow_mobile": {
      "type": "boolean",
      "description": "If the route allow calls to mobile phones"
    },
    "allow_landline": {
      "type": "boolean",
      "description": "If the route allow calls to landline phones"
    },
    "telephony-rates": {
      "$ref": "#/definitions/TelephonyRates"
    }
  }
},
"Routes": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Route"
  }
},
"Schedule": {
  "type": "object",
  "properties": {
    "id": {
      "type": "string",
      "description": "The schedule id"
    },
    "date": {
      "type": "string",
      "description": "The scheduled date. 2000-01-30 23:00:00 format"
    },
    "phone": {
      "type": "string",
      "description": "The phone number"
    },
    "note": {
      "type": "string",
      "description": "The note about the schedule"
    },
    "mailing": {
      "$ref": "#/definitions/MailingData"
    },
    "agent": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer"
        },
        "name": {
          "type": "string"
        }
      }
    },
    "campaign": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer"
        },
        "name": {
          "type": "string"
        }
      }
    },
    "agent_rel": {
      "$ref": "#/definitions/Agent"
    }
  }
},

```

Estilos de formatação

```

    "$ref": "#/definitions/Campaign"
  }
},
"Schedules": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Schedule"
  }
},
"UserSettings": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The settings id"
    },
    "timezone": {
      "type": "string",
      "description": "The user timezone"
    },
    "language": {
      "type": "string",
      "description": "The user language"
    },
    "date_format": {
      "type": "string",
      "description": "A valid date format e.g d/m/Y, Y/m/d, d-m-y"
    },
    "hour_format": {
      "type": "string",
      "description": "A valid date format e.g H:i, H:i:s, h:i"
    },
    "web_extension": {
      "type": "boolean",
      "description": "True if the web extension is enabled otherwise false"
    }
  }
},
"Team": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The team id"
    },
    "name": {
      "type": "string",
      "description": "The team name"
    },
    "color": {
      "type": "string",
      "description": "The team color"
    },
    "agents": {
      "type": "array",
      "description": "The array with all agents on the team",
      "items": {
        "$ref": "#/definitions/User"
      }
    },
    "supervisor": {
      "type": "array",
      "description": "The array with all supervisors on the team",
      "items": {
        "$ref": "#/definitions/User"
      }
    }
  }
}

```

Estilos de formatação

```
}
}
},
"Teams": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Team"
  }
},
"TelephonyRate": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The telephony rate id"
    },
    "minimum_duration": {
      "type": "integer",
      "description": "The minimum duration"
    },
    "minimum_duration_charged": {
      "type": "integer",
      "description": "The minimum duration charged"
    },
    "cadence": {
      "type": "integer",
      "description": "The cadence"
    },
    "type": {
      "type": "integer",
      "description": "The type"
    },
    "value": {
      "type": "integer",
      "format": "float",
      "description": "The value"
    }
  }
},
"TelephonyRates": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/TelephonyRate"
  }
},
"TotalCallHistoryReport": {
  "type": "object",
  "properties": {
    "all": {
      "type": "object",
      "properties": {
        "billed_time": {
          "type": "integer",
          "description": "Total billed time, in seconds."
        },
        "billed_value": {
          "type": "string",
          "description": "Total billed value (in Brazilian Real)."
        },
        "calls_count": {
          "type": "integer",
          "description": "Total calls."
        }
      }
    }
  }
},
"mobile": {
  "type": "object",
```

Estilos de formatação

```

    "billed_time": {
      "type": "integer",
      "description": "Total billed time, in seconds."
    },
    "billed_value": {
      "type": "string",
      "description": "Total billed value (in Brazilian Real)."
    },
    "calls_count": {
      "type": "integer",
      "description": "Total calls."
    }
  }
},
"landline": {
  "type": "object",
  "properties": {
    "billed_time": {
      "type": "integer",
      "description": "Total billed time, in seconds."
    },
    "billed_value": {
      "type": "string",
      "description": "Total billed value (in Brazilian Real)."
    },
    "calls_count": {
      "type": "integer",
      "description": "Total calls."
    }
  }
}
},
"TotalQualificationStats": {
  "type": "object",
  "properties": {
    "calls": {
      "type": "integer",
      "format": "int64",
      "description": "The number of calls on this day"
    },
    "qualifications": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "description": "An array with the total of each qualification"
  }
}
},
"TotalReceptiveMetric": {
  "type": "object",
  "properties": {
    "abandoned": {
      "type": "integer",
      "format": "int64",
      "description": "Total abandoned calls."
    },
    "connected": {
      "type": "integer",
      "format": "int64",
      "description": "Total connected calls."
    },
    "waiting_time": {
      "type": "integer",
      "format": "int64",
      "description": "Total waiting time."
    }
  },

```

Estilos de formatação

```

    "type": "integer",
    "format": "int64",
    "description": "Total speaking time."
  },
  "speaking_with_agent": {
    "type": "integer",
    "format": "int64",
    "description": "Total speaking with agent time."
  },
  "acw": {
    "type": "integer",
    "format": "int64",
    "description": "Total acw time."
  },
  "date": {
    "type": "string",
    "description": "The date of this metric"
  }
},
"TotalReceptiveMetricList": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/TotalReceptiveMetric"
  }
},
"UraKey": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The ura id"
    },
    "key": {
      "type": "string",
      "description": "The key to transfer to the campaign"
    }
  }
},
"UraKeys": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/UraKeys"
  }
},
"Ura": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "description": "The ura id"
    },
    "name": {
      "type": "string",
      "description": "The ura name"
    },
    "audio": {
      "type": "string",
      "description": "The audio name"
    },
    "original_audio_name": {
      "type": "string",
      "description": "The original audio name"
    },
    "wait_time": {
      "type": "integer",

```

Estilos de formatação

```
    },
    "keys": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/UraKey"
      }
    }
  },
  "Uras": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/Ura"
    }
  },
  "UserData": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The user data id."
      },
      "name": {
        "type": "string",
        "description": "The user data name."
      },
      "email": {
        "type": "string",
        "description": "The user data email."
      },
      "whatsapp_number": {
        "type": "string",
        "description": "The user data whatsapp number."
      },
      "line_of_work": {
        "$ref": "#/definitions/LineOfWork"
      },
      "company_role": {
        "$ref": "#/definitions/CompanyRole"
      },
      "promoter": {
        "$ref": "#/definitions/Promoter"
      }
    }
  },
  "UsersData": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/UserData"
    }
  },
  "User": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The user id"
      },
      "name": {
        "type": "string",
        "description": "The user name"
      },
      "email": {
        "type": "string",
        "description": "The user email"
      }
    }
  },
```

Estilos de formatação

```

    "type": "integer",
    "format": "int32",
    "description": "0 or 1 representing if an user is active or inactive"
  },
  "api_token": {
    "type": "string",
    "description": "The user's token to make requests for the api"
  },
  "confirmed": {
    "type": "integer",
    "format": "int32",
    "description": "0 or 1 representing if an user is confirmed or not"
  },
  "confirmation_code": {
    "type": "string",
    "description": "The user's confirmation code"
  },
  "extension_password": {
    "type": "string",
    "description": "The user's extension password"
  },
  "telephony_id": {
    "type": "string",
    "description": "The user's telephony id."
  },
  "webphone": {
    "type": "boolean",
    "description": "If the user has access to web phone extension"
  },
  "user_document": {
    "type": "string",
    "description": "The user CPF"
  },
  "extension": {
    "$ref": "#/definitions/Extension"
  },
  "role": {
    "$ref": "#/definitions/Role"
  },
  "settings": {
    "$ref": "#/definitions/UserSettings"
  },
  "teams": {
    "$ref": "#/definitions/Teams"
  },
  "campaigns": {
    "$ref": "#/definitions/Campaigns"
  },
  "receptive_queues": {
    "$ref": "#/definitions/ReceptiveQueues"
  }
}
},
"Users": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/User"
  }
},
"ApplicationVersion": {
  "type": "object",
  "properties": {
    "tag": {
      "type": "string",
      "description": "The last application tag"
    },
    "commit": {
      "type": "string",

```

Estilos de formatação

```
    },
    "commit_date": {
      "type": "string",
      "description": "The commit date"
    }
  },
  "WorkBreakGroup": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The work break group id"
      },
      "name": {
        "type": "string",
        "description": "The work break group name"
      }
    }
  },
  "WorkBreakGroups": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/WorkBreakGroup"
    }
  },
  "WorkBreakInterval": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "description": "The work break interval id"
      },
      "name": {
        "type": "string",
        "description": "The work break interval name"
      },
      "minutes": {
        "type": "integer",
        "format": "int64",
        "description": "The work break interval minutes"
      },
      "color": {
        "type": "string",
        "description": "The work break interval color"
      }
    }
  },
  "WorkBreakIntervals": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/WorkBreakInterval"
    }
  }
}
```