

Fragility Functions

Table 1. Fragility function parameters for RC buildings in L'Aquila for the respective T_1 using CS set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1 $T = 0.14\text{ s}$	$Sa(T)$ [g]	0.51	0.30	1.09	0.48	1.89	0.67	4.76	1.02
	$Sa_{avg2}(T)$ [g]	0.42	0.28	0.86	0.38	1.30	0.47	2.63	0.73
	$FIV3(T)$ [cm/s]	9.12	0.80	18.04	0.53	28.34	0.24	45.17	0.35
CR-LFINF-CDM-7-H1 $T = 0.14\text{ s}$	$Sa(T)$ [g]	0.50	0.32	1.09	0.47	1.88	0.65	4.54	0.95
	$Sa_{avg2}(T)$ [g]	0.41	0.27	0.85	0.40	1.32	0.49	2.66	0.70
	$FIV3(T)$ [cm/s]	8.73	0.81	18.06	0.53	28.83	0.35	41.34	0.40
CR-LFINF-CDL-7-H2 $T = 0.25\text{ s}$	$Sa(T)$ [g]	0.34	0.33	0.71	0.40	1.23	0.55	2.29	0.79
	$Sa_{avg2}(T)$ [g]	0.28	0.22	0.52	0.28	0.88	0.52	1.68	0.62
	$FIV3(T)$ [cm/s]	10.56	0.69	22.58	0.53	36.78	0.33	55.92	0.27
CR-LFINF-CDM-7-H2 $T = 0.27\text{ s}$	$Sa(T)$ [g]	0.28	0.34	0.54	0.35	1.06	0.54	2.03	0.70
	$Sa_{avg2}(T)$ [g]	0.23	0.22	0.48	0.31	0.77	0.44	1.39	0.57
	$FIV3(T)$ [cm/s]	9.56	0.70	22.69	0.53	34.23	0.36	53.01	0.25
CR-LFINF-CDL-7-H3 $T = 0.35\text{ s}$	$Sa(T)$ [g]	0.24	0.30	0.55	0.45	0.95	0.50	1.98	0.80
	$Sa_{avg2}(T)$ [g]	0.22	0.22	0.42	0.29	0.81	0.55	1.34	0.63
	$FIV3(T)$ [cm/s]	12.31	0.58	26.07	0.50	47.16	0.29	59.28	0.25
CR-LFINF-CDM-7-H3 $T = 0.37\text{ s}$	$Sa(T)$ [g]	0.21	0.24	0.44	0.35	0.83	0.60	1.40	0.65
	$Sa_{avg2}(T)$ [g]	0.18	0.27	0.37	0.28	0.61	0.49	0.91	0.49
	$FIV3(T)$ [cm/s]	10.99	0.53	24.50	0.38	39.02	0.25	58.36	0.21
CR-LFINF-CDL-7-H4 $T = 0.44\text{ s}$	$Sa(T)$ [g]	0.20	0.29	0.41	0.35	0.68	0.40	1.41	0.59
	$Sa_{avg2}(T)$ [g]	0.16	0.25	0.33	0.21	0.51	0.27	1.02	0.54
	$FIV3(T)$ [cm/s]	11.48	0.53	25.49	0.42	43.42	0.41	51.05	0.35
CR-LFINF-CDM-7-H4 $T = 0.45\text{ s}$	$Sa(T)$ [g]	0.19	0.27	0.41	0.35	0.72	0.45	1.26	0.67
	$Sa_{avg2}(T)$ [g]	0.16	0.19	0.33	0.26	0.58	0.45	0.98	0.51
	$FIV3(T)$ [cm/s]	11.30	0.54	29.24	0.35	47.51	0.25	67.17	0.19

η : median; β : dispersion.

MSA: multiple stripe analysis.

CS: conditional spectrum.

Table 2. Fragility function parameters for RC buildings in L'Aquila for T=0.33 using CS set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	$Sa(T)$ [g]	0.41	0.33	0.88	0.24	1.28	0.28	2.65	0.58
	$Sa_{avg2}(T)$ [g]	0.37	0.31	0.70	0.20	0.99	0.27	1.84	0.49
	$FIV3(T)$ [cm/s]	21.19	0.90	47.91	0.64	60.24	0.51	101.01	0.28
CR-LFINF-CDM-7-H1	$Sa(T)$ [g]	0.42	0.34	0.86	0.26	1.31	0.29	2.59	0.46
	$Sa_{avg2}(T)$ [g]	0.35	0.33	0.70	0.20	1.00	0.24	1.86	0.37
	$FIV3(T)$ [cm/s]	32.12	0.79	47.85	0.65	61.33	0.48	105.14	0.24
CR-LFINF-CDL-7-H2	$Sa(T)$ [g]	0.30	0.08	0.60	0.27	1.03	0.36	1.89	0.66
	$Sa_{avg2}(T)$ [g]	0.25	0.26	0.47	0.18	0.83	0.37	1.43	0.56
	$FIV3(T)$ [cm/s]	23.23	0.57	29.39	0.49	43.88	0.34	75.91	0.24
CR-LFINF-CDM-7-H2	$Sa(T)$ [g]	0.28	0.07	0.53	0.27	0.90	0.43	1.72	0.63
	$Sa_{avg2}(T)$ [g]	0.21	0.26	0.42	0.15	0.72	0.44	1.17	0.48
	$FIV3(T)$ [cm/s]	22.21	0.55	24.85	0.51	36.25	0.33	68.01	0.31
CR-LFINF-CDL-7-H3	$Sa(T)$ [g]	0.25	0.37	0.56	0.36	1.10	0.50	2.08	0.70
	$Sa_{avg2}(T)$ [g]	0.20	0.17	0.45	0.31	0.84	0.51	1.49	0.64
	$FIV3(T)$ [cm/s]	20.12	0.46	24.93	0.37	42.54	0.25	61.94	0.17
CR-LFINF-CDM-7-H3	$Sa(T)$ [g]	0.23	0.38	0.47	0.46	0.88	0.69	1.51	0.74
	$Sa_{avg2}(T)$ [g]	0.18	0.15	0.40	0.33	0.71	0.51	1.08	0.50
	$FIV3(T)$ [cm/s]	17.53	0.43	21.04	0.34	34.98	0.26	57.75	0.19
CR-LFINF-CDL-7-H4	$Sa(T)$ [g]	0.23	0.39	0.51	0.47	0.83	0.58	2.03	0.78
	$Sa_{avg2}(T)$ [g]	0.18	0.29	0.37	0.40	0.58	0.36	1.28	0.68
	$FIV3(T)$ [cm/s]	17.83	0.50	22.84	0.39	37.29	0.45	67.22	0.54
CR-LFINF-CDM-7-H4	$Sa(T)$ [g]	0.23	0.38	0.51	0.49	0.86	0.61	1.79	0.80
	$Sa_{avg2}(T)$ [g]	0.18	0.35	0.38	0.45	0.66	0.48	1.21	0.53
	$FIV3(T)$ [cm/s]	18.22	0.32	22.61	0.33	37.28	0.20	60.24	0.19

η : median; β : dispersion.

MSA: multiple stripe analysis.

CS: conditional spectrum.

Table 3. Fragility function parameters for RC buildings in L'Aquila for T=0.7 using CS set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	$Sa(T)$ [g]	0.28	0.73	0.55	0.50	0.79	0.35	1.28	0.21
CR-LFINF-CDM-7-H1	$Sa(T)$ [g]	0.26	0.73	0.55	0.50	0.82	0.32	1.35	0.18
CR-LFINF-CDL-7-H2	$Sa(T)$ [g]	0.16	0.55	0.33	0.36	0.58	0.24	0.93	0.32
CR-LFINF-CDM-7-H2	$Sa(T)$ [g]	0.14	0.53	0.29	0.36	0.52	0.25	0.86	0.32
CR-LFINF-CDL-7-H3	$Sa(T)$ [g]	0.15	0.38	0.32	0.21	0.57	0.33	0.92	0.55
CR-LFINF-CDM-7-H3	$Sa(T)$ [g]	0.13	0.37	0.27	0.22	0.43	0.24	0.73	0.42
CR-LFINF-CDL-7-H4	$Sa(T)$ [g]	0.13	0.35	0.28	0.28	0.41	0.24	0.73	0.31
CR-LFINF-CDM-7-H4	$Sa(T)$ [g]	0.12	0.27	0.29	0.21	0.49	0.31	0.77	0.47

η : median; β : dispersion.

MSA: multiple stripe analysis.

CS: conditional spectrum.

Table 4. Fragility function parameters for RC buildings in L'Aquila for PGA using using CS set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	PGA [g]	0.23	0.33	0.46	0.36	0.72	0.40	1.20	0.49
CR-LFINF-CDM-7-H1	PGA [g]	0.22	0.33	0.45	0.36	0.79	0.37	1.22	0.49
CR-LFINF-CDL-7-H2	PGA [g]	0.16	0.41	0.32	0.40	0.57	0.51	0.98	0.60
CR-LFINF-CDM-7-H2	PGA [g]	0.15	0.46	0.28	0.41	0.51	0.51	0.89	0.56
CR-LFINF-CDL-7-H3	PGA [g]	0.15	0.45	0.32	0.52	0.57	0.63	1.05	0.71
CR-LFINF-CDM-7-H3	PGA [g]	0.13	0.39	0.28	0.50	0.44	0.62	0.83	0.83
CR-LFINF-CDL-7-H4	PGA [g]	0.14	0.42	0.27	0.48	0.45	0.60	1.01	0.81
CR-LFINF-CDM-7-H4	PGA [g]	0.14	0.47	0.30	0.53	0.50	0.64	0.90	0.80

η : median; β : dispersion.

MSA : multiple stripe analysis.

CS : conditional spectrum.

Table 5. Fragility function parameters for RC buildings in L'Aquila for the respective T_1 using FEMAP695 set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1 $T = 0.14$ s	$Sa(T)$ [g]	0.44	0.26	0.72	0.34	0.93	0.38	1.40	0.41
	$Sa_{avg2}(T)$ [g]	0.44	0.06	0.69	0.19	0.88	0.24	1.20	0.29
	$FIV3(T)$ [cm/s]	36.64	0.23	62.39	0.12	76.53	0.05	108.11	0.22
CR-LFINF-CDM-7-H1 $T = 0.14$ s	$Sa(T)$ [g]	0.42	0.25	0.72	0.30	1.00	0.36	1.47	0.43
	$Sa_{avg2}(T)$ [g]	0.43	0.06	0.69	0.21	0.89	0.28	1.25	0.32
	$FIV3(T)$ [cm/s]	36.64	0.23	62.39	0.12	79.77	0.06	113.68	0.08
CR-LFINF-CDL-7-H2 $T = 0.25$ s	$Sa(T)$ [g]	0.29	0.20	0.53	0.28	0.70	0.34	1.16	0.53
	$Sa_{avg2}(T)$ [g]	0.27	0.08	0.49	0.17	0.67	0.21	1.04	0.34
	$FIV3(T)$ [cm/s]	28.90	0.20	53.02	0.19	79.25	0.12	119.51	0.26
CR-LFINF-CDM-7-H2 $T = 0.27$ s	$Sa(T)$ [g]	0.25	0.22	0.45	0.28	0.63	0.28	1.00	0.44
	$Sa_{avg2}(T)$ [g]	0.23	0.22	0.40	0.19	0.60	0.25	0.85	0.32
	$FIV3(T)$ [cm/s]	27.08	0.23	47.21	0.14	69.79	0.15	105.81	0.18
CR-LFINF-CDL-7-H3 $T = 0.35$ s	$Sa(T)$ [g]	0.20	0.34	0.43	0.27	0.69	0.38	1.12	0.57
	$Sa_{avg2}(T)$ [g]	0.19	0.18	0.39	0.21	0.63	0.23	1.07	0.54
	$FIV3(T)$ [cm/s]	22.55	0.26	50.08	0.16	81.84	0.13	128.26	0.31
CR-LFINF-CDM-7-H3 $T = 0.37$ s	$Sa(T)$ [g]	0.18	0.30	0.36	0.24	0.57	0.44	0.86	0.39
	$Sa_{avg2}(T)$ [g]	0.15	0.08	0.34	0.06	0.51	0.29	0.77	0.32
	$FIV3(T)$ [cm/s]	19.27	0.27	44.09	0.07	67.40	0.19	99.14	0.05
CR-LFINF-CDL-7-H4 $T = 0.44$ s	$Sa(T)$ [g]	0.17	0.26	0.35	0.30	0.54	0.29	0.99	0.51
	$Sa_{avg2}(T)$ [g]	0.16	0.22	0.32	0.19	0.49	0.20	0.89	0.46
	$FIV3(T)$ [cm/s]	20.89	0.24	44.61	0.20	69.03	0.20	115.06	0.18
CR-LFINF-CDM-7-H4 $T = 0.45$ s	$Sa(T)$ [g]	0.18	0.28	0.36	0.25	0.61	0.31	0.87	0.45
	$Sa_{avg2}(T)$ [g]	0.16	0.19	0.34	0.05	0.55	0.28	0.77	0.31
	$FIV3(T)$ [cm/s]	20.53	0.26	47.15	0.18	75.86	0.06	102.08	0.22

η : median; β : dispersion.

MSA : multiple stripe analysis.

Table 6. Fragility function parameters for RC buildings in L’Aquila for T=0.33 using FEMAP695 set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	$Sa(T)$ [g]	0.51	0.28	0.89	0.07	1.07	0.23	1.41	0.31
	$Sa_{avg2}(T)$ [g]	0.45	0.21	0.77	0.06	1.03	0.07	1.30	0.23
	$FIV3(T)$ [cm/s]	51.99	0.25	90.75	0.24	118.25	0.12	167.29	0.07
CR-LFINF-CDM-7-H1	$Sa(T)$ [g]	0.49	0.25	0.89	0.07	1.11	0.23	1.57	0.28
	$Sa_{avg2}(T)$ [g]	0.45	0.21	0.76	0.06	1.06	0.06	1.33	0.17
	$FIV3(T)$ [cm/s]	49.88	0.29	88.70	0.26	125.42	0.17	165.72	0.05
CR-LFINF-CDL-7-H2	$Sa(T)$ [g]	0.30	0.08	0.52	0.16	0.75	0.26	1.11	0.42
	$Sa_{avg2}(T)$ [g]	0.25	0.08	0.47	0.16	0.67	0.20	0.93	0.31
	$FIV3(T)$ [cm/s]	31.72	0.26	61.15	0.06	88.80	0.06	127.01	0.19
CR-LFINF-CDM-7-H2	$Sa(T)$ [g]	0.28	0.07	0.42	0.23	0.67	0.29	1.00	0.38
	$Sa_{avg2}(T)$ [g]	0.24	0.08	0.40	0.16	0.59	0.17	0.84	0.26
	$FIV3(T)$ [cm/s]	27.35	0.25	51.07	0.15	75.20	0.14	111.23	0.14
CR-LFINF-CDL-7-H3	$Sa(T)$ [g]	0.21	0.21	0.43	0.28	0.67	0.30	1.17	0.46
	$Sa_{avg2}(T)$ [g]	0.19	0.14	0.39	0.22	0.61	0.27	0.98	0.50
	$FIV3(T)$ [cm/s]	21.67	0.26	50.89	0.12	78.97	0.14	127.34	0.32
CR-LFINF-CDM-7-H3	$Sa(T)$ [g]	0.18	0.24	0.36	0.22	0.60	0.30	0.90	0.39
	$Sa_{avg2}(T)$ [g]	0.16	0.22	0.36	0.06	0.52	0.30	0.79	0.31
	$FIV3(T)$ [cm/s]	19.43	0.22	41.81	0.07	65.55	0.20	95.46	0.15
CR-LFINF-CDL-7-H4	$Sa(T)$ [g]	0.20	0.33	0.38	0.24	0.60	0.44	1.25	0.80
	$Sa_{avg2}(T)$ [g]	0.17	0.25	0.35	0.21	0.50	0.26	0.93	0.38
	$FIV3(T)$ [cm/s]	21.05	0.20	43.57	0.07	67.93	0.29	114.47	0.40
CR-LFINF-CDM-7-H4	$Sa(T)$ [g]	0.18	0.26	0.38	0.28	0.62	0.38	0.89	0.41
	$Sa_{avg2}(T)$ [g]	0.17	0.21	0.38	0.05	0.58	0.25	0.79	0.31
	$FIV3(T)$ [cm/s]	21.05	0.20	46.93	0.17	71.49	0.20	104.71	0.26

η : median; β : dispersion.

MSA: multiple stripe analysis.

Table 7. Fragility function parameters for RC buildings in L'Aquila for T=0.7 using FEMAP695 set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	$Sa(T)$ [g]	0.33	0.43	0.53	0.35	0.69	0.31	1.01	0.36
	$Sa_{avg2}(T)$ [g]	0.30	0.28	0.53	0.26	0.75	0.17	0.94	0.22
	$FIV3(T)$ [cm/s]	47.57	0.43	86.66	0.36	108.18	0.35	168.65	0.20
CR-LFINF-CDM-7-H1	$Sa(T)$ [g]	0.33	0.43	0.51	0.37	0.73	0.27	1.07	0.31
	$Sa_{avg2}(T)$ [g]	0.29	0.27	0.54	0.25	0.81	0.13	1.05	0.12
	$FIV3(T)$ [cm/s]	45.90	0.41	86.66	0.36	115.07	0.34	161.87	0.28
CR-LFINF-CDL-7-H2	$Sa(T)$ [g]	0.18	0.34	0.33	0.31	0.48	0.35	0.77	0.33
	$Sa_{avg2}(T)$ [g]	0.19	0.23	0.31	0.19	0.48	0.06	0.73	0.24
	$FIV3(T)$ [cm/s]	28.88	0.32	49.95	0.31	75.06	0.34	124.49	0.16
CR-LFINF-CDM-7-H2	$Sa(T)$ [g]	0.16	0.31	0.28	0.26	0.45	0.24	0.67	0.28
	$Sa_{avg2}(T)$ [g]	0.16	0.22	0.27	0.21	0.40	0.15	0.61	0.18
	$FIV3(T)$ [cm/s]	24.75	0.37	41.75	0.34	67.48	0.28	106.18	0.18
CR-LFINF-CDL-7-H3	$Sa(T)$ [g]	0.13	0.30	0.30	0.21	0.50	0.30	0.75	0.41
	$Sa_{avg2}(T)$ [g]	0.12	0.29	0.27	0.16	0.45	0.19	0.64	0.26
	$FIV3(T)$ [cm/s]	19.36	0.52	44.05	0.36	75.15	0.23	119.93	0.34
CR-LFINF-CDM-7-H3	$Sa(T)$ [g]	0.12	0.31	0.28	0.19	0.42	0.25	0.60	0.31
	$Sa_{avg2}(T)$ [g]	0.11	0.24	0.24	0.19	0.39	0.18	0.53	0.15
	$FIV3(T)$ [cm/s]	17.59	0.45	37.27	0.32	61.31	0.28	94.82	0.07
CR-LFINF-CDL-7-H4	$Sa(T)$ [g]	0.13	0.30	0.30	0.20	0.40	0.18	0.79	0.49
	$Sa_{avg2}(T)$ [g]	0.11	0.25	0.24	0.23	0.37	0.23	0.59	0.35
	$FIV3(T)$ [cm/s]	18.54	0.36	37.84	0.32	58.41	0.35	123.61	0.48
CR-LFINF-CDM-7-H4	$Sa(T)$ [g]	0.13	0.31	0.30	0.16	0.45	0.28	0.67	0.40
	$Sa_{avg2}(T)$ [g]	0.11	0.24	0.26	0.19	0.42	0.17	0.55	0.24
	$FIV3(T)$ [cm/s]	17.38	0.35	40.44	0.35	68.04	0.22	98.88	0.07

η : median; β : dispersion.

MSA: multiple stripe analysis.

Table 8. Fragility function parameters for RC buildings in L'Aquila for T=1.5 using FEMAP695 set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	$Sa(T)$ [g]	0.14	0.50	0.24	0.48	0.28	0.41	0.46	0.39
	$Sa_{avg2}(T)$ [g]	0.13	0.41	0.24	0.35	0.29	0.36	0.43	0.28
	$FIV3(T)$ [cm/s]	36.19	0.59	62.72	0.63	86.36	0.55	131.01	0.47
CR-LFINF-CDM-7-H1	$Sa(T)$ [g]	0.14	0.50	0.24	0.43	0.29	0.41	0.46	0.39
	$Sa_{avg2}(T)$ [g]	0.13	0.47	0.23	0.36	0.30	0.37	0.45	0.33
	$FIV3(T)$ [cm/s]	35.45	0.53	62.72	0.63	86.36	0.55	124.60	0.50
CR-LFINF-CDL-7-H2	$Sa(T)$ [g]	0.08	0.51	0.15	0.41	0.20	0.40	0.34	0.29
	$Sa_{avg2}(T)$ [g]	0.08	0.38	0.14	0.37	0.21	0.33	0.34	0.20
	$FIV3(T)$ [cm/s]	22.36	0.56	39.22	0.54	55.43	0.47	94.59	0.36
CR-LFINF-CDM-7-H2	$Sa(T)$ [g]	0.08	0.54	0.12	0.39	0.19	0.39	0.32	0.30
	$Sa_{avg2}(T)$ [g]	0.07	0.42	0.12	0.40	0.18	0.40	0.29	0.23
	$FIV3(T)$ [cm/s]	21.39	0.57	33.84	0.64	48.80	0.61	78.78	0.62
CR-LFINF-CDL-7-H3	$Sa(T)$ [g]	0.05	0.59	0.13	0.52	0.23	0.46	0.37	0.42
	$Sa_{avg2}(T)$ [g]	0.06	0.47	0.12	0.34	0.21	0.40	0.39	0.50
	$FIV3(T)$ [cm/s]	15.37	0.71	35.38	0.52	56.19	0.62	106.12	0.58
CR-LFINF-CDM-7-H3	$Sa(T)$ [g]	0.05	0.53	0.11	0.36	0.18	0.32	0.28	0.37
	$Sa_{avg2}(T)$ [g]	0.05	0.39	0.11	0.33	0.17	0.31	0.27	0.31
	$FIV3(T)$ [cm/s]	13.49	0.65	29.23	0.54	44.89	0.45	72.43	0.34
CR-LFINF-CDL-7-H4	$Sa(T)$ [g]	0.05	0.47	0.10	0.45	0.17	0.43	0.39	0.48
	$Sa_{avg2}(T)$ [g]	0.05	0.36	0.11	0.38	0.17	0.41	0.36	0.52
	$FIV3(T)$ [cm/s]	14.64	0.53	30.06	0.51	43.81	0.59	102.32	0.61
CR-LFINF-CDM-7-H4	$Sa(T)$ [g]	0.05	0.50	0.11	0.35	0.19	0.29	0.29	0.22
	$Sa_{avg2}(T)$ [g]	0.05	0.34	0.12	0.31	0.19	0.24	0.29	0.20
	$FIV3(T)$ [cm/s]	13.80	0.56	32.04	0.48	48.99	0.43	73.58	0.33

η : median; β : dispersion.

MSA: multiple stripe analysis.

Table 9. Fragility function parameters for RC buildings in L'Aquila for PGA using FEMAP695 set of records.

Taxonomy	IM	DS1		DS2		DS3		DS4	
		η	β	η	β	η	β	η	β
CR-LFINF-CDL-7-H1	PGA [g]	0.23	0.26	0.39	0.20	0.50	0.17	0.66	0.25
CR-LFINF-CDM-7-H1	PGA [g]	0.22	0.25	0.39	0.22	0.52	0.19	0.70	0.17
CR-LFINF-CDL-7-H2	PGA [g]	0.12	0.20	0.25	0.16	0.33	0.20	0.48	0.30
CR-LFINF-CDM-7-H2	PGA [g]	0.11	0.23	0.21	0.21	0.30	0.25	0.45	0.27
CR-LFINF-CDL-7-H3	PGA [g]	0.09	0.23	0.21	0.21	0.32	0.23	0.51	0.41
CR-LFINF-CDM-7-H3	PGA [g]	0.08	0.26	0.17	0.21	0.29	0.26	0.38	0.32
CR-LFINF-CDL-7-H4	PGA [g]	0.09	0.33	0.18	0.28	0.29	0.24	0.52	0.67
CR-LFINF-CDM-7-H4	PGA [g]	0.09	0.28	0.19	0.24	0.32	0.25	0.43	0.31

η : median; β : dispersion.

MSA: multiple stripe analysis.