Atividade 02 - Git e GitHub

Nome: Vítor Gabriel Campolina Silva

RA: 422222139

Atividade 1

```
vitor@DESKTOP-5J3C720 MINGW64 ~
$ git --version
git version 2.49.0.windows.1
Vitor@DESKTOP-5J3C720 MINGW64 ~
$ git config --global user.name "Vítor Gabriel Campolina Silva"
Vitor@DESKTOP-5J3C720 MINGW64 ~
$ git config --global user.email "vitor.campolina2013@gmail.com"
Vitor@DESKTOP-5J3C720 MINGW64 ~
 git config --global core.editor notepad
Vitor@DESKTOP-5J3C720 MINGW64 ~
$ git config user.name
Vítor Gabriel Campolina Silva
/itor@DESKTOP-5J3C720 MINGW64 ~
$ git config user.email
vitor.campolina2013@gmail.com
Vitor@DESKTOP-5J3C720 MINGW64 ~
$ git config core.editor
notepad
Vitor@DESKTOP-5J3C720 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
ilter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=D:/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
user.name=Vitor Gabriel Campolina Silva
user.email=vitor.campolina2013@gmail.com
core.editor=notepad
/itor@DESKTOP-5J3C720 MINGW64 ~
```

```
/itor@DESKTOP-5J3C720 MINGW64 ~
$ git clone https://github.com/https://github.com/vitorcampolina/aula-git-github
.git
Cloning into 'aula-git-github'...
emote: Not Found
atal: repository 'https://github.com/https://github.com/vitorcampolina/aula-git
-github.git/' not found
vitor@DESKTOP-5J3C720 MINGW64 ~
$ ^[[200~
bash: $'\E[200~': command not found
vitor@DESKTOP-5J3C720 MINGW64 ~
$ git clone https://github.com/vitorcampolina/aula-git-github.git
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
emote: Counting objects: 100% (4/4), done.
emote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.
Vitor@DESKTOP-533C720 MINGW64 ~
$ cd aula-git-github
vitor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
vitor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:
 (use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
Untracked files:
 (use "git add <file>..." to include in what will be committed)
no changes added to commit (use "git add" and/or "git commit -a")
Vitor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Disable this message with "git config set advice.addEmptyPathspec false"
/itor@DESKTOP-533C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:
 (use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: .gitignore
Untracked files:
 (use "git add <file>..." to include in what will be committed)
no changes added to commit (use "git add" and/or "git commit -a")
vitor@DESKTOP-533C720 MINGW64 ~/aula-git-github (main)
$ git add .
```

```
itor@DESKTOP-533C720 MINGW64 ~/aula-git-github (main)
$ git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the ne
xt time Git touches it
varning: in the working copy of 'teste/.gitignore', LF will be replaced by CRLF
the next time Git touches it
/itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified: .gitignore
                     teste/.gitignore
teste/.project
                    teste/.settings/org.eclipse.core.resources.prefs
        new file: teste/src/teste/Teste.java
 itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git commit -m "Primeiro commit do projeto: classe Java Teste vazia."
 main 1bcbcb2] Primeiro commit do projeto: classe Java Teste vazia.
 7 files changed, 52 insertions(+)
 create mode 100644 teste/.classpath
 create mode 100644 teste/.gitignore
create mode 100644 teste/.project
 create mode 100644 teste/.settings/org.eclipse.core.resources.prefs
 create mode 100644 teste/.settings/org.eclipse.jdt.core.prefs
 create mode 100644 teste/src/teste/Teste.java
/itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 6 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (13/13), 1.56 KiB | 531.00 KiB/s, done.
Total 13 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/vitorcampolina/aula-git-github.git
   f697b46..1bcbcb2 main -> main
Vitor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
/itor@DESKTOP-5]3C720 MINGW64 ~/aula-git-github (main)
$ git fetch
 emote: Enumerating objects: 11, done.
 emote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.14 KiB | 26.00 KiB/s, done.
 rom https://github.com/vitorcampolina/aula-git-github
   1bcbcb2..01c23f8 main
                                   -> origin/main
/itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)
```

```
itor@DESKTOP-533C720 MINGW64 ~/aula-git-github (main)
§ git fetch
emote: Enumerating objects: 11, done.
emote: Counting objects: 100% (11/11), done.
emote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.14 KiB | 26.00 KiB/s, done.
rom https://github.com/vitorcampolina/aula-git-github
  1bcbcb2..01c23f8 main
                                -> origin/main
Vitor@DESKTOP-5]3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
 (use "git pull" to update your local branch)
nothing to commit, working tree clean
Vitor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
s git pull
Updating 1bcbcb2..01c23f8
ast-forward
teste/src/teste/Teste.java | 9 +++-
1 file changed, 4 insertions(+), 5 deletions(-)
/itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
/itor@DESKTOP-533C720 MINGW64 ~/aula-git-github (main)
$ git pull
emote: Enumerating objects: 11, done.
emote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
emote: Total 6 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.09 KiB | 61.00 KiB/s, done.
rom https://github.com/vitorcampolina/aula-git-github
  01c23f8..e837b77 main
                                -> origin/main
Updating 01c23f8..e837b77
ast-forward
teste/src/teste/Teste.java | 2 ++
1 file changed, 2 insertions(+)
/itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
itor@DESKTOP-5J3C720 MINGW64 ~/aula-git-github (main)
```