

# Generominos

generative ideation cards by GalaxyKate  
[www.galaxykate.com/generominos](http://www.galaxykate.com/generominos)

Creative Commons under the [Attribution-ShareAlike 4.0 International](https://creativecommons.org/licenses/by-sa/4.0/) license

Copyright Kate Compton, 2017  
Agentic AI cards copyright 2026 Tertile, LLC

Generominos are here to help you design your interactive artwork, alt-control game, or generative art experiment!

Each card represents a step in a generative pipeline that transforms **input data** into **output data**. Inputs and outputs have **data types**, and not all data types are compatible! If you have a card producing **geolocation** data, and want to use that in a card that needs **text** input, you'll need a card to convert that data into the right output type.

To design a pipeline, connect some number of **input cards** (they have a blue bar at the top) to some number of **output cards** (with a red bar at the top), passing vertically through as many conversion cards as you need to along the way.

Is your design not quite exciting enough? Add **input modifiers** (white cards with a blue bar at the top) horizontally next to your input cards. The input icons at the top will suggest ways that these can link together.

Or add **output modifiers** (white cards with a red bar at the bottom) next to your outputs. What if the output were giant? Or on your body? Or hidden somewhere?

If you need inspiration, draw one of the **scenario cards**, each of which has a real-world design challenge on it. You can also use these cards to play a "Cards Against Humanity" variation, where one player acts as the granting agency with a design need, and the other players attempt to propose designs to get their approval.

*I hope you enjoy using these, they were a lot of fun to design. -Kate Compton (galaxykate)*

Pro-tip! Data with the same symbol is compatible.  
Data in the same family (with the same color) is often compatible with a little tweaking



person



content



sensor



value

A number changing over time



waveform

A digital or analog recording of a sound's vibration



event

Events are things that happen instantaneously, like a key press or button click



state

Whether something is true or false, over time, between starting and stopping points



geolocation

A location somewhere on the Earth



shape

Shapes mathematically defined by curves or straight lines



graph

A set of edges and nodes



curve

A set of points describing a path. May also have control points for smooth curves



particle

Points with properties like mass, velocity, size, and color



vector

A three- or two- dimensional point in space



text

Letters, numbers, words or other symbols. May be emoji or non-English characters



trimesh

A triangle mesh represents a 3D scene or object as a set of triangular faces (which may have texture or color)



voxel

A 'volumetric pixel' that represents volume in space



color

A color represented by RGB (or HSLA) values



depthmap

A greyscale image of a scene, where the brightness of each pixel shows its distance from a hypothetical camera



image

A picture, represented by pixel data (which may be RGB or HSL)

### GitHub Copilot CLI (3/3)

Delegation available:

- can spawn subagents
- delegates work to cloud
  - with planning
- auto-approving tools
- requiring tool approval

### Analyzing the interviews

A set of in-depth interviews has been conducted and transcribed

- There are 8–15 transcripts, each about an hour long
- The analysis needs to be systematic and defensible
  - Output: a thematic framework with supporting evidence

### Planning the interviews

Design an in-depth interview study for a specific user population and research question

- Recruitment screener, interview protocol, and analysis plan
- Output: a complete study design ready for ethics review or stakeholder approval

### Processing the test recordings

The usability test sessions are complete and you have the raw recordings

- Screen recordings, think-aloud audio, and notes from one or more observers
- Output: a structured session-by-session log identifying critical incidents, errors, hesitations, workarounds, and surprises

### GitHub Copilot cloud agent (3/3)

Delegation available:

- with planning
- auto-approving tools

### Expert review of the interface

Evaluate an existing interface or prototype against established usability principles

- The review must be systematic and cover the entire interface: heuristic violations, best practices, and opinions
  - Output: a prioritized list of findings with severity ratings and the heuristic violated

(use a sticky note to make this your own scenario)

### What went wrong in the usability test?

A usability test has been completed with 5–8 participants

- Session recordings, task success/failure rates, time-on-task, error counts, and observer notes
- Output: prioritized findings with severity ratings and design recommendations

### Making sense of the analytics

A product has been live for six months

- Data includes page views, click paths, bounce rates, session duration, and conversion funnels; multiple segments
  - Output: a summary of key patterns, anomalies, and unanswered questions the analytics alone cannot resolve

### GitHub Copilot CLI (2/3)

Seven (7) tool categories available:

- reads and searches files • runs commands
- accesses the web • controls a browser
- writes and edits files • manages GitHub
  - asks the user questions

### GitHub Copilot CLI (1/3)

Terminal-native agent in either VS Code terminal or agents window, or the GitHub Copilot desktop app.

Interactive or scripted.

Supports scheduled tasks.

Usage within GitHub Copilot app auto-approves tools by default.

### GitHub Copilot cloud agent (1/3)

Autonomous agent in GitHub Actions.

Assign an issue, get a pull request back. Supports scheduled tasks and response to GitHub events (pull requests, issues).

### Visual Studio Code local agent (3/3)

Delegation available:

- can spawn subagents
- delegates work to cloud
  - with planning
- auto-approving tools
- requiring tool approval

### Planning a usability test

Design a moderated usability test for a product or prototype

- Test protocol, task scenarios, and measurement plan
- Output: a complete test plan including task descriptions, success criteria, and data collection instruments

### GitHub Copilot cloud agent (2/3)

Five (5) tool categories available:

- reads and searches files • runs commands
  - controls a browser
- writes and edits files
- manages GitHub (read-only by default)

## What do we already know?

The team is about to start a new project and needs a summary of existing research

- The landscape includes published literature, internal past studies, competitor products, and social media conversation
- The output should answer: what is known, what is contested, and where are the gaps?

## Writing a survey

Design a survey instrument for a specific user population

- Stakeholders have a long list of questions they want included
- Output: a finalized question set with response scales, skip logic, and demographic items

## Visual Studio Code local agent (2/3)

Nine (9) tool categories available:

- reads and searches files • runs commands
- accesses the web • controls a browser
- writes and edits files • manages GitHub
  - asks the user questions
- manages notebooks • editor diagnostics

## Getting the report ready

The research is done and findings have been drafted, but the deliverable is not edited

- Consistent formatting • Accurate citations
  - Complete and valid references
- All sections present and logically ordered
  - Clear and professional language
- Output: a polished deliverable suitable for stakeholders, leadership, or publication

## What did the survey say?

A survey has been fielded, the data is back

- Closed-ended responses (numeric, categorical) and open-ended text comments from several hundred respondents
- Output: findings that connect the quantitative patterns with the qualitative themes

## Visual Studio Code local agent (1/3)

Interactive agent in either VS Code chat view or agents window.

Has full editor access.

(Note: Copilot CLI, Cloud, and Claude are separate harnesses available in the same UIs.)



### user query or task

*A natural language prompt, instruction, question, or goal that initiates the agent's work.*



### llm, fast/cheap

*High volume, simple tasks, tight loops where latency matters more than depth.*

tool call

answer



### llm, powerful/\$\$\$

*Complex reasoning, high-stakes decisions, or tasks requiring deep domain knowledge.*

tool call

answer



output



criteria

### gate, human

*A person inspects, approves, revises, or rejects at a checkpoint (HITL)*

verified or revised

failed



output



criteria

### gate, automated

*Code, metrics, or LLM-as-judge validates output*

verified or revised

failed



### display text to user

*Show the final answer on a screen, in a chat interface, or as a notification.*



### a research stakeholder

*Qual, quant, mixed methods, user, market, usability*



### a data stakeholder

*Data scientist, analyst*



### a product stakeholder

*Product manager, product owner*



## an executive stakeholder

General manager, program manager, VP, C-suite



## an engineering stakeholder

Programmer, software engineer, technical lead



## with persistent memory

Task enriched with stored context from prior sessions.



## on a schedule or event

The task fires automatically on a cadence (hourly, daily, weekly) or in response to a platform event (pull request, issue filed).

## ...persisted to memory

Findings and decisions from this run are stored for future sessions to reference.

## with automatic approval

Tool calls run without seeking user permission.



## with manual approval

Tool calls pause for user permission.



## human-in-the-loop

Which human evaluates the output?



tool call

## read & search files

Grep, glob, semantic search, file read, list directory, find references, LSP

result



tool call

## write and edit files

Create file, edit file, apply patch, create directory

result



tool call

## run command

Bash, powershell, terminal execution, task running

result



tool call

## access the web

URL fetch and web search

result



tool call

## manage GitHub

Issues, pull requests (PRs), repos, branches, code search, Actions

result



tool call

## ask questions

Interrupts to ask user for clarification or approval

result



tool call

## editor diagnostics

Compilation errors, lint results, test failures, source control

result





tool call

## manage notebook

*Read, edit, run Jupyter notebooks*

result



tool call

## control a browser

*Operate a browser as a user would. Click, type, fill forms, navigate SPAs, handle login-walled apps.*

result



tool call

## control a computer

*Mouse, keyboard, screenshots, any GUI application via computer use*

result



tool call

## cloud services

*Authenticated MCP integrations: Gmail, Slack, Drive, Calendar, etc.*

result



tool call

## Qualtrics

*Surveys, questions, blocks, responses, contacts, distributions*

result



tool call

## Maze

*Ask questions, search*

result



tool call

## Figma

*Create or modify canvas content, generate designs or code, retrieve context and FigJam/Make resources*

result



tool call

## Dovetail

*Ask questions, generate summaries, search*

result



tool call

## UserInterviews

*Create, recruit*

result



## can spawn subagents

*LLM can spawn isolated subagents for parallel or specialized work*

## with planning

*LLM produces a plan for human review before executing*

## as a team

*LLMs communicate directly via shared task list and inter-agent messaging*

## delegates work to cloud

*LLM can hand off work to a cloud agent for background execution, freeing the local session for other tasks.*



*(use a sticky note to make this your own "person" input modifier)*



*(use a sticky note to make this your own "content" input modifier)*



(use a sticky note  
to make this your own  
"sensor" or "data"  
input modifier)



(use a sticky note  
to make this your own  
output modifier)




tool call

(use a sticky note  
to make this your own  
"tool" or "MCP"  
transform)

result





(use a sticky note  
to make this your own  
transform modifier)



(use a sticky note  
to make this your own  
input with text output)

