

Privacy and security in cloud systems

Quem sou eu?

Realizador de sonhos desde 2003

Amante de opensource


Palestrante

PHP Zend Certified Engineer **ZEND024235**

PHPRio <https://t.me/phprio>


CTO LibreCode coop <https://t.me/LibreCodeCoop>

Redes sociais: VitorMattos ou VitorMattosRJ





By Vitor Mattos





LIBRE CODE

cooperativa de TI



coop

Conheça mais

- Plataforma CapacitaCoop
- SESCOOP





slides.com/vitormattos/cloud-privacy

CLOUD Act

"Federal law enforcement to compel U.S.-based technology companies via warrant or subpoena to provide requested data stored on servers regardless of whether the data are stored in the U.S. or on foreign soil."

From: Wikipedia

https://en.wikipedia.org/wiki/CLOUD_Act

CLOUD Act compliance problems

- LGPD
- GDPR

Support The Guardian

Available for everyone, funded by readers

Contribute →

Subscribe →

Sign in

**The
Guardian**

News

Opinion

Sport

Culture

Lifestyle



World UK Environment Science Cities Global development Football **Tech** Business More

Google

Google to shut down Google+ after failing to disclose user data leak

Company didn't disclose leak for months to avoid a public relations headache and potential regulatory enforcement

A bug in Microsoft partner portal 'exposes ' support requests to all partners

January 19, 2019 By [Pierluigi Paganini](#)

A bug in Microsoft partner portal 'exposes ' support requests to all partners, fortunately, no customer data was exposed.

Support The Guardian

Available for everyone, funded by readers

Contribute →

Subscribe →

Sign in

**The
Guardian**

News

Opinion

Sport

Culture

Lifestyle



World UK Environment Science Cities Global development Football **Tech** Business More

Dropbox

Dropbox hack leads to leaking of 68m user passwords on the internet

LEAKS

MICROSOFT

SECURITY

TECHNOLOGY

Microsoft Exposed 2.4 TB of Business Customer Data in BlueBleed Breach

According to researchers, the data included 335,000 emails, 548,000 users, and 133,000 projects.



BY DEEBA AHMED • OCTOBER 20, 2022 • 2 MINUTE READ

nding: [What is ChatGPT?](#) [How to Use Google Gemini](#)

[HOME](#) · [COMPUTING](#) · [NEWS](#)

Microsoft accidentally released 38TB of private data in a major leak



By Alex Blake

September 19, 2023

SHARE



Register

ChatGPT bug leaked users' conversation histories

23 March 2023

 Share

By **Ben Derico**, BBC News, San Francisco



See if you've been part of an online data breach.

Find out what hackers already know about you.
Learn how to stay a step ahead of them.

Check for Breaches

Search for your email address in public data
breaches going back to 2007.



The solution



Nextcloud

The origin of Nextcloud





Fork

*// Who owns the community?
Who owns ownCloud itself? And
what matters more, short term
money or long term responsibility
and growth?*

Frank Karlitschek

2016-09-22



Frank Karlitschek

KDE contributor since 2001

IA para humanos

Self-hosted vs. integrations from external services

Classificação ética de IA

Critérios de classificação



O software é de código aberto?

Tanto para inferência quanto para treinamento



O modelo treinado está disponível gratuitamente para auto-hospedagem?



Os dados de treinamento estão disponíveis e são de uso gratuito?

Classificação em 4 níveis

Verde ●

Todas as
condições são
atendidas

Amarelo ●

2 condições
são atendidas

Laranja ●

Apenas 1
condição é
atendida

Vermelho ●

Nenhuma
condição foi
atendida

LocalAI

Integração de LocalAI com Nextcloud

- Geração de imagem
- Geração de texto
- Ditado de fala para texto

Transcrição de fala para texto

classificação verde 

recording-20230525-074317.txt

Good morning, everyone! I hope
Alright, let's get started. I
welcome, team.

We have a packed agenda, so I'll keep my opening statement b

Firstly, we'll discuss the progress of our ongoing project a
updates that need to be shared. This includes milestones rea
challenges encountered, and any new tasks that have been ass

Next, we'll address any concerns or questions that team memb
have. It's important to have an open dialogue, so please don
to speak up if you need clarification or assistance.

5 minutes ago X




Transcript of the call recording is now
available

The transcript of the recording is now
saved on the server under recording-
20230525-074317.txt for the call in

Subrana Brand

Reconhecimento de rostos e objetos

Classificação verde



LibreTranslate

Classificação verde 

modelos OpenNMT de código aberto

open source neural machine translation system



Malik Santiago
this looks really nice!



Leon Green

Christine Schott

I am proposing this design for the business cards, let me
¡El diseño de la tarjeta de presentación se ve increíble! Los
disposición de los elementos es muy atractiva.
¡Felicidades por un trabajo bien hecho!



Create a card

Create a task




Translate



Delete






Detecção de login suspeito



classificação verde 



The screenshot shows a web application interface with a blue header bar containing various icons. On the left is a sidebar menu with the following items: Administration, Overview, Support, Basic settings, Sharing, Security (highlighted), External storage, Theming, Guests, Groupware, Administration privileges, and Activity. The main content area has a white background. At the top of this area is a section titled "Add new whitelist" with two input fields containing "2001:db8::" and "64", followed by a "+ Add" button. Below this is a section titled "Suspicious login detection". The text in this section states: "The suspicious login app is enabled on this instance. It will keep track of IP addresses users successfully log in from and build a classifier that warns if a new login comes from a suspicious IP address." It then shows "Training data statistics" with the text: "So far the app has captured 1 logins (including client connections), of which 0 are distinct (IP, UID) tuples." This is followed by "Classifier model statistics (ipv4)" and "Classifier model statistics (ipv6)", both with the text: "No classifier model has been trained yet. This most likely means that you just enabled the app recently. Because the training of a model requires good data, the app waits until logins of at least 60 days have been captured." At the bottom of the main content area is a section titled "End-to-End Encryption".

Administration

- Overview
- Support
- Basic settings
- Sharing
- Security**
- External storage
- Theming
- Guests
- Groupware
- Administration privileges
- Activity

Add new whitelist

2001:db8:: / 64 + Add

Suspicious login detection

The suspicious login app is enabled on this instance. It will keep track of IP addresses users successfully log in from and build a classifier that warns if a new login comes from a suspicious IP address.

Training data statistics

So far the app has captured 1 logins (including client connections), of which 0 are distinct (IP, UID) tuples.


Classifier model statistics (ipv4)

No classifier model has been trained yet. This most likely means that you just enabled the app recently. Because the training of a model requires good data, the app waits until logins of at least 60 days have been captured.

Classifier model statistics (ipv6)

No classifier model has been trained yet. This most likely means that you just enabled the app recently. Because the training of a model requires good data, the app waits until logins of at least 60 days have been captured.

End-to-End Encryption



Safe authentication

Password policy

Minimal length

- ☒ Forbid common passwords
- ☐ Enforce upper and lower case characters
- ☐ Enforce numeric characters
- ☐ Enforce special characters
- ☒ Check password against the list of breached passwords from haveibeenpwned.com

Safe authentication

Two-Factor Authentication

Two-factor authentication can be enforced for all users and specific groups. If they do not have a two-factor provider configured, they will be unable to log into the system.

☒ Enforce two-factor authentication

Limit to groups

Enforcement of two-factor authentication can be set for certain groups only.

Two-factor authentication is enforced for all members of the following groups.

Enforced groups


Two-factor authentication is not enforced for members of the following groups.

Excluded groups

When groups are selected/excluded, they use the following logic to determine if a user has 2FA enforced: If no groups are selected, 2FA is enabled for everyone except members of the excluded groups. If groups are selected, 2FA is enabled for all members of these. If a user is both in a selected and excluded group, the selected takes precedence and 2FA is enforced.

Safe authentication

Two-Factor Notifications



Safe authentication

Two-Factor email verification

https://cloud.server.com/login/challenge/email

Email verification



A code has been sent to your email address.

Submit

Use backup code

Cancel login

Safe authentication

Two-Factor Gateway

- TOTP
- SMS
- Telegram
- Signal
- U2F

Second-factor backup codes

Generate backup codes

TOTP second-factor auth

☐ Enable TOTP

U2F second-factor auth



No U2F devices configured. You are not using U2F as second factor at the moment.

Name your device

Add U2F device

You can add as many devices as you like. It is recommended to give each device a distinct name.

SMS second-factor auth


A confirmation code has been sent to [REDACTED]. Please check your phone and insert the code here:

278516

Confirm

Other login ways

Custom OAuth2



Other
login
ways



Other login ways

User Backend Using
Raw SQL

```
1 'user_backend_sql_raw' => array(
2   //'db_type' => 'postgresql',
3   //'db_host' => 'localhost',
4   //'db_port' => '5432',
5   'db_name' => 'theNameOfYourUserDatabase',
6   'db_user' => 'yourDatabaseUser',
7   'db_password' => 'thePasswordforTheDatabaseUser',
8   //'mariadb_charset' => 'utf8mb4',
9   'queries' => [
10    'get_password_hash_for_user' => 'SELECT password
11    'user_exists' => 'SELECT EXISTS(SELECT 1 FROM u
12    'get_users' => 'SELECT fqda FROM users_fqda WHE
13    //'set_password_hash_for_user' => 'UPDATE users
14    //'delete_user' => 'DELETE FROM users WHERE loc
15    //'get_display_name' => 'SELECT display_name FR
16    //'set_display_name' => 'UPDATE users SET displ
17    //'count_users' => 'SELECT COUNT (*) FROM users
18    //'get_home' => '',
19    //'create_user' => 'INSERT INTO users (local, d
20  ],
```

Other login ways

[🏠](#) / [Digging deeper](#) / [Users & Authentication](#)
/ Two-factor providers

Two-factor providers

Two-factor auth providers apps are used to plug custom second factors into the Nextcloud core.

Implementing a simple two-factor auth provider

Two-factor auth providers must implement the [OCA\Authentication\TwoFactorAuth\IProvider](#) interface. The example below shows a minimalistic example of such a provider.

```
<?php

namespace OCA\TwoFactor_Test\Provider;

use OCP\Authentication\TwoFactorAuth\IProvider;
use OCP\IUser;
use OCP\Templates;
```



Data security

Files can be encrypted on
the server.

Data traffic is always
encrypted



File access control

The screenshot shows a software interface with a blue header bar containing icons for various functions. On the left is a sidebar with a list of settings: Basic settings, Monitoring, Support, Sharing, Security, Theming, Groupware, Activity, Full text search, Workflow, Document to PDF converter, File access control (highlighted with a blue bar and an 'x' icon), Talk, and Usage survey. The main content area is titled 'File access control' with an information icon. It contains a descriptive paragraph, a list of rules, and buttons to add new rules and rule groups.

File access control ⓘ

Restrict access to files based on factors such as filetype, user group memberships, time and more.

Each rule group consists of one or more rules. A request matches a group if all rules evaluate to true. If a request matches at least one of the defined groups, the request is blocked and the file content can not be read or written.


- Block access to data from finance dept (except for shared invoices) 
- User group membership ▼ is member of ▼ finance ▼ 
- File MIME type ▼ is not ▼ application/pdf 

Add rule


Add rule group

Data security

Self-hosted.
Who owns your data?



O Nextcloud Files oferece uma plataforma universal de acesso e sincronização de arquivos no local, com poderosos recursos de colaboração e interfaces de desktop, móveis e web.



Automations

The screenshot displays the ONLYOFFICE Automations interface. On the left is a sidebar with navigation options under 'Personal' (Personal info, Security, Activity, Mobile & desktop, Accessibility, Sharing, Flow, Privacy) and 'Administration' (Overview, Basic settings, Support, Sharing, Security, Theming, Groupware, ONLYOFFICE, Activity, Flow). The main area is divided into two sections: 'Available flows' and 'Configured flows'.

Available flows

For details on how to write your own flow, check out the development documentation.

- Block access to a file** (Red card with a red 'X' icon): Add new flow
- Automated tagging** (Green card with a tag icon): Automated tagging of files. Add new flow
- PDF conversion** (Blue card with a document icon): Convert documents into the PDF format on upload and write. Add new flow
- More flows** (Grey card with a plus icon): Browse the app store

[Show more](#)

Configured flows

Flow 1:

When **File created , File updated , File renamed , Tag assigned**

and Request URL matches Custom URL

Custom URL: `/^https:\\\\localhost\\index\\.php$/i`

[Add a new filter](#)

→ **PDF conversion**

Convert documents into the PDF format on upload and write.

[Delete original, preserve existing PDFs](#)

[Cancel](#) [The configuration is invalid](#)

Flow 2:

When **File is accessed**

and File name is secretfile.odt

[Add a new filter](#)

→ **Block access to a file**

[Delete](#) [Active](#)

Automations


The screenshot displays a file management application with a blue header bar containing various icons. On the left, a sidebar lists navigation options: All files, Recent, Favorites, Shares, Tags, and Shared to Circles. The main area shows a breadcrumb path: dossier > subdos > docs. Below the path is a text input field labeled 'Add notes, lists or links ...'. A table lists four files:

☐	Name	Size	Modified
☐	draft bright.png	Shared 4 KB	2 months ago
☐	draft dark.png	Shared 4 KB	3 months ago
☐	Jane's vacation request.pdf	Shared 6 KB	2 months ago
☐	John's vacation request.pdf	Shared 34 KB	15 days ago
4 files		48 KB	

On the right, a sharing sidebar for 'John's vacation request...' is open. It features buttons for 'Approve', 'Reject', 'Sign with DocuSign', and 'Sign with LibreSign'. Below these are tabs for 'Activity', 'Chat', 'Comments', 'Sharing', and 'Versions'. The 'Sharing' tab is active, showing a search field for 'Name, email, or Federated Cloud ID ...' and a list of sharing options: 'Share link', 'Others with access', 'Internal link' (with a note 'Only works for users with access to this file'), and 'Add to a project' (with a note 'Connect items to a project to make them easier to find').


Data Analytics

Flexible visualization



Form with a search bar labeled 'Name' and three buttons: 'Add Share Link', 'Share Link', and 'admin (group)'.

Table with 4 columns: Start, Date, Value, and a search bar. The table shows 10 entries. The first entry has a value of 3,00. The second entry has a value of 3,00. The third entry has a value of 3,00. The fourth entry has a value of 3,00. The fifth entry has a value of 3,00. The sixth entry has a value of 3,00. The seventh entry has a value of 3,00. The eighth entry has a value of 3,00. The ninth entry has a value of 3,00. The tenth entry has a value of 3,00.



<https://apps.nextcloud.com/apps/analytics>

Monitoring

🖨 e1b45d7e8a15

Operating System: **Linux 4.19.0-17-amd64 x86_64**

CPU: **AMD EPYC 7282 16-Core Processor (64 cores)**

Memory: **251.70 GB**

Server time: **Wed Aug 3 14:10:32 -03 2022**


Uptime: **232 days, 15 hours, 49 minutes, 13 seconds**

🖨 Load



Load average: 0.37 (last minute)


🖨 Memory



RAM: Total: 251.7 GB/Current usage: 13.4 GB

SWAP: Total: 3.8 GB/Current usage: 0 B

🖨 Disk



Logs

LYSEONTECH





Personal

 Personal info

 Security

 Activity

 External storages

 Mobile & desktop

 Accessibility

 Sharing

Error	two-factor auth provider 'totp' failed to load	2019-10-08T11:24:37-0300
Error	1 two-factor auth providers failed to load	2019-10-08T11:24:36-0300
Error	two-factor auth provider 'totp' failed to load	2019-10-08T11:24:36-0300
Error	1 two-factor auth providers failed to load	2019-10-08T11:24:36-0300
Error	two-factor auth provider 'totp' failed to load	2019-10-08T11:24:36-0300
Error	1 two-factor auth providers failed to load	2019-10-08T11:24:26-0300
Error	two-factor auth provider 'totp' failed to load	2019-10-08T11:24:26-0300

Action Monitoring

All Activities

Activities by you

Activities by others

Favorites

Comments

Shares

Today

+

You created **Screenshot_20161103_172901.png**

6 minutes ago



↓

Public shared file **conf report 2016.odt** was downloaded

21 minutes ago



↓

Public shared folder **conference 2016** was downloaded

25 minutes ago



↓

Public shared file **Onlineprinters_Bestellung_147343543665908.pdf** was downloaded

2 hours ago



 You shared **also test** with  camilasan and  camilasan

2 hours ago



+

You created **also test** and **test**

2 hours ago




By Vitor Mattos




Integration with monitoring tools



Email client



Online calendar



Contact Management

The screenshot shows a contact management application with a blue header bar containing icons for home, folder, lightning bolt, contacts, calendar, settings, and a menu. The left sidebar has a '+ New contact' button and a list of contact categories: 'All contacts' (212), 'Tech' (15), 'University' (11), 'Cousins' (20), 'Office' (11), 'Teachers' (9), and 'Family' (6). The main contact list displays entries with circular avatars (containing the letter 'A') and names. The selected contact, 'Aðalbjörn Snorrason', is shown in a detailed view on the right. This view includes a large orange header with the contact's name and a 'Farmer Jack' subtitle, followed by a 'Detailed name' section with input fields for Prefix (Mr.), First name (Aðalbjörn), Additional names, Last name (Snorrason), and Suffix.

Category	Contact Count
All contacts	212
Tech	15
University	11
Cousins	20
Office	11
Teachers	9
Family	6

Name	Email	Action
ABC Marketing ORG		
ABC Marketing ORG		🗑️
Abdul Carrión	AbdulCarrionBarajas@gustr.com	
Abdul Carrión	AbdulCarrionBarajas@gustr.com	🗑️
Aðalbjörn Snorrason	AalbjornSnorrason@einrot.com	
Aðalbjörn Snorrason	AalbjornSnorrason@einrot.com	🗑️

Aðalbjörn Snorrason
Farmer Jack

Detailed name

Detailed name

Prefix:


First name:

Additional names:

Last name:

Suffix:

Contacts and calendar sync



Task manager

The screenshot displays a Kanban task manager interface. On the left, a sidebar lists various boards: 'All boards' (with sub-items: Collabora Planning, Deck App Develo..., Personal, Deck Android App, Design review), 'Archived boards', and a '+ Create new board' button. The main area is titled 'Deck App Development' and is divided into three columns: 'Backlog', 'In progress', and 'Done'. Each column contains task cards. The 'Backlog' column has four cards: 'Write support for calendars' (CalDAV), 'Data migration to CalDAV backend' (CalDAV), 'REST-API caching enhancements' (Enhancement, Backend), and 'General card overview' (Design). The 'In progress' column has three cards: 'Rework card archive view' (Design, in a month), 'Notification settings per board' (Enhancement), and 'Expose calendars as read only' (CalDAV, Priority, in a month). The 'Done' column has one card: 'Release 1.0' (Release, in 3 hours). Each card includes a title, a category tag, a due date or priority indicator, and a list of assignees represented by initials in colored circles. The interface uses a clean, modern design with a blue header and a white background.

oOo

All boards

- Collabora Planning
- Deck App Develo...
- Personal
- Deck Android App
- Design review

Archived boards

+ Create new board

Deck App Development

Backlog

- Write support for calendars
CalDAV
- Data migration to CalDAV backend
CalDAV
- REST-API caching enhancements
Enhancement Backend
- General card overview
Design

In progress

- Rework card archive view
Design in a month
- Notification settings per board
Enhancement
- Expose calendars as read only
CalDAV Priority in a month

Done

- Release 1.0
Release in 3 hours

Integrations

File Edit View Go Message Events and Tasks Enigmail Tools Help

Inbox Calendar x Inbox x Inbox - x

Synchronize Event Task Edit Delete

June 2018 ◀ ○ ▶

	Mo	Tu	We	Th	Fr	Sa	Su
22	28	29	30	31	1	2	3
23	4	5	6	7	8	9	10
24	11	12	13	14	15	16	17
25	18	19	20	21	22	23	24
26	25	26	27	28	29	30	1
27	2	3	4	5	6	7	8

Calendar

☑ ☐ ☐ ☐ ☐ ☐ ☐

☑ ☐ ☐ ☐ ☐ ☐ ☐

All Events contain 🔍 x

Title	Start	End	
	Wed 27 Nov 1940 All Day	Wed 27 Nov 1...	f...
	Thu 2 Dec 1993 All Day	Thu 2 Dec 19...	f...
	Wed 4 Mar 1998 All Day	Wed 4 Mar 19...	f...
	Sat 1 Jan 2000 All Day	Sat 1 Jan 200...	F...
	Thu 6 Jan 2000 All Day	Thu 6 Jan 200...	F...
	Mon 1 May 2000 All Day	Mon 1 May 20...	F...
	Tue 3 Oct 2000 All Day	Tue 3 Oct 200...	F...

◀ Today ▶ June 2018 CWS: 22-26 Day Week Multiweek Month

Mon	Tue	Wed	Thu	Fri	Sat	Sun
22	28	29	30	31 May	1 Jun	2
			Fronleich... 19:00 SH...	14:30 E... 🚨	18:00 M... 🚨	3


Online document editors

DOC, DOCX, PPT, PPTX, XLS, XLSX + ODF,
Import/View Visio, Publisher e outros

The screenshot displays the Collabora Online web interface. At the top is a blue header with the Collabora Online logo and a user profile icon. Below the header is a menu bar with options: File, Edit, View, Insert, Format, Tables, and Help. A toolbar follows, containing icons for saving, undo, redo, and various text formatting options (bold, italic, underline, strikethrough, text color, background color, bullet points, numbered list, link, unlink, image, table, etc.). The main editing area features a large banner with the text "Collabora Productivity" and "Collabora Online v 2.1". Below the banner, there is a paragraph of text: "Collabora Online: the enterprise-ready LibreOffice-based Online Office Suite that allows you to stay in control of your own documents. full control of your office files". To the right of the text, there are two user avatars: "john" and "jane", both with the date "Thu Apr 27 2017". A comment from "john" says "Insert ' v 2.1' Good to add the version number". A comment from "jane" says "Can we add the version number here". At the bottom, there is a "Paragraph" toolbar with options: Indents & Spacing, Alignment, Text Flow, Asian Typography, Outline & Numbering, Tabs, Drop Caps, Borders, Area, and Transparency.

Edição online de documentos

DOC, DOCX, PPT, PPTX, XLS, XLSX + ODF,
Import/View Visio, Publisher e outros



Armazenamento externo

o Admin

admin

Security & setup warnings

Sharing

Server-side encryption

External Storage

JavaScript Xmpp Client

Federation

SAML

File handling

Documents

External Storage

Global Credentials

admin

Save

Folder name	External storage	Authentication	Configuration	Available for
SMB	SMB / CIFS	Username and password	Host	All users. Type to select
			Share	
			Remote subfolder	
			Domain	
			admin	

Armazenamento externo

Integração com
outros meios de
armazenamento
online

External storage support for Google Drive

by NASTUZZI Samy

AGPL-licensed

Disable

[View in store ↗](#) [Visit website ↗](#) [Report a bug ↗](#)

External storage support for Google Drive

Full text search

Personal

i

Personal info

🔒

Security

📁

External storages

🔗

Sharing

🔄

Pico CMS

⚙️

Additional settings

Administration

☰

Basic settings

🔗

Sharing

🔒

Security

📁

External storages

🎨

Theming

Please check the [wiki](#) for documentation related to the installation and the configuration of the Full Text Search within your Nextcloud

Full Next Search

Search Platform :

Select the app that will be used to index content and answer search queries.

ElasticSearch

▼

Indexing Chunk Size :

Lower the value if the server is short on memory.

20

Elastic Search

Address of the Servlet:

Include your credential in case authentication is required.

http://localhost:9200/

Index :


Name of your index.

my_in


Files

Videoconferência


The screenshot displays the Nextcloud Talk interface during a video conference. The top bar is blue with the Nextcloud logo and navigation icons. Below it, a search bar says "Choose person ...". A list of participants is on the left, including "Discuss Nextcloud...", "Press informatio...", "Mario Danic", "Nina Cercy", "Sales Weekly call", "Mathias Conradt...", "Sales", "Collabora plans", "Company Call", "Frank Karlitschek", "Ivan Sein Santiago", "I have renamed t...", "You", "tomaz", "F-Droid", and "Lukas Reschke". The main area shows a video feed of "Vanessa Steeg's screen", which displays a document titled "Control over data flow" with sections on "Logging and monitoring", "Permissions", "HMC granted HMC Access Control", "Link policy", "Virus scanning", and "Data Management". The bottom of the screen shows four video thumbnails of participants: Patrick Walther, Vanessa Steeg, Mathias Conradt, and another person. On the right, a sidebar titled "Discuss Nextcloud Talk" contains a "Leave call" button, a "Share link" checkbox, a "Set password" input field, and sections for "Chat" and "Participants". The "Participants" section lists: Jos Poortvliet (moderator), Mathias Conradt (moderator), Vanessa Steeg (moderator), Patrick Walther, and Guest.



E muito mais com apps



Digital signateure



<https://github.com/LibreSign/libresign/>





 Sponsor

 Star 423




Integrações / clientes



Setup

Docker



https://docs.nextcloud.com/server/latest/admin_manual/
<https://github.com/LibreCodeCoop/nextcloud-docker>

Setup

Self-hosting



Setup

self-hosted



Setup

self-hosted

easy setup

<https://github.com/nextcloud/all-in-one>

SaaS and cloud

Talk with me :-)

<https://t.me/NextcloudBR>

Development

Server



Development

Server

<https://docs.nextcloud.com/>

General contributor guidelines

Community code of conduct

Development environment

Security guidelines

Coding style & general guidelines

Performance considerations

Debugging

Backporting

App development

Design guidelines

Android application development

Client APIs

Core development

Bugtracker

Help and communication

API Documentation

Development

Front



LGPD & GDPR

Encriptação

Auditável, transparente

Total controle de acesso

LGPD & GDPR

Account

You can request an export of your data or account deletion from the

Request data export

Request account deletion

Terms of service

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sancto est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sancto est Lorem ipsum dolor sit amet.

I acknowledge that I have read and agree to the above terms of service

Terms of service

Require users to accept the terms of service
For formatting purposes Markdown is supported

Select a region

By using this service ...

Save

3 minutes ago



Terms of service have been modified!

You have to accept the newest version of the terms of service in order to be able to use this service.



COMPLIANCE

Soluções self-hosted facilitam compliance

Manter dados sensíveis na rede interna

Enterprise by Nextcloud

Basic

Starting at 100 users for
€36/user/year

Premium

Starting at 100 users for
€95.50/user/year

Standard

Starting at 100 users for
€65/user/year

Discounts for public sector and education

Enterprise by community

Call-me

Work with open standards



github.com/nextcloud

Comunity Nextcloud BR

<https://t.me/NextcloudBR>

LibreCode coop

<https://t.me/LibreCodeCoop>

Vitor Mattos

vitor@librecode.coop

t.me/VitorMattos

t.me/LibreCodeCoop

