



Course Progress

Course > Readings > Reading 2: Recursive Data Types > Questions

 Previous



























Next 

## Questions

 Bookmark this page

### I do declare

4/4 points (graded)

```
String hello = "Hello";

List<String> words1 = new ArrayList<>();
words1.add(hello);

ImList<String> words2 = ImList.empty();
words2.cons(hello);
```

What is the declared type of variable `hello` ?

☐ none

☐ char[]

☒ String

☐ unknown, depends on rep of String

☐ invalid question



What is the actual type of variable `hello` ?

☐ none

☐ char[]

☐ String

☐ unknown, depends on rep of String

☒ invalid question



What is the declared type of the object `hello` refers to?

☐ none

☐ char[]

☐ String

☐ unknown, depends on rep of String

☒ invalid question



What is the actual type of the object `hello` refers to?

- ☐ none
- ☐ `char[]`
- ☒ String
- ☐ unknown, depends on rep of String
- ☐ invalid question



#### Explanation

Variables have a declared type; objects, created during the actual execution of the program, have an actual type. In this case, the declared type and the actual type are the same.

Submit

Show Answer

Answers are displayed within the problem

## Words, words, words

4/4 points (graded)

Same code again:

```
String hello = "Hello";

List<String> words1 = new ArrayList<>();
words1.add(hello);

ImmutableList<String> words2 = ImmutableList.empty();
words2.cons(hello);
```

This time, when we say declared/actual type of a variable, we always mean the variable itself **or** the object pointed to by that variable, whichever is appropriate.

What is the declared type of `words1` ?

- ☐ String
- ☒ List
- ☐ ArrayList
- ☐ ImmutableList
- ☐ Empty
- ☐ Cons



What is the actual type of `words1` ?

- ☐ String
- ☐ List
- ☒ ArrayList
- ☐ ImmutableList
- ☐ Empty
- ☐ Cons



What is the declared type of `words2` ?

☐ String

☐ List

☐ ArrayList

☒ ImList

☐ Empty

☐ Cons



What is the actual type of `words2` ?

☐ String

☐ List

☐ ArrayList

☐ ImList

☒ Empty

☐ Cons



#### Explanation

The first three are straightforward.

The last one was a trick question, because we discarded the return value of `cons`. `words2` still points to the `Empty` instance; the `Cons` object that was created by `cons` is now lost.

Submit

Show Answer

Answers are displayed within the problem

Previous Next

Some Rights Reserved

[Open Learning Library](#)

[About](#)

[Accessibility](#)

[All Courses](#)

[Why Support MIT Open Learning?](#)

[Help](#)

[Connect](#)

[Contact](#)

[Twitter](#)

[Facebook](#)

[Privacy Policy](#) [Terms of Service](#)

© Massachusetts Institute of Technology, 2024