

Oracle 1z0-241



**1z0-241 PeopleSoft Application Developer I: People
Tools & PeopleCode**

Practice Test

Version 1.0

QUESTION NO: 1

You write a PeopleCode program that checks whether the user is selecting an existing search key value on the Search page or creating a new search key value. Which system variable do you use?

- A. %Add
- B. &Add
- C. %Mode
- D. &Mode
- E. %Search
- F. &Search

Answer: C

QUESTION NO: 2

Which three statements are true regarding Query Profile? (Choose three.)

- A. The Query Profiles page enables users to run existing queries and create new ones.
- B. The Query Profiles page enables you to specify the type of access that users have when they work with PeopleSoft Query.
- C. By default, the query profile does not give users access to all PeopleSoft Query features, even if you gave them access to PeopleSoft Query.
- D. If a user has more than one permission list, PeopleSoft Query uses the highest time-out value as defined in the Time-out Minutes section of the user's permission lists.
- E. The Query Profiles page enables you to restrict the types of queries that users can create, limit the number of rows returned, or set the time that a query can run before it times out.
- F. By default, the Only Allowed to Run Queries option on the Query Profiles page is selected, and each permission list that is granted to a user or role has the possibility to have capabilities added.

Answer: B,D,E

QUESTION NO: 3

Examine this PeopleCode snippet:


```
class OCP_ROWSET extends Rowset;
property integer FilledRowCount get;
method OCP_ROWSET(&strRecName As string, &strDataId As
string, &strGetOrCreate As string);
method InsertRow(&iRow As integer) Returns boolean;
Select the correct statements. (Choose all that apply.)
```

- A. OCP_ROWSET is the constructor method for the OCP_ROWSET class.
- B. Executing the RO_ROWSET method instantiates an object of the OCP_ROWSET class.
- C. The OCP_ROWSET method runs automatically whenever an object is instantiated using the OCP_ROWSET class.
- D. The OCP_ROWSET method must initialize the ROWSET class.
- E. The OCP_ROWSET method is added to the ROWSET class, and, by extension, to any instances of the ROWSET class.

Answer: A,C,D

QUESTION NO: 4

View the Exhibit:



You are testing an application that you just completed. You access the content reference and select a search key. When you click the Search button, you see the error shown in the image. Select the next course of action.

- A. Remove the PS_TS_EMP_REVIEW field from the record definition.
- B. Run the Alter process for the PS_TS_EMP_REVIEW record definition.
- C. Run the Build process for the PS_TS_EMP_REVIEW record definition.
- D. Examine the record definition properties and manually create a BUILD script.
- E. Verify that you created and properly configured the PS_TS_EMP_REVIEW page.

Answer: C

QUESTION NO: 5

Are parameters passed to user-defined internal and external PeopleCode functions by reference or by value?

- A. The first parameter is the input parameter, and the second parameter is output parameter.
- B. User-defined internal and external PeopleCode function parameters are always passed by value.
- C. User-defined internal and external PeopleCode function parameters are always passed by reference.

- D. User-defined internal and external PeopleCode function parameters can be passed as input or as output, depending on the function.
- E. User-defined internal and external PeopleCode function parameters can be passed by reference or by value, depending on the function.

Answer: C

QUESTION NO: 6

Select the two rules about PeopleSoft prompt table mechanics. (Choose two.)

- A. The prompt matches fields based on name, data type, and length.
- B. The prompt automatically filters the rows based on higher-level key values in the buffer.
- C. The prompt selects the highest-level key on the prompt record definition unless the EFFDT field is present.
- D. The prompt automatically selects for the lowest-level key on the prompt record definition ignoring the EFFDT and EFF_STATUS fields.

Answer: B,D

QUESTION NO: 7

Select the two characteristics of summary pages that set them apart from non-summary pages. (Choose two.)

- A. They are display-only.
- B. They contain only level zero.
- C. They typically contain no related fields.
- D. They reference one record definition.

Answer: A,C

QUESTION NO: 8

Here is a partial list of events in the Component Processor flow.

1. SQL select
2. Search page
3. Record defaults
4. Add row to buffer
5. Standard system field edits
6. Wait for user interaction

What is the correct order?

- A. 1, 2, 3, 4, 5, 6
- B. 2, 1, 4, 3, 6, 5
- C. 6, 2, 1, 4, 3, 5
- D. 2, 1, 3, 4, 5, 6
- E. 2, 4, 5, 1, 3, 6

Answer: B

QUESTION NO: 9

Select the three primary advantages of using the Message Catalog. (Choose three.)

- A. Messages are reusable.
- B. You can enter messages through a browser.
- C. Developers can secure messages through Definition Security.
- D. Developers can search for and use messages in Application Designer.
- E. Messages in the catalog are easier to translate in globalization situations.

Answer: A,B,E

QUESTION NO: 10

View the Exhibits:

The image displays two separate windows from an Oracle Forms application. Both windows have a header bar with 'Student ID: NNNNN' and a long password field.

Top Window (Courses Completed):

	Course Code	Course Description	Course Type	Session
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Bottom Window (Experience):

	Skill	Description	Proficiency
1			
2			
3			
4			
5			

A vertical scroll bar is visible on the right side of the bottom window. A watermark 'ActualTests' is diagonally across the windows.

Examine the two pages and select the correct statement.

- A. You can group these pages in the same component.
- B. You cannot group these pages in the same component.

Answer: A

QUESTION NO: 11

Select the four items that you can use as translate values for the COLOR field. (Choose four.)

- A. BLK
- B. W-02
- C. BRWN
- D. PURPL
- E. BLACK
- F. 1-BL

Answer: A,B,C,F

QUESTION NO: 12

View the Exhibit:

1	<pre>If All(PSU_CRS_SESSN.START_DATE, PSU_CRS_SESSN.END_DATE) And PSU_CRS_SESSN.START_DATE > PSU_CRS_SESSN.END_DATE Then Error MsgGet(1040, 3, "Message Not Found") End-If;</pre>
2	<pre>If PSU_EMP_RVW_RVR.REVIEW_TYPE = "E" Then COMMENT Reviewer is an employee; COMMENT Disable REVIEWER_ID; PSU_EMP_RVW_RVR.REVIEWER_ID.Value = PSU_EMP_RVW_RVR.EMPLID; PSU_EMP_RVW_RVR.REVIEWER_ID.Enabled = False; End-If;</pre>
3	<pre>Local Message &request, &response; Local Row &Row; Local Rowset &Rowset;</pre>
4	<pre>Local Field &CrsType; &CrsType = GetField(PSU_COURSE_TBL.COURSE_TYPE); &CrsType.Value = "H"; &CrsType.Enabled = False;</pre>
5	<pre>&OLD_PRICE > &TOTAL_PRICE; &TOTAL_PRICE = &QTY_ORDERED * &PRICE; &GRAND_TOTAL = &GRAND_TOTAL + &TOTAL_PRICE - ActualTests &OLD_PRICE;</pre>

Which two PeopleCode snippets contain syntax errors? (Choose two.)

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: B,E

QUESTION NO: 13

View the Exhibit:

Will this component be accessed as target content or as a homepage pagelet?

Target Content Homepage Pagelet

Portal Name:	EMPLOYEE	Select...	Open Selected
Folder Name:	PSU_EMPLOYEE	Select...	Open Selected
Content Reference Name:	TS_EMP REVIEW_GBL		
Content Reference Label:	Appraisals		
Long Description (254 Character)	Enter, modify, and view employee reviews		
Sequence Number:	5	Product:	PT
Template Name:	DEFAULT_TEMPLATE		
Object Owner Id:			
Node Name:	PSFT_TRN	Select...	Open Selected
<input type="checkbox"/> Always use default local node? Enter the base URI to be used when you click the "Open Selected" buttons. Example: http://localhost:psp/ps/ "Open" URI Base: http://eddpr40p1.us.oracle.com:8010/psp/T1B84801 ActualTests			

You begin to register a component using the registration wizard. Based on the values that appear in the dialog box, select the best course of action.

- A. Continue registering the component as it is.
- B. Stop the registration process to investigate why this component is already registered.
- C. Change the user-facing fields to mixed case and make them less technical and then continue registering the component.

Answer: A

QUESTION NO: 14


Select the three tasks that you can perform using the Registration Wizard.
(Choose three.)

- A. Add pages to existing components.
- B. Add components to existing menus.
- C. Add components to a portal registry.
- D. Add components to a permission list.
- E. Create new menus and add components to the new menus.

Answer: B,C,D

QUESTION NO: 15

View the Exhibit:



Based on this Build dialog box, select the two options that are true. (Choose two.)

- A. When you click the Build button, the TS_EMP tables are created.
- B. When you click the Build button, nothing happens to your database.
- C. When you click the Build button, the TS_EMP tables may lose existing data.
- D. When you click the Build button, the TS_INSTSCHD_VW view is created.
- E. When you click the Build button, Application Designer generates a script file.

Answer: B,E

QUESTION NO: 16

What type of PeopleCode looping construct continues to loop as long as the logical_expression evaluates to TRUE?

- A. For
- B. While

- C. Do While
- D. Do Until
- E. Repeat-Until

Answer: B

QUESTION NO: 17

View the Exhibit.

Look Up State

Country: JPN

State: begins with

Look Up **Clear** **Cancel** [Basic Lookup](#)

Search Results

View All First 1-47 of 47 Last

State	Description
<u>01</u>	<u>Hokkaido</u>
<u>02</u>	<u>Aomori-Ken</u>
<u>03</u>	<u>Iwate-Ken</u>
<u>04</u>	<u>Miyagi-Ken</u>
<u>05</u>	<u>Akita-Ken</u>
<u>06</u>	<u>Yamagata-Ken</u>
<u>07</u>	<u>Fukushima-Ken</u>

ActualTests

Select the prompt record definition that generates the Look Up State prompt dialog page as displayed.

A.

STATE_PRMPT_VW (Record)											
Record Fields		Record Type									
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audit	Default
1	COUNTRY	Char	Key	1	Asc	No	No	No		'JPN'	
2	STATE	Char	Key	2	Asc	No	No	No			
3	DESCR	Char				No	Yes	No			
4	NUMERIC_CD	Char				No	No	No			
5	DESCR_AC	Char				No	No	No			
6	SYNCID	Nbr				No	No	No			
7	SYNCDTTM	DtTm				No	No	No			

B.

STATE_PRMPT_VW (Record)											
Record Fields		Record Type									
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audit	Default
1	COUNTRY	Char	Key	1	Asc	No	No	No		'JPN'	
2	STATE	Char	Key	2	Asc	Yes	Yes	No			
3	DESCR	Char				No	Yes	No			
4	NUMERIC_CD	Char				No	No	No			
5	DESCR_AC	Char				No	No	No			
6	SYNCID	Nbr				No	No	No			
7	SYNCDTTM	DtTm				No	No	No			

C.

STATE_TBL (Record)											
Record Fields		Record Type									
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audit	Default
1	COUNTRY	Char	Key	1	Asc	Yes	No	No			
2	STATE	Char	Key	2	Asc	Yes	Yes	No			
3	DESCR	Char				No	Yes	No			
4	NUMERIC_CD	Char				No	No	No			
5	DESCR_AC	Char				No	No	No			
6	SYNCID	Nbr				No	No	No			
7	SYNCDTTM	DtTm				No	No	No			

D.

STATE_TBL (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audit
1	COUNTRY	Char	Key	1	Asc	Yes	No	No		
2	STATE	Char	Key	2	Asc	Yes	Yes	No		
3	DESCR	Char				No	Yes	No		
4	NUMERIC_CD	Char				No	No	No		
5	DESCR_AC	Char				No	No	No		
6	SYNCID	Nbr				No	No	No		
7	SYNCDTTM	DtTm				No	No	No		

ActualTests

A. C

Answer: A**QUESTION NO: 18**

The Run Status column on the Process List page indicates the current state of a process.

Assume that the Process Scheduler server is running, which three statements are true regarding the Run Status column on the Process List page? (Choose three.)

- A. Initiated status indicates that a PeopleSoft Process Scheduler Server has acknowledged the new request. At this time, PeopleSoft Process Scheduler validates the parameters that are associated with this request and submits the command line to start the process.
- B. Queued status indicates that this process has successfully initiated the program and the program is running.

- C. Pending status indicates that this item is waiting for a previous item in the job before PeopleSoft Process Scheduler releases this item. When the previous item has completed successfully, PeopleSoft Process Scheduler changes the status of the item to Queued.
- D. Processing status indicates that PeopleSoft Process Scheduler has successfully initiated the program, and that the program is running.
- E. No Success status is same as the Error status, which indicates that the program that is associated with the process request encountered an error while processing transactions within the program.

Answer: A,C,D

QUESTION NO: 19

For the Employee Expenses application, a PeopleCode program could be placed either on the EMPLOYEE record or on the EMP_EXPENSE component. You decide to place it on the component. Which is a valid reason for choosing to place the program on the component instead of the record?

- A. The program updates multiple database tables.
- B. The program validates data across multiple records.
- C. Component PeopleCode executes before record PeopleCode, so it is more efficient.
- D. The record definition is used on several components, but this program should run only on this component.
- E. The program initializes fields on the search page, and the search record is associated with the component.
- F. The component contains several record definitions and you do not want to duplicate the code in each record.
- G. Component PeopleCode is more reusable because component PeopleCode is available for execution on other components.

Answer: D

QUESTION NO: 20

Select three steps that you perform when you create a subrecord. (Choose three.)

- A. Insert fields.
- B. Build the record.
- C. Set field properties.
- D. Set record field properties.
- E. Select the SubRecord record type.

Answer: A,D,E**QUESTION NO: 21**

Examine this PeopleCode snippet:

```
SetDefault(ORDER.DATE);
```

Select the object-oriented equivalent.

- A. &Field = GetField(ORDER.DATE);
&Field.SetDefault();
- B. &Field = CreateField(ORDER.DATE);
&Field.SetDefault();
- C. &Field = GetField(ORDER.DATE);
&Field(SetDefault);
- D. &Field = CreateField(ORDER.DATE);
&Field.SetDefault = True;
- E. &Field = CreateField();
&Field.SetDefault(ORDER.DATE);

Answer: A**QUESTION NO: 22**

View the Exhibit.


Maintain Purchase Orders
Enter any information you have and click Search. Leave fields blank for a list of all values.

Use Saved Search:

Business Unit: begins with

Order Number: begins with

Order Date:



Select the record definition that builds this search page.

A.

PSU_PO_HDR (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt
1	SAVED_SEARCH	Char	Key	1	Asc		Yes	Yes	No	
2	BUSINESS_UNIT	Char	Key	2	Asc		Yes	Yes	No	
3	ORDER_NBR	Char	Key	3	Asc		Yes	Yes	No	
4	ORDER_DT	Date	Alt		Asc		No	Yes	No	

B.

PSU_PO_HDR (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt
1	BUSINESS_UNIT	Char					No	No	No	
2	ORDER_NBR	Char	Key	1	Asc		Yes	Yes	No	
3	ORDER_DT	Date	Alt		Asc		No	Yes	No	

C.

PSU_PO_HDR (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt
1	BUSINESS_UNIT	Char	Key	1	Asc		Yes	Yes	No	
2	ORDER_NBR	Char	Key	2	Asc		Yes	Yes	No	
3	ORDER_DT	Date	Alt		Asc		No	Yes	No	

D.

PSU_PO_HDR (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt
1	BUSINESS_UNIT	Char	Key	1	Asc		No	Yes	No	
2	ORDER_NBR	Char	Key	2	Asc		Yes	Yes	No	
3	ORDER_DT	Date			Asc		No	Yes	No	ActualTests

A. C

Answer: A

QUESTION NO: 23

Which are the two PeopleCode row action events? (Choose two.)

- A. RowInsert
- B. RowDelete
- C. RowInit
- D. RowSelect
- E. PreBuild
- F. PostBuild

Answer: A,B

QUESTION NO: 24

Select the correct syntax for a PeopleCode conditional statement.

A. If condition Then

<PeopleCode statement(s)>;

[Else

<PeopleCode statement(s)>;]

B. If condition Then

<PeopleCode statement(s)>;

[When other

<PeopleCode statement(s)>;]

End-If;

C. When condition Then

<PeopleCode statement(s)>;

[Else when

<PeopleCode statement(s)>;]

End-If;

D. If condition

<PeopleCode statement(s)>;

[Else

<PeopleCode statement(s)>;]

End-If;

E. If condition Then

<PeopleCode statement(s)>;

[Else

<PeopleCode statement(s)>;]

End-If;

Answer: E

QUESTION NO: 25

Select the correct order for the process flow for implementing tableset sharing.

- 1) Create logical Set IDs.
- 2) Map set control values in the Tableset Control.
- 3) Run the Alter tables process.
- 4) Create or modify record groups.
- 5) Add the SETID field to the control table record definition.

- 6) Modify transaction table and control table page definitions.
 - 7) Add the BUSINESS_UNIT field to the transaction table record definition.
 - 8) Define the Set Control Field.
- A. 6, 5, 7, 3, 8, 1, 2, 4
B. 8, 1, 2, 4, 5, 6, 7, 3
C. 7, 8, 5, 1, 4, 2, 3, 6
D. 7, 5, 8, 3, 6, 1, 4, 2
E. 1, 2, 4, 5, 7, 3, 8, 6

Answer: D

QUESTION NO: 26

Which definition potentially has the most far-reaching consequences if it is modified?

- A. Field definition
- B. Record definition
- C. Page definition
- D. Component definition
- E. Menu definition

Answer: A

QUESTION NO: 27

Which three statements are true when you want to view queries? (Choose three.)

- A. You can view all public queries, and private queries that are in your list of queries.
- B. If you want to run queries that are not saved in PeopleSoft Query, you can use the Run page in Query Manager.
- C. Query Viewer is a version of Query Manager. It has the same functions, but in a different view.
- D. You can run a predefined query from your browser and view it online using any of the following links on the Query Manager search page: HTML, Excel, or Schedule.
- E. If you want to run multiple queries and run each query multiple times with different run-time prompt values, the Run page is more useful than the HTML, Excel, or Schedule links on the Query Manager search page.

Answer: B,D,E

QUESTION NO: 28

Within the component processor flow, field action processing is initiated when _____.

- A. a field value is changed
- B. a user changes a value in a field
- C. the component build process completes
- D. a user enters an incorrect value in a field
- E. a user changes a value in a field and exits the field or saves

Answer: E

QUESTION NO: 29

Select the three best practices for portal navigation design. (Choose three.)

- A. Design for a flat taxonomy.
- B. Order content references and folders alphabetically.
- C. Clearly describe each level in the taxonomy using mouse-over text in sentence case.
- D. Clearly label each level in the taxonomy, repeating the primary business process name if necessary.
- E. Limit the contents of a folder so that folder and content references combined are visible to the end user.

Answer: A,C,E

QUESTION NO: 30

You can print the report after running the Crystal report and saving the file. Which three options are true when printing a Crystal report? (Choose three.)

- A. To print HTML reports from Crystal Reports, open the appropriate HTML file and print it from the browser.
- B. Before you print a Crystal report, you must modify a query to include additional fields and you need to modify the report definition in Crystal Reports.
- C. As with many Microsoft Windows applications, you can choose to print the entire report or only a few pages, specify the number of copies to print, and indicate whether you want the copies collated.
- D. If you want to update and print the report from within Crystal Reports, the query and report names must match to use the formatting that you just created in Crystal Reports every time you print the report.
- E. If you want to run your report directly from Microsoft Windows-based PeopleSoft Query, the query and report names must match to use the formatting that you just created in Crystal Reports

every time you print the report.

Answer: A,C,E

QUESTION NO: 31

Examine this PeopleCode snippet:

```
Local Rowset &RSCUST, &RSSTUD;  
&RSCUST = GetRowset(RECORD.CUST_TBL);  
&RSSTUD = CreateRowset(RECORD.STUDENT_TBL);  
&RSCUST.CopyTo(&RSSTUD, RECORD.CUST_TBL, RECORD.STUDENT_TBL);
```

Select the two correct statements. (Choose two.)

- A. &RSCUST is a stand-alone rowset object that references the rows in PS_CUST_TBL.
- B. &RSSTUD is a stand-alone rowset object that references the rows in PS_STUDENT_TBL.
- C. &RSCUST is a rowset object that references the component buffer data for the CUST_TBL record.
- D. &RSCUST is a stand-alone rowset object based on the structure of the CUST_TBL record definition.
- E. &RSSTUD is a rowset object that references the component buffer data for the STUDENT_TBL record.
- F. &RSSTUD is a stand-alone rowset object based on the structure of the STUDENT_TBL record definition.

Answer: C,F

QUESTION NO: 32

Select three true statements about the structure of PeopleSoft databases. (Choose three.)

- A. The standard suffix for a prompt table is _TBL.
- B. System catalog table names vary based on database platform.
- C. PSXLATITEM is a PeopleTools table that stores translate values.
- D. PS_PAGEDEFN is a PeopleTools table that stores page metadata.
- E. Application data table structure is based on related language tables metadata.
- F. The standard categories of tables in a PeopleSoft database are the system catalog tables, the PeopleTools tables, the related language tables, and the application data tables.

Answer: A,B,C

QUESTION NO: 33

Which is a valid use of errors and warnings in the PeopleCode row action events?

- A. Place an error statement in RowDelete to prevent a row from being deleted.
- B. Place an error statement in RowInsert to prevent a row from being inserted.
- C. Place a warning statement in RowInsert to give the user an opportunity to accept the insert or cancel it.
- D. Place an error statement in RowInsert to give the user an opportunity to accept the insert or cancel it.
- E. Place an error statement in RowDelete to give the user an opportunity to accept the delete or cancel it.

Answer: A

QUESTION NO: 34

Which three features have the greatest effect on buffer allocation performance? (Choose three.)

- A. Search keys
- B. Related fields
- C. Nested scroll areas
- D. Display control fields
- E. PeopleCode references to other record definitions

Answer: B,C,E

QUESTION NO: 35

Which three statements are true when you modify the default settings in Crystal Reports? (Choose three.)

- A. To add a Print Date field, you drag the Print Date field from the Field Explorer to the appropriate area of the report.
- B. To change fonts in a report, you select the text, double-click it, and then select the appropriate font, style, size, and color from the tool bar.
- C. To change default column headings of a report, you can either double-click the column heading that you want to change or click the text object and select Edit, Edit Text. Then, edit the text and click a blank area of the report to deselect the column headings.
- D. If you modify a query to include additional fields, you need to modify the report definition in Crystal Reports to include the new fields in your report. To modify the report definition, select the

Verify Database option from the Database menu.

E. You can make the column headings as long as you want. If you make them much longer than the current heading, Crystal Reports will automatically enlarge the text box to fit your new heading.

Answer: A,C,D

QUESTION NO: 36

Select three differences between derived/work fields and SQL table fields. (Choose three.)

- A. Derived/work fields cannot contain PeopleCode.
- B. Derived/work fields cannot have prompt table edits.
- C. Users cannot change values in derived/work fields.
- D. Derived/work field values are not stored in the database.
- E. Standard system validations, such as data type, are not applied on derived/work fields.
- F. Derived/work fields can be placed at any level of the page without violating page-order rules.
- G. Only those derived/work fields that are on a page or that are referenced by PeopleCode are loaded into the component buffer.

Answer: D,F,G

QUESTION NO: 37

To use the PeopleCode Debugger, you open a program in the PeopleCode Editor, set a breakpoint, and then access the point in the application at which the PeopleCode program runs. The Debugger synchronizes correctly with the application only if _____.

- A. the application server and Application Designer are on the same machine
- B. Application Designer is connected to the application database in a two-tier mode
- C. Application Designer and the database are both in the same application server domain
- D. Application Designer is connected to the application database in a three-tier mode, using the application server

Answer: D

QUESTION NO: 38

You are testing a completed application and you see an incorrect label on one field on the page. Select the option that is the best course of action to correct this problem.

- A. Change the item label name in the component definition.

- B. Select the correct record field label on the record definition.
- C. Enter the correct field label as text on the page field definition.
- D. Change the default label on the field definition to the correct label.

Answer: B

QUESTION NO: 39

Select three rules for PeopleCode user-defined variables. (Choose three.)

- A. User-defined variables must begin with %.
- B. The variable name can be up to 1,000 characters long.
- C. The variable name must be at least eight characters long.
- D. User-defined string variables begin with \$ and numeric variables begin with #.
- E. The variable name must contain at least one numeric character and one uppercase character.
- F. If a variable has not been declared before it is used, it is automatically declared as Local Any.
- G. Component and global scope variables must be declared before the first line of executable code.

Answer: B,F,G

QUESTION NO: 40

The PeopleSoft Process Scheduler Server Agent should not run continuously. To control its activity, you can schedule a non-running time for the server. This non-running time refers to the number of seconds that you want the agent to wait before it checks for queued process requests in the Process Request table. To set the non-running time for the server, which option do you need to set?

- A. The Heartbeat field on the Server Definition page.
- B. The Max Concurrent field on the Distribution page.
- C. The Sleep Time field on the Server Definition page.
- D. The Start Time and End Time fields on the Operation page.
- E. The Server Load Balancing Option field on the Operation page.

Answer: C

QUESTION NO: 41

This PeopleCode snippet creates a record object, where TASK and RESOURCE_NAME are keys on TASK_RSRC.

```
&MyRec = CreateRecord(Record.TASK_RSRC);
&MyRec.TASK.Value = &Task;
&MyRec.RESOURCE_NAME.Value = &Resource;
```

Which method will populate the record object with one row from PS_TASK_RSRC?

- A. Insert
- B. Fetch
- C. Update
- D. Execute
- E. SelectByKey

Answer: E

QUESTION NO: 42

Signon PeopleCode is commonly used to _____.

- A. validate page data
- B. audit data changes
- C. migrate user profiles between databases
- D. apply personalizations to the user home page
- E. validate a user ID and password against a directory server

Answer: E

QUESTION NO: 43

View the Exhibit.

Psu Cust Order

Customer: CONS Consulting Services	Order Date: 10/01/1999	Order Number: 00000019				
Status Date: 10/01/1999	Order Status: Initial	Delivery Method: FEDX				
Order Details Customize Find Print First <input checked="" type="checkbox"/> 1-3 of 3 <input type="checkbox"/> Last						
<u>Order Line Number</u>	<u>Item Code</u>	<u>Description</u>	<u>Quantity</u>	<u>Price</u>	<u>Total Price</u>	<u>Fill Status</u>
1	1 2000	HP 1600 Multiplexer	20	221.00	4420.00	<input checked="" type="checkbox"/>
2	2 4000	Coaxial cable 9ft	30	8.00	240.00	<input type="checkbox"/>
3	3 6000	Mondo Modem 56	50	68.00	3400.00	<input type="checkbox"/>

ActualTests
Grand Total: 8060.00

PeopleCode is used to update the Grand Total field when a change is made to the Customer Orders page. On which three events should the program be placed? (Choose three.)

- A. RowInit
- B. RowDelete
- C. RowInsert
- D. FieldEdit
- E. FieldChange
- F. SavePreChange
- G. SavePostChange

Answer: A,B,E

QUESTION NO: 44

Select four PeopleSoft field definition types. (Choose four.)

- A. VarChar
- B. Integer
- C. Number
- D. Binary
- E. Long Character
- F. BLOB
- G. Image
- H. ImageReference

Answer: C,E,G,H

QUESTION NO: 45

Which PeopleCode event would you use to validate the search key?

- A. SearchInit
- B. SearchSave
- C. SearchEdit
- D. EditSearch
- E. InitSearch

Answer: B

QUESTION NO: 46

The primary role of Oracle's PeopleSoft Process Scheduler is to support the PeopleSoft application environment. Which three statements are true regarding the usage and advantages of PeopleSoft Process Scheduler? (Choose three.)

- A. You can perform certain processes (such as running reports, loading benefit enrollment forms, calculating payroll deductions, and so on) in the background of the online system.
- B. PeopleSoft Process Scheduler has two purposes. The first is to provide different methods of viewing reports, based on the level of access granted. The second is to assign users to a Report Manager Administration role in PeopleSoft Security, so they can delete reports from the database.
- C. You can take advantage of the distributed computing environment at your site, whereby you can schedule performance-sensitive jobs to run on a powerful server while the online system is still available to end users.
- D. You can extract the precise information that you are looking for by using visual representations of your PeopleSoft database, without writing SQL statements.
- E. You can schedule a process request to run on any date or during any time interval that your business requires, such as monthly, daily, hourly, or by the minute.

Answer: A,C,E

QUESTION NO: 47

View the Exhibit.



What is OCP?

- A. a page definition
- B. a record definition
- C. an application class
- D. an application package
- E. a presentation definition
- F. an application class superclass
- G. an application class subpackage

Answer: D

QUESTION NO: 48

You attempt to drag the ADDR_SBP subpage into the PSU_HOTEL page. The insert gives you an error and fails. Select the most likely reason why this occurred.

- A. The Page Type property of the ADDR_SBP subpage was not set to 'subpage'.
- B. The Subpage Record Name Substitution property was not set to the correct record.
- C. The autosize setting on the subpage was not set and the subpage was too big for the page.
- D. The autosize setting on the page was not set and the page cannot expand to accommodate the subpage.

Answer: A

QUESTION NO: 49

Examine this PeopleCode snippet:

```
Local Rowset &RS_Level0, &RS_Level1;
Local Row &Row_Level0, &Row_Level1;
Local Record &Rec_EMP;
Local Field &Fld_ROLE;
&RS_Level0 = GetLevel0();
&ROW_Level0 = &RS_Level0.GetRow(1);
```

If this is the beginning of a program that will traverse the data buffer to access values at level 1, which would be the next valid PeopleCode statement?

- A. &Row_Level1 = GetRow(&l);
- B. &Row_Level1 = &RS_Level1.GetRow(&l);
- C. &RS_Level1 = &Row_Level0.GetRowSet(SCROLL.DEPT);
- D. &REC_TASKRSRC = &Row_Level1.GetRecord(RECORD.EMP);
- E. &FLD_PCTAVAIL = &REC_TASKRSRC.GetField(FIELD.ROLE);

Answer: C

QUESTION NO: 50

View the Exhibit.

You design the shown page. You write PeopleCode on the Review Type field that enables the Reviewer ID field for any review type other than Self Assessment. Select the option that best describes the most efficient configuration of processing modes for this application.

- A. The component is in deferred mode.
The page is in interactive mode.
The Review Type field is in deferred mode.
- B. The component is in interactive mode.
The page is in deferred mode.
The Review Type field is in deferred mode.
- C. The component is in deferred mode.
The page is in deferred mode.
The Review Type field is in interactive mode.
- D. The component is in deferred mode.
The page is in deferred mode.
The Review Type field is in deferred mode.

Answer: C

QUESTION NO: 51

Oracle's PeopleSoft Query uses query access group trees to control security of the tables in your PeopleSoft database. Which three statements are true regarding query access group trees?
(Choose three.)

- A. You define a hierarchy of record components, based on logical or functional groupings, and then give users access to one or more branches of the tree.
- B. After you build your query access group trees, users are granted access by default to create new queries and to run existing queries, and they have the access rights to the record components that are used in the queries.
- C. Users can use PeopleSoft Query to retrieve information only from those tables with record definitions they have access to.
- D. You can create, view, and update query access group trees using PeopleSoft Query Access Manager.
- E. After you build a query tree, users can then generate queries on any tables that exist in the database.

Answer: A,C,D

QUESTION NO: 52

View the Exhibit.

The screenshot shows a PeopleSoft FieldChange program window titled "PSU_EMP REVIEW.GBL.PSU_EMP_RVW_RVR.REVIEW_TYPE.FieldChange (Component PeopleCode)". The code is written in PeopleCode and handles the "REVIEW_TYPE" field. It checks the value of "REVIEWER_ID" and sets "DERIVED.EDITTABLE" accordingly based on the value of "REVIEW_TYPE". The code branches into four cases: "S" (Supervisor review), "F" (Performance review), "P" (Peer review), and "E" (Self review). The "ActualTests" tab is visible at the bottom right.

```

REVIEW_TYPE (field) FieldChange
/* Need to blank out REVIEWER_ID when Type changes
** and enable REVIEWER_ID */

PSU_EMP_RVW_RVR.REVIEWER_ID.SetDefault();
PSU_EMP_RVW_RVR.REVIEWER_ID.Enabled = True;

Evaluate PSU_EMP_RVW_RVR.REVIEW_TYPE
When = "S"
  /* Supervisor review */
  DERIVED.EDITTABLE = "PSU_SUPVR_VW";
  Break;
When = "F"
  /* Performance review */
When = "P"
  /* Peer review */
  DERIVED.EDITTABLE = "PERSONAL_DATA";
  Break;
When = "E"
  /* Self review */
  DERIVED.EDITTABLE = "NONE";
  /* Also need to populate field with EMPLID
  ** and disable the field */

```

This FieldChange program conditionally populates DERIVED.EDITTABLE, based on the value of PSU_EMP_RVW_RVR.REVIEW_TYPE. Another similar program should be placed in a companion event. In which other event should the other PeopleCode program be placed?

- A. FieldEdit
- B. RowInit
- C. RowInsert
- D. SavePreChange
- E. SavePostChange

Answer: B

QUESTION NO: 53

In Crystal Reports, you use the Design tab to format reports. Which three statements are true regarding the usage of the Design tab? (Choose three.)

- A. It is used to enter the title of the report and other information that you want to appear at the top of the first page and at the bottom of the page.
- B. It is used to display the rows of data from your database.
- C. It is used to preview your report in portrait or landscape orientation according to the number and width of the columns that are in your query.
- D. It is used to enter or modify the column headings and other identifying information that you want to appear at the top of each page.
- E. It is used to define the default language of your reports based on the languages that you license when you purchased Oracle's PeopleSoft Enterprise software.

Answer: A,B,D**QUESTION NO: 54**

View the Exhibit.

You access a content reference and see the search page shown. Select the property that you must change so that the search page title is more descriptive.

PSU_COURSE
Enter any information you have and click Search. Leave fields blank for a list of all values.

Course Code:
Course Description:

Include History Correct History Case Sensitive

ActualTests

- A. Menu item label
- B. Component item label
- C. Record definition label
- D. Search page item label

Answer: A**QUESTION NO: 55**

Which PeopleCode event is used to populate a field only if the field is empty?

- A. RowInit
- B. PreBuild
- C. RowSelect
- D. PostBuild
- E. FieldDefault
- F. FieldFormula

Answer: E

QUESTION NO: 56

Select the two true statements about the Web server and the application server. (Choose two.)

- A. Executables reside on the application server.
- B. PeopleSoft services generally run from the Web server.
- C. The Web server caches images, style sheets, and JavaScript.
- D. The application server stores user data until the Web server connects with and writes the values to the database server.
- E. Under certain development configurations, you can connect the browser directly to the database server for testing purposes.

Answer: A,C

QUESTION NO: 57

Match each description with a PeopleCode data buffer access object.

- a. A component scroll
- b. Consists of one or more records of data
- c. Can have zero, one, or more child rowsets
- d. Consists of one or more fields

A. a - Rowset

b - Row

c - Row

d - Record

B. a - Record

b - Row

c - Row

d - Record

C. a - Rowset

b - Rowset

c - Row

d - Field

D. a - Record

b - Rowset

c - Row

d - Record

E. a - Rowset

b - Row

c - Record

d - Field

Answer: A**QUESTION NO: 58**

View the Exhibit.

PSU_CRSE_SRCH (Record)

Num	Field Name	Type	Key	Ord	Dir	CurC	Sich	List	Sys
1	COURSE	Char	Key	1	Asc		Yes	Yes	No
2	EFFDT	Date	Key	2	Desc		No	No	No
3	EFF_STATUS	Char					No	No	No
4	DESCR	Char	Alt		Asc		No	Yes	No
5	COURSE_TYPE	Char					No	No	No

Select the advanced search page that this record definition will generate.

Enter any information you have and click Search. Leave fields blank for a list of all values.

Find an Existing Value **Add a New Value**

Course Code:	begins with	<input type="text"/>
Effective Date:	=	<input type="text"/>
Course Description:	begins with	<input type="text"/>

A.

Enter any information you have and click Search. Leave fields blank for a list of all values.

Find an Existing Value **Add a New Value**

Course Code:	begins with	<input type="text"/>
Effective Date:	=	<input type="text"/>
Status as of Effective Date:	=	<input type="text"/>
Course Type:	=	<input type="text"/>
Course Description:	begins with	<input type="text"/>

B.

Enter any information you have and click Search. Leave fields blank for a list of all values.

Find an Existing Value **Add a New Value****Search by:** Course Code begins with

C.

Enter any information you have and click Search. Leave fields blank for a list of all values.

Find an Existing Value **Add a New Value**

Course Code:	begins with	<input type="text"/>
Course Description:	begins with	<input type="text"/>

ActualTests

D.

A. D

Answer: A**QUESTION NO: 59**

View the Exhibit.

Customer: GCAN Great Canadian Flag Order 10/01/1999 Order Number: 00000021 Date:

Status Date: 10/01/1999 Order Status: Open Delivery Method:

Order Details							Customize	Find	First	1-3 of 3	Last	
Order Line Number	Item Code	Description	Quantity	Price	Total Price	Fill Status						
1	1 6000	Mondo Modem 56	<input type="text" value="1"/>	68.00	68.00	<input checked="" type="checkbox"/>	<input type="button" value="+"/>	<input type="button" value="-"/>				
2	2 5000	24 Pin Cable 6 ft	<input type="text" value="1"/>	5.00	5.00	<input checked="" type="checkbox"/>	<input type="button" value="+"/>	<input type="button" value="-"/>				
3	3 7000	Computer Toolkit	<input type="text" value="1"/>	17.95	17.95	<input type="checkbox"/>	<input type="button" value="+"/>	<input type="button" value="-"/>				

ActualTests

The Customer Orders page has a requirement that Order Status cannot be changed to Closed if Fill Status is for any row in Order Details. You write a FieldChange PeopleCode program with a loop to check the values of Fill Status. Each loop increments &i. Which statement would you use in the loop to check Fill Status?

- A. &status = FetchValue(Scroll.ORDER_DTL, &i, ORDER_DTL.FILL_STATUS);
- B. &status = FetchValue(&i, ORDER_DTL.FILL_STATUS);
- C. &status = FetchValue(ORDER_DTL.FILL_STATUS, &i);
- D. &status = FetchValue(ORDER_DTL.FILL_STATUS);
- E. &status = ORDER_DTL.FILL_STATUS;

Answer: A**QUESTION NO: 60**

Select two options that demonstrate referential integrity in PeopleSoft applications. (Choose two.)

A.

PSU_ITEM_TBL (Record)						
Record Fields		Record Type				
Num	Field Name	Type	Len	Format	Short Name	Long Name
1	SETID	Char	5	Upper	SetID	SetID
2	ITEM_CD	Char	6	Upper	Item	Item Code
3	EFFDT	Date	10		Eff Date	Effective Date
4	EFF_STATUS	Char	1	Upper	Status	Status as of Effective D
5	DESCR	Char	30	Mixed	Descr	Description
6	PRICE	Nbr	6.2		Price	Price
7	DESCRLONG	Long	0		Descr	Description

A.

B.

PSU_PO_HDR (Record)					
Record Fields		Record Type			
Num	Field Name	Type	Req	Edit	Prompt Table
1	ORDER_NBR	Char	Yes		
2	BUSINESS_UNIT	Char	Yes	Prompt	PSU_UNIT_TBL_TR
3	ORDER_DT	Date	Yes		
4	VENDOR_CD	Char	No	Prompt	PSU_VENDOR_TBL
5	ORDER_STATUS	Char	No	Xlat	
6	STATUS_DT	Date	No		
7	DELIVER_METHOD	Char	No	Prompt	PSU_TRANSPT_TBL
8	ADDED_BY	Char	No		
9	APPR_STATUS	Char	No	Xlat	
10	APPR_INSTANCE	Nbr	No		

B.

C.

```
PSU_CUST.GBL.SavePostChange (Component PeopleCode)
PSU_CUST.GBL (component) SavePostChange

If FieldChanged(PSU_CUST_TBL.STREET1) Or
  FieldChanged(PSU_CUST_TBL.CITY) Or
  FieldChanged(PSU_CUST_TBL.STATE) Or
  FieldChanged(PSU_CUST_TBL.ZIP) Or
  FieldChanged(PSU_CUST_TBL.COUNTRY) Or
  FieldChanged(PSU_CUST_TBL.PHONE) Then
  SQLExec("Update PS_PSU_STUDENT_TBL set STREET1 = :1, CITY = :2, STATE = :3,
ZIP = :4, COUNTRY = :5, PHONE = :6 Where CUSTOMER_ID = :7 and SAME_ADDR_CUSTOMER
= 'Y' ", PSU_CUST_TBL.STREET1, PSU_CUST_TBL.CITY, PSU_CUST_TBL.STATE,
PSU_CUST_TBL.ZIP, PSU_CUST_TBL.COUNTRY, PSU_CUST_TBL.PHONE,
PSU_CUST_TBL.CUSTOMER_ID);
End-If;
```

C.

D.

PSU_CUST.GBL (Component)				
Definition		Structure		
Page Name	Item Name	Hidden	Item Label	Folder Tab Label
1	PSU_CUST	PSU_CUST_TABLE	<input checked="" type="checkbox"/>	Customer Table


ActualTests

D.

A. BC

Answer: A**QUESTION NO: 61**

View the Exhibit:



You create a new application in your development database. You copy this project from a development to a production database. What two steps must you take to make the new application functional? (Choose two.)

- A. Build the SQL table.
- B. Register the component.
- C. Grant security and navigation.
- D. Visually inspect the page in the browser.
- E. Create a new menu definition for the component.

Answer: A,B

QUESTION NO: 62

View the Exhibit:

PSU_PRODUST_VW (Record)						
Record Fields		Record Type				
Num	Field Name	Type	Len	Format	Short Name	Long Name
1	PRODUCT	Char	3	Upper	Product	PeopleSoft Product
2	CUSTOMER_ID	Char	6	Upper	Customer	Customer
3	DESCR	Char	30	Mixed	Descr	Description
4	PLATFORM	Char	3	Upper	Platform	Database Platform
5	PRODUCTION_STATUS	Char	1	Upper	Prod Status	Production Status

Select the SQL statement that corresponds to the record definition.

- A. SELECT A.PRODUCT_ID
- , A.CUSTOMER
- , B.DESCR
- , A.PLATFORM
- , A.PRODUCTION_STATUS

```
FROM PS_PSU_CUST_PROD A
, PS_PSU_CUST_TBL B
WHERE A.CUSTOMER_ID = B.CUSTOMER_ID
B. SELECT A.PRODUCT
, A.CUSTOMER_ID
, B.DESCR
, A.PRODUCTION_STATUS
FROM PS_PSU_CUST_PROD A
, PS_PSU_CUST_TBL B
WHERE A.CUSTOMER_ID = B.CUSTOMER_ID
C. SELECT A.PRODUCT
, A.CUSTOMER_ID
, B.DESCR
, A.PLATFORM
, A.PRODUCTION_STATUS
FROM PS_PSU_CUST_PROD A
, PS_PSU_CUST_TBL B
WHERE A.CUSTOMER_ID = B.CUSTOMER_ID
D. SELECT A.PRODUCT
, A.CUSTOMER_ID
, B.DESCR
, A.PLATFORM
, A.PRODUCTION_STATUS
FROM PS_PSU_CUST_PROD A
, PS_PSU_CUST_TBL B
WHERE A.CUSTOMER_ID = A.CUSTOMER_ID
```

Answer: C

QUESTION NO: 63


Select the three correct statements about PeopleSoft field definitions. (Choose three.)

- A. Field definitions can have multiple labels.
- B. Some field definition properties can be changed only with PeopleCode.
- C. Modifying a field definition automatically alters all tables in which the field occurs.
- D. After you save a field definition, you cannot change the data type without deleting the field.
- E. Field definitions are stand-alone definitions that do not need to be associated with record definitions.

Answer: A,B,E

QUESTION NO: 64

View the Exhibit:



You created this component with a security search record to retrieve and view only Human Resources (HR) courses. Select the most likely reason why you also configured an Add search record.

- A. You cannot add data through any view.
- B. The component requires the Add action.
- C. The Add search record maintains the row-level security of the search view.
- D. Security search records can contain no search keys and the Add search record defines the search keys for the component.

Answer: C

QUESTION NO: 65

Select the three properties that you can maintain in a PeopleSoft record definition. (Choose three.)

- A. Triggers
- B. PeopleCode
- C. Column order
- D. Record field length
- E. Query Security record
- F. Prompt Security record

Answer: B,C,E

QUESTION NO: 66

What is the maximum number of duplicate levels that you can place on a page?

- A. Zero
- B. One
- C. Two
- D. Three
- E. Four
- F. As many as the page real estate can support

Answer: F

QUESTION NO: 67

Select the three primary purposes for SQL views in PeopleSoft applications. (Choose three.)

- A. Reporting
- B. Filtering rows
- C. Joining tables
- D. Assigning aliases
- E. Rearranging columns

Answer: B,C,E

QUESTION NO: 68

Choose the four statements that are true about PSXLATITEM and its values. (Choose four.)

- A. Translate values are numeric.
- B. Translate values are effective-dated.
- C. Translate values are linked to a field.

- D. Fields can share values in PSXLATITEM.
- E. Translate values should be relatively static.
- F. PSXLATITEM is the name of the PeopleTools translate table.

Answer: B,C,E,F

QUESTION NO: 69

View the Exhibit.

```

SQL PSU_PRODCUST_VW.2 (SQL Definition)

[default]

SELECT A.PRODUCT
, A.CUSTOMER_ID
, B.DESCR
, A.PLATFORM
, A.PRODUCTION_STATUS
FROM PS_PSU_CUST_PROD A
, PS_PSU_CUST_TBL B
WHERE A.CUSTOMER_ID = B.CUSTOMER_ID
AND PRODUCTION_STATUS = 'F'

```

You are building the PSU_PRODCUST_SUMM summary page using the fields in the SQL definition. Select the record definition that you are most likely to associate with the level one fields on this summary page.

- A. PSU_CUST_PROD
- B. PSU_CUST_TBL
- C. PSU_PRODCUST_VW
- D. PSU_PRODCUST_TBL

Answer: C

QUESTION NO: 70

Select the three elements that must be present before registering a component. (Choose three.)

- A. Folder
- B. Primary table

- C. Permission list
- D. Menu definition
- E. Content reference definition

Answer: A,C,D

QUESTION NO: 71

Select the two field types that should be placed as the last field in the list of fields in a PeopleSoft record definition. (Choose two.)

- A. Image
- B. Prompt
- C. Character
- D. Attachment
- E. Long character
- F. ImageReference

Answer: A,E

QUESTION NO: 72

Select the two true statements about the PeopleSoft application development process. (Choose two.)

- A. The steps build on each other and should be completed in a definite order.
- B. The process can be divided into four phases: planning, data design, user interface design, testing.
- C. During the process, you define or use fields, records, pages, component interfaces, and menus.
- D. During the process, you use Application Designer to manipulate the structure of the PeopleTools tables.
- E. During the process, you use Application Designer to create pages, which are stored as HTML in the PeopleTools tables.

Answer: A,B

QUESTION NO: 73

Select three attributes of messages in the Message Catalog. (Choose three.)

- A. Messages are reusable.

- B. Message size can be limited.
- C. Messages are accessible through PeopleCode.
- D. Message severity can be set at the message level.
- E. Message text can be secured at the database level.

Answer: A,C,D

QUESTION NO: 74

Which PeopleCode statement would you use to instantiate an unpopulated, stand-alone record object?

- A. &Rec = GetRecord();
- B. &Rec = &Row.RecordName;
- C. &Rec = GetRecord(RECORD.PSU_TASK_RSRC);
- D. &Rec = &Row.GetRecord(RECORD.RecordName);
- E. &Rec = CreateRecord(RECORD.PSU_COURSE_TBL);

Answer: E

QUESTION NO: 75

Select the three statements that are true about search records. (Choose three.)

- A. Search records build the search page for the component.
- B. Search records are referenced only at level zero in the component.
- C. Search records rarely reference views; they are usually SQL tables.
- D. Search records populate level zero on all pages that are in the component.
- E. Search records provide a high-level key to the primary records that are referenced in the component.

Answer: A,D,E

QUESTION NO: 76

View the Exhibits.

The screenshot shows two windows for the 'TS_EMP REVIEW' page.

TS_EMP REVIEW (Page) - Layout View:

- EmpID:** NNNNNNNNNN / AAAAAAAAAAAAAA
- Personal Details:** (Section containing fields for Review for Year, From Date, To, Next Review Date, and Review Days)
- Review Details:** (Section containing fields for Review Type, Reviewer ID, and Reviewer Details table)

TS_EMP REVIEW (Page) - Order View:

ID	Lvl	Label	Type	Field	Record	Display Control	Related Field	Control Field
1	0	EmpID	Edit Box	EMPLID	PERSONAL_DAT			
2	0	Name	Edit Box	NAME	PERSONAL_DAT			
3	0	Personal Details	Push Btn/Link		PSU_EMP_REVW			
4	1	Review Details	Scroll Area					
5	16	Edit Table	Edit Box	EDITTABLE	DERIVED			
6	4	Review for Year	Edit Box	REVIEW_YEAR	TS_EMP_REVIE			
7	6	From Date	Edit Box	FROM_DT	TS_EMP_REVIE			
8	7	To	Edit Box	TO_DT	TS_EMP_REVIE			
9	8	Next Review Date	Edit Box	DATE	TS_EMP_REVIE			
10	9	Review Days	Edit Box	REVIEW_DAYS	TS_EMP_REVIE			
11	10	Reviewer Details	Scroll Area					
12	15	Review Type	Drop Down Lst	REVIEW_TYPE	TS_EMP_REVW			
13	11	Reviewer ID	Edit Box	REVIEWER_ID	TS_EMP_REVW	<input checked="" type="checkbox"/>		
14	13	Name	Edit Box	NAME	PERSONAL_DAT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ActualTests

Based on this page layout and page order, select the two true statements about this page definition. (Choose two.)

- A. The TS_EMP REVIEW page is saved without error.
- B. The TS_EMP REVIEW page is saved with a related field error.
- C. The TS_EMP REVIEW page contains a parent/child design error.
- D. The TS_EMP REVIEW page is saved with a duplicate record field warning.

Answer: C,D

QUESTION NO: 77

View the Exhibit.

Program	Definition	Level	Event
A	Record	Level 0 Record	FieldDefault
B	Component	Level 0 Record	RowInit
C	Component	Level 0 Record	FieldDefault
D	Record	Level 1 Record	FieldDefault
E	Record	Level 1 Record	RowInit

As the component processor loads a component, it executes PeopleCode programs according to buffer allocation rules. Each row in the table represents a PeopleCode program and its associated definition, scroll level, and event. In what order will the programs execute?

- A. A, B, C, D, E
- B. C, A, D, E, B
- C. C, E, A, D, B
- D. E, C, A, B, D
- E. E, D, C, B, A

Answer: D

QUESTION NO: 78

Select the two true statements regarding search attributes. (Choose two.)

- A. Search keys do not have to be part of the record definition primary key structure.
- B. Alternate search keys generate the search page unless they are not list box items.
- C. A field does not have to be a search key or an alternate search key to be a list box item.
- D. Unlike search keys, alternate search keys do not appear on the search page in Basic Search mode.

Answer: C,D

QUESTION NO: 79

Examine this PeopleCode snippet:

```
&Row_Level1 = &RS_Level1(&l);
&Rec_EMP = &Row_Level1.EMP;
&Fld_Role = &Rec_EMP.Role;
&Pos = &Fld_Role.Value;
```

Select the option that correctly combines these four statements into one valid PeopleCode statement.

- A. &Pos = &RS_Level1.&l.EMP.Role.Value;
- B. &Pos = &RS_Level1(&l).EMP.Role.Value;
- C. &Pos = &Row_Level1(&l).EMP.Role.Value;
- D. &Pos = &Row_Level1(RECORD.EMP).Role.Value;
- E. &Pos = &RS_Level1.Row_Level1.Rec_EMP.Role.Value;

Answer: B

QUESTION NO: 80

Select three uses for PeopleSoft application classes. (Choose three.)

- A. Organizing code into logical packages
- B. Encapsulating complex data structures
- C. Creating platform-independent applications
- D. Extending the general classes with subclasses
- E. Expediting application design with rapid prototyping

Answer: A,B,D

QUESTION NO: 81

Select three methods that PeopleSoft applications use to ensure referential integrity between tables. (Choose three.)

- A. Occurs level
- B. PeopleCode
- C. Occurs count
- D. Database triggers
- E. Prompt table edits

Answer: A,B,E

QUESTION NO: 82

If your Crystal report contains numeric fields that are formatted to have single-line or double-line borders at the top of the container, you may experience incorrect justification of numbers in the HTML output. Which two options would solve your problem? (Choose two.)

- A. Draw lines above the numeric fields using the line drawing tool.
- B. Insert summary fields into a blank text object and then format the container text object to include borders above the text.
- C. Get full reporting flexibility by signing out and then successfully signing in to a PeopleSoft database using the PeopleSoft sign-in dialog.
- D. Select the Design tab, save the report, return to the Preview tab, and click the Refresh button to refresh your data after making changes.
- E. Select the Design tab and, in the Page Header section, double-click the field that has singleline or double-line borders at the top, and then click a blank area of the report to deselect the text

object.

Answer: A,B

QUESTION NO: 83


Which two statements are true about the structure of PeopleSoft databases? (Choose two.)

- A. Related language table structure varies by language.
- B. In PeopleSoft databases, application data vary by customer.
- C. In PeopleSoft databases, metadata is stored in PeopleTools tables.
- D. In PeopleSoft databases, page structures are stored in forms on the Web server.
- E. The recommended method of maintaining PeopleTools data structures is through the platform query tool.

Answer: B,C

QUESTION NO: 84

View the Exhibit.



The screenshot shows a Windows dialog box titled "PSU_PO_DTL.ORDER_LINE_NBR.RowInsert (Record PeopleCode)". The window has a title bar with standard window controls (minimize, maximize, close). Below the title bar is a menu bar with a single item "RowInsert". The main area of the window contains a text editor with the following PeopleCode script:

```
&MAXLINE = 0;
For &I = 1 To ActiveRowCount(Record.PSU_PO_DTL);
  &LINE = FetchValue(PSU_PO_DTL.ORDER_LINE_NBR, &I);
  If &LINE > &MAXLINE Then
    &MAXLINE = &LINE;
  End-If;
End-For;
PSU_PO_DTL.ORDER_LINE_NBR = &MAXLINE + 1;
```

In the bottom right corner of the window, there is a small label "ActualTests" next to a small icon.

In which event should the PeopleCode program have a corresponding program?

- A. FieldChange
- B. RowInit
- C. RowDelete
- D. RowSelect

- E. Activate
- F. FieldFormula

Answer: C

QUESTION NO: 85

A SQL object is instantiated using the following statement:

```
&SQL = CreateSQL("Select EFFORT_SPENT from PS_TASK_TBL where TASK= :1",
TASK_RSRC.TASK);
```

Which PeopleCode statement can be used to reference a single row of data in &SQL?

- A. &SQL.Get(&Var);
- B. &SQL.Next(&Var);
- C. &SQL.Fetch(&Var);
- D. &SQL.Select(&Var);
- E. &SQL.Create(&Var);
- F. &SQL.Execute(&Var);

Answer: C

QUESTION NO: 86

You run this SQL statement in your query tool:

```
SELECT * FROM DBA_OBJECTS;
```

Assuming that the syntax is correct for your platform, what does the statement select from?

- A. PeopleTools tables
- B. System catalog tables
- C. Application data tables
- D. Related language tables

Answer: B

QUESTION NO: 87

Fill in the blanks using PeopleCode data buffer access classes. A record object contains at least one _____ object. One _____ object can be instantiated to represent the entire component buffer.

row object contains at least one _____ object or _____ object.

A rowset object contains at least one _____ object.

- A. field, rowset, rowset, record, row
- B. row, component, record, field, record
- C. scroll, rowset, row, record, row
- D. field, page, rowset, row, record
- E. row, record, record, field, row

Answer: A

QUESTION NO: 88

You click a content reference to access a component. You should see a search page, but instead the component is displayed immediately with a row of data from the table. Select the option that best describes this issue.

- A. You saved the component definition without a search record.
- B. The component definition search record has no search keys.
- C. The table has only one row of data and it is automatically displayed; there is no problem.
- D. The component definition is configured with an incorrect search record and the system defaults to the first row in the primary table.

Answer: B

QUESTION NO: 89

You add the STREET2 field to the existing PS_ADDRESS_SBR subrecord. What do you do next?

- A. Alter the PS_ADDRESS_SBR subrecord and test the alter.
- B. Build the PS_ADDRESS_SBR subrecord and test the build.
- C. Alter the record definitions that reference the PS_ADDRESS_SBR and test the alter.
- D. Build the record definitions that reference the PS_ADDRESS_SBR and test the build.

Answer: C

QUESTION NO: 90

Select two parts of the Message Catalog. (Choose two.)

- A. Message page

- B. Message number
- C. Message ID
- D. Message set
- E. Message scroll

Answer: B,D

QUESTION NO: 91

Examine this PeopleCode snippet:

If All(START_DT, END_DT) Then

Which option is true?

- A. The correct syntax is

If Any(START_DT, END_DT) Then

- B. The correct syntax is

If %All(START_DT, END_DT) Then

C. If either START_DT or END_DT has values, the statement returns TRUE.

D. If both START_DT and END_DT have values, the statement returns TRUE.

E. If both START_DT and END_DT have values or if they are both empty, the statement returns TRUE.

Answer: D

QUESTION NO: 92

View the Exhibit.

```

PSUSEROPTNDEFINE.GBL (component)
Declare Function UpdateSystemVersions PeopleCode FUNCLIB_FTSEC.OPRID FieldFormula;
&UPDATE = GetField(DERIVED_USROPTN.UPDATE_VERSION);

If &UPDATE.VALUE = "Y" Then
  rem update versions for all users;
  &VERSION = UpdateSystemVersions();
  SQLExec("UPDATE PSOPRDEFN SET VERSION = :1", &VERSION);
  &UPDATE.VALUE = "N";
End-If;

rem check and see if the mobile values changed;
rem if they have, update PSMPRTPREF.UPDATE;
&RS_OPTN = GetRowset(Scroll.PSUSEROPTNDEFN);
For 41 = 1 To &RS_OPTN.activerowCount

```

ActualTests

This PeopleCode program uses a SQL Update to modify PSOPRDEFN, a table that is not in the component buffers. You want to be certain that this update will occur only if the entire component buffer is successfully written to the database. In which event or events should the program be placed?

- A. SaveEdit
- B. SavePreChange
- C. SavePostChange
- D. FieldEdit and SaveEdit
- E. SaveEdit and SavePostChange
- F. SavePreChange and SavePostChange

Answer: C

QUESTION NO: 93

Which three statements are true when you want to view queries? (Choose three.)

- A. You can view all public queries, and private queries that are in your list of queries.
- B. If you want to run queries that are not saved in PeopleSoft Query, you can use the Run page in Query Manager.
- C. Query Viewer is a version of Query Manager. It has the same functions, but in a different view.
- D. You can run a predefined query from your browser and view it online using any of the following links on the Query Manager search page: HTML, Excel, or Schedule.
- E. If you want to run multiple queries and run each query multiple times with different run-time prompt values, the Run page is more useful than the HTML, Excel, or Schedule links on the Query Manager search page.

Answer: B,D,E

QUESTION NO: 94

Select the two true statements about the translate table. (Choose two.)

- A. A translate lookup is searchable.
- B. The page control most associated with a translate table validation is a drop-down list box.
- C. The best candidates for translate table validation are those fields that require only a value and a description.
- D. When you add translate values to an existing field, the system automatically adds radio buttons to the pages where this field exists.

Answer: B,C

QUESTION NO: 95

The View Log/Trace page enables you to view the output file, message log, and trace file in a browser. Select the conditions that, if satisfied, will display the View Log/Trace link as active on the Process Detail page. (Choose all that apply.)

- A. The run status of the process request remains as Initiated.
- B. The run status of the process request remains as Processing.
- C. The PeopleSoft Process Scheduler changes the status of the process request to Queued.
- D. The output destination for the process request is Web, the report and log files are successfully posted to the Report Repository by the Distribution Agent, and the process have a run status of Success.
- E. The process request runs from a PeopleSoft Process Scheduler Server Agent that was set up using the Server Definition page with a distribution node. You must have also selected to transfer log files to the Report Repository when you set up the preferences on this page.

Answer: D,E

QUESTION NO: 96

View the Exhibit.

Personal Details Education and Skills

Student ID: 2002

*Student Name: Hinojosa, Gustavo

*Customer: BNKPR Banco del Progreso

Project Role: Specialist

Same address as Customer Telephone: 571/383-3200

Street: Calle 1a 20-10

City: Bogota

Country: COL Colombia

State:

Zip Code: 24011

ActualTests

The Student Personal Details page writes to the PS_STUDENT table.

If the "Same address as Customer" check box is selected on the Student Personal Details page,

as shown on the Exhibit, the student address is copied from the PS_CUSTOMER table. As a result, the PS_STUDENT table must be updated whenever a change to the address value on the Customer page is written to the PS_CUSTOMER table. The recommended method to enforce this is to _____.

- A. use a prompt table edit
- B. write a Data Mover script
- C. write a PeopleCode program
- D. create an Integration Broker message
- E. create an Application Engine daemon process

Answer: C

QUESTION NO: 97

View the Exhibit.

The screenshot shows the 'Folder Administration' tab selected in the top navigation bar. Below it, the breadcrumb trail shows 'Root > Set Up Training > Training Tasks > Classroom Preparation'. The main title is 'Folder Security'. A sub-section titled 'Label' shows 'Classroom Preparation'. Under 'Security Authorizations', there is a table with one row: Type 'Permission List', Name 'ALLPAGES', Description 'All pages and weblibs', Cascade 'unchecked', and View Definition 'ActualTests'. Under 'Inherited Security Authorizations', there is another table with one row: Type 'Permission List', Name 'ALLPAGES', Description 'All pages and weblibs', Cascade 'unchecked', and View Definition 'ActualTests'.

What is the most likely source of the inherited security authorization for the ALLPAGES permission list for the Classroom Preparation folder?

- A. It was configured in the Root folder.
- B. It was configured in the registration wizard.
- C. It was configured in the Set Up Training folder.
- D. It was configured by the Author Access check box.
- E. It was configured in the ALLPAGES permission list in PeopleTools Security.

Answer: C

QUESTION NO: 98

What is the order of precedence for logical operators in PeopleCode conditional statements?

- A. AND, OR, NOT
- B. NOT, OR, AND
- C. OR, AND, NOT
- D. AND, NOT, OR
- E. NOT, AND, OR

Answer: E

QUESTION NO: 99

Select the three true statements about search records. (Choose three.)

- A. The search key property initiates the building of the search page.
- B. The action mode is irrelevant to the appearance of the search page.
- C. The main purpose of the search page is to retrieve a value that the system can pass to the SQL statement as the primary key in the WHERE clause.
- D. Unlike search keys, alternate search keys are not necessarily a part of level 0 on the pages in the component.
- E. After you select the search key on the search page, the page appears and the search key is displayed at level one.

Answer: A,C,D

QUESTION NO: 100

View the Exhibit.

The screenshot shows a web-based application interface for managing customer orders. At the top, there are fields for 'Customer' (GCAN), 'Great Canadian Flag', 'Order Date' (10/01/1999), and 'Order Number' (00000021). Below this is a section for 'Status Date' (10/01/1999), 'Order Status' (Open), and 'Delivery Method'. A large table titled 'Order Details' displays three items: Mondo Modern 56, 24 Pin Cable 6 ft, and Computer Toolkit. Each row includes columns for Order Line Number, Item Code, Description, Quantity, Price, Total Price, and Fill Status. The 'Fill Status' column contains checkboxes, all of which are checked for the first two items. The third item has an unchecked checkbox. At the bottom right of the table, it says 'ActualTests'.

Customer: GCAN		Great Canadian Flag		Order Date: 10/01/1999	Order Number: 00000021																												
Status Date:	10/01/1999	Order Status:	Open	Delivery Method:																													
Order Details <table border="1"> <thead> <tr> <th>Order Line Number</th> <th>Item Code</th> <th>Description</th> <th>Quantity</th> <th>Price</th> <th>Total Price</th> <th>Fill Status</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6000</td> <td>Mondo Modern 56</td> <td>1</td> <td>66.00</td> <td>66.00</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>2</td> <td>5000</td> <td>24 Pin Cable 6 ft</td> <td>1</td> <td>5.00</td> <td>5.00</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>3</td> <td>7000</td> <td>Computer Toolkit</td> <td>1</td> <td>17.95</td> <td>17.95</td> <td><input type="checkbox"/></td> </tr> </tbody> </table>						Order Line Number	Item Code	Description	Quantity	Price	Total Price	Fill Status	1	6000	Mondo Modern 56	1	66.00	66.00	<input checked="" type="checkbox"/>	2	5000	24 Pin Cable 6 ft	1	5.00	5.00	<input checked="" type="checkbox"/>	3	7000	Computer Toolkit	1	17.95	17.95	<input type="checkbox"/>
Order Line Number	Item Code	Description	Quantity	Price	Total Price	Fill Status																											
1	6000	Mondo Modern 56	1	66.00	66.00	<input checked="" type="checkbox"/>																											
2	5000	24 Pin Cable 6 ft	1	5.00	5.00	<input checked="" type="checkbox"/>																											
3	7000	Computer Toolkit	1	17.95	17.95	<input type="checkbox"/>																											

The Customer Orders page has a requirement that Order Status cannot be changed to Closed if Fill Status is for any row in Order Details. You write a FieldChange PeopleCode program that uses

a loop to check the values of Fill Status. Which statement would you use to create the loop?

- A. For &I = 1 To ActiveRowCount(Scroll.ORDER_DTL)
End-for;
- B. For &I = 1 To ActiveCount()
End-for;
- C. For &I = 1 To Count(Row.ORDER_DTL)
End-for;
- D. For &I = 1 To CurrentRowNumber(Scroll.ORDER_DTL)
End-for;
- E. For &I = 1 To CurrentRowNumber
End-for;
- F. For &I = 1 To FetchValue(Scroll.ORDER_DTL)
End-for;

Answer: A

QUESTION NO: 101

Select the two true statements regarding parent/child relationships and page design. (Choose two.)

- A. Parent/child relationships on a page can write to the same table.
- B. Parent/child relationships on a page are determined by occurs level.
- C. Parent/child relationships on a page are determined by occurs count.
- D. Parent/child relationships on a page always indicate a one-to-many relationship.
- E. Parent/child relationships on a page are automatically configured by the physical layout of the scroll area or grid.

Answer: B,D

QUESTION NO: 102

View the Exhibit.

```

PSU_PO.GBL (component)          SavePostChange

Local Rowset &Rowset, &rsl1, &rsl2;
Local integer &i;

/* Only fire for Integration Tools users */
00 If (*PrimaryPermissionList = "PSU5500") Then

    /* If the BUSINESS_UNIT is NAME01 or NAM02 the PO_SYNCservice op
01   If PSU_PO_HDR.BUSINESS_UNIT = "NAM01" Or
        PSU_PO_HDR.BUSINESS_UNIT = "NAM02" Or
        PSU_PO_HDR.BUSINESS_UNIT = "CORPST" Then
02       If ActiveRowCount() = CurrentRowNumber() Then
03           &MSG = CreateMessage(Message.PO_SYNC);
04           &Rowset = GetLevel10();
05           If &MSG.IsActive Then
06               &MSG.CopyRowsetDelta(&Rowset);
07               &MSG.Publish();

```

ActualTests

The red dot on the left margin of the PeopleCode Editor screen ____.

- A. marks a breakpoint
- B. marks a bookmark
- C. indicates an abend
- D. indicates a syntax error
- E. indicates a compile error
- F. indicates a run-time error

Answer: A

QUESTION NO: 103

Select the four configurable properties that are common to all PeopleSoft field definitions. (Choose four.)

- A. Label ID
- B. Type
- C. Name
- D. Length
- E. Default label
- F. Effective date
- G. Translate values

Answer: A,B,C,E

QUESTION NO: 104

Select the three true statements about levels on a page. (Choose three.)

- A. You usually associate level zero with the search record.
- B. Each level is associated with one primary record definition.
- C. Related fields in a level must reference the same record definition.
- D. All fields in a level must write to that level's primary record definition.
- E. Multiple levels of the same number, for example, two level twos, are allowed on a page.

Answer: A,B,E

QUESTION NO: 105

Select the two most likely reasons to specify an Add search record in a component. (Choose two.)

- A. The component requires the Add action.
- B. The component writes to a different table in Add mode.
- C. The component requires a different search key in Add mode.
- D. The search record is a view and the component requires the Add action.
- E. The search record is a security view and you must maintain row-level security in Add mode.

Answer: D,E

QUESTION NO: 106

By default, when you give PeopleSoft Query users access to a record definition, they can access all the rows of data in the table that were built using the associated record definition. You want to restrict users from seeing some of these data rows (for example, prevent low-level human resources staff from accessing compensation data for vice presidents or above). Which action do you need to take?

- A. Grant and restrict access to groups.
- B. Enable the Query Access List Cache.
- C. Enforce the PeopleSoft Query row-level security feature.
- D. Delete the existing query trees and re-create the new query trees.
- E. Set Query Access Group on the Permission Lists page and then rerun the process when changes are made.

Answer: C

QUESTION NO: 107

Which two statements are true regarding the usages and description of the Crystal/Bus. Interlink/JDeveloper tab in the PeopleTools Configuration Manager? (Choose two.)

- A. The Crystal/Bus, Interlink/JDeveloper tab is used to specify the locations of Crystal Reports executables and the default location for Crystal Reports that are generated through PeopleSoft Query.
- B. If you have Crystal Reports installed on a network drive, the Crystal EXEs Path parameter is populated automatically to reflect the location of the Crystal Reports executables-for example: n:\hr880\bin\client\winx86\crystal.
- C. If you have Crystal Reports installed locally on the workstation, the Crystal EXEs Path parameter is populated automatically.
- D. If the Default Crystal Reports option is deselected, you are able to create aCrystal report from Oracle's PeopleSoft Query.

Answer: A,C

QUESTION NO: 108

Select the record definition that is configured correctly.

A.

Num	Field Name	Type	Key	Ordr	Dir	Curd	Srch	List	Sys	Audit
1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
2	EFFDT	Date	Key	2	Asc		No	No	No	
3	EFF_STATUS	Char					No	No	No	
4	DESCR	Char	Alt		Asc		No	Yes	No	
5	COURSE_TYPE	Char					No	No	No	
6	LENGTH_DAYS	Nbr					No	No	No	
7	TRAINING_UNITS	Nbr					No	No	No	
8	ONSITE	Char					No	No	No	
9	INSTRUCTOR	Char					No	No	No	
10	APP_REL	Char					No	No	No	
11	DESCRLONG	Long					No	No	No	
12	TOOLS_REL	Char					No	No	No	

B.

Num	Field Name	Type	Key	Ordr	Dir	Curd	Srch	List	Sys	Audit
1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
2	EFFDT	Date	Key	2	Desc		No	No	No	
3	EFF_STATUS	Char					No	No	No	
4	DESCR	Char	Alt		Asc		No	Yes	No	
5	COURSE_TYPE	Char					No	No	No	
6	LENGTH_DAYS	Nbr					No	No	No	
7	TRAINING_UNITS	Nbr					No	No	No	
8	ONSITE	Char					No	No	No	
9	INSTRUCTOR	Char					No	No	No	
10	APP_REL	Char					No	No	No	
11	DESCRLONG	Long					No	No	No	
12	TOOLS_REL	Char					No	No	No	

C.

Num	Field Name	Type	Key	Ordr	Dir	Curd	Srch	List	Sys	Audit
1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
2	EFFDT	Date	Key	2	Desc		No	No	No	
3	EFF_STATUS	Char					No	No	No	
4	DESCR	Char	Alt		Asc		No	Yes	No	
5	COURSE_TYPE	Char					No	No	No	
6	LENGTH_DAYS	Nbr					No	No	No	
7	TRAINING_UNITS	Nbr					No	No	No	
8	ONSITE	Char					No	No	No	
9	INSTRUCTOR	Char					No	No	No	
10	APP_REL	Char					No	No	No	

A. C

Answer: A**QUESTION NO: 109**

Why would you choose to reference a derived/work field in a PeopleCode program, rather than a PeopleCode variable?

- A. A derived/work field can be displayed on a page.
- B. You must use derived/work fields to perform calculations.
- C. Derived/work fields can be saved to the derived/work table.
- D. Derived/work fields are simpler to implement than variables.
- E. A derived/work field has a longer duration than a global variable.
- F. Derived/work fields have more flexibility with data types than with variables.

Answer: A

QUESTION NO: 110

Select the record definitions that are correctly configured as A) a control table and B) a transaction table, respectively.

ActualTests.Com

A) A)

PSU_PO_HDR (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	BUSINESS_UNIT	Char	Key	1	Asc	Yes	Yes	No	NAM01		Yes	Prompt	BUS_UNIT_TBL_TR	
2	ORDER_NBR	Char	Key	2	Asc	Yes	Yes	No	NEW		Yes			
3	ORDER_DT	Date	All		Asc	No	Yes	No	%date		Yes			
4	VENDOR_CD	Char				No	No	No			No			
5	ORDER_STATUS	Char				No	No	No	IN		No			
6	STATUS_DT	Date				No	No	No	%date		No			
7	DELIVER_METHOD	Char				No	No	No			No			
8	ADDED_BY	Char				No	No	No			No			
9	APPR_STATUS	Char				No	No	No	P		No			
10	APPR_INSTANCE	Nbr				No	No	No			No			

PSU_ITEM_TBL (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	SETID	Char	Key	1	Asc	Yes	Yes	No			Yes	Prompt	SETID_TBL	
2	ITEM_CD	Char	Key	2	Asc	Yes	Yes	No	NAM01		Yes			
3	EFFDT	Date	Key	3	Desc	No	Yes	No	%date		Yes			
4	EFF_STATUS	Char				No	No	No			No			
5	DESCR	Char	All		Asc	No	Yes	No			No			
6	PRICE	Nbr				No	No	No	10.00		No			
7	DESCRLONG	Long				No	No	No			No			

PSU_PO_HDR (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	ORDER_NBR	Char	Key	1	Asc	Yes	Yes	No	NEW		Yes			
2	BUSINESS_UNIT	Char	Key	2	Asc	Yes	Yes	No	NAM01		Yes	Prompt	BUS_UNIT_TBL_TR	
3	ORDER_DT	Date	All		Asc	No	Yes	No	%date		Yes			
4	VENDOR_CD	Char				No	No	No			No			
5	ORDER_STATUS	Char				No	No	No	IN		No			
6	STATUS_DT	Date				No	No	No	%date		No			
7	DELIVER_METHOD	Char				No	No	No			No			
8	ADDED_BY	Char				No	No	No			No			
9	APPR_STATUS	Char				No	No	No	P		No			
10	APPR_INSTANCE	Nbr				No	No	No			No			

PSU_ITEM_TBL (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	ITEM_CD	Char	Key	1	Asc	Yes	Yes	No			Yes			
2	SETID	Char	Key	2	Asc	Yes	Yes	No			Yes	Prompt	SETID_TBL	
3	EFFDT	Date	Key	3	Desc	No	No	No	%date		Yes			
4	EFF_STATUS	Char				No	No	No			No			
5	DESCR	Char	All		Asc	No	Yes	No			No			
6	PRICE	Nbr				No	No	No	10.00		No			
7	DESCRLONG	Long				No	No	No			No			

PSU_ITEM_TBL (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	ITEM_CD	Char	Key	1	Asc	Yes	Yes	No			Yes			
2	SETID	Char	Key	2	Asc	Yes	Yes	No			Yes	Prompt	SETID_TBL	
3	EFFDT	Date	Key	3	Desc	No	No	No	%date		Yes			
4	EFF_STATUS	Char				No	No	No			No			
5	DESCR	Char	All		Asc	No	Yes	No			No			
6	PRICE	Nbr				No	No	No	10.00		No			
7	DESCRLONG	Long				No	No	No			No			

C) A)

PSU_PO_HDR (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	ORDER_NBR	Char	Key	1	Asc	Yes	Yes	No	NEW		Yes			
2	BUSINESS_UNIT	Char	Key	2	Asc	Yes	Yes	No	NAM01		Yes	Prompt	BUS_UNIT_TBL_TR	
3	ORDER_DT	Date	All		Asc	No	Yes	No	%date		Yes			
4	VENDOR_CD	Char				No	No	No			No			
5	ORDER_STATUS	Char				No	No	No	IN		No			
6	STATUS_DT	Date				No	No	No	%date		No			
7	DELIVER_METHOD	Char				No	No	No			No			
8	ADDED_BY	Char				No	No	No			No			
9	APPR_STATUS	Char				No	No	No	P		No			
10	APPR_INSTANCE	Nbr				No	No	No			No			

PSU_ITEM_TBL (Record)														
Record Fields		Record Type												
Num	Field Name	Type	Key	Ord	Dir	CurC	Srch	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	ITEM_CD	Char	Key	1	Asc	Yes	Yes	No			Yes			
2	SETID	Char	Key	2	Asc	Yes	Yes	No			Yes			
3	EFFDT	Date	Key	3	Desc	No	No	No	%date		Yes			
4	EFF_STATUS	Char				No	No	No			No			
5	DESCR	Char	All		Asc	No	Yes	No			No			
6	PRICE	Nbr				No	No	No	10.00		No			
7	DESCRLONG	Long				No	No	No			No			

C D. A)

B)

Num	Field Name	Type	Key	Ord	Dir	CurC	Search	List	Sys	Audit	Default	Req	Edit	Prompt Table
1	BUSINESS_UNIT	Char	Key	1	Asc	Yes	Yes	No		NAM01		Yes	Prompt	BUS_UNIT_TBL_TR
2	ORDER_NBR	Char	Key	2	Asc	Yes	Yes	No		NEW		Yes		
3	ORDER_DT	Date	Alt		Asc	No	Yes	No		%date		Yes		
4	VENDOR_CD	Char				No	No	No				No	Prompt	PSU_VENDOR_TBL
5	ORDER_STATUS	Char				No	No	No		IN		No	Xlat	
6	STATUS_DT	Date				No	No	No		%date		No		
7	DELIVER_METHOD	Char				No	No	No				No	Prompt	PSU_TRANSPT_TBL
8	ADDED_BY	Char				No	No	No				No	Xlat	
9	APPR_STATUS	Char				No	No	No		P		No		
10	APPR_INSTANCE	Nbr				No	No	No				No		ActualTests

- A. D
- B. C
- C. A

Answer: A

QUESTION NO: 111

Select the most efficient way to determine the effect of modifying a definition.

- A. Examine the SQL in the PeopleTools tables.
- B. Use the XREF reports and visually examine the modifications.
- C. Use the Find Definition Reference utility in Application Designer.
- D. Use the Cross Reference utility in the PeopleTools, Utilities folder.

Answer: C

QUESTION NO: 112


Select three changes to a record definition that require you to rebuild the SQL table. (Choose three.)

- A. You change the label of a key field.
- B. You deselect the Search Key check box (only) for a field.
- C. You change the length of a non-key field.
- D. You deselect the Alternate Search Key check box.
- E. You change an ascending key to a descending key.

Answer: C,D,E

QUESTION NO: 113

View the Exhibit.



Examine the Use tab of this component definition and then select the two true statements. (Choose two.)

- A. This component contains at least two pages.
- B. This component contains pages that are effective-dated.
- C. This structure of this component consists of only a level zero.
- D. The structure of this component consists of at least a level zero and a level one.

Answer: B,D

QUESTION NO: 114

You are importing the DEV_COURSE project from a file. Select the two files that must be present in the DEV_COURSE folder. (Choose two.)

- A. DEV_COURSE.html
- B. DEV_COURSE.ini
- C. DEV_COURSE.xst
- D. DEV_COURSE.doc
- E. DEV_COURSE.xml

Answer: B,E

QUESTION NO: 115

Which two PeopleCode events are part of the field action event set? (Choose two.)

- A. FieldEdit
- B. SystemEdit
- C. FieldDefault
- D. FieldFormula
- E. FieldChange
- F. RecordDefault

Answer: A,E

QUESTION NO: 116

The Component Processor's flow can be used to simulate a looping construct. In which event would a PeopleCode program designed to take advantage of this feature be placed?

- A. RowInit
- B. PreBuild
- C. PostBuild
- D. SearchInit
- E. FieldDefault
- F. FieldFormula

Answer: A

QUESTION NO: 117

View the Exhibit.

The screenshot shows a component editor window titled "PSU CRS_SESSN.START_DATE". The field being edited is "START_DATE (field)". The validation logic is as follows:

```
If PSU_CRS_SESSN.START_DATE > PSU_CRS_SESSN.END_DATE Then
    Error ("This course starts on " | PSU_CRS_SESSN.START_DATE | "
        and ends on " | PSU_CRS_SESSN.END_DATE | ".
        Please make the start date earlier than the end date.");
End-If;
```

The code uses the "Error" command to display an error message if the start date is later than the end date. The message includes the values of both fields concatenated with quotes and a explanatory note.

This PeopleCode program compares two editable fields on a component. Which event or events should the program be placed in?

- A. SaveEdit

- B. FieldEdit
- C. SaveEdit and RowInit
- D. FieldEdit and RowInit
- E. SearchSave and SavePreChange
- F. FieldChange and SavePreChange

Answer: A

QUESTION NO: 118

When a user change triggers an error, you want PeopleCode to position the cursor in the field that triggered the error. What is the correct syntax?

- A. GetField().SetCursorPos(%Page);
Error Msgget(1040,1,"Message not found");
- B. Error Msgget(1040,1," Message not found");
GetField().SetCursorPos(%Page);
- C. Error ("Message not found");
Field.SetCursorPos();
- D. SetCursorPos.Getfield();
Error MsgGet(1040,1,"Message not found");
- E. Error MsgGet(1040,1,"Message not found");
SetCursorPos.Getfield();

Answer: A

QUESTION NO: 119

Within the component processor flow, the component build process is a loop that executes until _____.

- A. the End Build marker is reached
- B. the entire component-level PeopleCode executes
- C. all the page elements are retrieved and displayed
- D. all the rows in the record are loaded into the buffer
- E. all the rows that were selected from the database are loaded into the buffer

Answer: E

QUESTION NO: 120

Select the two true statements about PeopleSoft Pure Internet Architecture.

(Choose two.)

- A. Metadata is cached on the application server.
- B. Most code is executed on the application server.
- C. By placing the Application Designer executables on the Web server, you can take advantage of PeopleSoft Pure Internet Architecture to develop applications in the browser interface.
- D. The Web server generates the HTML and transfers it to the application server, which then retrieves the application data and sends all information directly to the browser for display to the user.

Answer: A,B

QUESTION NO: 121

On a page definition, which control is most like a link?

- A. Push button
- B. Page anchor
- C. Prompt button
- D. Secondary page
- E. Instant Messaging action

Answer: A

QUESTION NO: 122

On the Process Scheduler Request page, you have to define the output type for your job or process. Which three statements are true regarding the process output type? (Choose three.)

- A. An output type that is selected for a job at the main job level carries through to the job items.
- B. When an output type is selected for a process at the process definition level, it can be changed.
- C. An output type that is selected for a job at the main job level does not carry through to the job items.
- D. An output type that is selected for individual job items overwrites the output type that is entered for the parent job.
- E. An output type that is selected for individual processes or jobs that are attached to a job cannot override the output type that is entered for the parent job.
- F. An output type that is selected for a process at the process definition level overwrites the output type in the Process Scheduler Request page, and the Type drop-down list box in the Process Scheduler Request page becomes unavailable.

Answer: A,D,F**QUESTION NO: 123**

View the Exhibit.




You attempt to access a component through a content reference and the shown error appears. Select the most appropriate course of action to identify the error.

- A. Edit the content reference security settings in the portal registry.
- B. Examine the portal registry for content reference security authorizations.
- C. Examine the permission list, role, and user profile to verify correct security authorizations.
- D. Examine the component properties to verify that you have appropriate internet security authorization.

Answer: C**QUESTION NO: 124**

View the Exhibit.



The Integration Broker Quick Configuration page has a Ping Gateway button. Where would you expect to find the PeopleCode that is associated with the button?


- A. On a field
- B. On a page

- C. On a menu
- D. On a record field
- E. On a component
- F. On a component record

Answer: D

QUESTION NO: 125

View the Exhibit.



What is OCPUtilities?

- A. a record definition
- B. an application class
- C. an application package
- D. a PeopleCode program
- E. an application class superclass
- F. an application package subpackage

Answer: F

QUESTION NO: 126

PeopleCode in the SavePostChange and SavePrechange events can be placed on the component either at the component level or at the component record level. Which two statements are true about the how these events are processed? (Choose two.)

- A. PeopleCode in these events placed at the component record level runs once per row when the page is saved.
- B. PeopleCode in these events placed at the component record level runs once when the page is saved.
- C. PeopleCode in these events placed at the component level runs once per row when the page is saved.
- D. PeopleCode in these events placed at the component level runs once when the page is saved.
- E. PeopleCode in these events placed at the component record level triggers a Save when a row is changed.
- F. PeopleCode in these events placed at the component level triggers a Save when the page is changed.

Answer: A,D

QUESTION NO: 127

Examine this PeopleCode snippet:

```
class RO_ROWSET extends Rowset;
```

Which statement is true?

- A. Rowset is a subclass of the RO_ROWSET class.
- B. RO_ROWSET is an instance of the Rowset class.
- C. RO_ROWSET is a superclass of the Rowset class.
- D. Rowset is a superclass of the RO_ROWSET class.
- E. RO_ROWSET is an application class in the Rowset application package.

Answer: D

QUESTION NO: 128

Examine this PeopleCode snippet:

```
Local Rowset &RSCUST, &RSSTUD;  
&RSCUST = GetRowset(RECORD.CUST_TBL);  
&RSSTUD = CreateRowset(RECORD.STUDENT_TBL);  
&RSCUST.CopyTo(&RSSTUD, RECORD.CUST_TBL, RECORD.STUDENT_TBL);  
Select the correct statement.
```

- A. The CopyTo() function copies like-named fields from &RSCUST to &RSSTUD.

- B. The CopyTo() function copies like-named fields from &RSSTUD to &RSCUST.
- C. The CopyTo() function is meaningless in this context because &RSCUST is a stand-alone rowset object with no data.
- D. The CopyTo() function is meaningless in this context because &RSSTUD is a stand-alone rowset object with no data.

E. The PeopleCode statement:

&RSCUST.CopyTo(&RSSTUD, RECORD.CUST_TBL, RECORD.STUDENT_TBL);

could be replaced with:

&RSSTUD = &RSCUST;

F. The PeopleCode statement:

&RSCUST.CopyTo(&RSSTUD, RECORD.CUST_TBL, RECORD.STUDENT_TBL); should be

replaced with:

&RSCUST.Fill(&RSSTUD, RECORD.CUST_TBL, RECORD.STUDENT_TBL);

Answer: A

QUESTION NO: 129

This PeopleCode function uses effective-date logic to return the current row from PSXLATITEM.

SQLExec("SELECT A.XLATSHORTNAME, A.XLATLONGNAME FROM PSXLATITEM A

WHERE A.EFFDT = (SELECT MAX(B.EFFDT) FROM PSXLATITEM B WHERE

- A. FIELDNAME = B.FIELDNAME AND
- B. FIELDVALUE = B.FIELDVALUE AND
- C. EFFDT <= <date>");


Which system variable should be substituted for <date> so the function correctly returns the current row as of the run date for all supported database platforms?

- D. %Date
- E. %AsOfDate
- F. %DateTime
- G. %EffDtCheck
- H. %CurrentDateIn
- I. %CurrentDateOut

Answer: E

QUESTION NO: 130

View the Exhibit.



Select the page that most likely uses this subpage.

- A.
- B.
- C.
- D.

Answer: D

QUESTION NO: 131

When you run a Crystal report that has run-time prompts, the prompt values need to be passed using the command line. Which two options will accomplish this task? (Choose two.)

- A. Create a defaultCrystal report from PeopleSoft Query using the file name (ACTQRY).RPT.
- B. Hard-code that prompt value in quotes into the Process Definition page.
- C. Use PeopleSoft Application Designer to create a run control page to gather values from the user and dynamically pass them into the command line.
- D. Create a default report from a new or unnamed query object to enable PeopleSoft Query to use the in-memory selected column list to generate the report.
- E. Create a defaultCrystal report from a named query object; the saved representation of the selected column list is used to generate the report.

Answer: B,C

QUESTION NO: 132

Select the three elements required for a PeopleSoft SQL view. (Choose three.)

- A. SQL statement
- B. Summary page
- C. Record definition
- D. WHERE clause
- E. Record fields

Answer: A,C,E

QUESTION NO: 133

Select the three modifications that require you to rebuild or alter the SQL table or indexes.
(Choose three.)

- A. You change the length of a field definition.
- B. You change the default field definition label.
- C. You make an existing key field a search key.
- D. You change an ascending key to a descending key.
- E. You delete an unused field from the record definition.

Answer: A,D,E

QUESTION NO: 134

Your manager asks you to use PeopleCode to autogenerate the keys for the Orders page. Which event do you use?

- A. RowInit
- B. SaveEdit
- C. PostBuild
- D. SearchSave
- E. SavePrechange
- F. SavePostchange

Answer: E

QUESTION NO: 135

Select the three true statements regarding search keys. (Choose three.)

- A. Search key fields are indexed.
- B. Search key fields appear on the search page.

- C. A field can be a search key even if it is not a key.
- D. Selecting the Search Key option automatically selects the List Box Item option.
- E. If an existing key field is changed to a search key, you must alter or rebuild the table.
- F. The search key property is irrelevant if the record definition is not used as a search record.

Answer: A,B,D

QUESTION NO: 136

This PeopleCode snippet is in PreBuild:

```
&Object = GetLevel0();
```

Which two statements are true? (Choose two.)

- A. &Object is a stand-alone row.
- B. &Object is a stand-alone rowset.
- C. &Object represents the entire component buffer.
- D. &Object is a row object that contains the level 0 rowset.
- E. &Object is a rowset object that contains the level 0 row.
- F. &Object is a record object that contains the level 0 record.

Answer: C,E

QUESTION NO: 137

Put the steps of application development in the correct order.

1. Define new fields.
2. Build the SQL tables.
3. Test the application.
4. Define the records.
5. Define the components.
6. Define the pages.
7. Register the components.
8. Design the application.

- A. 8, 1, 4, 6, 5, 7, 2, 3
- B. 8, 1, 4, 2, 6, 5, 7, 3
- C. 8, 1, 2, 4, 6, 5, 7, 3
- D. 8, 2, 1, 4, 6, 5, 7, 3

Answer: B**QUESTION NO: 138**

View the Exhibit.

Human Resources Course Details

Course Details		Find View All	First	1 of 4	Last
*Effective Date:	04/01/2001	Status:	Active	+ -	
*Course Description:	Introduction to Human Resource				
Length (Days):	2.0	Units:	2.0	<input checked="" type="checkbox"/> Available at Customer Site	
Curriculum Developer:	SXD	Scott Dunn			
*Application Release:	8.01	*PeopleTools Release:	8.12		
Course Type					
<input type="radio"/> CRM <input type="radio"/> EPM <input type="radio"/> Financials <input type="radio"/> Manufacturing <input checked="" type="radio"/> Technical <input checked="" type="radio"/> Distribution <input type="radio"/> ESA <input type="radio"/> HRMS <input type="radio"/> Student Admin					

ActualTests

Select the three types of validation that are being utilized on the page. (Choose three.)

- A. Security views
- B. Tableset sharing
- C. Prompt table validation
- D. Translate table validation
- E. Effective dating validation

Answer: C,D,E**QUESTION NO: 139**

View the Exhibit.

Personal Details

Education and Skills

Student ID:	2004
*Student Name:	Vries, Anton de
*Customer:	AAB
Project Role:	Developer

Student Emphasis

Functional
 Technical
 Both

ActualTests

You are troubleshooting the mistake that appears on this page. Select the two options for correcting the cause of the mistake. (Choose two.)

- A. Check the tab order of the page and verify that the Project Role field is last in order.
- B. Change the Project Role field to radio buttons so that you can see all options.
- C. Check the order of the page and verify that all three Student Emphasis fields are grouped.
- D. Change the Student Emphasis field to a drop-down list box so that only one option is available at a time.

Answer: C,D

QUESTION NO: 140

View the Exhibit.

Scope	Duration (once it's declared)	Description
1. Local	A. The current PeopleSoft session.	a. Transfer values between PeopleCode programs in the current component.
2. Derived	C. Concurrent PeopleSoft sessions.	b. Pass parameters between functions.
3. Global	D. The current PeopleCode program.	c. Transfer values between components.
4. Component	E. The current PeopleSoft component.	d. Eliminate concern about conflict with same-named variables.
5. Private	F. The current PeopleCode function.	e. Prevent other programs from modifying variables.

Match each valid PeopleCode variable scope in the first column with its corresponding duration in the second column and its description in the third column.

- A. 1Dd, 3Cc, 5Fe
- B. 1Dd, 2Cc, 3Aa
- C. 1Db, 3Ac, 4Ea
- D. 1Dd, 3Ac, 4Ea
- E. 1Fd, 3Cc, 4Ea
- F. 1Fb, 3Dc, 5Fe
- G. 1Fd, 2Ac, 3Ea

Answer: D

QUESTION NO: 141

During the execution of a PeopleCode program, a FieldEdit program issues an error statement. The component processor _____.

- A. notifies the user and the processing continues
- B. terminates the program and rolls back changes
- C. displays a message and returns to the reset state
- D. displays a message, loops back through the component build flow, and waits for the user to change the field
- E. displays a message, loops back to display the page, and waits for the user to change the field

Answer: E

QUESTION NO: 142

Select three technical tasks that you, as a developer, might perform when implementing tableset sharing. (Choose three.)

- A. Altering a table
- B. Adding the SETID field to a page
- C. Adding the SETID field to a transaction table
- D. Defining the Set Control Field in a control table
- E. Adding the BUSINESS_UNIT field to a control table

Answer: A,B,D

QUESTION NO: 143

Select the four PeopleCode data buffer classes. (Choose four.)

- A. Field
- B. Scroll
- C. Event
- D. Row
- E. Page
- F. Rowset
- G. Record
- H. Component

Answer: A,D,F,G

QUESTION NO: 144

You need to comment out a block of PeopleCode that contains nested comments. Which style of comments will you use?

- A. REM ;
- B. COMMENT ;
- C. /* */
- D. <* *>
- E. !* ;
- F. []

Answer: D

QUESTION NO: 145

When do you need to use a PeopleCode looping construct to access values in the component buffer? (Choose all that apply.)

- A. When the PeopleCode references fields on the same row
- B. When the PeopleCode references fields on other rows on the same level
- C. When the PeopleCode references fields at a higher level
- D. When the PeopleCode references fields at a lower level
- E. When the PeopleCode references fields on another scroll at the same level
- F. Never if you use data buffer objects to traverse the rowset

Answer: B,D,E

QUESTION NO: 146

Which three output options must you specify before you can format Crystal Reports that will be run through the PeopleSoft Process Scheduler? (Choose three.)

- A. System settings, or system defaults, which are related to all processes
- B. The default file names, which are the report names concatenated with the process instance to guarantee uniqueness
- C. Process types, or process type definitions. These process types globally define the command line, parameter list, working directory, and other general parameters for a specific process type.
- D. The defaultCrystal report, which is transferred from PeopleSoft Query using the file name (ACTQRY).RPT
- E. Standard reports, which predefine all the elements in the reports from within Crystal Reports using a query that is created in PeopleSoft Query and a report definition that is created in Crystal Reports
- F. Process requests, which specify variables such as where a process runs and in what format the process output is generated

Answer: A,C,F

QUESTION NO: 147

Put the search process flow events in the correct order:

- 1) User selects the search key.
- 2) Search page builds dynamically.
- 3) Search key passes to the component.
- 4) Component search record properties are accessed.
- 5) User clicks content reference.

- A. 1, 3, 4, 2, 5
- B. 5, 2, 4, 1, 3
- C. 1, 5, 4, 3, 2
- D. 5, 4, 2, 1, 3

Answer: D

QUESTION NO: 148

Which two statements are true regarding the purpose of server definitions? (Choose two.)

- A. Server definitions enable you to change the settings that the server uses to transfer output to the Report Manager.
- B. Server definitions enable you to determine which processes you want to schedule through PeopleSoft Process Scheduler, and identify servers that you want slated to run specific types of processes.
- C. Server definitions' Operation page enables you to send messages to a group (role ID) or individuals (user ID) when an activity occurs on the server, such as an error or a shutdown.
- D. Server definitions ensure that jobs continue processing without interruption and that they run on time after a hardware or software failure on a server hosting a PeopleSoft Process Scheduler Server Agent.
- E. Server definitions' Notification page enables you to specify the days and times during which the server is operational.

Answer: B,D

QUESTION NO: 149

Select the three true statements about the portal registry and navigation. (Choose three.)

- A. Modifying the portal registry grants access to a component.
- B. Portal registry navigation uses menu definitions to determine folder structure.
- C. You can modify the portal registry through the registration wizard.
- D. The portal registry can be accessed through the structure and content reference.
- E. In the portal registry, you can modify the node, folder, and security properties of a content reference.

Answer: C,D,E

QUESTION NO: 150

Many steps in the application development process access the PeopleTools tables. Which step accesses all three categories of tables?

- A. Building the table.
- B. Defining the page.
- C. Defining new fields.
- D. Defining the record.
- E. Registering the component.

Answer: A

QUESTION NO: 151

What must you do first, before you create a link to an external Web page from a PeopleSoft page?

- A. Create and save a link image definition.
- B. Understand the structure of the component.
- C. Select the "Open in New Window" check box.
- D. Save the external URL in the URL repository.
- E. Configure the portal navigation to the external page.

Answer: D

QUESTION NO: 152

View this PeopleCode snippet:

```
If &MyVar = 0 then  
&MyVar = 1;
```

End-if;

The &MyVar variable is not declared. What will be the result?

- A. The program will fail at run time.
- B. The program will not pass the syntax checker.
- C. The program will run but will produce undefined results.
- D. &MyVar will be automatically declared with a type of Any.
- E. &MyVar will be automatically declared as Local Number.
- F. &MyVar will be automatically declared with a scope of Global.

Answer: D

QUESTION NO: 153

View the Exhibit.

PSU_COURSE_TBL (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	
1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
2	EFFDT	Date	Key	2	Desc		No	No	No	
3	EFF_STATUS	Char					No	No	No	
4	DESCR	Char	Alt		Asc		No	Yes	No	
5	COURSE_TYPE	Char					No	No	No	
6	LENGTH_DAYS	Nbr					No	No	No	
7	TRAINING_UNITS	Nbr					No	No	No	
8	ONSITE	Char					No	No	No	
9	INSTRUCTOR	Char					No	No	No	
10	APP_REL	Char					No	No	No	
11	TOOLS_REL	Char					No	No	No	

ActualTests

Examine the Add search record and select the search page that the system generates in Add mode.

A.

Sessions

[Find an Existing Value](#) [Add a New Value](#)

Course Code:

Session Number:

Add

B.

Sessions

[Find an Existing Value](#) [Add a New Value](#)

Course Code:

Course Description:

Add

C.

Sessions

[Find an Existing Value](#) [Add a New Value](#)

Course Code:

Effective Date:

Course Description:

Add

D.

Sessions

[Find an Existing Value](#) [Add a New Value](#)

Course Code:

Add

ActualTests

A. D

Answer: A**QUESTION NO: 154**

Select four field definition types that appear in the Field Definition Type drop-down list box when you create a new field definition in Application Designer. (Choose four.)

- A. Character
- B. Integer
- C. Number
- D. Signed Number
- E. Attachment
- F. BLOB
- G. Binary

Answer: A,C,D,E

QUESTION NO: 155

You add a new field to an existing subpage. What next step should you take?

- A. Visually inspect each affected page for issues.
- B. Test each affected page online by entering data.
- C. Nothing. Subpages automatically resize and adjust themselves.
- D. Query the subrecord to verify the existence of the field on the subrecord that references the subpage.

Answer: A

QUESTION NO: 156

You are building an application for a global company with separate business units in Asia, North America, and Africa. Select the type of validation you should configure to enable the users in each of the three continents to use the same tables, but to see different data based on business unit.

- A. Prompt validation
- B. Effective dating
- C. Tableset sharing
- D. Security views

Answer: C

QUESTION NO: 157

In general, the primary destination for an internal link is _____.

- A. PeopleSoft portal
- B. PeopleSoft node

- C. PeopleSoft page
- D. PeopleSoft pagelet
- E. PeopleSoft transfer

Answer: C

QUESTION NO: 158

View the Exhibit.

PSU_INSTSCHD_YW (Record)						
Record Fields		Record Type				
Num	Field Name	Type	Len	Format	Short Name	Long Name
1	INSTRUCTOR	Char	4	Upper	Instructor	Instructor
2	COURSE	Char	6	Upper	Course	Course Code
3	DESCR	Char	30	Mixed	Descr	Description
4	SESSION_NBR	Nbr	6		Session	Session Number
5	TRAINING_LOC	Char	6	Upper	Tim Loc	Training Location
6	START_DATE	Date	10		Start	Start Date
						ActualTests

Select the SQL that corresponds to the record definition shown.

- A. SELECT A.COURSE
,B.DESCRIPTION
,A.SESSION_NBR
,A.TRAINING_LOC
,A.START_DATE
FROM PS_PSW_CRS_SESSN A
,PS_PSW_COURSE_TBL B
WHERE A.COURSE = B.COURSE
- B. SELECT A.INSTRUCTOR
,A.COURSE
,B.DESCRIPTION
,A.SESSION_NBR
,A.TRAINING_LOC
,A.START_DATE
FROM PS_PSW_CRS_SESSN A
,PS_PSW_COURSE_TBL B
WHERE A.COURSE = B.COURSE
- C. SELECT A.COURSE
,A.INSTRUCTOR
,B.DESCRIPTION
,A.SESSION_NBR
,A.TRAINING_LOC
,A.START_DATE

```

FROM PS_PSW_CRS_SESSN A
,PS_PSW_COURSE_TBL B
WHERE A.COURSE = B.COURSE
D. SELECT A.INSTRUCTOR
,A.COURSE
,B.DESCR
,A.SESSION_NBR
,A.TRAINING_LOC
,A.START_DT
FROM PS_PSW_CRS_SESSN A
,PS_PSW_COURSE_TBL B
WHERE A.COURSE = B.COURSE

```

Answer: B

QUESTION NO: 159

View the Exhibit.

TS_EMP REVIEW (Record)										
Record Fields		Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Aud
1	EMPLID	Char	Key	1	Asc		No	No	No	
2	REVIEW_YEAR	Nbr	Key	2	Asc		No	No	No	
3	FROM_DT	Date					No	No	No	
4	TO_DT	Date					No	No	No	
5	DATE	Date					No	No	No	
6	REVIEW_DAYS	Nbr					No	No	No	

ActualTests




You create this record definition and use Application Designer to complete a successful SQL build. Select the four true statements regarding the SQL build. (Choose four.)

- A. At least one index is created.
- B. Related language tables are updated.
- C. Data is written to the system catalog tables.
- D. The DATE field is designated as NOT NULL.
- E. The REVIEW_DAYS field is designated as NOT NULL.
- F. The prefix PS_ is inserted at the beginning of the table name.

Answer: A,C,E,F

QUESTION NO: 160

Select the field that might have associated translate values.



A. B

Answer: A

QUESTION NO: 161

Select the correct syntax for a PeopleCode conditional construct.

A. Do Case <field, variable, or expression>

Case = <expression1>

Case = <expression2>
<PeopleCode statement(s)>;

Case = <expression3>
<PeopleCode statement(s)>;

Case-Other
<PeopleCode statement(s)>;

End-Case;

B. When <expression1>
Or When = <expression1>
<PeopleCode statement(s)>;

Else When = <expression3>
<PeopleCode statement(s)>;

When-Other
<PeopleCode statement(s)>;

End-When;

C. Evaluate <field, variable, or expression>
When = <expression1>
When = <expression2>
<PeopleCode statement(s)>;

When = <expression3>
<PeopleCode statement(s)>;

When-Other
<PeopleCode statement(s)>;

End-Evaluate;

D. Evaluate <field, variable, or expression>
When = <expression1> then
When = <expression2> then
<PeopleCode statement(s)>;

When = <expression3> then
<PeopleCode statement(s)>;

Else
<PeopleCode statement(s)>;

End-Evaluate;

E. Do When <field, variable, or expression>
When = <expression1>
When = <expression2>
<PeopleCode statement(s)>;

When = <expression3>
<PeopleCode statement(s)>;

When-Other
<PeopleCode statement(s)>;

End-When;

Answer: C

QUESTION NO: 162

A PeopleCode program prepopulates the fields on a search page based on the user role. Which definition contains the program?

- A. the menu
- B. the view record
- C. the search page
- D. the search record
- E. the USER_ID field

Answer: D

QUESTION NO: 163

You have a query that retrieves data for employees who took vacation for a specific duration (for example, two weeks). You want to change this query so that it will prompt the user to enter a value for the duration of the vacation. To achieve this result, which action would you take?

- A. Add a prompt to further refine the query when it is run.
- B. Define expressions to calculate the duration of a vacation.
- C. Define a HAVING criterion to display the duration of a vacation.
- D. Apply aggregate functions to determine the duration of a vacation.

Answer: A

QUESTION NO: 164

Which PeopleCode statement would you use to instantiate a row object for the current row?

- A. &Row = GetRow();
- B. &Row = CreateRow();
- C. &Row = &RowSet.Row();
- D. &Row = &RowSet.GetRow;
- E. &Row = &RowSet.GetCurrRow;

Answer: A

QUESTION NO: 165

Which three PeopleCode events should NOT be used for errors and warnings? (Choose three.)

- A. SearchInit
- B. SearchSave
- C. RowSelect
- D. RowInit
- E. RowDelete
- F. FieldEdit
- G. FieldChange
- H. SaveEdit

Answer: A,D,G

QUESTION NO: 166

Select the three true statements regarding page design principles that enable you to build a successful PeopleSoft page definition. (Choose three.)

- A. Search keys must be at level zero.
- B. You can have four levels on a page.
- C. Radio buttons must be grouped together.
- D. A level three scroll is a parent of a level two scroll.
- E. All pages must include a level zero and a level one.
- F. Related fields must precede their corresponding Display Control fields.

Answer: A,B,C

QUESTION NO: 167

Which three statements are true regarding the Preview tab in Crystal Reports? (Choose three.)

- A. It is used to preview your reports.
- B. It is used to enter the information that you want in the footer of the report.
- C. It is used to enter the title of the report and other information that you want to appear at the top of the first page.
- D. In the Preview tab, the page orientation is portrait or landscape by default according to the number and width of the columns that are in your query.
- E. If the query columns do not fit in landscape, Crystal Reports displays in the Preview tab as many columns as will fit on the page and does not display the others.

Answer: A,D,E**QUESTION NO: 168**

When considering key structure, which three options are mutually exclusive? (Choose three.)

- A. Key
- B. Search Key
- C. Descending Key
- D. Alternate Search Key
- E. Duplicate Order Key

Answer: A,D,E**QUESTION NO: 169**

After you submit a job using the Process Scheduler Request page, you use Process Monitor pages to review the status of scheduled or running processes. On these Process Monitor pages, what are the three tasks you can perform? (Choose three.)

- A. Run a report and define when and where you want the report to run.
- B. View all processes to see the status of any job in the queue and control processes that you initiated.
- C. Use the Process List page to monitor the status of processes, or see what processes are queued to run in the future.
- D. Set parameters to determine the content of the report, such as the business unit or time period on which to report.
- E. Use the Server List page to view information about each of the PeopleSoft Process Scheduler Server Agents that are defined in the system.

Answer: B,C,E**QUESTION NO: 170**

View the Exhibit.

PSU_ADDRESS_SBR (Record)											
Record Fields		Record Type									
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audit	Default
1	STREET1	Char					No	No	No		
2	CITY	Char					No	No	No		
3	STATE	Char					No	No	No		
4	ZIP	Char					No	No	No		
5	COUNTRY	Char					No	No	No		ActualTests

Select the two true statements regarding this subrecord. (Choose two.)

- A. The subrecord generates this SQL build script:

```
CREATE TABLE PSU_ADDRESS_SBR (STREET1 CHAR(30) NOT NULL,  
CITY CHAR(30) NOT NULL, STATE CHAR(6) NOT NULL,  
ZIP CHAR(10) NOT NULL, COUNTRY CHAR(3) NOT NULL)
```

- B. The PeopleCode on the COUNTRY field is invalid.

- C. The subrecord has no effect on the performance of the application.

- D. The subrecord is transparent to the database management system.

Answer: C,D

QUESTION NO: 171

A PeopleCode program uses an Evaluate construct to change the display characteristics of a page based on how the user accessed the page. For instance, if the user accesses the page through Employee Self Service, the program will hide some elements, but if the user accesses the page through Manage Human Resources, those elements are visible. Which system variable does Evaluate check?

- A. %Role
- B. %User
- C. %Page
- D. %Platform
- E. %Employee
- F. %Component
- G. %PermissionList

Answer: F

QUESTION NO: 172

You create a custom application in the default processing mode. Select three scenarios that cause the application to make a trip to the application server. (Choose three.)

- A. Saving the component
- B. Inserting a row in a grid
- C. Expanding a collapsible section
- D. Entering XYZ in the Customer field
- E. Entering a number in the Quantity and Amount fields. Both these fields have FieldEdit PeopleCode in them.

Answer: A,B,C**QUESTION NO: 173**

Select two options that demonstrate referential integrity in PeopleSoft applications. (Choose two.)

A.

PSU_ITEM_TBL (Record)

Record Fields | Record Type

Num	Field Name	Type	Len	Format	Short Name	Long Name
1	SETID	Char	5	Upper	SetID	SetID
2	ITEM_CD	Char	6	Upper	Item	Item Code
3	EFFDT	Date	10		Eff Date	Effective Date
4	EFF_STATUS	Char	1	Upper	Status	Status as of Effective D
5	DESCR	Char	30	Mixed	Descr	Description
6	PRICE	Nbr	6.2		Price	Price
7	DESCRLONG	Long	0		Descr	Description

B.

PSU_PO_HDR (Record)

Record Fields | Record Type

Num	Field Name	Type	Req	Edit	Prompt Table
1	ORDER_NBR	Char	Yes		
2	BUSINESS_UNIT	Char	Yes	Prompt	BUS_UNIT_TBL_TR
3	ORDER_DT	Date	Yes		
4	VENDOR_CD	Char	No	Prompt	PSU_VENDOR_TBL
5	ORDER_STATUS	Char	No	Xlet	
6	STATUS_DT	Date	No		
7	DELIVER_METHOD	Char	No	Prompt	PSU_TRANSPT_TBL
8	ADDED_BY	Char	No		
9	APPR_STATUS	Char	No	Xlet	
10	APPR_INSTANCE	Nbr	No		

C.

PSU_CUST.GBL.SavePostChange (Component PeopleCode)

PSU_CUST.GBL (component) | SavePostChange

```

IF FieldChanged(PSU_CUST_TBL.STREET1) Or
   FieldChanged(PSU_CUST_TBL.CITY) Or
   FieldChanged(PSU_CUST_TBL.STATE) Or
   FieldChanged(PSU_CUST_TBL.ZIP) Or
   FieldChanged(PSU_CUST_TBL.COUNTRY) Or
   FieldChanged(PSU_CUST_TBL.PHONE) Then
  SQLExec("Update PS_PSU_STUDENT_TBL set STREET1 = :1, CITY = :2, STATE = :3,
ZIP = :4, COUNTRY = :5, PHONE = :6 Where CUSTOMER_ID = :7 and SAME_ADDR_CUSTOMER
= 'Y', PSU_CUST_TBL.STREET1, PSU_CUST_TBL.CITY, PSU_CUST_TBL.STATE,
PSU_CUST_TBL.ZIP, PSU_CUST_TBL.COUNTRY, PSU_CUST_TBL.PHONE,
PSU_CUST_TBL.CUSTOMER_ID");
End-If;
  
```

D.

PSU_CUST.GBL (Component)

Definition | Structure

Page Name	Item Name	Hidden	Item Label	Folder Tab Label
1 PSU_CUST	PSU_CUST_TABLE	<input checked="" type="checkbox"/>	Customer Table	

ActualTests

A. B C

Answer: A

QUESTION NO: 174

View the Exhibit.



Select the correct PeopleCode statement to declare an object of the ErrorRow class.

- A. Row ErrorRow &NewObject;
- B. Component &NewObject extends ErrorRow;
- C. Row OCP:OCPUtility:ErrorRow &NewObject;
- D. &NewObject= Get (OCP:OCPUtility:ErrorRow);
- E. Component OCP:OCPUtility:ErrorRow &NewObject;
- F. Component OCP.OCPUtility.ErrorRow &NewObject;
- G. &NewObject= Create (OCP:OCPUtility:ErrorRow);

Answer: E

QUESTION NO: 175

Examine the following code:

```
&SQL = GetSQL(SQL.Absence_SQL, record.JOB, JOB.EMPLID);
While &SQL.Fetch(&begin, &start);
```

Which two statements are correct? (Choose two.)

- A. Absence_SQL is a SQL class.

- B. Absence_SQL is a SQL object.
- C. Absence_SQL is a SQL method.
- D. Absence_SQL is a SQL definition name.
- E. Absence_SQL contains a Delete clause.
- F. Absence_SQL contains a Select clause.
- G. Absence_SQL contains an Insert clause.

Answer: D,F

QUESTION NO: 176

What type of PeopleCode looping construct will loop a specified number of times?

- A. For
- B. While
- C. Do While
- D. Do Until
- E. Repeat-For

Answer: A

QUESTION NO: 177

Select three areas where PeopleCode is used to enforce security. (Choose three.)

- A. Definition security
- B. Field-level security
- C. Page-level security
- D. User ID validation
- E. Database-level security

Answer: B,C,D

QUESTION NO: 178

Select the two true statements about translate values. (Choose two.)

- A. You must enter a translate short name.
- B. You can use any four-character combination as a translate value.
- C. You must maintain translate values through Application Designer.
- D. You can deactivate any translate value by changing the value of the effective status field to "I".

- E. The default displayed value that appears in a page field is the translate long name.

Answer: B,D

QUESTION NO: 179

Select the three true statements about PeopleSoft field definitions. (Choose three.)

- A. All PeopleSoft field definition names are in uppercase.
- B. Date, Time, and DateTime fields all have a fixed length.
- C. When you work with Number and Signed Number field types, the sum of integer and decimal positions must be less than or equal to 40.
- D. Altering an existing field definition's default label can have consequences at both the record definition level and the page definition level.
- E. For a Long Character field, enter a field length of 256 to enable the database platform to determine the maximum length of the field.

Answer: A,B,D

QUESTION NO: 180

View the Exhibit.

```
/* set grid column headers */
&grdQuery = GetGrid(Page.QRY_SELECT, "QRYSELECT_WRK");
/* ICE 1477429000
&grdQuery.GetColumn("QRYRUNCRYSTAL").Label = MsgGetText(50, 573, "Run to Crystal"); */
&grdQuery.GetColumn("QRYRUNEXCEL").Label = MsgGetText(50, 572, "Run to Excel");
&grdQuery.GetColumn("QRYRUN").Label = MsgGetText(50, 571, "Run to HTML");
&grdQuery = GetGrid(Page.QRY_SELECT, "QRYSELECT2_WRK");
/* ICE 1477429000
&grdQuery.GetColumn("QRYRUNCRYSTAL2").Label = MsgGetText(50, 573, "Run to Crystal"); */
&grdQuery.GetColumn("QRYRUNEXCEL2").Label = MsgGetText(50, 572, "Run to Excel");
ActualTests
&grdQuery.GetColumn("QRYRUN2").Label = MsgGetText(50, 571, "Run to HTML");
```

This is a portion of a PeopleCode program that sets grid display properties. Note that it begins with a GetGrid() function. Select both the definition and the event on which this program should be placed. (Choose two.)

- A. Page
- B. Grid
- C. Record
- D. RowInit
- E. Activate
- F. PreBuild
- G. Component

H. PostBuild

Answer: A,E

QUESTION NO: 181

Select the correct use of the MsgGet function.

- A. MsgGet("Text");
- B. Error(MsgGet,"Text");
- C. Error MsgGet(1040, 3, "Text");
- D. Error MsgGet("Text", 1040, 3);
- E. MsgGet(Error, 1040, 3, "Text");
- F. MsgGet(Set = 1040, Message = 3, Error, "Text");

Answer: C

QUESTION NO: 182

Examine this PeopleCode snippet:

```
Local Rowset &RS1;  
&RS1 = CreateRowset(RECORD.PSU_CUST_TBL);  
&Customer = "XYZ";  
&RS1.Fill("WHERE CUSTOMER_ID =:1", &Customer);  
Select the correct statement.
```

- A. The snippet is correct as shown.
- B. The snippet is not correct.

The CreateRowset function instantiates a stand-alone rowset object.

A GetRowset function should be used to instantiate a rowset object that uses a Fill method.

- C. The snippet is not correct.

The CreateRowset function instantiates a rowset object that references the component buffer.

A Select method should be used instead of a Fill method.

- D. The snippet is not correct.

The CreateRowset function instantiates a rowset object that references the component buffer.

A GetRowset function should be used to instantiate a rowset object that uses a Fill method.

- E. The snippet is not correct.

The CreateRowset function instantiates a stand-alone rowset object.

A Select method should be used instead of a Fill method.

Answer: A

QUESTION NO: 183

Examine this PeopleCode snippet:

```
Local Rowset &RS_Level0, &RS_Level1;  
Local Row &Row_Level0, &Row_Level1;  
Local Record &Rec_EMPLOYEE;  
Local Field &Fld_ROLE;  
&RS_LEVEL0 = GetLevel0();  
&ROW_LEVEL0 = &RS_Level0.GetRow(1);  
&RS_LEVEL1 = &ROW_LEVEL0.GetRowSet(SCROLL.DEPT);  
&ROW_LEVEL1 = &RS_LEVEL1(1);  
&REC_EMPLOYEE = &ROW_LEVEL1.EMPLOYEE;  
&FLD_EMPID = &REC_TASKRSRC.EMPID;  
&ID = &FLD_EMPID.Value;
```

Can the code given above be replaced with the following statement?

```
&ID = GetField().Value
```

- A. No. The record must be specified.
- B. No. The row and record must be specified.
- C. Yes, if the code is placed on the current row.
- D. Yes, if the code is placed on the EMPID field.
- E. Yes, if the code is placed on the EMPLOYEE record.

Answer: D

QUESTION NO: 184

What are three standard system edits that the component processor performs on a field?
(Choose three.)

- A. Duplicate key
- B. Required field
- C. Spelling
- D. Field format
- E. Foreign key

Answer: A,B,D

QUESTION NO: 185

The Order table includes (among other fields) a customer ID and an amount for each item that was ordered. An existing query returns the same number of rows as are in the table. For example, if John ordered 10 items, you would see 10 rows with his ID in the customer ID column. You want to determine how much each customer has ordered, so you need a query that displays just one row for each customer ID and amount field. The value of the amount field in John's row would be the sum of the values from the 10 rows. How would you calculate how much each customer has ordered?

- A. Apply the aggregate function Sum to the amount field.
- B. Add a prompt query to further refine the query when it is run.
- C. Define expressions to calculate how much each customer has ordered.
- D. Define a HAVING criterion to display how much each customer has ordered.

Answer: A**QUESTION NO: 186**

Your customer indicates that when she promotes her employees, typically she increases their pay simultaneously. You want to manage this with one table. Which two fields must you place on that table to accommodate this request? (Choose two.)

- A. EFFDT
- B. EFFSEQ
- C. EFF_STATUS
- D. EFFECTIVE_DT
- E. EFFECTIVE_SEQ

Answer: A,B