+[KSC] [API] Events\Hardware\Software Inventory | Operations with Tasks

Documentation:

- KSC Open API description

Prerequisites

- internal user: api-user

Examples description:

- KSC address - 127.0.0.1 (the address can also be external)
- API Port - 13299 (default)
- User: api-user (intrental KSC user), base64: YXBpLXVzZXI=
- Password: password, base64: cGFzc3dvcmQ=
- Credentials:

	User	Password
	api-user	password
Base64:	YXBpLXVzZXI=	cGFzc3dvcmQ=

- Authentication, type: Authenticated session, other types: KSC Open API description
- All requests are in cUrl format, as an alternative it is also possible to use Python library (KlAkOAPI Python package)

Login

Start connection to KSC (Session::StartSession):

Session::StartSession


```
curl --location --request POST 'https://127.0.0.1:13299/api/v1.0/Session.StartSession' \
--header 'Authorization: KSCBasic user="YXBpLXVzZXI=", pass="cGFzc3dvcmQ=", internal="1"'
```

Username and password should be encoded to base64 format as part of a secure HTTPS session. For expamle https://www.base64encode.org/ can be used for encoding.

Response

```
{
    "PxgRetVal": "nsPbUpP1oAVZlM1lODEbg8A=="
}
```

Use this token in request header



Find Host

Find host by filter string (HostGroup::FindHosts)

Filter string, contains a condition over host attributes, see also Search filter syntax.

We use "KLHST_WKS_DN" - Host display name

HostGroup::FindHosts

```
curl --location --request POST "https://127.0.0.1:13299/api/v1.0/HostGroup.FindHosts" --header "X-KSC-
Session: nqepy9ZpZZ/2tiWXhil5cBg==" --header "Content-Type: application/json" --data-raw "{
    \"vecFieldsToReturn\":[\"KLHST_WKS_HOSTNAME\",\"KLHST_WKS_DN\",\"KLHST_WKS_IP_LONG\",\"
KLHST_WKS_PRODUCT_TAG_NAME\",\"KLHST_WKS_RTP_AV_VERSION\",\"KLHST_WKS_NAG_VERSION\",\"
KLHST_WKS_LAST_UPDATE\",\"KLHST_WKS_LAST_UPDATE\",\"KLHST_WKS_VIRUS_COUNT\"],
    \"lMaxLifeTime\":1200,
    \"wstrFilter\":\"(KLHST_WKS_DN=\\"WIN10-OPTIMUM-1\\")\" #"KLHST_WKS_DN" - Host display name
     }"
```

Response ID

Response

```
{"strAccessor":"ppYeO5rmkvKcMUm8vQzOK2","PxgRetVal":1}
```

Copy Accessor for next request (ChunkAccessor::GetItemsChunk):

ChunkAccessor::GetItemsChunk

```
curl -L -X POST "https://127.0.0.1:13299/api/v1.0/ChunkAccessor.GetItemsChunk" -H "X-KSC-Session:
noOxgI9Ny7O5Whg/97qvcVg==" -H "Content-Type: application/json" --data-raw "{
\"strAccessor\":\"fb07haDqXIKZbQzyDsMwx1\",
\"nStart\": 0,
\"nCount\": 100
}"
```

Response info about host:

Response


```
{"pChunk":{"KLCSP_ITERATOR_ARRAY":[{"type":"params","value":{"KLHST_WKS_DN":"WIN10-OPTIMUM-1","
KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","KLHST_WKS_IP_LONG":{"type":"long","value":
172250504},"KLHST_WKS_LAST_UPDATE":{"type":"datetime","value":"2022-02-17T13:00:01Z"},"
KLHST_WKS_NAG_VERSION":"13.2.0.1511","KLHST_WKS_RTP_AV_VERSION":"11.7.0.669","KLHST_WKS_VIRUS_COUNT":
{"type":"long","value":9}}}]},"PxgRetVal":1}
```


Copy value "KLHST_WKS_HOSTNAME" for next request

Hardware Inventory

SrvView

Find srvview data by filter string (SrvView::ResetIterator)

"wstrViewName" - see List of supported srvviews.

"vecFieldsToReturn" - see https://support.kaspersky.com/help/KSC/13.1/KSCAPI/a00307.html

"wstrFilter":"(KLHST_WKS_HOSTNAME=\"c0816918-fbc5-4fbc-8fed-6f245756120e\")"

SrvView::ResetIterator

```
curl -L -X POST "https://127.0.0.1:13299/api/v1.0/SrvView.ResetIterator" -H "X-KSC-Session: noOxgI9Ny7O5Whg
/97qvcVg==" -H "Content-Type: application/json" --data-raw "{
    \"wstrViewName\":\"HWInvPCSrvViewName\",
    \"vecFieldsToReturn\":[\"KLHST_WKS_HOSTNAME\",\"dev_id\",\"RamType\",\"dev_type\"],
    \"vecFieldsToOrder\":[{\"type\":\"params\",\"value\":{\"Name\":\"dev_id\",\"Asc\":\"true\"}}],
    \"lifetimeSec\":100,
    \"pParams\":{\"TOP_N\":\"yes\",\"USE_DISTINCT\":\"true\"},
    \"wstrFilter\":\"(KLHST_WKS_HOSTNAME=\\"c0816918-fbc5-4fbc-8fed-6f245756120e\\")\" # KLHST_WKS_HOSTNAME
from previuosly reqest
     }"
```

Response ID

Response


```
{"wstrIteratorId":"466579A79FA755D69B94EC60A5B04744"}
```


GetRecordRange from Response data (SrvView.GetRecordRange):

SrvView.GetRecordRange

```
curl -L -X POST "https://127.0.0.1:13299/api/v1.0/SrvView.GetRecordRange" -H "X-KSC-Session: noOxgI9Ny7O5Whg
/97qvcVg==" -H "Content-Type: application/json" --data-raw "{
    \"wstrIteratorId\":\"50054D2A2D7A93DCEBFA3BE6F7E21D5E\",
    \"nStart\": 0,
    \"nEnd\": 100
    }"
```

Response info about hardware with specific filter:

Response


```
{"pRecords":{"KLCSP_ITERATOR_ARRAY":[{"type":"params","value":{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-
6f245756120e","dev_id":"ABE3CC21B521C704DA4FC63BD5698F71","dev_type":1}},{"type":"params","value":
{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"
DISPLAY\\DEFAULT_MONITOR\\1&1F0C3C2F&0&UID256","dev_type":7}},{"type":"params","value":
{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"
DISPLAY\\DEFAULT_MONITOR\\4&31BE19FA&0&UID0","dev_type":7}},{"type":"params","value":{"KLHST_WKS_HOSTNAME":"
c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"E05564F28A7EBE312D1326FD0D1A8479","dev_type":1}},{"type":"
params","value":{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"
E69E8830E7D33F96BF1E21996A7D73CA","dev_type":0}},{"type":"params","value":{"KLHST_WKS_HOSTNAME":"c0816918-
fbc5-4fbc-8fed-6f245756120e","dev_id":"PCI\\VEN_15AD&DEV_0405&SUBSYS_040515AD&REV_00\\3&18D45AA6&0&78","
dev_type":4}},{"type":"params","value":{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","
dev_id":"PCI\\VEN_8086&DEV_10D3&SUBSYS_07D015AD&REV_00\\005056FFFF87CC6600","dev_type":6}},{"type":"params","
value":{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"Physical Memory 0","dev_type":
2}},{"type":"params","value":{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"
SCSI\\CDROM&VEN_NECVMWAR&PROD_VMWARE_SATA_CD00\\5&A629540&0&000000","dev_type":8}},{"type":"params","value":
{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"
SCSI\\DISK&VEN_VMWARE&PROD_VIRTUAL_DISK\\5&1982005&0&000000","dev_type":3}},{"type":"params","value":
{"KLHST_WKS_HOSTNAME":"c0816918-fbc5-4fbc-8fed-6f245756120e","dev_id":"
SWD\\REMOTEDISPLAYENUM\\RDPIDD_INDIRECTDISPLAY&SESSIONID_0002","dev_type":4}}]}}
```

Software Inventory

Acquire software applications which are installed on specified host. (InventoryApi::GetHostInvProducts)

"szwHostId" - WKS_HOSTNAME form previosly request

InventoryApi::GetHostInvProducts


```
curl -L -X POST "https://127.0.0.1:13299/api/v1.0/InventoryApi.GetHostInvProducts" -H "X-KSC-Session:
noOxgI9Ny7O5Whg/97qvcVg==" -H "Content-Type: application/json" --data-raw "{
    \"szwHostId\":\"c0816918-fbc5-4fbc-8fed-6f245756120e\", # KLHST_WKS_HOSTNAME from previuosly reqest
     \"pParams\":{\"KLEVP_EA_PARAM_1\":\"\"}
}"
```

Response info about software:


Response


```
{"PxgRetVal":{"GNRL_EA_PARAM_1":[{"type":"params","value":{"ARPRegKey":"{F4ECE08F-50E9-44E2-A2F3-
2F3C8DDF8E16}","CleanerProductName":"","Comments":"","DisplayName":"Kaspersky Endpoint Security for
Windows","DisplayVersion":"11.7.0.669","HelpLink":"https://click.kaspersky.com/?
hl=en&link=support&pid=kes&version=21.4.20.669","HelpTelephone":"","InstallDate":"20211002","InstallDir":"C:
\\Program Files (x86)\\Kaspersky Lab\\Kaspersky Endpoint Security for Windows\\","InstanceID":{"type":"
binary","value":"AA=="},"LangId":1033,"PackageCode":"","ProductID":"4E8A2680B3C78565814848DB5ED35C83","
Publisher":"AO Kaspersky Lab","QuietUninstallString":"msiexec.exe /X {F4ECE08F-50E9-44E2-A2F3-2F3C8DDF8E16}
/quiet /norestart","UninstallString":"msiexec.exe /x {F4ECE08F-50E9-44E2-A2F3-2F3C8DDF8E16}","VapmBuild":
{"type":"long","value":0},"bIsMsi":true}},{"type":"params","value":{"ARPRegKey":"{8c3f057e-d6a6-4338-ac6a-
f1c795a6577b}","CleanerProductName":"","Comments":"","DisplayName":"Microsoft Visual C++ 2015-2019
Redistributable (x86) - 14.20.27508","DisplayVersion":"14.20.27508.1","HelpLink":"","HelpTelephone":","
InstallDate":"20210512","InstallDir":"","InstanceID":{"type":"binary","value":"AA=="},"LangId":0,"
PackageCode":"","ProductID":"2E30B54FFAFE11F6DEDB0A31EA8CD6D1","Publisher":"Microsoft Corporation","
QuietUninstallString":"\"C:\\ProgramData\\Package Cache\\{8c3f057e-d6a6-4338-ac6a-f1c795a6577b}\\VC_redist.
x86.exe\" /uninstall /quiet","UninstallString":"\"C:\\ProgramData\\Package Cache\\{8c3f057e-d6a6-4338-ac6a-
f1c795a6577b}\\VC_redist.x86.exe\"  /uninstall","VapmBuild":{"type":"long","value":0},"bIsMsi":false}},
.......
```

Tasks Operations



#strTask - open task in nmc-web-console - 1326 (for example: https://localhost:8080/#/management/tasks/148)



Get Task

Acquire attributes of specified task. (Tasks::GetTask)

Response

Response


```
{"PxgRetVal":{"DisplayName":"KEA - Isolation ON","PRTS_TASK_CREATION_DATE":{"type":"datetime","value":"2022-02-10T13:57:34Z"},"TASKID_PRODUCT_NAME":"1093","TASKID_VERSION":"1.0.0.0","TASK_NAME":"Remote Installation","TASK_UNIQUE_ID":"1326"}}
```

Run task

Run remotly instalation task.

Start specified task.

Tasks::RunTask

```
curl -L -X POST "https://127.0.0.1:13299/api/v1.0/Tasks.RunTask" -H "X-KSC-Session:
nGPT3zYhYOveOJ9qnbRAjpQ==" -H "Content-Type: application/json" --data-raw "{
\"strTask\":\"1326\" # From NWC-web-cosnole ksc
}"
```

Update Task

Get Data Task

Acquire task settings. Tasks::GetTaskData

GetData Task

```
curl -L -X POST "https://localhost:13299/api/v1.0/Tasks.RunTask" -H "X-KSC-Session:
nGPT3zYhYOveOJ9qnbRAjpQ==" -H "Content-Type: application/json" --data-raw "{
\"strTask\":\"1326\"
}"
```

Response all parameters and some of them we must use in next request.

Modify task settings. Tasks::UpdateTask

Update Task

```
POST /api/v1.0/Tasks.UpdateTask HTTP/1.1
Host: localhost:13299
X-KSC-Session: n8quj71CtoWbYijcBHY6FvA==
Content-Type: application/json
Content-Length: 3477
{
"strTask":"1338",
"pData":{
    "TASKID_COMPONENT_NAME":"87",
    "TASKID_PRODUCT_NAME":"1093",
    "TASKID_VERSION":"1.0.0.0",
    "TASK_NAME":"Remote Installation",
    "TASKSCH_TYPE":0,
    "TASK_ADDITIONAL_PARAMS":{"type":"params","value":{"KLNAG_TASK_REMOTE_INSTALL_ACCOUNT":"","
KLNAG_TASK_REMOTE_INSTALL_ACCOUNT_PSWD":{"type":"binary","value":""},"KLSRV_COUPLED_NAGT_TSID":"9066e3c9-
c709-434f-9196-88dcf4c70c23","KLTSK_RI_CHECK_OS":true,"KLTSK_RI_GROUP_TO_MOVE_HOST":-1,"
KLTSK_RI_MAX_DOWNLOADS":5,"KLTSK_RI_MGD_BY_OTHER_SERVER":0,"KLTSK_RI_PACKAGES_GUIDS":["e71217d1-4a96-462c-
a56a-6112bdc5369b:65"],"KLTSK_RI_PACKAGES_IDS":[65],"KLTSK_RI_ROOT":{"type":"binary","value":""},"
KLTSK_RI_SKIP_PRESENT_PRODS":true,"KLTSK_RI_TMP_FOLDER":"","KLTSK_RI_USE_NAGENT":true,"KLTSK_RI_USE_SHARE":
true,"KLTSK_RI_USE_SHARE_SRV":true,"KLTSK_RI_USE_SHARE_UA":false,"MaxTryCount":3,"UseGPO":false,"klprts-
TaskAccountUser":"","klprts-TaskAccounts":[],"klprts-TaskMaxRunningTime":7200000,"klprts-TaskStorageId":"
dd64d20d-c529-4d47-a854-38c1c2c77a77"}},
    "PRTS_TASK_GROUPID":-1,
    ".HstQueryId":0,
    "TASK_INFO_PARAMS":{"type":"params","value":{"DisplayName":"KEA - Isolation ON for specific host","
HostList":[{"type":"params","value":{"HostDispName":"WIN10-KES-11OLD","HostName":"6294f978-292d-4b5f-aa57-
bb429147687b","Preliminary":false}},{"type":"params","value":{"HostDispName":"ATM-01","HostName":"ba973373-
8120-47a0-9989-686cba2430af","Preliminary":false}}],"KLEVP_NOTIFICATION_DESCR_ID":"9b84b28a-e47b-4120-8147-
bb67fef681ea","KLPRSS_EVPNotifications":{"type":"params","value":{"ERR":[{"type":"params","value":
{"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}}],"INF":[{"type":"params","
value":{"KLEVP_ND_BODY_FILTER":{"type":"params","value":{"KLPRCI_newState":2}},"
KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}},{"type":"params","value":
{"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLEVP_GroupTaskSyncState","
KLEVP_ND_STORE_AT_CLIENT_LOG":false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":
false}},{"type":"params","value":{"KLEVP_ND_BODY_FILTER":{"type":"params","value":{"KLPRCI_newState":4}},"
KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}},{"type":"params","value":
{"KLEVP_ND_BODY_FILTER":{"type":"params","value":{"KLPRCI_newState":1}},"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"
KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":false,"KLEVP_ND_STORE_AT_CLIENT_PRES":
false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}}],"WRN":[{"type":"params","value":
{"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}}]}},"
KLSRV_PRTS_TASK_ENABLED_FLAG":true,"KLTSK_ALLOW_AUTO_RANDOMIZATION":true,"PRTS_TASK_CREATION_DATE":{"type":"
datetime","value":"2022-02-15T11:40:43Z"},"PRTS_TASK_GROUPID":-1,"PRTS_TASK_TARGET_COMPUTERS_TYPE":0,"klprts-
DontApplyToSlaveServers":true,"klprts-TaskMaxRunningTime":7200000,"klprts-TaskScheduleSubtype":256,"klprts-
TaskScheduleSubtypeEx":0}}
}
}
```


Change values for HostList and enter specific host.

For example: **"HostList"**:[{"type":"params","value":{"HostDispName":"**WIN10-KES-11OLD**","HostName":"6294f978-292d-4b5f-aa57-bb429147687b","
Preliminary":false}},{"type":"params","value":{"HostDispName":"**ATM-01**","HostName":"ba973373-8120-47a0-9989-686cba2430af","Preliminary":false}}]

```
{
"strTask":"1338",
"pData":{
    "TASKID_COMPONENT_NAME":"87",
    "TASKID_PRODUCT_NAME":"1093",
    "TASKID_VERSION":"1.0.0.0",
    "TASK_NAME":"Remote Installation",
    "TASKSCH_TYPE":0,
    "TASK_ADDITIONAL_PARAMS":{"type":"params","value":{"KLNAG_TASK_REMOTE_INSTALL_ACCOUNT":"","
KLNAG_TASK_REMOTE_INSTALL_ACCOUNT_PSWD":{"type":"binary","value":""},"KLSRV_COUPLED_NAGT_TSID":"9066e3c9-
c709-434f-9196-88dcf4c70c23","KLTSK_RI_CHECK_OS":true,"KLTSK_RI_GROUP_TO_MOVE_HOST":-1,"
KLTSK_RI_MAX_DOWNLOADS":5,"KLTSK_RI_MGD_BY_OTHER_SERVER":0,"KLTSK_RI_PACKAGES_GUIDS":["e71217d1-4a96-462c-
a56a-6112bdc5369b:65"],"KLTSK_RI_PACKAGES_IDS":[65],"KLTSK_RI_ROOT":{"type":"binary","value":""},"
KLTSK_RI_SKIP_PRESENT_PRODS":true,"KLTSK_RI_TMP_FOLDER":"","KLTSK_RI_USE_NAGENT":true,"KLTSK_RI_USE_SHARE":
true,"KLTSK_RI_USE_SHARE_SRV":true,"KLTSK_RI_USE_SHARE_UA":false,"MaxTryCount":3,"UseGPO":false,"klprts-
TaskAccountUser":"","klprts-TaskAccounts":[],"klprts-TaskMaxRunningTime":7200000,"klprts-TaskStorageId":"
dd64d20d-c529-4d47-a854-38c1c2c77a77"}},
    "PRTS_TASK_GROUPID":-1,
    ".HstQueryId":0,
    "TASK_INFO_PARAMS":{"type":"params","value":{"DisplayName":"KEA - Isolation ON for specific host","
HostList":[{"type":"params","value":{"HostDispName":"WIN10-KES-11OLD","HostName":"6294f978-292d-4b5f-aa57-
bb429147687b","Preliminary":false}},{"type":"params","value":{"HostDispName":"ATM-01","HostName":"ba973373-
8120-47a0-9989-686cba2430af","Preliminary":false}}],"KLEVP_NOTIFICATION_DESCR_ID":"9b84b28a-e47b-4120-8147-
bb67fef681ea","KLPRSS_EVPNotifications":{"type":"params","value":{"ERR":[{"type":"params","value":
{"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}}],"INF":[{"type":"params","
value":{"KLEVP_ND_BODY_FILTER":{"type":"params","value":{"KLPRCI_newState":2}},"
KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}},{"type":"params","value":
{"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLEVP_GroupTaskSyncState","
KLEVP_ND_STORE_AT_CLIENT_LOG":false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":
false}},{"type":"params","value":{"KLEVP_ND_BODY_FILTER":{"type":"params","value":{"KLPRCI_newState":4}},"
KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}},{"type":"params","value":
{"KLEVP_ND_BODY_FILTER":{"type":"params","value":{"KLPRCI_newState":1}},"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"
KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":false,"KLEVP_ND_STORE_AT_CLIENT_PRES":
false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}}],"WRN":[{"type":"params","value":
{"KLEVP_ND_DAYS_TO_STORE_EVENT":7,"KLEVP_ND_EVETN_TYPE":"KLPRCI_TaskState","KLEVP_ND_STORE_AT_CLIENT_LOG":
false,"KLEVP_ND_STORE_AT_CLIENT_PRES":false,"KLEVP_ND_STORE_AT_SERVER_LOG":false}}]}},"
KLSRV_PRTS_TASK_ENABLED_FLAG":true,"KLTSK_ALLOW_AUTO_RANDOMIZATION":true,"PRTS_TASK_CREATION_DATE":{"type":"
datetime","value":"2022-02-15T11:40:43Z"},"PRTS_TASK_GROUPID":-1,"PRTS_TASK_TARGET_COMPUTERS_TYPE":0,"klprts-
DontApplyToSlaveServers":true,"klprts-TaskMaxRunningTime":7200000,"klprts-TaskScheduleSubtype":256,"klprts-
TaskScheduleSubtypeEx":0}}
}
}
```


- Run Task

Host Events



Create event processing iterator with filter (EventProcessingFactory::CreateEventProcessing2):

pFilter	(params) object containing values for attributes to filter events. Only events with matching attribute values will be returned. If empty all events will be returned. See List of event filter attributes for attribute names.		
	"GNRL_EA_SEVERITY"	paramInt	Event severity. May have the following values: • 0 - Constant to be used as invalid event severity value • 1 - Severity "Information" • 2 - Severity "Warning" • 3 - Severity "Error" • 4 - Severity "Critical"
vecFieldsToReturn	(array) array of attribute names to return. See List of event attributes for attribute names		

#host id - FindHost

EventProcessingFactory::CreateEventProcessing2)

```
POST /api/v1.0/EventProcessingFactory.CreateEventProcessing2 HTTP/1.1
Host: localhost:13299
X-KSC-Session: nvLZ4Hwi5VAL7XIiMwPaxPw==
Content-Type: application/json
Content-Length: 440

{
    "pFilter": {
        "KLEVP_EVENT_HOST":"a537ddc0-b84b-488a-993c-9f76e62036e9", #host id
        "GNRL_EA_SEVERITY":4 #Critical Event
    },
    "vecFieldsToReturn": [
        "GNRL_EA_SEVERITY",
        "event_db_id",
        "rise_time",
        "hostname",
        "event_type",
        "event_type_display_name",
        "GNRL_EA_DESCRIPTION",
        "group_id",
        "group_name"
    ],
    "vecFieldsToOrder": [],
    "lifetimeSec": 1000
}
```

Response ID

Response

```
{"strIteratorId":"A07B69A5347CF435DB66C0FA826371FF"}
```

Get result from Response data (ReportManager::GetStatisticsData):

EventProcessing::GetRecordRange

```
curl --location --request POST 'https://localhost:13299/api/v1.0/EventProcessing.GetRecordRange' --header 'X-
KSC-Session: nT0T9KvkIKlgHGGaZ60j38Q==' --header 'Content-Type: application/json' --data-raw '{
    "strIteratorId":"A07B69A5347CF435DB66C0FA826371FF",
    "nStart": 0,
    "nEnd": 100
    }'
```

Response critical events:

Response


```
{"pParamsEvents":{"KLEVP_EVENT_RANGE_ARRAY":[{"type":"params","value":{"GNRL_EA_DESCRIPTION":"Event type:
KSN servers unavailable\r\nName: avp.exe\r\nApplication path: C:\\Program Files (x86)\\Kaspersky
Lab\\Kaspersky Endpoint Security for Windows\r\nProcess ID: 18446744073709551615\r\nUser: SALES\\markovets
(Active user)\r\nComponent: Protection","GNRL_EA_SEVERITY":4,"event_db_id":{"type":"long","value":119829},"
event_type":"000007e7","event_type_display_name":"KSN servers unavailable","group_id":5,"group_name":"KEDR-
O","hostname":"a537ddc0-b84b-488a-993c-9f76e62036e9","rise_time":{"type":"datetime","value":"2022-03-04T09:
10:44Z"}}},{"type":"params","value":{"GNRL_EA_DESCRIPTION":"Event type: KSN servers unavailable\r\nName: avp.
exe\r\nApplication path: C:\\Program Files (x86)\\Kaspersky Lab\\Kaspersky Endpoint Security for
Windows\r\nProcess ID: 18446744073709551615\r\nUser: SALES\\markovets (Active user)\r\nComponent:
Protection","GNRL_EA_SEVERITY":4,"event_db_id":{"type":"long","value":119818},"event_type":"000007e7","
event_type_display_name":"KSN servers unavailable","group_id":5,"group_name":"KEDR-O","hostname":"a537ddc0-
b84b-488a-993c-9f76e62036e9","rise_time":{"type":"datetime","value":"2022-03-04T09:05:34Z"}}},{"type":"
params","value":{"GNRL_EA_DESCRIPTION":"Event type: KSN servers unavailable\r\nName: avp.exe\r\nApplication
path: C:\\Program Files (x86)\\Kaspersky Lab\\Kaspersky Endpoint Security for Windows\r\nProcess ID:
18446744073709551615\r\nUser: SALES\\markovets (Active user)\r\nComponent: Protection","GNRL_EA_SEVERITY":4,"
event_db_id":{"type":"long","value":119807},"event_type":"000007e7","event_type_display_name":"KSN servers
unavailable","group_id":5,"group_name":"KEDR-O","hostname":"a537ddc0-b84b-488a-993c-9f76e62036e9","
rise_time":{"type":"datetime",........
```


End Session to KSC (Session::EndSession):

Session::EndSession

```
curl --location --request POST 'https://127.0.0.1:13299/api/v1.0/Session.EndSession' --header 'X-KSC-
Session: nsPbUpP1oAVZlM1lODEbg8A==' #PxgRetVal from Session.StartSession
```