


Address Risk & Livability Report

Sample Address, Sample City, Sample County, California, 00000

ZIP 00000 - 00.00000, -000.00000 - 8/1/2026 - 46 factors

ADDRESS MAP



OpenStreetMap preview centered on this address. Live report includes FEMA flood, CGS seismic, and CAL FIRE layers.

Report focus

Use this PDF as a clean screening summary. Open the live page for expandable explanations, layer toggles, and agency map links.

Report Summary

TOP HIGH-RISK FACTORS

Earthquake Fault Lines

High

Mapped fault within 5 miles - elevated seismic disclosure and structural due-diligence context.

TOP MODERATE-RISK FACTORS

Commute & Accessibility

Moderate

Weak regional access can weigh on resale.

Soil Liquefaction Zones

Moderate

Map/source screening estimate, verify before relying on it:

Landslide Zones

Moderate

Map/source screening estimate, verify before relying on it: Slope failure can

POPULATION (ZIP) 39,418	MEDIAN HOUSEHOLD INCOME \$184,033	MEDIAN HOME VALUE \$1,234,400	BACHELOR'S+ DEGREE 64%
----------------------------	--------------------------------------	----------------------------------	---------------------------

CENSUS DEMOGRAPHICS

U.S. Census ACS 2023 ZIP/ZCTA profile for ZIP 00000

EDUCATION LEVELS

Master's degree or higher	28%
Bachelor's degree	36%
Some college or associate's degree	22%
High school diploma or equivalent	11%
Less than high school diploma	3%

GENDER

Female	49%
Male	51%

AGE

<10 years	13%
10-17 years	13%
18-24 years	7%
25-34 years	9%
35-44 years	15%

RACIAL DIVERSITY

White	45%
Asian	37%
Hispanic	11%
Black	2%
Two or more races	5%

NEIGHBORHOOD SNAPSHOT

137
Dining / retail

47
Parks

23
Transit points

12
Healthcare

9
Community places

0
Construction

AIR + WEATHER

53
US AQI

Moderate

83 F
Clear

10 mph W
Wind

33%
Humidity

Air quality is acceptable; sensitive groups may notice minor effects.

Section scores



Property
Medium score



Health
Medium score



Livability
High score

Factor	What it is	Health impact	Property value impact	Insurance impact	Links
PROPERTY					
Earthquake Fault Lines (LIVE) EARTHQUAKE	Nearest active/recent CGS FAM 750k fault feature is 0.4 miles away (Quaternary faults).	NA NA: Not a chronic health exposure.	High High: Mapped fault within 5 miles - elevated seismic disclosure and structural due-diligence context.	High High: Near-fault earthquake exposure can affect coverage cost and underwriting.	Open map
Soil Liquefaction Zones EARTHQUAKE	CGS seismic-hazard zones where saturated soils may liquefy in a quake.	NA NA: No direct health exposure.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Liquefiable soils can crack foundations in a quake.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Adds to earthquake / structural insurance cost.	Open map
Landslide Zones EARTHQUAKE	CGS earthquake-induced landslide zones on steeper slopes.	NA NA: No direct health exposure.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Slope failure can damage hillside structures.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Earth-movement is often excluded or costly to cover.	Open map
FEMA Flood Zone (LIVE) FLOOD	FEMA Zone X — AREA OF MINIMAL FLOOD HAZARD (minimal/moderate). No mandatory flood insurance.	Low Low: FEMA Zone X — AREA OF MINIMAL FLOOD HAZARD (minimal/moderate). No mandatory flood insurance. Scored by the health weighting model.	Low Low: Minimal flood zone (Zone X) — little value impact.	Low Low: No mandatory flood insurance required.	Open map
Dams & Inundation FLOOD	Whether the address lies in a downstream dam-failure inundation pathway.	NA NA: No direct health exposure.	Low Low: Map/source screening estimate, verify before relying on it: Inundation-zone location can deter buyers.	Low Low: Map/source screening estimate, verify before relying on it: May affect the need for flood coverage.	Open map
Rivers, Streams, Creeks FLOOD	Nearby watercourses; creek-adjacent parcels carry erosion and localized flood exposure.	NA NA: No direct health exposure.	Low Low: Map/source screening estimate, verify before relying on it: Creek-adjacency adds erosion and flood concern.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Near-water parcels face higher flood premiums.	Open map

Factor	What it is	Health impact	Property value impact	Insurance impact	Links
Fire Hazard Severity Zone (LIVE) FIRE	Not in a designated Fire Hazard Severity Zone at this point.	Low Low: Map/source screening estimate, verify before relying on it: Wildfire smoke episodes can affect respiratory health.	Low Low: Outside designated hazard zones.	Low Low: No FHSZ designation here.	Open map
Rail Tracks FREIGHT RAIL	Active freight rail corridors near the address.	Low Low: Map/source screening estimate, verify before relying on it: Noise/vibration and crossing hazards nearby.	Low Low: Map/source screening estimate, verify before relying on it: Track adjacency can reduce value.	NA NA: Not a standard insurance factor.	Open map
Tsunami Evacuation Zone (LIVE) TSUNAMI	Outside the CGS Tsunami Hazard Area for Emergency Planning screening layer at this point.	Low Low: No mapped tsunami evacuation exposure at this point.	Low Low: Not in the local CGS tsunami hazard screening area.	Low Low: No mapped tsunami hazard context for this point.	Open map
HEALTH					
Oil, Gas & Hazard Pipelines OIL & GAS	PHMSA gas-transmission and hazardous-liquid pipelines (NPMS Public Viewer shows one county at a time — select your state and county, per the note when an address is analyzed).	Low Low: Map/source screening estimate, verify before relying on it: Rupture risk for parcels near a transmission easement.	Low Low: Map/source screening estimate, verify before relying on it: Easement proximity can deter some buyers.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Premiums can rise for parcels near a line.	Open map
Oil & Natural Gas Wells OIL & GAS	CalGEM active / idle / plugged wells nearby.	Low Low: Map/source screening estimate, verify before relying on it: Active wells may emit; plugged wells are minimal.	Low Low: Map/source screening estimate, verify before relying on it: Nearby wells can affect desirability.	Low Low: Map/source screening estimate, verify before relying on it: Minor unless an active well is adjacent.	Open map
Superfund (NPL) Sites (LIVE) SUPERFUND & BROWNFIELD	No EPA NPL Superfund boundary found within 10 miles of this address.	Low Low: No nearby NPL boundary found in the live 10-mile check.	Low Low: No nearby NPL boundary found in the live 10-mile check.	NA NA: Not a standard property-insurance pricing factor.	Open map
EPA / CalEPA Regulated Sites SUPERFUND & BROWNFIELD	Permitted, regulated and cleanup-program facilities near the address.	Low Low: Map/source screening estimate, verify before relying on it: Most are routine; active cleanup cases matter more.	Low Low: Map/source screening estimate, verify before relying on it: Nearby cleanup cases can weigh on value.	NA NA: Not a standard insurance factor.	Open map
Mines MINES	Active and historic mine locations.	Low Low: Map/source screening estimate, verify before relying on it: Legacy mines can carry contamination or gas.	Low Low: Map/source screening estimate, verify before relying on it: Subsidence risk can affect nearby parcels.	NA NA: Not a standard insurance factor.	Open map

Factor	What it is	Health impact	Property value impact	Insurance impact	Links
Waste / Dump Sites DUMP SITES	Landfills and solid-waste disposal sites near the address.	Low Low: Map/source screening estimate, verify before relying on it: Odor, vectors or legacy gas if very close.	Low Low: Map/source screening estimate, verify before relying on it: Proximity can lower desirability.	NA NA: Not a standard insurance factor.	Open map
Sewage / Wastewater Treatment SEWAGE	Proximity to wastewater treatment plants.	Low Low: Map/source screening estimate, verify before relying on it: Odor/nuisance only if immediately adjacent.	Low Low: Map/source screening estimate, verify before relying on it: Adjacent plants can reduce desirability.	NA NA: Not an insurance factor.	Open map
Drinking Water Contamination DRINKING WATER	Serving water system and its compliance with drinking-water standards.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Water quality directly affects health.	Low Low: Map/source screening estimate, verify before relying on it: Persistent violations can weigh on value.	NA NA: Not an insurance factor.	Open map
Ground Water Collection DRINKING WATER	Whether supply relies on local groundwater wells/basins vs. treated surface water.	Low Low: Map/source screening estimate, verify before relying on it: Local well reliance can affect water quality.	Low Low: Map/source screening estimate, verify before relying on it: Basin dependence can matter in droughts.	NA NA: Not an insurance factor.	Open map
Pesticide Use CHEMICAL POLLUTION	Agricultural pesticide application intensity in the surrounding area.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Heavy nearby application raises exposure.	Low Low: Map/source screening estimate, verify before relying on it: Ag-adjacency can deter some buyers.	NA NA: Not an insurance factor.	Open map
Gas Stations CHEMICAL POLLUTION	Retail fuel and underground storage tanks nearby.	Low Low: Map/source screening estimate, verify before relying on it: UST leaks/vapors risk for adjacent parcels.	Low Low: Map/source screening estimate, verify before relying on it: Adjacency can reduce desirability.	NA NA: Not a standard insurance factor.	Open map
Microwave Stations MICROWAVE & CELL	Fixed point-to-point microwave links registered near the address.	Low Low: Map/source screening estimate, verify before relying on it: Directional links; minimal public exposure.	Low Low: Map/source screening estimate, verify before relying on it: Minor visual/proximity preference effect.	NA NA: Not an insurance factor.	Open map
Cell Towers MICROWAVE & CELL	FCC-registered towers and antennas nearby.	Low Low: Map/source screening estimate, verify before relying on it: RF is typically far below public limits.	Low Low: Map/source screening estimate, verify before relying on it: View/proximity can affect some buyers.	NA NA: Not an insurance factor.	Open map

Factor	What it is	Health impact	Property value impact	Insurance impact	Links
Air Pollution (PM2.5) (LIVE) OVERALL POLLUTION	Live OpenWeather air pollution check: AQI 1 (Good); PM2.5 4.0 ug/m3, PM10 13.4 ug/m3, ozone 58.4 ug/m3.	No No: Current air pollution is not elevated in this live OpenWeather check.	Low Low: Air quality can affect desirability, especially during smoke or high-pollution periods.	NA NA: Not a standard insurance-pricing factor.	Open map
Overall Pollution OVERALL POLLUTION	Cumulative environmental pollution-burden percentile from CalEnviroScreen.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Cumulative burden affects long-term health.	Low Low: Map/source screening estimate, verify before relying on it: High-burden areas can see lower demand.	NA NA: Not a standard insurance factor.	Open map
Traffic Density OVERALL POLLUTION	Near-roadway / freeway-corridor air and noise exposure.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Near-freeway air/noise harms health within ~500 ft.	Low Low: Map/source screening estimate, verify before relying on it: Freeway adjacency can lower value.	NA NA: Not a standard insurance factor.	Open map
Powerline POWER TRANSMISSION	High-voltage transmission corridors; ELF-EMF falls off quickly with distance.	Low Low: Map/source screening estimate, verify before relying on it: ELF-EMF drops quickly with distance from lines.	Low Low: Map/source screening estimate, verify before relying on it: Under/adjacent-to-line parcels are less desirable.	NA NA: Not a standard insurance factor.	Open map
Noise Level NOISE	Modeled transportation noise (road, rail, aviation) at the address.	Low Low: Map/source screening estimate, verify before relying on it: Chronic noise affects sleep and stress.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Noise materially affects desirability and value.	NA NA: Not an insurance factor.	Open map
Airports & Overflight FACILITIES	Airport proximity and approach-path overflight, plus access convenience.	Low Low: Map/source screening estimate, verify before relying on it: Overflight noise under approach paths.	Moderate Moderate: Map/source screening estimate, verify before relying on it: Flight-path parcels can see lower value.	NA NA: Not a standard insurance factor.	Open map
Meat Production MEAT PRODUCTION	Meat-production and animal-agriculture facility map reference. Use this source to screen nearby processing, feedlot, or animal-agriculture context where mapped data is available.	Low Low: Map/source screening estimate, verify before relying on it: Nearby meat-production or animal-agriculture facilities can involve odor, truck traffic, wastewater, or air-quality concerns depending on distance and operations.	Low Low: Map/source screening estimate, verify before relying on it: Close proximity to intensive production or processing facilities can affect buyer preference and nuisance perception.	NA NA: Not a standard property-insurance pricing factor.	Open map

Factor	What it is	Health impact	Property value impact	Insurance impact	Links
LIVABILITY					
Address & ZIP Profile (LIVE) ABOUT / DEMOGRAPHICS	ZIP 00000: sample profile, median income \$184,033, median home \$1,234,400, 64% bachelor's+.	NA NA: Live Census demographic context, not a health hazard.	No No: Live Census socioeconomic context; not itself a risk.	NA NA: Not an insurance-pricing factor.	Open map
School Zones & Ratings (LIVE) SCHOOLS	Live OpenStreetMap school-access check: 18 mapped school site(s) within 2 miles; nearest: Bollinger Canyon Elementary School (0.40 miles). This is an access proxy, not an official school-quality rating.	NA NA: No direct health effect.	Low Low: Multiple nearby mapped schools support location convenience; verify assigned schools and ratings separately.	NA NA: Not used in insurance pricing.	Open map
Crime & Public Safety (LIVE) CRIME	Live safety-access proxy from OpenStreetMap: 1 police, 3 fire, 1 hospital, 0 ambulance station(s) within 3 miles; nearest police: Sample City Police Department (1.6 miles). Open LexisNexis Community Crime Map for participating-agency incident maps. CrimeScore API was unavailable, so this row is using the public-safety access fallback.	Low Low: Mapped public-safety access is nearby; verify reported incidents in LexisNexis Community Crime Map or local police data.	Low Low: Nearby public-safety services support location confidence, but incident rates still need review.	Low Low: Safety-service access is context only; insurers use broader claims and crime data.	Open map
Zoning / Land Use ZONING	Residential / commercial / mixed-use designation and neighboring land uses.	NA NA: No direct health hazard.	Low Low: Map/source screening estimate, verify before relying on it: Incompatible adjacent uses can reduce value.	NA NA: Not an insurance factor.	Open map
Fire Station Coverage FIRE	Nearest fire stations and response distance.	NA NA: No direct health effect.	No No: Map/source screening estimate, verify before relying on it: Good coverage is a positive, not a risk.	Low Low: Map/source screening estimate, verify before relying on it: Closer stations can lower ISO-based premiums.	Open map
Park & Ride FACILITIES	Nearby commuter park-and-ride lots supporting the commute.	NA NA: No health hazard.	No No: Map/source screening estimate, verify before relying on it: Commute convenience is a minor positive.	NA NA: Not an insurance factor.	Open map
Colleges & Universities (LIVE) LIVABILITY	No college/university mapped within ~1.5 mi (context, not a hazard).	Low Low: No college/university mapped within ~1.5 mi (context, not a hazard). Scored by the health weighting model.	Low Low: No college/university mapped within ~1.5 mi (context, not a hazard). Scored by the property value weighting model.	NA NA: Not a standard insurance-pricing signal from this live check.	Open map
Restaurants & Retail (LIVE) LIVABILITY	82 eateries and 55 shops within ~1 mi — amenity-rich.	NA NA: No direct health effect.	No No: Strong retail/dining density supports value.	NA NA: Not an insurance factor.	Open map

Factor	What it is	Health impact	Property value impact	Insurance impact	Links
Parks & Recreation (LIVE) LIVABILITY	47 parks/playgrounds/green spaces within ~1 mi.	No No: Good green-space access.	Low Low: Map/source screening estimate, verify before relying on it: Park proximity is a value positive.	NA NA: Not an insurance factor.	Open map
Walkability & Transit (LIVE) LIVABILITY	23 transit stops within walking range.	Low Low: Map/source screening estimate, verify before relying on it: Walkable areas encourage active lifestyles.	No No: Transit-rich, walkable location.	NA NA: Not an insurance factor.	Open map
Commute & Accessibility (LIVE) LIVABILITY	No freeway ramp within ~2.5 mi — longer surface-street commutes.	NA NA: No direct health effect.	Moderate Moderate: Weak regional access can weigh on resale.	NA NA: Not an insurance factor.	Open map
Healthcare Access (LIVE) LIVABILITY	12 clinic/pharmacy feature(s) within ~1.2 mi; nearest hospital is farther.	Low Low: 12 clinic/pharmacy feature(s) within ~1.2 mi; nearest hospital is farther. Scored by the health weighting model.	Low Low: 12 clinic/pharmacy feature(s) within ~1.2 mi; nearest hospital is farther. Scored by the property value weighting model.	NA NA: Not a standard insurance-pricing signal from this live check.	Open map
Community & Lifestyle Fit (LIVE) LIVABILITY	9 community places (libraries, centers, congregations) within ~1 mi.	No No: 9 community places (libraries, centers, congregations) within ~1 mi. Scored by the health weighting model.	No No: 9 community places (libraries, centers, congregations) within ~1 mi. Scored by the property value weighting model.	NA NA: Not a standard insurance-pricing signal from this live check.	Open map
Future Development Activity (LIVE) LIVABILITY	No active construction mapped within ~1 mi.	No No: No active construction mapped within ~1 mi. Scored by the health weighting model.	No No: No active construction mapped within ~1 mi. Scored by the property value weighting model.	NA NA: Not a standard insurance-pricing signal from this live check.	Open map
Trails & Outdoor Access TRAILS	ArcGIS trail and outdoor-access map centered on the searched address; use it to review nearby trail networks and recreation access.	No No: Map/source screening estimate, verify before relying on it: Trail access can support walking, recreation, and outdoor activity; not a hazard by itself.	Low Low: Map/source screening estimate, verify before relying on it: Nearby trails and open-space access can support livability and buyer appeal.	NA NA: Trail access is not a standard insurance-pricing factor.	Open map
Average Property Value (LIVE) LIVABILITY	ZIP median home value \$1,234,400 (Census ACS). Open the Zillow link for market trends.	NA NA: Not a health factor.	No No: Map/source screening estimate, verify before relying on it: Context metric for the local market.	Low Low: Replacement cost scales with local values.	Open map
Cemeteries CEMETERIES	Cemetery proximity (a buyer-preference factor for some).	NA NA: No health effect.	Low Low: Map/source screening estimate, verify before relying on it: A buyer-preference factor for some.	NA NA: Not an insurance factor.	Open map

Disclaimer acknowledgement

Acknowledgement: Before downloading this PDF report, the user confirmed that they read and agree to the Disclaimer and Terms of Use, understand the data is for informational purposes only and not for decision-making, and will consult a licensed professional before making any real estate decision.

Informational screening from public data (U.S. Census, FEMA NFHL, OpenStreetMap and each factor's agency map). Not a substitute for a professional inspection, geotechnical study, title report, or insurance underwriting.