


COMMUNICATIONS INFRASTRUCTURE FACTOR

Microwave Stations

For residents, a compliant point-to-point radio site is mainly a physical, operational, and land-use consideration; occupational tower work presents much higher risks than routine public RF exposure.



1 Understand the factor

What it is - and why it matters

Microwave stations use highly directional antennas or dishes to transmit data between fixed points. A site may include a tower or rooftop structure, dishes, equipment shelters, waveguides, backup batteries or generators, fencing, lighting, and access roads. Microwave radiofrequency energy is non-ionizing and is regulated through federal exposure limits. Public-access areas at compliant sites are designed to remain within those limits. Potential neighborhood issues include tower stability, ice or falling objects, worker access, generator exhaust and noise, visual impact, wildfire exposure, and easements.

How risk can reach a household

- High RF levels can occur close to an active antenna beam or during occupational work, which is why access controls and shutdown procedures are used.
- Tower, dish, mount, or rigging failure can create falling-object or collapse hazards during severe weather or construction.
- Backup generators and batteries can create noise, exhaust, fuel, fire, and spill concerns during outages.
- Remote hilltop access roads, vegetation, and electrical equipment can affect wildfire response and erosion.

What people often miss

- A large dish does not radiate equally in all directions; point-to-point systems concentrate energy in a narrow path well above or away from public areas.
- Signal frequency or tower height alone does not establish exposure; power, antenna gain, direction, duty cycle, distance, and access matter.
- FCC compliance addresses RF exposure, not property value, views, generator noise, structural condition, or wildfire maintenance.
- Tower-worker incidents are important safety examples but do not demonstrate health harm to nearby residents from compliant RF levels.

? Five checks before buying

1

Identify the owner, FCC license or registration where applicable, antenna elevations and directions, compound boundary, access, and backup systems.

2

Request the most recent RF-compliance evaluation, structural inspection, maintenance history, fall zone or engineering basis, and generator permits.

3

Inspect recorded access and utility easements, vegetation-clearing rights, road maintenance, lighting, fencing, and future equipment rights.

4

Visit during generator testing and nighttime operation to assess noise, lighting, traffic, and line of sight.

5

Ask the insurer about tower collapse, falling objects, wildfire, generator fuel, nuisance, easement, and loss-of-use scenarios.

IMPORTANT DISTINCTION Map proximity is a screening signal - not proof of exposure, damage, or insurability. Confirm the exact feature, current condition, pathway, and property-specific controls.

HEALTH, PROPERTY AND COVERAGE

How this factor can affect a household

FACTOR 19

H Health impacts

- Established acute RF effects occur at sufficiently high exposure levels through tissue heating; public limits are designed to prevent these effects.
- Generator exhaust and noise can affect comfort or health if equipment is close, poorly maintained, or operates for long periods.
- Federal agencies have not established adverse health effects from RF exposure below applicable limits; a site-specific compliance report is more useful than distance alone.
- Visible infrastructure or recurring maintenance may create worry, but concern itself is not evidence of excessive RF exposure.

P Property impacts

- A structural failure or dropped component can damage roofs, vehicles, utilities, fencing, and nearby land within the affected area.
- Generator noise, aviation lighting, visual prominence, and future antenna additions may influence buyer preference and resale.
- Easements can restrict landscaping, gates, construction, access, and views; hilltop roads may create drainage and erosion obligations.
- Wildfire, lightning, wind, ice, and vandalism can damage equipment and interrupt communications or local access.

I Insurance implications

- Homeowners insurance may cover sudden damage from falling objects, fire, or wind, subject to exclusions and causation.
- Pollution or fuel exclusions can affect generator spills, while earth movement may affect hilltop roads or foundations.
- Nuisance, perceived loss of value, RF concern without physical loss, and easement limitations are generally not insured losses.
- Tower-owner liability coverage does not eliminate the homeowner's need for adequate dwelling, auto, and umbrella protection.

Possible long-term health implications of buying nearby

- For a compliant site, long-term residential health concern from RF should not be presumed; verify actual compliance and public access conditions.
- Residents should not enter fenced compounds, climb structures, or approach antennas on rooftops without authorization and RF safety controls.
- Noise and sleep disruption from generators, fans, or maintenance can be a more direct recurring pathway than RF.
- A major change in antennas, power, orientation, or public access justifies an updated compliance review.

Evidence lens

High-level RF can cause thermal effects, but evidence does not establish harm from compliant public exposure below federal limits. Structural, occupational, noise, fuel, and wildfire risks should be evaluated separately.

Plan more carefully for

Children

Older adults

Pregnancy

Heart/lung conditions

Mobility or power needs

Insurance reality: Availability, eligibility, exclusions, deductibles, and limits vary by state, carrier, property, and cause of loss. Get an address-specific written quote before the purchase contingency expires.

PRACTICAL RISK REDUCTION

Precautions and a real-life example

FACTOR 19

V Verify the actual risk

- Request RF-compliance and structural documentation from the owner or permitting agency and confirm public-access boundaries.
- Review FCC records, local permits, easements, generator approvals, maintenance, and proposed expansion rights.

P Protect the property

- Keep people away from fenced or signed areas and do not alter access roads, grounding, gates, or drainage serving the site.
- Maintain defensible space where applicable and report loose components, leaning structures, damaged fencing, or fuel leakage.

M Monitor and respond

- Document generator hours, noise, lighting, access conflicts, or visible structural change and report them to the appropriate owner or agency.
- Use a qualified RF professional, not an uncalibrated consumer meter, when a compliance measurement is genuinely needed.

I Prepare insurance records

- Review falling-object, collapse, wildfire, wind, pollution, easement, and additional-living-expense provisions.
- Keep the site owner's contact, permits, baseline photographs, and correspondence about maintenance or incidents.

REAL-LIFE EXAMPLE

2013 Microwave-Dish Installation Fatality

August 17, 2013

OSHA reports that a worker installing microwave dishes on a communication tower in Louise, Mississippi, fell about 125 feet and was killed after disconnecting a positioning lanyard while repositioning. The incident involved occupational fall protection, not public RF exposure.

Why it matters: The case clarifies that one of the best-documented hazards at microwave sites is tower construction and maintenance. Homebuyers should separate worker fall and structural risk from claims about compliant residential RF exposure.

[Open official incident record - osha.gov >](#)

Questions to resolve before making a decision

1. Identify the owner, FCC license or registration where applicable, antenna elevations and directions, compound boundary, access, and backup systems.
2. Request the most recent RF-compliance evaluation, structural inspection, maintenance history, fall zone or engineering basis, and generator permits.
3. Inspect recorded access and utility easements, vegetation-clearing rights, road maintenance, lighting, fencing, and future equipment rights.
4. Visit during generator testing and nighttime operation to assess noise, lighting, traffic, and line of sight.

Official sources and mapping tools

[FCC radiofrequency safety - fcc.gov >](#)

[FCC RF Safety FAQ - fcc.gov >](#)

[FCC Antenna Structure Registration - fcc.gov >](#)