Status	Finished
Started	Thursday, 29 October 2026, 6:01 PM
Completed	Thursday, 29 October 2026, 6:05 PM
Duration	4 mins 25 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A python, a dictionary can neither have two same keys nor two same values.

b. A dictionary can have two same keys with different values.

c. A dictionary can have two same values with different keys. ✓

d. A dictionary can have two same keys or same values but cannot have two same key-value pair

Question **2**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True

False ✓

Question **3**

Incorrect

Mark 0.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 10 ✗

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

- a. 4 ✓
- b. 5
- c. Invalid Synatx,Error
- d. A

Question **5**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

- a. It will merge all the elements of dictionary ‘D1’ in dictionary ‘D2’.
- b. None of the mentioned
- c. It will merge all the elements of dictionary ‘D2’ in dictionary ‘D1’. ✓
- d. It will create a new dictionary.

Question **6**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = { } ✓
- b. d1 = [ ]
- c. d1 = 🪆
- d. d1 = dict{ }

Question **7**

Correct

Mark 1.00 out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

- a. d.delete(“john”)
- b. d.delete(“john”:40)
- c. del d[“john”] ✓
- d. del d(“john”:40)

Question **8**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

- a. Semicolon(;)
- b. Colon (🙂)
- c. dot(.)
- d. Comma(,) ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

- a. Keys are unique within a dictionary.
- b. All of the mentioned ✓
- c. Dictionary is mutable.
- d. Keys must be of an immutable data type.

Question **10**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓
b. True

Question **11**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

a. String
b. List
c. Dictionary ✓
d. Tuple

Question **12**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. clear( ) ✓
b. del
c. pop( )
d. delete( )

Question **13**

Incorrect

Mark 0.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'John', 'Erik'] ✗

b. ['Emily', 'John', 'Erik']

c. ['Janice', 'Emily', 'John', 'Eleanor']

d. ['Janice', 'Emily', 'John']

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dict ✓

b. create

c. convert

d. dictionary

Question **15**

Incorrect

Mark 0.00 out of 1.00

Write the output of the following codes.

```
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()
```

a. Error ✗

b. [1, 2, 3, 4, 5]

c. [10, 20, 30, 40, 50]

d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]