

1 Print numbers from 1 to N

```
<input type="number" id="n1">

<button onclick="printNumbers()">Print</button>

<p id="out1"></p>


<script>

function printNumbers() {

  let n = document.getElementById("n1").value;

  let result = "";

  for (let i = 1; i <= n; i++) {

    result += i + " ";

  }

  document.getElementById("out1").innerText = result;

}

</script>
```

2 Multiplication Table

```
<input type="number" id="num">

<button onclick="table()">Generate</button>

<p id="out2"></p>


<script>

function table() {

  let n = document.getElementById("num").value;

  let res = "";

  for (let i = 1; i <= 10; i++) {

    res += n + " x " + i + " = " + (n*i) + "\n";

  }

  document.getElementById("out2").innerText = res;

}

</script>
```

3 Sum of N numbers

```
<input type="number" id="n3">

<button onclick="sumN()">Find Sum</button>

<p id="out3"></p>

<script>

function sumN() {

  let n = document.getElementById("n3").value;

  let sum = 0;

  for (let i = 1; i <= n; i++) sum += i;

  document.getElementById("out3").innerText = "Sum = " + sum;

}

</script>
```

4 Even numbers up to N

```
<input type="number" id="n4">

<button onclick="even()">Show Even</button>

<p id="out4"></p>

<script>

function even() {

  let n = document.getElementById("n4").value;

  let res = "";

  for (let i = 2; i <= n; i += 2) res += i + " ";

  document.getElementById("out4").innerText = res;

}

</script>
```

5 Factorial

```
<input type="number" id="n5">

<button onclick="fact()">Factorial</button>

<p id="out5"></p>

<script>

function fact() {

  let n = document.getElementById("n5").value;

  let f = 1;

  for (let i = 1; i <= n; i++) f *= i;

  document.getElementById("out5").innerText = "Factorial = " + f;

}

</script>
```

6 Reverse a Number

```
<input type="number" id="n6">

<button onclick="reverse()">Reverse</button>

<p id="out6"></p>

<script>

function reverse() {

  let num = document.getElementById("n6").value;

  let rev = 0;

  while (num > 0) {

    rev = rev * 10 + (num % 10);

    num = Math.floor(num / 10);

  }

  document.getElementById("out6").innerText = "Reverse = " + rev;

}

</script>
```

7 Fibonacci Series

```
<input type="number" id="n7">

<button onclick="fibo()">Generate</button>

<p id="out7"></p>


<script>

function fibo() {

  let n = document.getElementById("n7").value;

  let a = 0, b = 1, res = "";

  for (let i = 1; i <= n; i++) {

    res += a + " ";

    let c = a + b;

    a = b;

    b = c;

  }

  document.getElementById("out7").innerText = res;

}

</script>
```

8 Count Digits

```
<input type="number" id="n8">

<button onclick="count()">Count</button>

<p id="out8"></p>


<script>

function count() {

  let num = document.getElementById("n8").value;

  let c = 0;

  while (num != 0) {

    num = Math.floor(num / 10);

  }

}
```

```
    c++;  
}  
document.getElementById("out8").innerText = "Digits = " + c;  
}  
</script>
```

9 Reverse a String

```
<input type="text" id="s9">  
<button onclick="revStr()">Reverse</button>  
<p id="out9"></p>  
  
<script>  
function revStr() {  
    let s = document.getElementById("s9").value;  
    let r = "";  
    for (let i = s.length - 1; i >= 0; i--) r += s[i];  
    document.getElementById("out9").innerText = r;  
}  
</script>
```

10 Prime Number Check

```
<input type="number" id="n10">  
<button onclick="prime()">Check</button>  
<p id="out10"></p>  
  
<script>  
function prime() {  
    let n = document.getElementById("n10").value;  
    if (n <= 1) {  
        document.getElementById("out10").innerText = "Not Prime";  
        return;  
    }  
}
```

```
}  
for (let i = 2; i <= Math.sqrt(n); i++) {  
  if (n % i == 0) {  
    document.getElementById("out10").innerText = "Not Prime";  
    return;  
  }  
}  
document.getElementById("out10").innerText = "Prime Number";  
}  
</script>
```