

错检文档

public/index.html

代码块

```
1  <!DOCTYPE html>
2  <html lang="zh-CN">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>智管春秋 - AI对话管仲</title>
7      <!-- 保留必要的外部资源引入 -->
8      <script src="https://cdn.tailwindcss.com"></script>
9      <link href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-
awesome.min.css" rel="stylesheet">
10     <script
src="https://cdn.jsdelivr.net/npm/chart.js@4.4.8/dist/chart.umd.min.js">
</script>
11     <link href="https://fonts.googleapis.com/css2?
family=Noto+Sans+SC:wght@300;400;500;700&display=swap" rel="stylesheet">
12     <!-- Tailwind配置保留 -->
13     <script>
14         tailwind.config = {
15             theme: {
16                 extend: {
17                     colors: {
18                         primary: '#3B6E51',      // 春秋时期青铜色
19                         secondary: '#8C7851',    // 古代竹筒色
20                         accent: '#D4AF37',       // 金色点缀
21                         dark: '#1A202C',         // 深色背景
22                         light: '#F7FAFC',        // 浅色背景
23                     },
24                     fontFamily: {
25                         sans: ['Noto Sans SC', 'sans-serif'],
26                         serif: ['SimSun', 'serif'],
27                     },
28                 }
29             }
30         }
31     </script>
32     <style type="text/tailwindcss">
33         @layer utilities {
34             .content-auto {
```

```

35         content-visibility: auto;
36     }
37     .scrollbar-hide {
38         -ms-overflow-style: none;
39         scrollbar-width: none;
40     }
41     .scrollbar-hide::-webkit-scrollbar {
42         display: none;
43     }
44     .text-shadow {
45         text-shadow: 0 2px 4px rgba(0,0,0,0.1);
46     }
47     .bg-ancient-paper {
48         background-image: url('https://picsum.photos/id/106/1200/800');
49         background-size: cover;
50         background-position: center;
51     }
52     .animate-float {
53         animation: float 6s ease-in-out infinite;
54     }
55     @keyframes float {
56         0% { transform: translateY(0px); }
57         50% { transform: translateY(-15px); }
58         100% { transform: translateY(0px); }
59     }
60 }
61 </style>
62 </head>
63 <body class="bg-dark text-light font-sans min-h-screen flex flex-col">
64     <!-- 关键：只保留Vue的挂载点，所有页面内容移到App.vue中 -->
65     <div id="app"></div>
66     <!-- Vite自动注入Vue入口脚本 -->
67     <script type="module" src="/src/main.js"></script>
68 </body>
69 </html>

```

src/router/index.js

代码块

```

1  // src/router/index.js
2  import { createRouter, createWebHistory } from 'vue-router'
3  // 导入页面组件Home.vue，而非App.vue
4  import Home from '../views/Home.vue'
5
6  const routes = [

```

```

7   {
8     path: '/',
9     name: 'Home',
10    component: Home // 这里改成Home.vue
11  }
12 ]
13
14 const router = createRouter({
15   history: createWebHistory(import.meta.env.BASE_URL),
16   routes
17 })
18
19 export default router

```

src/views/Home.vue

代码块

```

1  <!-- 主要内容区域 -->
2  <main class="flex-grow">
3    <!-- 英雄区域 -->
4    <section id="home" class="relative min-h-[90vh] flex items-center justify-
center overflow-hidden">
5      <div class="absolute inset-0 z-0">
6        <div class="absolute inset-0 bg-gradient-to-b from-dark/80 to-dark">
</div>
7        <video autoplay muted loop class="object-cover w-full h-full">
8          <source src="https://assets.mixkit.co/videos/preview/mixkit-rain-
falling-on-the-water-of-a-pond-or-lake-2101-large.mp4" type="video/mp4">
9        </video>
10       </div>
11
12       <div class="container mx-auto px-4 z-10 text-center">
13         <h2 class="text-[clamp(2rem,8vw,5rem)] font-bold mb-6 text-transparent
bg-clip-text bg-gradient-to-r from-accent to-primary/80 animate-pulse">
14           管仲思想 · AI新解
15         </h2>
16         <p class="text-[clamp(1rem,3vw,1.5rem)] text-light/80 max-w-3xl mx-
auto mb-10">
17           穿越千年时空，与管仲进行沉浸式对话，感受春秋第一相的治国智慧与哲学思想
18         </p>
19         <div class="flex flex-col sm:flex-row justify-center gap-4">
20           <button id="startDialogueBtn" class="bg-accent hover:bg-accent/90
text-dark font-bold py-3 px-8 rounded-full transition-all duration-300
transform hover:scale-105 hover:shadow-lg">
21             <i class="fa fa-comments-o mr-2"></i>开始对话

```

```
22         </button>
23         <button class="bg-transparent border-2 border-primary hover:border-
accent text-light hover:text-accent font-bold py-3 px-8 rounded-full
transition-all duration-300">
24             <i class="fa fa-book mr-2"></i>探索思想
25         </button>
26     </div>
27
28     <div class="absolute bottom-10 left-1/2 transform -translate-x-1/2
animate-bounce">
29         <a href="#dialogue" class="text-light/60 hover:text-accent">
30             <i class="fa fa-angle-down text-3xl"></i>
31         </a>
32     </div>
33 </div>
34 </section>
35
36 <!-- AI对话区域 -->
37 <section id="dialogue" class="py-20 bg-gradient-to-b from-dark to-dark/95">
38     <div class="container mx-auto px-4">
39         <h2 class="text-[clamp(1.5rem,3vw,2.5rem)] font-bold mb-10 text-center
text-light">
40             <span class="inline-block border-b-2 border-accent pb-2">与管仲对话
</span>
41         </h2>
42
43         <div class="max-w-4xl mx-auto bg-dark/60 rounded-2xl overflow-hidden
border border-primary/20 shadow-xl">
44             <!-- 对话头部 -->
45             <div class="bg-primary/20 p-4 flex items-center border-b border-
primary/30">
46                 <div class="w-12 h-12 rounded-full overflow-hidden border-2 border-
accent">
47                     
48                 </div>
49                 <div class="ml-4">
50                     <h3 class="font-bold text-light">管仲 · AI数字人</h3>
51                     <p class="text-sm text-light/60">正在线，思考中...</p>
52                 </div>
53                 <div class="ml-auto flex space-x-3">
54                     <button class="text-light/60 hover:text-accent transition-
colors">
55                         <i class="fa fa-microphone"></i>
56                     </button>
57                     <button class="text-light/60 hover:text-accent transition-
colors">
```

```
58         <i class="fa fa-expand"></i>
59     </button>
60     <button class="text-light/60 hover:text-accent transition-
colors">
61         <i class="fa fa-cog"></i>
62     </button>
63 </div>
64 </div>
65
66 <!-- 对话内容 -->
67 <div ref="chatContainer" class="h-[500px] overflow-y-auto scrollbar-
hide p-6 space-y-6">
68     <!-- 对话内容由Vue响应式渲染 -->
69     <div v-for="msg in chatMessages" :key="msg.id" class="flex"
:class="msg.isUser ? 'justify-end' : 'justify-start'">
70         <template v-if="!msg.isUser">
71             <div class="w-10 h-10 rounded-full overflow-hidden mr-3 flex-
shrink-0">
72                 
73             </div>
74             </template>
75             <div :class="msg.isUser ? 'bg-secondary/20 rounded-lg rounded-tr-
none' : 'bg-primary/20 rounded-lg rounded-tl-none'">
76                 <p class="text-sm text-accent/80 mb-1">{{ msg.isUser ? '阁下' :
'管仲 · AI' }}</p>
77                 <p class="leading-relaxed">{{ msg.content }}</p>
78                 <div class="flex justify-end mt-2">
79                     <span class="text-xs text-light/40">{{ msg.time }}</span>
80                 </div>
81             </div>
82             <template v-if="msg.isUser">
83                 <div class="w-10 h-10 rounded-full overflow-hidden ml-3 flex-
shrink-0">
84                     
85                 </div>
86                 </template>
87             </div>
88
89     <!-- 正在输入提示 -->
90     <div v-if="isTyping" class="flex justify-start">
91         <div class="w-10 h-10 rounded-full overflow-hidden mr-3 flex-
shrink-0">
92             
93         </div>
```

```

94         <div class="bg-primary/10 text-light p-4 rounded-lg rounded-tl-
none">
95             <div class="flex space-x-1">
96                 <div class="w-2 h-2 bg-accent rounded-full animate-bounce">
</div>
97                 <div class="w-2 h-2 bg-accent rounded-full animate-bounce"
style="animation-delay: 0.2s"></div>
98                 <div class="w-2 h-2 bg-accent rounded-full animate-bounce"
style="animation-delay: 0.4s"></div>
99             </div>
100         </div>
101     </div>
102 </div>
103
104 <!-- 输入区域 -->
105 <div class="p-4 border-t border-primary/30">
106     <div class="relative">
107         <input
108             type="text"
109             v-model="userInput"
110             placeholder="请输入您的问题..."
111             class="w-full bg-dark/80 border border-primary/30 rounded-full
py-3 px-5 pr-14 text-light focus:outline-none focus:border-accent transition-
colors"
112             @keypress.enter="sendMessage"
113         >
114         <button @click="sendMessage" class="absolute right-2 top-1/2
transform -translate-y-1/2 bg-accent hover:bg-accent/90 text-dark w-10 h-10
rounded-full flex items-center justify-center transition-colors">
115             <i class="fa fa-paper-plane"></i>
116         </button>
117     </div>
118     <div class="flex justify-between mt-3 text-xs text-light/40">
119         <div>
120             <span class="mr-3"><i class="fa fa-keyboard-o mr-1"></i> 文字输
入</span>
121             <span><i class="fa fa-microphone mr-1"></i> 语音输入</span>
122         </div>
123     </div>
124     <button class="hover:text-accent transition-colors"><i
class="fa fa-history mr-1"></i> 历史对话</button>
125     </div>
126 </div>
127 </div>
128 </div>
129 </div>
130 </section>

```

```
131
132     <!-- 管仲思想区域 -->
133     <section id="knowledge" class="py-20 bg-ancient-paper relative">
134         <div class="absolute inset-0 bg-dark/80"></div>
135         <div class="container mx-auto px-4 relative z-10">
136             <h2 class="text-[clamp(1.5rem,3vw,2.5rem)] font-bold mb-10 text-center
text-light">
137                 <span class="inline-block border-b-2 border-accent pb-2">管仲思想体系
</span>
138             </h2>
139
140             <div class="grid grid-cols-1 md:grid-cols-3 gap-8">
141                 <!-- 思想卡片1 -->
142                 <div class="bg-dark/70 backdrop-blur-sm rounded-xl overflow-hidden
border border-primary/20 hover:border-accent/50 transition-all duration-300
transform hover:-translate-y-2 hover:shadow-xl">
143                     <div class="h-48 overflow-hidden">
144                         
145                     </div>
146                     <div class="p-6">
147                         <div class="flex justify-between items-start mb-4">
148                             <h3 class="text-xl font-bold text-light">经济思想</h3>
149                             <span class="bg-accent/20 text-accent text-xs px-3 py-1
rounded-full">核心</span>
150                         </div>
151                         <p class="text-light/80 mb-4">
152                             管仲提出"仓廩实而知礼节，衣食足而知荣辱"，主张通过发展经济来稳定社会秩
序，其"轻重九府"理论堪称古代宏观经济调控的典范。
153                         </p>
154                         <div class="flex flex-wrap gap-2 mb-4">
155                             <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">相地
而衰征</span>
156                             <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">官山
海</span>
157                             <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">轻重
理论</span>
158                         </div>
159                         <button class="w-full bg-accent/20 hover:bg-accent/30 text-
accent py-2 rounded-lg transition-colors">
160                             深入了解
161                         </button>
162                     </div>
163                 </div>
164
165                 <!-- 思想卡片2 -->
```

```
166         <div class="bg-dark/70 backdrop-blur-sm rounded-xl overflow-hidden
border border-primary/20 hover:border-accent/50 transition-all duration-300
transform hover:-translate-y-2 hover:shadow-xl">
167             <div class="h-48 overflow-hidden">
168                 
169             </div>
170             <div class="p-6">
171                 <div class="flex justify-between items-start mb-4">
172                     <h3 class="text-xl font-bold text-light">政治思想</h3>
173                     <span class="bg-primary/20 text-primary text-xs px-3 py-1
rounded-full">基础</span>
174                 </div>
175                 <p class="text-light/80 mb-4">
176                     管仲主张"以人为本", 提出"政之所兴, 在顺民心; 政之所废, 在逆民心", 并创立
了"三国五鄙"的行政区划和选拔人才的"三选制"。
177                 </p>
178                 <div class="flex flex-wrap gap-2 mb-4">
179                     <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">三国
五鄙</span>
180                     <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">三选
制</span>
181                     <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">四维
思想</span>
182                 </div>
183                 <button class="w-full bg-accent/20 hover:bg-accent/30 text-
accent py-2 rounded-lg transition-colors">
184                     深入了解
185                 </button>
186             </div>
187         </div>
188
189         <!-- 思想卡片3 -->
190         <div class="bg-dark/70 backdrop-blur-sm rounded-xl overflow-hidden
border border-primary/20 hover:border-accent/50 transition-all duration-300
transform hover:-translate-y-2 hover:shadow-xl">
191             <div class="h-48 overflow-hidden">
192                 
193             </div>
194             <div class="p-6">
195                 <div class="flex justify-between items-start mb-4">
196                     <h3 class="text-xl font-bold text-light">军事思想</h3>
197                     <span class="bg-primary/20 text-primary text-xs px-3 py-1
rounded-full">特色</span>
198                 </div>
199                 <p class="text-light/80 mb-4">
```



```
200         管仲提出"作内政而寄军令", 主张寓兵于农, 兵民合一, 实现了军事与行政的一体
化管理, 为齐国的霸业奠定了坚实基础。
201     </p>
202     <div class="flex flex-wrap gap-2 mb-4">
203         <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">作内
政</span>
204         <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">寄军
令</span>
205         <span class="bg-primary/30 text-xs px-3 py-1 rounded-full">轻税
足甲</span>
206     </div>
207     <button class="w-full bg-accent/20 hover:bg-accent/30 text-
accent py-2 rounded-lg transition-colors">
深入了解
208     </button>
209 </div>
210 </div>
211 </div>
212 </div>
213
214     <!-- 思想图谱 -->
215     <div class="mt-16 bg-dark/70 backdrop-blur-sm rounded-xl p-6 border
border-primary/20">
216         <h3 class="text-xl font-bold text-light mb-6 text-center">管仲思想知识
图谱</h3>
217         <div class="h-[400px] relative">
218             <canvas ref="knowledgeGraph" id="knowledgeGraph"></canvas>
219         </div>
220     </div>
221 </div>
222 </section>
223
224     <!-- 历史场景区域 -->
225     <section id="scenarios" class="py-20 bg-dark">
226         <div class="container mx-auto px-4">
227             <h2 class="text-[clamp(1.5rem,3vw,2.5rem)] font-bold mb-10 text-center
text-light">
228                 <span class="inline-block border-b-2 border-accent pb-2">历史场景模拟
</span>
229             </h2>
230
231             <div class="grid grid-cols-1 md:grid-cols-2 gap-8">
232                 <!-- 场景卡片1 -->
233                 <div class="group relative h-[400px] rounded-xl overflow-hidden
cursor-pointer">
234                     
```

```
235         <div class="absolute inset-0 bg-gradient-to-t from-dark/90 to-
transparent"></div>
236     <div class="absolute bottom-0 left-0 p-6 w-full">
237         <h3 class="text-2xl font-bold text-light mb-2">九合诸侯</h3>
238         <p class="text-light/80 mb-4">
239             体验管仲辅佐齐桓公"九合诸侯，一匡天下"的历史场景，感受春秋第一相的外交智
慧。
240         </p>
241         <div class="flex items-center justify-between">
242             <span class="text-accent flex items-center">
243                 <i class="fa fa-users mr-2"></i>多人互动
244             </span>
245             <button class="bg-accent/20 hover:bg-accent/30 text-accent px-
4 py-2 rounded-lg transition-colors">
                进入场景
246             </button>
247         </div>
248     </div>
249 </div>
250 </div>
251
252 <!-- 场景卡片2 -->
253 <div class="group relative h-[400px] rounded-xl overflow-hidden
cursor-pointer">
254     
255     <div class="absolute inset-0 bg-gradient-to-t from-dark/90 to-
transparent"></div>
256     <div class="absolute bottom-0 left-0 p-6 w-full">
257         <h3 class="text-2xl font-bold text-light mb-2">相地而衰征</h3>
258         <p class="text-light/80 mb-4">
259             模拟管仲实施"相地而衰征"的土地改革政策，体验如何根据土地优劣征收赋税。
260         </p>
261         <div class="flex items-center justify-between">
262             <span class="text-accent flex items-center">
263                 <i class="fa fa-line-chart mr-2"></i>政策模拟
264             </span>
265             <button class="bg-accent/20 hover:bg-accent/30 text-accent px-
4 py-2 rounded-lg transition-colors">
                进入场景
266             </button>
267         </div>
268     </div>
269 </div>
270 </div>
271
272 <!-- 场景卡片3 -->
```

```
273         <div class="group relative h-[400px] rounded-xl overflow-hidden
cursor-pointer">
274         
275         <div class="absolute inset-0 bg-gradient-to-t from-dark/90 to-
transparent"></div>
276         <div class="absolute bottom-0 left-0 p-6 w-full">
277         <h3 class="text-2xl font-bold text-light mb-2">管鲍之交</h3>
278         <p class="text-light/80 mb-4">
279             重现管仲与鲍叔牙的深厚友谊，体验"生我者父母，知我者鲍子也"的千古佳话。
280         </p>
281         <div class="flex items-center justify-between">
282             <span class="text-accent flex items-center">
283                 <i class="fa fa-heart mr-2"></i>情感体验
284             </span>
285             <button class="bg-accent/20 hover:bg-accent/30 text-accent px-
4 py-2 rounded-lg transition-colors">
286                 进入场景
287             </button>
288         </div>
289     </div>
290 </div>
291
292 <!-- 场景卡片4 -->
293 <div class="group relative h-[400px] rounded-xl overflow-hidden
cursor-pointer">
294 
295 <div class="absolute inset-0 bg-gradient-to-t from-dark/90 to-
transparent"></div>
296 <div class="absolute bottom-0 left-0 p-6 w-full">
297 <h3 class="text-2xl font-bold text-light mb-2">管仲论政</h3>
298 <p class="text-light/80 mb-4">
299     参与管仲与齐桓公的治国讨论，体验如何运用"礼、义、廉、耻"四维思想治理国
家。
300 </p>
301 <div class="flex items-center justify-between">
302     <span class="text-accent flex items-center">
303         <i class="fa fa-comments-o mr-2"></i>思想辩论
304     </span>
305     <button class="bg-accent/20 hover:bg-accent/30 text-accent px-
4 py-2 rounded-lg transition-colors">
306         进入场景
307     </button>
308 </div>
```

```
309         </div>
310     </div>
311 </div>
312 </div>
313 </section>
314
315 <!-- 关于项目 -->
316 <section id="about" class="py-20 bg-gradient-to-b from-dark/95 to-dark">
317     <div class="container mx-auto px-4">
318         <h2 class="text-[clamp(1.5rem,3vw,2.5rem)] font-bold mb-10 text-center
text-light">
319             <span class="inline-block border-b-2 border-accent pb-2">关于本项目
</span>
320         </h2>
321
322         <div class="grid grid-cols-1 md:grid-cols-2 gap-12 items-center">
323             <div>
324                 <h3 class="text-2xl font-bold text-light mb-6">项目背景与目标</h3>
325                 <p class="text-light/80 mb-6 leading-relaxed">
326                     "智管春秋：AI对话管仲体验平台"是一个融合管仲思想与现代AI技术的沉浸式互动项
目。我们旨在通过前沿的人工智能技术，重新解读和传播春秋时期齐国名相管仲的治国思想与哲学理
念。
327                 </p>
328                 <p class="text-light/80 mb-6 leading-relaxed">
329                     项目采用豆包大模型作为基础，结合管仲思想知识图谱，构建了具有深度和专业性的
管仲AI数字人，使用户能够与之进行跨越千年的对话。
330                 </p>
331                 <div class="flex flex-wrap gap-4 mt-8">
332                     <div class="bg-primary/10 p-4 rounded-lg">
333                         <div class="text-accent text-3xl font-bold mb-1">100+</div>
334                         <div class="text-light/70">管仲思想核心观点</div>
335                     </div>
336                     <div class="bg-primary/10 p-4 rounded-lg">
337                         <div class="text-accent text-3xl font-bold mb-1">20+</div>
338                         <div class="text-light/70">历史场景模拟</div>
339                     </div>
340                     <div class="bg-primary/10 p-4 rounded-lg">
341                         <div class="text-accent text-3xl font-bold mb-1">50k+</div>
342                         <div class="text-light/70">知识库条目</div>
343                     </div>
344                 </div>
345             </div>
346
347             <div class="bg-dark/60 rounded-xl overflow-hidden border border-
primary/20 shadow-xl p-6">
348                 <h3 class="text-xl font-bold text-light mb-6">技术架构</h3>
349                 <div class="space-y-6">
```

```
350         <div>
351             <div class="flex justify-between items-center mb-2">
352                 <span class="text-light/80">AI对话引擎</span>
353                 <span class="text-accent">95%</span>
354             </div>
355             <div class="w-full bg-primary/20 rounded-full h-2">
356                 <div class="bg-accent h-2 rounded-full" style="width: 95%">
357             </div>
358         </div>
359
360     <div>
361         <div class="flex justify-between items-center mb-2">
362             <span class="text-light/80">知识图谱构建</span>
363             <span class="text-accent">90%</span>
364         </div>
365         <div class="w-full bg-primary/20 rounded-full h-2">
366             <div class="bg-accent h-2 rounded-full" style="width: 90%">
367         </div>
368     </div>
369
370     <div>
371         <div class="flex justify-between items-center mb-2">
372             <span class="text-light/80">沉浸式交互设计</span>
373             <span class="text-accent">85%</span>
374         </div>
375         <div class="w-full bg-primary/20 rounded-full h-2">
376             <div class="bg-accent h-2 rounded-full" style="width: 85%">
377         </div>
378     </div>
379
380     <div>
381         <div class="flex justify-between items-center mb-2">
382             <span class="text-light/80">历史场景还原</span>
383             <span class="text-accent">80%</span>
384         </div>
385         <div class="w-full bg-primary/20 rounded-full h-2">
386             <div class="bg-accent h-2 rounded-full" style="width: 80%">
387         </div>
388     </div>
389
390     <div>
391         <div class="flex justify-between items-center mb-2">
392             <span class="text-light/80">多模态交互</span>
```

```

393         <span class="text-accent">75%</span>
394     </div>
395     <div class="w-full bg-primary/20 rounded-full h-2">
396         <div class="bg-accent h-2 rounded-full" style="width: 75%">
</div>
397     </div>
398 </div>
399 </div>
400
401     <div class="mt-8">
402         <h4 class="text-lg font-bold text-light mb-4">技术栈</h4>
403         <div class="flex flex-wrap gap-3">
404             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">豆包大模型</span>
405             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">知识图谱</span>
406             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">Vue 3</span>
407             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">Tailwind CSS</span>
408             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">Flask</span>
409             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">WebGL</span>
410             <span class="bg-primary/30 text-light px-4 py-2 rounded-full
text-sm">Three.js</span>
411         </div>
412     </div>
413 </div>
414 </div>
415 </div>
416 </section>
417 </main>

```

src/views/Game.vue

代码块

```

1  <template>
2    <div class="game-container">
3      <div class="header">
4        <h1>春秋富国策 · {{ state.year }}年</h1>
5        <div class="stats">
6          <div class="stat">
7            <span class="label">国库：</span>
8            <span class="value">{{ state.treasury }}钱</span>

```

```
9      </div>
10     <div class="stat">
11       <span class="label">粮仓: </span>
12       <span class="value">{{ state.grain }}石</span>
13     </div>
14     <div class="stat">
15       <span class="label">稳定度: </span>
16       <span class="value">{{ state.stability }}/100</span>
17     </div>
18   </div>
19 </div>
20
21 <div class="main-content">
22   <PolicyModal
23     v-if="showPolicyModal"
24     :policy="selectedPolicy"
25     @close="showPolicyModal = false"
26     @applied="onPolicyApplied" />
27
28   <EventAlert
29     v-if="state.activeEvent"
30     :event="state.activeEvent"
31     @resolve="resolveEvent" />
32
33   <PolicyList
34     :policies="state.policies"
35     @select="openPolicyModal" />
36
37   <button class="next-round" @click="advanceRound">
38     进入下一年
39   </button>
40 </div>
41 </div>
42 </template>
43
44 <script setup>
45 import { ref, onMounted } from 'vue'
46 import { useGameStore } from '@stores/game'
47 import PolicyModal from '@components/PolicyModal.vue'
48 import EventAlert from '@components/EventAlert.vue'
49 import PolicyList from '@components/PolicyList.vue'
50
51 const gameStore = useGameStore()
52 const state = gameStore.state
53 const showPolicyModal = ref(false)
54 const selectedPolicy = ref(null)
55
```

```
56   onMounted(async () => {
57     await gameState.fetchGameState()
58   })
59
60   function openPolicyModal(policy) {
61     selectedPolicy.value = policy
62     showPolicyModal.value = true
63   }
64
65   function onPolicyApplied(policy) {
66     // 可添加政策应用后的特殊效果
67   }
68
69   async function advanceRound() {
70     state.year++
71     await gameState.checkForEvent()
72   }
73
74   async function resolveEvent(solution) {
75     // 处理事件解决方案
76     state.activeEvent = null
77   }
78 </script>
79
80 <style scoped>
81   .game-container {
82     max-width: 1200px;
83     margin: 0 auto;
84     padding: 2rem;
85     color: #F7FAFC;
86   }
87
88   .header {
89     background: rgba(59, 110, 81, 0.8);
90     padding: 1.5rem;
91     border-radius: 8px;
92     margin-bottom: 2rem;
93   }
94
95   .stats {
96     display: flex;
97     gap: 2rem;
98     margin-top: 1rem;
99   }
100
101   .stat {
102     background: rgba(140, 120, 81, 0.3);
```



```
103     padding: 0.5rem 1rem;
104     border-radius: 4px;
105 }
106
107 .next-round {
108     background: #D4AF37;
109     color: #1A202C;
110     padding: 0.8rem 1.5rem;
111     border: none;
112     border-radius: 4px;
113     font-weight: bold;
114     margin-top: 2rem;
115     cursor: pointer;
116 }
117 </style>
```

src/views/Login.vue

代码块

1

App.vue

代码块

```
1 <!-- src/App.vue -->
2 <template>
3   <!-- 顶部导航栏（全局内容） -->
4   <header class="bg-dark/80 backdrop-blur-md sticky top-0 z-50 border-b border-
primary/30">
5     <!-- 导航栏内容保持不变 -->
6   </header>
7
8   <!-- 路由出口：路由匹配的页面组件会渲染到这里 -->
9   <router-view></router-view>
10
11   <!-- 页脚（全局内容） -->
12   <footer class="bg-dark border-t border-primary/30 py-10">
13     <!-- 页脚内容保持不变 -->
14   </footer>
15 </template>
16
17 <script setup>
18 // 这里不需要复杂逻辑，只作为容器
```

```
19 </script>
```

main.js

代码块

```
1  import { createApp } from 'vue'
2  import { createPinia } from 'pinia'
3  import App from './App.vue'
4  import router from './router'
5  import '@fortawesome/fontawesome-free/css/all.min.css' // 新增这行
6
7  // 创建应用实例
8  const app = createApp(App)
9
10 // 安装Pinia状态管理
11 const pinia = createPinia()
12 app.use(pinia)
13
14 // 安装路由
15 app.use(router)
16
17 // 全局配置 (可选)
18 app.config.globalProperties.$filters = {
19   formatCurrency(value) {
20     return new Intl.NumberFormat('zh-CN', {
21       style: 'currency',
22       currency: 'CNY'
23     }).format(value)
24   }
25 }
26
27 // 挂载应用
28 app.mount('#app')
29
30 // 开发环境日志
31 if (import.meta.env.DEV) {
32   console.log('🚀 管仲经济模拟器已启动')
33   console.log('📊 Vue版本:', app.version)
34   console.log('🌐 环境:', import.meta.env.MODE)
35 }
```