

PROJECT DOCUMENTATION

BhagvadgitaMarathi

गीता-ज्ञानेश्वरी — आधुनिक जीवनदर्शन

Type	Static Web Application
Stack	Vanilla HTML · CSS · JavaScript
Language	Marathi (Devanagari script)
Hosting	GitHub Pages
URL	vivek-sovani.github.io/BhagvadgitaMarathi
Date	April 2026

Table of Contents

1. Project Overview

1.1 Purpose & Concept

1.2 Technology Stack

1.3 Available Chapters

2. Folder Structure

2.1 Root Directory

2.2 CSS Folder

2.3 JS Folder

2.4 Assets Folder

2.5 Configuration Files

3. HTML Files

3.1 index.html — Home Page

3.2 adhyay.html — Chapter Page

4. CSS — style.css

4.1 Design Tokens (CSS Variables)

4.2 Component Sections

5. JavaScript Files

5.1 data.js — Chapter & Concept Metadata

5.2 content.js — Full Concept Text

5.3 home.js — Home Page Logic

5.4 adhyay.js — Chapter Page Logic

5.5 pdf-carousel.js — PDF Viewer

6. Assets Structure

7. Data Formats

7.1 GITA_DATA Schema

7.2 GITA_CONTENT Format

8. Application Flow & Navigation

9. Dev Server Setup

10. URL Structure & Deep Links

SECTION 1

Project Overview

1.1 Purpose & Concept

BhagvadgitaMarathi is an educational web application that presents the **Bhagavad Gita** and its classical Marathi commentary, the **Jñaneswari**, in a format designed for modern readers. Each chapter is broken into key concepts that connect ancient wisdom to contemporary life — workplace stress, relationships, decision-making, and personal growth.

The content is written in **Marathi (Devanagari script)** and structured as bite-sized WhatsApp-shareable posts, with each concept having:

- A Sanskrit shlok (verse) with transliteration
- Classical Jñaneswari commentary in Marathi
- A modern-life reflection question
- A daily intention (संकल्प)
- An accompanying PDF with full elaboration
- A concept illustration image

1.2 Technology Stack

Layer	Technology	Details
Structure	HTML5	Semantic markup, lang="mr" for Marathi
Styling	CSS3	Custom properties, CSS Grid, Flexbox, clamp()
Logic	Vanilla JavaScript	No frameworks, IIFE modules, History API
Fonts	Google Fonts	Noto Sans Devanagari, Noto Serif Devanagari
PDF Viewer	PDF.js 3.11.174	CDN-loaded, thumbnail + modal viewing
Hosting	GitHub Pages	Static hosting, no build step

1.3 Available Chapters

The app supports all 18 chapters of the Bhagavad Gita structurally, with content currently published for 3 chapters:

Chapter	Marathi Name	Yoga	Concepts	Status
3	कर्मयोग	Karma Yoga	12	✓ Available

4	ज्ञानयोग	Knowledge Yoga	10	✓ Available
5	कर्मसंन्यासयोग	Renunciation Yoga	12	✓ Available
1–2, 6–18	—	Various	—	🔒 Coming soon

SECTION 2

Folder Structure

2.1 Complete File Tree

BhagvadgitaMarathi/

|— index.html 4 KB — Home page

|— adhyay.html 7 KB — Chapter / concept page

|— .gitignore 75 B

|— adhyay5-whatsapp-links.md 7 KB — Sharing links document

|— adhyay5-whatsapp-links.pdf 291 KB — Sharing links PDF

|— serve.py 306 B — Local dev HTTP server

|— serve.sh 78 B — Shell wrapper for serve.py

|— push changes to git.rtf ~1 KB — Git command reference

|

|— .claude/

| |— launch.json 227 B — Claude Code dev server config

|

|— css/

| |— style.css 29 KB — All styles (single stylesheet)

|

|— js/

| |— data.js 8 KB — Chapter & concept metadata

| |— content.js 159 KB — Full concept text content

| |— home.js 1.6 KB — Home page logic

| |— adhyay.js 23 KB — Chapter page logic (499 lines)

| |— pdf-carousel.js 6 KB — PDF carousel viewer class

|

|— assets/

| |— home-banner-landscape.jpg 598 KB — Hero image (1376×768px)

| |— home-banner-potrait.jpg 551 KB — Portrait banner (unused)

| |— adhyay-1/ README.txt only — no assets yet

| |— adhyay-2/ README.txt only

| |— adhyay-3/ Full assets — 12 concepts

| |— adhyay-4/ Full assets — 10 concepts (~200 MB)

| |— adhyay-5/ Full assets — 12 concepts (~50 MB)

| |— adhyay-6/ ... adhyay-18/ README.txt only

2.2 Asset Folder Contents (per chapter)

Each `adhyay-N/` folder follows the same convention:

File	Description
------	-------------

README.txt	Instructions for contributors on what assets to add
summary.jpg / summary.png	Full-width chapter cover image (~1.5–7 MB)
adhyay.pdf	Full chapter PDF document (~1–1.2 MB)
concept-1.jpg ... concept-12.jpg	Individual concept illustration (~1.4–1.8 MB each)
concept-1.pdf ... concept-12.pdf	Individual concept detailed PDF (~500 KB–17 MB each)
*o.jpeg , *o.pdf	Original exports (larger, excluded by .gitignore)

 **.gitignore rule:** Files matching `assets/**/*o.pdf` and `assets/**/*o.jpeg` (original exports) are excluded from git. Only compressed/optimised versions are committed.

SECTION 3

HTML Files

3.1 index.html — Home Page

The home page entry point. Scripts loaded: `data.js`, `home.js`. No `content.js` needed here.

Structure

```
<body class="home-page">
  <header class="site-header">
    ॐ App title + "अध्याय सूची" anchor link
  </header>

  <div class="home-hero">
    
    <div class="home-hero-overlay">
      Label: "भगवद्गीता · ज्ञानेश्वरी"
      Title: "आधुनिक जीवनात गीतेचा प्रत्यक्ष उपयोग"
    </div>
  </div>

  <div class="home-content">                                <!-- max-width 1100px, centered -->
    <div class="home-intro">                                <!-- 3-column grid (desktop) -->
      .home-intro-block x 3                                <!-- भगवद्गीता, ज्ञानेश्वरी, या अॅपबद्दल -->
    </div>

    <div class="home-adhyay-section">
      <h2>अध्याय सूची</h2>
      <span id="home-adhyay-count"></span>    <!-- "३ उपलब्ध" badge -->
      <div id="home-adhyay-list"></div>      <!-- 2-col grid, built by home.js -->
    </div>
  </div>
</body>
```

3.2 adhyay.html — Chapter / Concept Page

Single-page app for all chapters. URL parameters control which chapter and concept to display. Scripts loaded: `data.js`, `content.js`, `adhyay.js`. PDF.js loaded from CDN.

Structure

```
<body class="adhyay-page">
  <header class="site-header">
    Home link + "संकल्पना सूची" button + adhyay label
  </header>

  <div class="adhyay-body">
    BhagvadgitaMarathi — Project Documentation · April 2026
    <!-- 1. Chapter cover: image + text summary -->
```

```
<div id="summary-img-section">
  .adhyay-summary-img      <!-- cover image with title overlay -->
  .adhyay-summary-text     <!-- summary description + concept list -->
</div>

<!-- 2. Concept title bar (visible when a concept is open) -->
<div class="concept-title-bar" id="concept-title-bar">
  Back button | Chapter meta | Concept name
</div>

<!-- 3. Concept view: image (left) + text (right) -->
<div class="concept-view" id="concept-view">
  .concept-img-wrap        <!-- concept illustration -->
  .concept-info            <!-- header (emoji, name, meta) + body text -->
</div>

<!-- 4. PDF open button -->
<div class="pdf-open-bar">
  .pdf-thumb-card          <!-- thumbnail preview + "PDF पहा" label -->
</div>

<!-- PDF Modal (full-screen iframe) -->
<div class="pdf-modal" id="pdf-modal">
  header + close button + <iframe>
</div>
<div class="pdf-modal-backdrop"></div>

<!-- Bottom sticky navigation -->
<nav class="bottom-concept-nav">
  ← Previous concept | Next concept →
</nav>
</body>
```

Key IDs used by adhyay.js

Element ID	Purpose
summary-img	Chapter cover image
adhyay-summary-text	Chapter summary panel
summary-concept-list	Clickable concept list on cover
concept-title-bar	Title bar shown when concept is active
concept-view	Main concept content area
concept-text-content	Rendered concept text (HTML)
pdf-open-btn	PDF thumbnail + open button
pdf-modal	Full-screen PDF iframe modal
bottom-concept-nav	Prev/Next concept navigation bar

SECTION 4

CSS — style.css

A single **29 KB** stylesheet covering all pages. Uses `@import` for Google Fonts and CSS custom properties throughout.

4.1 Design Tokens (CSS Variables)

```
:root {
  /* Colours */
  --bg:          #FAFAF7;      /* Page background – warm off-white */
  --surface:     #FFFFFF;      /* Card / header background */
  --surface-2:   #F5F4F0;      /* Secondary surface */
  --primary:     #D97706;      /* Amber orange – primary accent */
  --primary-dk:  #B45309;      /* Darker amber */
  --primary-lt:  #FEF3C7;      /* Light amber – badge backgrounds */
  --text:        #1C1917;      /* Near-black body text */
  --text-2:      #44403C;      /* Secondary text */
  --muted:       #78716C;      /* Captions, metadata */
  --border:      #E7E5E4;      /* Dividers, card borders */

  /* Elevation */
  --shadow-sm: 0 1px 3px rgba(0,0,0,0.08), 0 1px 2px rgba(0,0,0,0.06);
  --shadow-md: 0 4px 12px rgba(0,0,0,0.10), 0 2px 4px rgba(0,0,0,0.06);
  --shadow-lg: 0 10px 25px rgba(0,0,0,0.12), 0 4px 8px rgba(0,0,0,0.06);

  /* Shape */
  --radius:    10px;
  --radius-sm: 6px;
  --transition: 0.2s ease;

  /* Typography */
  --font-sans: 'Noto Sans Devanagari', sans-serif;
  --font-serif: 'Noto Serif Devanagari', serif;
}
```

4.2 Component Sections

CSS Section	Selectors	Description
Fonts	<code>@import</code>	Noto Sans + Serif Devanagari from Google Fonts
Reset	<code>*, body, img, a, button</code>	Box-sizing, smooth scroll, base styles
Site Header	<code>.site-header</code>	Sticky 70px bar, flex layout, Om symbol, title, button
Home Hero	<code>.home-hero</code>	Full-width image, 40vh height, dark gradient overlay with title

Home Content	<code>.home-content</code>	Max-width 1100px, centered, responsive padding
Intro Cards	<code>.home-intro</code>	3-column grid (desktop) / 1-column (mobile), bordered cards
Chapter Grid	<code>.home-adhyay-list</code>	2-column grid (desktop) / 1-column list (mobile)
Chapter Item	<code>.home-adhyay-item</code>	Flex row: number · emoji · name · › arrow; hover highlight
Adhyay Body	<code>.adhyay-body</code>	Max 1100px, summary image + text layout
Summary Image	<code>.adhyay-summary-img</code>	Cover image with title overlay, home link
Concept View	<code>.concept-view</code>	Flex/grid: image (left, ~45%) + info panel (right)
Concept Text	<code>.concept-text</code>	Styled prose with icon-prefixed lines (📖 🟠 💡 🌱)
PDF Button	<code>.pdf-thumb-card</code>	Card with canvas thumbnail + "PDF पहा" label
PDF Modal	<code>.pdf-modal</code>	Fixed full-screen modal with iframe, backdrop
Bottom Nav	<code>.bottom-concept-nav</code>	Sticky footer: ⬅ Prev Next ➡ buttons
Mobile Overrides	<code>@media (max-width: 767px)</code>	Stack layouts, adjust font sizes, single-column
Tablet Overrides	<code>@media (max-width: 1023px)</code>	Intermediate breakpoints

SECTION 5

JavaScript Files

5.1 data.js — Chapter & Concept Metadata (8 KB)

Defines the global `GITA_DATA` object. Loaded on both pages. Contains structural metadata only — no text content.

Schema

```
const GITA_DATA = {
  adhyays: [
    {
      id: 3, // Chapter number (integer)
      number: "३", // Marathi numeral (display)
      name: "कर्मयोग", // Chapter name
      emoji: "🌿", // Chapter emoji
      available: true, // Whether content is published
      summary: "कर्मयोग हे...", // Chapter description paragraph
      concepts: [
        {
          id: 1, // Concept number within chapter
          emoji: "⚖️", // Concept emoji
          name: "सांख्य की कर्मयोग" // Concept name
        },
        // ... more concepts
      ]
    },
    // ... 18 chapters total
  ]
};
```

Currently defined chapters

id	name	available	concepts
1	अर्जुनविषादयोग 🥲	false	0
2	सांख्ययोग 🧘	false	0
3	कर्मयोग 🌿	true	12
4	ज्ञानयोग ✨	true	10
5	कर्मसंन्यासयोग ⚖️	true	12
6	ध्यानयोग 🧘	false	0
7–18	Various	false	0

5.2 content.js — Full Concept Text (159 KB)

Defines the global `GITA_CONTENT` object. Loaded only on `adhyay.html`. Contains the complete educational text for all 34 available concepts.

Schema

```
const GITA_CONTENT = {
  "3": {
    "1": "full text string...", // Chapter ID (string key)
    "2": "full text string...", // Concept ID (string key) → text
    // ...12 concepts for chapter 3
  },
  "4": { /* 10 concepts */ },
  "5": { /* 12 concepts */ }
};
```

Content Text Format (per concept)

Each concept's text is a newline-delimited string with special emoji prefixes:

Prefix	Meaning
ॐ	Header line — app/chapter/concept title
(Emoji alone)	Concept emoji marker
(Plain text)	Concept name / prose paragraphs
📖	Sanskrit shlok with transliteration
📖	Jnaneswari (classical Marathi commentary)
💡	Reflection question
🌱	Today's intention (आजचा संकल्प)

```
// Example structure (chapter 3, concept 1):
"ॐ भगवद्गीता | अध्याय ३ - कर्मयोग | संकल्पना १/१२\n" +
"📖 \n" +
"सांख्य की कर्मयोग?\n" +
"दोन मार्ग - एकच मोक्षगंतव्य\n" +
"[prose paragraphs...]\n" +
"📖 न त्वेवाहं जातु नासं न त्वं...\n" +
"📖 ज्ञानेश्वरी - [classical commentary]\n" +
"💡 आज तुम्ही कोणते काम...\n" +
"🌱 आजचा संकल्प: [intention]"
```

5.3 home.js — Home Page Logic (1.6 KB)

BhagavadgitaMarathi — Project Documentation · April 2026

Wrapped in an IIFE. Runs on `index.html` only.

```
(function () {
  // 1. Build chapter grid
  GITA_DATA.adhyays.forEach(adhyay => {
    // Creates <a> (available) or <div> (unavailable) for each chapter
    // Appends to #home-adhyay-list
  });

  // 2. Inject available count badge
  const available = GITA_DATA.adhyays.filter(a => a.available).length;
  document.getElementById('home-adhyay-count').textContent = `${available} उपलब्ध`;

  // 3. Smooth-scroll to chapter list when "अध्याय सूची" clicked
  document.querySelector('.header-suchi-btn')
    .addEventListener('click', e => { /* scrollTo with header offset */ });
})();
```

5.4 adhyay.js — Chapter Page Logic (23 KB, 499 lines)

Core application logic wrapped in an IIFE. Handles the full chapter/concept experience.

Initialization

```
const params = new URLSearchParams(window.location.search);
const adhyayId = parseInt(params.get('id'), 10);
const conceptId = parseInt(params.get('concept'), 10) || null;

const adhyay = GITA_DATA.adhyays.find(a => a.id === adhyayId);
if (!adhyay || !adhyay.available) window.location.replace('index.html');
```

Key Functions

Function	Description
showSummary()	Shows chapter cover (image + description + concept list)
showConcept(id)	Shows individual concept (hides cover, shows concept-view)
renderConceptText(text)	Parses emoji-prefixed lines into styled HTML blocks
loadConceptImage()	Tries .jpg → .jpeg → .png fallback for concept image
loadSummaryImage()	Loads chapter cover image with placeholder fallback
updateBottomNav()	Sets prev/next concept button labels and enabled state
openPdfModal()	Opens PDF in iframe modal (desktop) or new tab (mobile)
renderPdfThumbnail()	Uses PDF.js to render page 1 to canvas thumbnail
pushState(adhyayId, conceptId)	Updates URL without page reload (History API)

Title Line Emoji Constraint

Important: The concept title line (the line after the header) must start with one of these emojis to be recognized by `renderConceptText()` :

`/^[🇮🇳🔍🔥🌟💎👁️🌈🌞🏛️🔗🌿🌸🔧🏢🌞🇮🇳🔪🌀]/`

Emojis not in this list (e.g., 🏰🤖🌳🎯🏗️) must be mapped to an approved alternative when writing content.js.

5.5 pdf-carousel.js — PDF Viewer Class (6 KB)

A standalone `PDFCarousel` class for page-by-page PDF viewing (currently integrated into `adhyay.js` flow for thumbnails).

```
class PDFCarousel {
  constructor(containerEl) { this._buildDOM(); this._bindEvents(); }

  async load(url)           // Loads PDF via PDF.js, renders first page
  async _renderPage(num)    // Renders page to canvas, scales to fit container
  prev() / next()          // Navigate between pages
  _buildDOM()              // Creates: canvas + prev/next buttons + page counter
  _bindEvents()            // Keyboard arrows + touch swipe (50px threshold)
}
```

SECTION 6

Assets Structure

Asset Naming Convention

All assets use a consistent naming pattern that `adhyay.js` constructs automatically from the chapter and concept IDs:

Asset Type	Path Pattern	Notes
Chapter cover image	<code>assets/adhyay-{id}/summary.jpg</code>	Falls back to .png
Full chapter PDF	<code>assets/adhyay-{id}/adhyay.pdf</code>	For the whole chapter
Concept image	<code>assets/adhyay-{id}/concept-{n}.jpg</code>	Falls back to .jpeg → .png
Concept PDF	<code>assets/adhyay-{id}/concept-{n}.pdf</code>	Shown in PDF modal
Home hero	<code>assets/home-banner-landscape.jpg</code>	1376×768px, used in hero

Asset Sizes (Published Chapters)

Chapter	Images	PDFs	Approx. Total
3 — कर्मयोग	12 x ~1.5 MB	12 concept + 1 chapter	~30 MB
4 — ज्ञानयोग	10 x ~1.5 MB	10 concept + 1 chapter	~200 MB (large PDFs)
5 — कर्मसंन्यासयोग	12 x ~1.5 MB	12 concept + 1 chapter	~50 MB

💡 **Image fallback chain:** `adhyay.js` tries `.jpg` → `.jpeg` → `.png` for both summary and concept images. Missing images show an emoji placeholder.

README.txt Template (in each empty chapter folder)

Place the following files in this folder:

- `summary.jpg` — Chapter banner image (wide format)
- `adhyay.pdf` — Full chapter PDF
- `concept-1.jpg` — Concept 1 illustration
- `concept-1.pdf` — Concept 1 detailed PDF
- `concept-2.jpg, concept-2.pdf`
- ... (and so on for all concepts)

SECTION 7

Data Formats

7.1 GITA_DATA — Chapter 5 Sample

```
{
  id: 5,
  number: "५",
  name: "कर्मसंन्यासयोग",
  emoji: "⚖️",
  available: true,
  summary: "संन्यास ध्यायचा की कर्म करायचे – या प्रश्नावर कृष्ण स्पष्ट उत्तर देतो...",
  concepts: [
    { id: 1, emoji: "⚖️", name: "संन्यास की कर्मयोग" },
    { id: 2, emoji: "🔗", name: "सांख्य आणि योग" },
    { id: 3, emoji: "🌱", name: "योगयुक्त विशुद्धात्मा" },
    { id: 4, emoji: "🌸", name: "कर्मसंन्यासी" },
    { id: 5, emoji: "🔧", name: "शरीर-मन-बुद्धी" },
    { id: 6, emoji: "🏰", name: "नवद्वारपुर" },
    { id: 7, emoji: "<", name: "ईश्वर कर्ता नाही" },
    { id: 8, emoji: "☀️", name: "ज्ञान हे सूर्यासारखे" },
    { id: 9, emoji: "👁️", name: "समदृष्टी" },
    { id: 10, emoji: "🚩", name: "बाहेरचं सुख क्षणिक" },
    { id: 11, emoji: "✂️", name: "काम-क्रोध जिंकणं" },
    { id: 12, emoji: "🕉️", name: "ब्रह्मनिर्वाण" }
  ]
}
```

7.2 GITA_CONTENT — Concept Text Format

Each concept value is a multi-line string. `adhyay.js renderConceptText()` parses it line-by-line:

Line pattern	Rendered as	CSS class
Starts with 🕉️	Hidden (internal header only)	<code>.ct-header</code> (hidden)
Matches title emoji regex	Large emoji display	<code>.ct-emoji</code>
Follows emoji line	Concept title heading	<code>.ct-title</code>
Starts with 📖	Sanskrit shlok block	<code>.ct-shlok</code>
Starts with 🟠	Jnaneswari block (orange-accented)	<code>.ct-dnyan</code>
Starts with 💡	Highlighted reflection block	<code>.ct-highlight</code>
Starts with 🌱	Green intention block	<code>.ct-sankalp</code>
Plain text	Paragraph	<code>.ct-para</code>

Empty line	Spacer	.ct-spacer
------------	--------	------------

SECTION 8

Application Flow & Navigation

8.1 Home Page Flow

1. Browser loads `index.html`
2. `data.js` defines `GITA_DATA`
3. `home.js` runs:
 - a. Iterates `GITA_DATA.adhyays` → builds chapter grid (2-col)
 - b. Counts available chapters → shows badge "३ उपलब्ध"
 - c. Attaches scroll handler to "अध्याय सूची" header button
4. User clicks an available chapter → navigates to:
`adhyay.html?id=3`

8.2 Chapter Page Flow

1. Browser loads `adhyay.html?id=3`
2. Scripts load: `data.js` → `content.js` → `adhyay.js`
3. `adhyay.js` reads URL params: `id=3`, `concept=null`
4. Validates chapter exists and is available (else → `index.html`)
5. `showSummary()` runs:
 - a. Loads `assets/adhyay-3/summary.jpg`
 - b. Populates chapter title overlay
 - c. Renders concept list (clickable items)
 - d. Hides `concept-view`, shows summary section
6. User clicks a concept card:
`showConcept(1)` runs:
 - a. `history.pushState` → URL becomes `?id=3&concept=1`
 - b. Loads concept image `assets/adhyay-3/concept-1.jpg`
 - c. Gets text: `GITA_CONTENT["3"]["1"]`
 - d. `renderConceptText()` → parses into styled HTML
 - e. Shows `concept-view`, hides summary section
 - f. Shows `bottom-concept-nav` with `prev/next` buttons
 - g. Renders PDF thumbnail (`PDF.js` → `canvas`)
7. User navigates `prev/next` concept → `showConcept(n±1)`
8. User opens PDF → `pdf-modal` opens with `iframe`

8.3 Deep Link Flow

- URL: `adhyay.html?id=5&concept=2`
1. `adhyay.js` reads `id=5`, `concept=2`
 2. Validates chapter 5 is available
 3. Skips `showSummary()` – goes directly to `showConcept(2)`
 4. Loads `concept-2.jpg`, renders `GITA_CONTENT["5"]["2"]`
 5. PDF thumbnail loads for concept 5 2.pdf

8.4 Image Loading Strategy

```
// For summary images:
tryLoad('assets/adhyay-3/summary.jpg')
  → on error: tryLoad('assets/adhyay-3/summary.png')
    → on error: show placeholder (🙏 emoji)

// For concept images:
tryLoad('assets/adhyay-3/concept-1.jpg')
  → on error: tryLoad('assets/adhyay-3/concept-1.jpeg')
    → on error: tryLoad('assets/adhyay-3/concept-1.png')
      → on error: show placeholder (concept emoji)
```

8.5 Responsive Behaviour

Viewport	Home	Concept View
Mobile (<768px)	Single-column chapter list	Image stacked above text
Tablet (768–1023px)	2-column chapter grid	Image left (~40%) + text right
Desktop (≥1024px)	2-column chapter grid, 3-col intro	Image left (~45%) + text right

SECTION 9

Dev Server Setup

Local Development

The project is a purely static site — no build step, no Node.js required. A simple Python HTTP server is used for local development:

serve.py

```
import http.server, socketserver, functools, os

PORT = int(os.environ.get('PORT', 55867))
DIRECTORY = '/Users/viveksovani/Desktop/BhagvadgitaMarathi'

# Pass directory explicitly to avoid os.getcwd() sandbox restriction
handler = functools.partial(
    http.server.SimpleHTTPRequestHandler,
    directory=DIRECTORY
)

with socketserver.TCPServer(('', PORT), handler) as httpd:
    print(f'Serving {DIRECTORY} on port {PORT}')
    httpd.serve_forever()
```

Claude Code Dev Server Config (.claude/launch.json)

```
{
  "version": "0.0.1",
  "configurations": [
    {
      "name": "gita",
      "runtimeExecutable": "python3",
      "runtimeArgs": ["/Users/viveksovani/Applications/serve.py"],
      "port": 55867
    }
  ]
}
```

Note: The Claude Code preview tool runs server processes in a macOS sandbox that restricts file access to the primary working directory (/Users/viveksovani/Applications). The proxy server (/Users/viveksovani/Applications/serve.py) forwards requests to the Python file server started separately from the project directory.

Deployment

Deployed on **GitHub Pages** from the `main` branch. No CI/CD pipeline — push to GitHub triggers automatic deployment.

```
git add js/content.js js/data.js # Stage changed files
git commit -m "Update adhyay 3 content"
git push origin main # GitHub Pages auto-deploys
```

SECTION 10

URL Structure & Deep Links

Production Base URL

<https://vivek-sovani.github.io/BhagvadgitaMarathi/>

Page URLs

Page	URL Pattern	Example
Home	/index.html or /	.../BhagvadgitaMarathi/
Chapter cover	/adhyay.html?id={N}	.../adhyay.html?id=3
Specific concept	/adhyay.html?id={N}&concept={M}	.../adhyay.html?id=5&concept=2

All Published Concept Deep Links

Chapter 3 — कर्मयोग (12 concepts)

concept=1	🏹	सांख्य की कर्मयोग
concept=2	⚙️	कर्म अनिवार्य
concept=3	🔥	यज्ञ – परस्पर-पोषण तत्त्व
concept=4	🌱	यज्ञ-पर्जन्य-अन्न – विश्वचक्र
concept=5	🏰	लोकसंग्रह
concept=6	👤	आसक्त विरुद्ध अनासक्त कर्मी
concept=7	ॐ	ईश्वरार्पण
concept=8	🌳	स्वधर्म विरुद्ध परधर्म
concept=9	🎯	राग-द्वेष – लपलेले शत्रू
concept=10	⚔️	काम-क्रोध – महाशत्रू
concept=11	🏰	इंद्रिय निग्रह – श्रेष्ठता क्रम
concept=12	🔥	ज्ञान झाकणारा काम

Base URL: .../adhyay.html?id=3&concept=N

Chapter 4 — ज्ञानयोग (10 concepts)

concept=1	🇮🇳	अवताराचं रहस्य
concept=2	✂️	ईश्वराचं निर्लिप्त कर्म
concept=3	🔍	कर्म-अकर्म-विकर्म
concept=4	🔥	यज्ञाचे प्रकार
concept=5	✨	ज्ञानाग्नी
concept=6	💧	ज्ञानाची पवित्रता
concept=7	🌊	श्रद्धा आणि संशय
concept=8	👁️	पंडित समदर्शी
concept=9	🌈	ये यथा मां प्रपद्यन्ते
concept=10	🌟	ज्ञानयोग – सार

Base URL: .../adhyay.html?id=4&concept=N

Chapter 5 — कर्मसंन्यासयोग (12 concepts)

- concept=1  संन्यास की कर्मयोग
- concept=2  सांख्य आणि योग
- concept=3  योगयुक्त विशुद्धात्मा
- concept=4  कर्मसंन्यासी
- concept=5  शरीर-मन-बुद्धी
- concept=6  नवद्वारपुर
- concept=7  ईश्वर कर्ता नाही
- concept=8  ज्ञान हे सूर्यासारखे
- concept=9  समदृष्टी
- concept=10  बाहेरचं सुख क्षणिक
- concept=11  काम-क्रोध जिकणं
- concept=12  ब्रह्मनिर्वाण

Base URL: .../adhyay.html?id=5&concept=N