



# Quebec Pain Registry Code Book

Québec | ^ G , 2011

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# Initial Nurse Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
CODEID	†UNIQUE CODE OF THE SUBJECT		
NQ00_VISIT_DATE	NQ00 - VISIT DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
NQ00_DAYS_SINCE_IPV	†NQ00 - DAYS SINCE INITIAL PATIENT VISIT (DAYS)		
NQ00_COMPLETED	NQ00 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
NQ00_NOT_COMPL_REASON	NQ00 - QUESTIONNAIRE NOT COMPLETED, REASON		
NQ00_INSCRIBED_OTHER_ID	NQ00 - INSCRIBED ON ANOTHER ID NUMBER IN REGISTRY	-1	Missing data
		0	No
		1	Yes
NQ00_OTHER_ID	NQ00 - OTHER ID NUMBER		
NQ00_DR_NAME	NQ00 - DOCTOR'S NAME AT PAIN CLINIC	1	Dr Aline Boulanger

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		2	Dr Grisell Vargas
		3	Dr Pierre Mainville
		4	Dr François Fugère
		5	Dr Céline Gaudet
		6	Dr Gilbert Blaise
		7	Dr Allen Steverman
		8	Dr Brigitte Migneault
		9	Dr Marie-Christine Houde
		10	Dr Jean Bourguoin
		11	Dr Christian Cloutier
		12	Dr Serge Lalonde
		13	Dr Étienne Demédis
		14	Dr René Martin
		15	Dr Serge Paradis
		16	Dr. Mark Ware
		17	Dr. Yoram Shir
		18	Dr. Rhada Krishna
		19	Dr. Eric Lessard
		20	Dr. Mary Rona
		21	Dr. Mary-Ann Fitzcharles
		22	Dr. Rodney Finlayson
		23	Dr. Fallatah
		24	Dr. Charghi
		25	Dr. Bobby Popovec
		26	Dr. Veillette

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

[Initial nurse questionnaire](#)

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		27	Dr. Tran
		28	Dr Marie-Pierre Fournier Gosselin
		29	Dr L. Vieira
		30	Dr Colette Luneau
		31	Dr Mario Séguin
		32	Dr Gupta
		33	Dr Etheridge
		34	Dr Giladi
		35	Dr Rei
		36	Dr Perez
		37	Dr René Truchon
		38	Dr Luc Desgagnés
		39	Dr Anne-Marie Pinard
		40	Dr Jacques Chabot
		41	Dr Benoit Dubuc
		42	Dr Alain Bissonnette
		43	Dr Jean Marcotte
		44	Dr Pierre Laliberté
		45	Dr Jean-Pierre Morin
		46	Dr Marie-Claude Paquet
		47	Dr Jacques Lupien
		48	Dr Serge Gagnon
		49	Dr Guillaume Drolet
		50	Dr Benoit Tousignant
		51	Dr Marie-Chantal Cote

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		52	Dr Julie Germain
		53	Dr Denis Larochelle
		54	Dr Mélanie Laverdière
		55	Dr Gino Perron
		56	Dr Philippe Béchar
		57	Dr Sébastien Tousignant
		58	Dr André Bélanger
		59	Dr Jean-Pierre Dropinski
		60	Dr Mark Lamer
		61	Dr Marie-Ève Levasseur
		62	Dr. Zovi Der Khatchadourian
		63	Dr Heather Pim
NQ00_POSTAL_CODE_PT	NQ00 - PATIENT POSTAL CODE		
NQ00_NO_CONSULT_PAPER	NQ00 - NO CONSULTATION PAPER		
NQ00_REF_DAY	NQ00 - REFERENCE DATE (DAY)		
NQ00_REF_MONTH	NQ00 - REFERENCE DATE (MONTH)		
NQ00_REF_YEAR	NQ00 - REFERENCE DATE (YEAR)		
NQ00_REF_DATE_MISSING	NQ00 - REFERENCE DATE MISSING		
NQ00_REFS_MISSING	NQ00 - REF. SPECIALIST: MISSING DATA	1	Checked
NQ00_REFS_FAMDR	NQ00 - REF. SPECIALIST: FAMILY PRACTITIONER	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_REFS_ANEST	NQ00 - REF. SPECIALIST: ANAESTHESIOLOGIST	1	Checked
NQ00_REFS_NEUROL	NQ00 - REF. SPECIALIST: NEUROLOGIST	1	Checked
NQ00_REFS_NEUROS	NQ00 - REF. SPECIALIST: NEUROSURGEON	1	Checked
NQ00_REFS_ORTHO	NQ00 - REF. SPECIALIST: ORTHOPAEDIC SURGEON	1	Checked
NQ00_REFS_REHAB	NQ00 - REF. SPECIALIST: SPEC. IN PHYSIATRY AND REHAB. MEDECINE	1	Checked
NQ00_REFS_PSYCH	NQ00 - REF. SPECIALIST: PSYCHIATRIST	1	Checked
NQ00_REFS_RHUMA	NQ00 - REF. SPECIALIST: RHEUMATOLOGIST	1	Checked
NQ00_REFS_ENDOC	NQ00 - REF. SPECIALIST: ENDOCRINOLOGIST	1	Checked
NQ00_REFS_PLAST	NQ00 - REF. SPECIALIST: PLASTIC SURGEON	1	Checked
NQ00_REFS_SURGE	NQ00 - REF. SPECIALIST: SURGEON	1	Checked
NQ00_REFS_SURGE_SPE	NQ00 - REF. SPECIALIST: SURGEON: TYPE		
NQ00_REFS_DENTI	NQ00 - REF. SPECIALIST: DENTIST	1	Checked
NQ00_REFS_XXX	NQ00 - REF. SPECIALIST: EMERGENCY PHYSICIAN	1	Checked
NQ00_REFS_OTH1	NQ00 - REF. SPECIALIST: OTHER 1	1	Checked
NQ00_REFS_OTH1_SPE	NQ00 - REF. SPECIALIST: OTHER 1: TYPE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_REFS_OTH2	NQ00 - REF. SPECIALIST: OTHER 2	1	Checked
NQ00_REFS_OTH2_SPE	NQ00 - REF. SPECIALIST: OTHER 2: TYPE		
NQ00_CONSULT_REASON	NQ00 - REASON OF CONSULTATION	0	Missing information
		1	General consultation
		2	Intervention only
NQ00_DX_CONSULT_O	NQ00 - CONSULT DX: DIAGNOSIS ORDER (MULTIPLE RECORDS PER PATIENT)		
NQ00_DX_CONSULT_G	NQ00 - CONSULT DX: GENERAL CODE	-1	Missing data
		1	01-Cervical pain
		2	02-Thoracic pain
		3	03-Lumbar pain
		4	04-Sacral pain
		5	05-Coccygeal pain
		6	06-Abdominal pain
		7	07-Pelvic pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		8	08-Upper limb pain
		9	09-Lower limb pain
		10	10-Head & face painful syndromes
		11	11-Generalized syndromes
		12	12-Pregnancy
		13	13-Pain resolved
NQ00_DX_CONSULT_S	NQ00 - CONSULT DX: SPECIFIC CODE	-1	Missing data
		1.1	1.1-Cervical without radicular pain
		1.2	1.2-Cervical and radicular pain
		1.3	1.3-Radicular pain only
		1.4	1.4-Diffuse pain in the cervical region
		1.5	1.5-Torticollis
		1.6	1.6-Other cervical pain
		2.1	2.1-Thoracic without radicular pain
		2.2	2.2-Thoracic and radicular pain
		2.3	2.3-Radicular pain only
		2.4	2.4-Diffuse pain in the thoracic region
		2.5	2.5-Acute herpes zoster

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2.6	2.6-Postherpetic neuralgia
		2.7	2.7-Costochondritis
		2.8	2.8-Post mastectomy
		2.9	2.9-Post thoracotomy
		2.10	2.10-Associated with a neoplasm
		2.11	2.11-Following cancer treatment (chemotherapy/radiotherapy)
		2.12	2.12-Following HIV and/or its treatment
		2.13	2.13-Refractory angina
		3.1	3.1-Lumbar without radicular pain
		3.2	3.2-Lumbar and radicular pain
		3.3	3.3-Radicular pain only
		3.4	3.4-Diffuse pain in the lumbar region
		3.5	3.5-Acute herpes zoster
		3.6	3.6-Postherpetic neuralgia
		3.7	3.7-Lumbar pain of uncertain origin
		3.8	3.8-Other lumbar pain
		4.1	4.1-Sacroiliitis
		4.2	4.2-Acute herpes zoster
		4.3	4.3-Postherpetic neuralgia
		4.4	4.4-Mechanical pain
		4.5	4.5-Traumatic origin
		4.6	4.6-Associated with a neoplasm
		5.1	5.1-Traumatic origin
		5.2	5.2-Associated with a neoplasm

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		5.3	5.3-Following cancer treatment (chemotherapy/radiotherapy)
		6.1	6.1-Acute herpes zoster
		6.2	6.2-Postherpetic neuralgia
		6.3	6.3-Post-cholecystectomy
		6.4	6.4-Post-herniorraphy
		6.5	6.5-Irritable bowel syndrome
		6.6	6.6-Chronic pancreatitis
		6.7	6.7-Crohn's disease
		6.8	6.8-Ulcerative colitis
		6.9	6.9-Following surgery
		6.10	6.10-Associated with a neoplasm
		7.1	7.1-Endometriosis
		7.2	7.2-Vulvodynia
		7.3	7.3-Post-herniorraphy
		7.4	7.4-Acute herpes zoster
		7.5	7.5-Postherpetic neuralgia
		7.6	7.6-Chronic prostatitis
		7.7	7.7-Interstitial cystitis
		7.8	7.8-Pudendal neuropathy
		8.1	8.1-Brachial plexopathy
		8.2	8.2-Bicipital tendinitis
		8.3	8.3-Subacromial bursitis
		8.4	8.4-Rotator cuff tear or tendinitis
		8.5	8.5-Adhesive capsulitis and frozen shoulder

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8.6	8.6-Lateral epicondylitis
		8.7	8.7-Medial epitrochleitis
		8.8	8.8-Cubital tunnel syndrome
		8.9	8.9-Carpal tunnel syndrome
		8.10	8.10-Acute herpes zoster
		8.11	8.11-Postherpetic neuralgia
		8.12	8.12-Diabetic neuropathy
		8.13	8.13-Other peripheral neuropathy
		8.14	8.14-Complex regional pain syndrome
		8.15	8.15-Stump pain
		8.16	8.16-Phantom pain
		8.17	8.17-Myofascial pain (trigger point)
		8.18	8.18-Traumatic origin
		9.1	9.1-Ischial bursitis
		9.2	9.2-Trochanteric bursitis
		9.3	9.3-Osteoarthritis of the hip
		9.4	9.4-Osteoarthritis of the knee
		9.5	9.5-Plantar fasciitis
		9.6	9.6-Sciatica neuralgia
		9.7	9.7-Obturator neuralgia
		9.8	9.8-Femoral neuralgia
		9.9	9.9-Piriformis syndrome
		9.10	9.10-Plexopathy
		9.11	9.11-Acute herpes zoster
		9.12	9.12-Postherpetic neuralgia

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		9.13	9.13-Diabetic neuropathy
		9.14	9.14-Other peripheral neuropathy
		9.15	9.15-Complex regional pain syndrome
		9.16	9.16-Post phlebotic pain syndrome
		9.17	9.17-Stump pain
		9.18	9.18-Phantom pain
		9.19	9.19-Myofascial pain (trigger point)
		9.20	9.20-Restless leg syndrome
		10.1	10.1-Migraine
		10.2	10.2-Headache
		10.3	10.3-Occipital neuralgia (Arnold)
		10.4	10.4-Trigeminal neuralgia
		10.5	10.5-Atypical facial neuralgia
		10.6	10.6-Myofascial pain (trigger point)
		10.7	10.7-Acute herpes zoster
		10.8	10.8-Postherpetic neuralgia
		10.9	10.9-Temporomandibular joint disorder
		10.10	10.10-Burning mouth syndrome
		10.11	10.11-Traumatic origin
		10.12	10.12-Following dental surgery
		10.13	10.13-Following other type of surgery
		10.14	10.14-Associated with neoplasm
		10.15	10.15-Following cancer treatment (chemotherapy/radiotherapy)
		10.16	10.16-Following HIV and/or its treatment

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		10.17	10.17-Head and face painful syndromes of uncertain origin
		10.18	10.18-Other head and face painful syndromes
		11.1	11.1-Fibromyalgia
		11.2	11.2-Diffuse myofascial pain syndrome
		11.3	11.3-Rheumatoid arthritis
		11.4	11.4-Other type of inflammatory arthritis
		11.5	11.5-Osteoarthritis
		11.6	11.6-Multiple sclerosis
		11.7	11.7-Central post-stroke pain (CVA)
		11.8	11.8-Diabetic polyneuropathy (upper + lower limbs)
		11.9	11.9-Autre polyneuropathie impliquant plus d'un membre (membre supérieur et inférieur)
		11.10	11.10-Widespread pain of uncertain origin
		11.11	11.11-Other generalized syndromes
		12.1	12.1-Post cesarean pain
		12.2	12.2-Postpartum pain
		12.3	12.3-Other pregnancy related pain
		13.1	13.1-Pain resolved (no more pain, no more pain medication)
		2.14	2.14-Thoracic pain of uncertain origin
		2.15	2.15-Other thoracic pain
		4.10	4.10-Other sacral pain
		4.7	4.7-Following cancer treatment (chemotherapy/radiotherapy)
		4.8	4.8-Following HIV (treatment or virus)

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		4.9	4.9-Sacral pain of uncertain origin
		5.4	5.4-Following HIV and/or its treatment
		5.5	5.5-Coccygeal pain of uncertain origin
		5.6	5.6-Other coccygeal pain
		6.11	6.11-Following cancer treatment (chemotherapy/radiotherapy)
		6.12	6.12-Following HIV and/or its treatment
		6.13	6.13-Abdominal pain of uncertain origin
		6.14	6.14-Other abdominal pain
		7.10	7.10-Associated with a neoplasm
		7.11	7.11-Following cancer treatment (chemotherapy/radiotherapy)
		7.12	7.12-Following HIV and/or its treatment
		7.13	7.13-Pelvic pain of uncertain origin
		7.14	7.14-Other pelvic pain
		7.9	7.9-Following surgeryE
		8.19	8.19-Following surgery
		8.20	8.20-Associated with a neoplasm
		8.21	8.21-Following cancer treatment (chemotherapy/radiotherapy)
		8.22	8.22-Following HIV and/or its treatment
		8.23	8.23-Upper limb pain of uncertain origin
		8.24	8.24-Other upper limb pain
		9.21	9.21-Traumatic origin
		9.22	9.22-Following surgery
		9.23	9.23-Associated with a neoplasm

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		9.24	9.24-Following cancer treatment (chemotherapy/radiotherapy)
		9.25	9.25-Following HIV and/or its treatment
		9.26	9.26-Lower limb pain of uncertain origin
		9.27	9.27-Other lower limb pain
NQ00_DX_CONSULT_S_SPE	NQ00 - CONSULT DX: SPECIFIC CODE SPECIFICATION, IF OTHER		
NQ00_DX_CONSULT_E	NQ00 - CONSULT DX: ETIOLOGY	-1	Na
		1.a	1.a-Muscular
		1.b	1.b-Facet joint disorder
		1.c	1.c-Disc disorder
		1.d	1.d-Medullary
		1.e	1.e-Myofascial (trigger point)
		1.f	1.f-Mechanical
		1.g	1.g-Osteoarthritis
		1.h	1.h-Osteoporosis fracture
		1.i	1.i-Traumatic origin
		1.j	1.j-Following surgery
		1.k	1.k-Following nerve injury
		1.l	1.l-Spinal stenosis
		1.m	1.m-Scoliosis
		1.n	1.n-Spondylolysis/spondylolisthesis
		1.o	1.o-Syringomyelia
		1.p	1.p-Neoplasm
		1.q	1.q-Following cancer treatment (chemotherapy/radiotherapy)

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		1.r	1.r-Following HIV and/or its treatment
		1.s	1.s-Infectious
		1.t	1.t-Cervical pain of uncertain etiology
		1.u	1.u-Other cervical pain etiology
		10.a	10.a-Tension headache
		10.b	10.b-Mixed headache
		10.c	10.c-Cluster headache
		10.d	10.d-Other type of headache
		2.a	2.a-Muscular
		2.b	2.b-Facet joint disorder
		2.c	2.c-Disc disorder
		2.d	2.d-Medullary
		2.e	2.e-Myofascial (trigger point)
		2.f	2.f-Mechanical
		2.g	2.g-Osteoarthritis
		2.h	2.h-Osteoporosis fracture
		2.i	2.i-Traumatic origin
		2.j	2.j-Following surgery
		2.k	2.k-Following nerve injury
		2.l	2.l-Spinal stenosis
		2.m	2.m-Scoliosis
		2.n	2.n-Spondylolysis/spondylolisthesis
		2.o	2.o-Syringomyelia
		2.p	2.p-Neoplasm

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2.q	2.q-Following cancer treatment (chemotherapy/radiotherapy)
		2.r	2.r-Following HIV and/or its treatment
		2.s	2.s-Infectious
		2.t	2.t-Thoracic pain of uncertain etiology
		2.u	2.u-Other thoracic pain etiology
		3.a	3.a-Muscular
		3.b	3.b-Facet joint disorder
		3.c	3.c-Disc disorder
		3.d	3.d-Medullary
		3.e	3.e-Myofascial (trigger point)
		3.f	3.f-Mechanical
		3.g	3.g-Osteoarthritis
		3.h	3.h-Osteoporosis fracture
		3.i	3.i-Traumatic origin
		3.j	3.j-Following surgery
		3.k	3.k-Following nerve injury
		3.l	3.l-Spinal stenosis
		3.m	3.m-Scoliosis
		3.n	3.n-Spondylolysis/spondylolisthesis
		3.o	3.o-Syringomyelia
		3.p	3.p-Neoplasm
		3.q	3.q-Following cancer treatment (chemotherapy/radiotherapy)
		3.r	3.r-Following HIV and/or its treatment
		3.s	3.s-Infectious

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		3.t	3.t-Sacroiliac
		3.u	3.u-Lumbar pain of uncertain etiology
		3.v	3.v-Other Lumbar pain etiology
		8.a	8.a-Mononeuropathy
		8.b	8.b-Polyneuropathy
		9.a	9.a-Mononeuropathy
		9.b	9.b-Polyneuropathy
NQ00_DX_CONSULT_E_SPE	NQ00 - CONSULT DX: ETIOLOGY SPECIFICATION, IF OTHER		
NQ00_DXEX_NONE	NQ00 - DIAGNOSTIC EXAMS: NONE	1	Checked
NQ00_DXEX_XRAY	NQ00 - DIAGNOSTIC EXAMS: X-RAYS	1	Checked
NQ00_DXEX_CTSC	NQ00 - DIAGNOSTIC EXAMS: CT-SCAN	1	Checked
NQ00_DXEX_MRI	NQ00 - DIAGNOSTIC EXAMS: MAGNETIC RESONANCE	1	Checked
NQ00_DXEX_EMG	NQ00 - DIAGNOSTIC EXAMS: EMG	1	Checked
NQ00_DXEX_SCIN	NQ00 - DIAGNOSTIC EXAMS: BONE SCINTIGRAPHY	1	Checked
NQ00_DXEX_ULTR	NQ00 - DIAGNOSTIC EXAMS: ULTRASOUND	1	Checked
NQ00_DXEX_OTH	NQ00 - DIAGNOSTIC EXAMS: OTHER	1	Checked
NQ00_DXEX_OTH_SPE	NQ00 - DIAGNOSTIC EXAMS: SPECIFICATION, IF OTHER		
NQ00_REF_MD	NQ00 - REFERRING DOCTOR: NO REFERING SPECIALIST (NO CONSULT. PAPER)	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_REF_MD_LNAME	NQ00 - REFERRING DOCTOR: LAST NAME		
NQ00_REF_MD_FNAME	NQ00 - REFERRING DOCTOR: FISRT NAME		
NQ00_REF_MD_ADDRESS	<sup>1</sup> NQ00 - REFERRING DOCTOR: ADDRESS		
NQ00_REF_MD_CITY	NQ00 - REFERRING DOCTOR: CITY		
NQ00_REF_MD_PROVINCE	<sup>1</sup> NQ00 - REFERRING DOCTOR: PROVINCE		
NQ00_REF_MD_POS_CODE	<sup>1</sup> NQ00 - REFERRING DOCTOR: POSTAL CODE		
NQ00_REF_MD_TEL	<sup>1</sup> NQ00 - REFERRING DOCTOR: PHONE NUMBER		
NQ00_FAM_MD	NQ00 - FAMILY PRACTITIONER	0	There is a family practitioner
		1	Idem referent doctor
		2	No family practitioner
NQ00_FAM_MD_LNAME	NQ00 - FAMILY PRACTITIONER: LAST NAME		
NQ00_FAM_MD_FNAME	NQ00 - FAMILY PRACTITIONER: FIRST NAME		
NQ00_FAM_MD_ADDRESS	<sup>1</sup> NQ00 - FAMILY PRACTITIONER: ADDRESS		
NQ00_FAM_MD_CITY	NQ00 - FAMILY PRACTITIONER: CITY		
NQ00_FAM_MD_PROVINCE	<sup>1</sup> NQ00 - FAMILY PRACTITIONER: PROVINCE		
NQ00_FAM_MD_POS_CODE	<sup>1</sup> NQ00 - FAMILY PRACTITIONER: POSTAL CODE		
NQ00_FAM_MD_TEL	<sup>1</sup> NQ00 - FAMILY PRACTITIONER: PHONE NUMBER		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_PAIN_DURATION_DAYS	NQ00 - HAS SUFFERED PAIN SINCE (IN DAYS)		
NQ00_PAIN_DURATION_MONTHS	NQ00 - HAS SUFFERED PAIN SINCE (IN MONTHS)		
NQ00_PAIN_DURATION_YEARS	NQ00 - HAS SUFFERED PAIN SINCE (IN YEARS)		
NQ00_PAIN_DURATION_IN_YEARS	†NQ00 - PAIN DURATION (YEARS)		
NQ00_PAIN_FRQ_IN_P7DAYS	NQ00 - PAIN IN PAST 7 DAYS	-2	Missing data
		1	Always present
		2	Occasionally
		3	No pain
NQ00_PAIN_IN_P7DAYS	NQ00 - NO OF DAYS IN PAIN IN PAST 7 DAYS, IF OCCASIONALLY		
NQ00_PAIN_IN_PMONTH	NQ00 - NO OF DAYS IN PAIN IN PAST MONTH, IF NO PAIN		
NQ00_PAIN_FRQ_IN_PMONTH	†NQ00 - PAIN FREQUENCY IN PAST MONTH (DAYS)		
NQ00_PAIN_ONSET_WRK	NQ00 - PAIN ONSET CIRCUMSTANCES: ACCIDENT AT WORK	1	Checked
NQ00_PAIN_ONSET_MOV	NQ00 - PAIN ONSET CIRCUMSTANCES: MOTOR VEHICLE ACCIDENT	1	Checked
NQ00_PAIN_ONSET_HME	NQ00 - PAIN ONSET CIRCUMSTANCES: ACCIDENT AT HOME	1	Checked
NQ00_PAIN_ONSET_SPT	NQ00 - PAIN ONSET CIRCUMSTANCES: SPORT ACCIDENT	1	Checked
NQ00_PAIN_ONSET_PBP	NQ00 - PAIN ONSET CIRCUMSTANCES: ACCIDENT IN A PUBLIC PLACE	1	Checked
NQ00_PAIN_ONSET_CNC	NQ00 - PAIN ONSET CIRCUMSTANCES: DURING OR FOLLOWING CANCER	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_PAIN_ONSET_ILL	NQ00 - PAIN ONSET CIRCUMSTANCES: DURING OR FOLLOWING ILLNESS (OTHER THAN CANCER)	1	Checked
NQ00_PAIN_ONSET_ILL_SPE	NQ00 - PAIN ONSET CIRCUMSTANCES: ILLNESS: TYPE		
NQ00_PAIN_ONSET_SRG	NQ00 - PAIN ONSET CIRCUMSTANCES: FOLLOWING SURGERY	1	Checked
NQ00_PAIN_ONSET_SRG_SPE	NQ00 - PAIN ONSET CIRCUMSTANCES: SURGERY: TYPE		
NQ00_PAIN_ONSET_TRA	NQ00 - PAIN ONSET CIRCUMSTANCES: REPETITIVE MOVEMENT/TRAUMA	1	Checked
NQ00_PAIN_ONSET_STR	NQ00 - PAIN ONSET CIRCUMSTANCES: STRESSFUL EVENT	1	Checked
NQ00_PAIN_ONSET_NEV	NQ00 - PAIN ONSET CIRCUMSTANCES: NO PRECISE EVENT	1	Checked
NQ00_PAIN_ONSET_OTH	NQ00 - PAIN ONSET CIRCUMSTANCES: OTHER	1	Checked
NQ00_PAIN_ONSET_OTH_SPE	NQ00 - PAIN ONSET CIRCUMSTANCES: OTHER: TYPE		
NQ00_DN4_Q1_1	NQ00 - DN4: BURNING	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_Q1_2	NQ00 - DN4: PAINFUL COLD	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_Q1_3	NQ00 - DN4: ELECTRIC SHOCKS	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		1	Yes
NQ00_DN4_Q2_4	NQ00 - DN4: TINGLING	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_Q2_5	NQ00 - DN4: PINS & NEEDLES	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_Q2_6	NQ00 - DN4: ITCHING	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_Q2_7	NQ00 - DN4: NUMBNESS	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_P_EXAM_NA	NQ00 - DN4: PATIENT'S EXAM: N/A (ALL ANSWERS TO Q.1 & Q.2 = NO)		
NQ00_DN4_Q3_8	NQ00 - DN4: PATIENT'S EXAM: HYPOESTHESIA TO TOUCH	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_Q3_9	NQ00 - DN4: PATIENT'S EXAM: HYPOESTHESIA TO PRICK	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_DN4_Q4_10	NQ00 - DN4: PATIENT'S EXAM: BRUSHING	-1	Missing data
		0	No
		1	Yes
NQ00_DN4_TS	†NQ00 - DN4: TOTAL SCORE		
NQ00_DN4_SS	†NQ00 - DN4: SUBSCORE BASED ON THE FIRST 7 ITEMS		
NQ00_TXP_INJ	NQ00 - TX: INJECTIONS: NEVER USED	1	Checked
NQ00_TXP_INJ_EPID_PSU_D	NQ00 - TX: INJECTIONS: EPIDURAL: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_EPID_DKN_D	NQ00 - TX: INJECTIONS: EPIDURAL: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_INJ_EPID	<sup>2</sup> NQ00 - TX: INJECTIONS: EPIDURAL	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_FJBL_PSU_D	NQ00 - TX: INJECTIONS: FACET JOINT BLOCK: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_FJBL_DKN_D	NQ00 - TX: INJECTIONS: FACET JOINT BLOCK: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_FJBL	<sup>2</sup> NQ00 - TX: INJECTIONS: FACET JOINT BLOCK	0	Never used
		1	Current use

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_CABL_PSU_D	NQ00 - TX: INJECTIONS: CAUDAL BLOCK: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_CABL_DKN_D	NQ00 - TX: INJECTIONS: CAUDAL BLOCK: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_CABL	<sup>2</sup> NQ00 - TX: INJECTIONS: CAUDAL BLOCK	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_INJ_OTH1_SPE	NQ00 - TX: INJECTIONS: OTHER 1: TYPE		
NQ00_TXP_INJ_OTH1_PSU_D	NQ00 - TX: INJECTIONS: OTHER 1: USED IN THE PAST		1 Never used
			2 Current use - helpful
			3 Current use - partially helpful
			4 Current use - not helpful
			5 Used in the past but stopped - helpful
			6 Used in the past but stopped - partially helpful
			7 Used in the past but stopped - not helpful
			8 Don't know
NQ00_TXP_INJ_OTH1_DKN_D	NQ00 - TX: INJECTIONS: OTHER 1: DON'T KNOW		1 Never used
			2 Current use - helpful
			3 Current use - partially helpful
			4 Current use - not helpful
			5 Used in the past but stopped - helpful
			6 Used in the past but stopped - partially helpful
			7 Used in the past but stopped - not helpful
			8 Don't know
NQ00_TXP_INJ_OTH1	<sup>2</sup> NQ00 - TX: INJECTIONS: OTHER 1		0 Never used
			1 Current use
			2 Used in the past but stopped
			3 Don't know
NQ00_TXP_INJ_OTH2_SPE	NQ00 - TX: INJECTIONS: OTHER 2: TYPE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_TXP_INJ_OTH2_PSU_D	NQ00 - TX: INJECTIONS: OTHER 2: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH2_DKN_D	NQ00 - TX: INJECTIONS: OTHER 2: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH2	^NQ00 - TX: INJECTIONS: OTHER 2	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_OTH3_SPE	NQ00 - TX: INJECTIONS: OTHER 3: TYPE		
NQ00_TXP_INJ_OTH3_PSU_D	NQ00 - TX: INJECTIONS: OTHER 3: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH3_DKN_D	NQ00 - TX: INJECTIONS: OTHER 3: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH3	<sup>2</sup> NQ00 - TX: INJECTIONS: OTHER 3	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_OTH4_SPE	NQ00 - TX: INJECTIONS: OTHER 4: TYPE		
NQ00_TXP_INJ_OTH4_PSU_D	NQ00 - TX: INJECTIONS: OTHER 4: USED IN THE PAST	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH4_DKN_D	NQ00 - TX: INJECTIONS: OTHER 4: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH4	<sup>2</sup> NQ00 - TX: INJECTIONS: OTHER 4	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_OTH5_SPE	NQ00 - TX: INJECTIONS: OTHER 5: TYPE		
NQ00_TXP_INJ_OTH5_PSU_D	NQ00 - TX: INJECTIONS: OTHER 5: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH5_DKN_D	NQ00 - TX: INJECTIONS: OTHER 5: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_OTH5	<sup>2</sup> NQ00 - TX: INJECTIONS: OTHER 5	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_UNKN_PSU_D	NQ00 - TX: INJECTIONS: TYPE UNKNOWN: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_UNKN_DKN_D	NQ00 - TX: INJECTIONS: TYPE UNKNOWN: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_UNKN	<sup>2</sup> NQ00 - TX: INJECTIONS: TYPE UNKNOWN	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_CORT_PSU_D	NQ00 - TX: INJECTIONS: CORTISONE INFILT.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_INJ_CORT_DKN_D	NQ00 - TX: INJECTIONS: CORTISONE INFILT.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_CORT	NQ00 - TX: INJECTIONS: CORTISONE INFILTRATION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_INJ_BTOX_PSU_D	NQ00 - TX: INJECTIONS: BOTOX INJ.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_BTOX_DKN_D	NQ00 - TX: INJECTIONS: BOTOX INJ.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_INJ_BTOX	<sup>2</sup> NQ00 - TX: INJECTIONS: BOTOX INJECTION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_IMP_PUMP	<sup>2</sup> NQ00 - TX: IMPLANTABLE PUMP	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_IMP_PUMP_PRU_D	NQ00 - TX: IMPLANTABLE PUMP: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_IMP_PUMP_PSU_D	NQ00 - TX: IMPLANTABLE PUMP: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_IMP_PUMP_DKN_D	NQ00 - TX: IMPLANTABLE PUMP: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_NRV_STIM	<sup>2</sup> NQ00 - TX: IMPLANTABLE NERVE STIMULATOR	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_NRV_STIM_PRU_D	NQ00 - TX: IMPLANTABLE NERVE STIMULATOR: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_NRV_STIM_PSU_D	NQ00 - TX: IMPLANTABLE NERVE STIMULATOR: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_NRV_STIM_DKN_D	NQ00 - TX: IMPLANTABLE NERVE STIMULATOR: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_NUS	NQ00 - TX: SURGERY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPA_SPE	NQ00 - TX: SURGERY A: TYPE		
NQ00_TXP_SRG_TYPA_PSU_D	NQ00 - TX: SURGERY A: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPA_DKN_D	NQ00 - TX: SURGERY A: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_TXP_SRG_TYPA	²NQ00 - TX: SURGERY A	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_SRG_TYPB_SPE	NQ00 - TX: SURGERY B: TYPE		
NQ00_TXP_SRG_TYPB_PSU_D	NQ00 - TX: SURGERY B: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPB_DKN_D	NQ00 - TX: SURGERY B: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPB	²NQ00 - TX: SURGERY B	0	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_SRG_TYPC_SPE	NQ00 - TX: SURGERY C: TYPE		
NQ00_TXP_SRG_TYPC_PSU_D	NQ00 - TX: SURGERY C: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPC_DKN_D	NQ00 - TX: SURGERY C: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPC	<sup>2</sup> NQ00 - TX: SURGERY C	0	Never used
		1	Current use

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_SRG_TYPD_SPE	NQ00 - TX: SURGERY D: TYPE		
NQ00_TXP_SRG_TYPD_PSU_D	NQ00 - TX: SURGERY D: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPD_DKN_D	NQ00 - TX: SURGERY D: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPD	<sup>2</sup> NQ00 - TX: SURGERY D	0	Never used
		1	Current use
		2	Used in the past but stopped

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		3	Don't know
NQ00_TXP_SRG_TYPE_SPE	NQ00 - TX: SURGERY E: TYPE		
NQ00_TXP_SRG_TYPE_PSU_D	NQ00 - TX: SURGERY E: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPE_DKN_D	NQ00 - TX: SURGERY E: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPE	<sup>2</sup> NQ00 - TX: SURGERY E	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_SRG_TYPF_SPE	NQ00 - TX: SURGERY F: TYPE		
NQ00_TXP_SRG_TYPF_PSU_D	NQ00 - TX: SURGERY F: USED IN THE PAST		1 Never used
			2 Current use - helpful
			3 Current use - partially helpful
			4 Current use - not helpful
			5 Used in the past but stopped - helpful
			6 Used in the past but stopped - partially helpful
			7 Used in the past but stopped - not helpful
			8 Don't know
NQ00_TXP_SRG_TYPF_DKN_D	NQ00 - TX: SURGERY F: DON'T KNOW		1 Never used
			2 Current use - helpful
			3 Current use - partially helpful
			4 Current use - not helpful
			5 Used in the past but stopped - helpful
			6 Used in the past but stopped - partially helpful
			7 Used in the past but stopped - not helpful
			8 Don't know
NQ00_TXP_SRG_TYPF	<sup>2</sup> NQ00 - TX: SURGERY F		0 Never used
			1 Current use
			2 Used in the past but stopped
			3 Don't know
NQ00_TXP_SRG_TYPG_SPE	NQ00 - TX: SURGERY G: TYPE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_TXP_SRG_TYPG_PSU_D	NQ00 - TX: SURGERY G: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPG_DKN_D	NQ00 - TX: SURGERY G: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPG	²NQ00 - TX: SURGERY G	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_SRG_TYPH_SPE	NQ00 - TX: SURGERY H: TYPE		
NQ00_TXP_SRG_TYPH_PSU_D	NQ00 - TX: SURGERY H: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

¹ Data collected in the first phase of the QPR only

² Definitions of QPR phase 2 variables modified to match phase 1 definitions.

³ Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPH_DKN_D	NQ00 - TX: SURGERY H: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_SRG_TYPH	<sup>2</sup> NQ00 - TX: SURGERY H	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_RLX_NUS_D	NQ00 - TX: RELAXATION/BREATHING TECH.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_RLX_PRU_D	NQ00 - TX: RELAXATION/BREATHING TECH.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_RLX_PSU_D	NQ00 - TX: RELAXATION/BREATHING TECH.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_RLX_DKN_D	NQ00 - TX: RELAXATION/BREATHING TECH.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_RLX	<sup>2</sup> NQ00 - TX: RELAXATION/BREATHING TECH.	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_MED_NUS_D	NQ00 - TX: MEDITATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_MED_PRU_D	NQ00 - TX: MEDITATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_MED_PSU_D	NQ00 - TX: MEDITATION; USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_MED_DKN_D	NQ00 - TX: MEDITATION; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_MED	<sup>2</sup> NQ00 - TX: MEDITATION	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_HYP_NUS_D	NQ00 - TX: HYPNOSIS: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_HYP_PRU_D	NQ00 - TX: HYPNOSIS: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_HYP_PSU_D	NQ00 - TX: HYPNOSIS: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_HYP_DKN_D	NQ00 - TX: HYPNOSIS: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_HYP	<sup>2</sup> NQ00 - TX: HYPNOSIS	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_VIS_NUS_D	NQ00 - TX: VISUALISATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ00_TXP_PSY_VIS_PRU_D	NQ00 - TX: VISUALISATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_VIS_PSU_D	NQ00 - TX: VISUALISATION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_VIS_DKN_D	NQ00 - TX: VISUALISATION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_VIS	<sup>2</sup> NQ00 - TX: VISUALISATION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_IDS_NUS_D	NQ00 - TX: IND. DISTRACTION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IDS_PRU_D	NQ00 - TX: IND. DISTRACTION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_PSY_IDS_PSU_D	NQ00 - TX: IND. DISTRACTION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IDS_DKN_D	NQ00 - TX: IND. DISTRACTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IDS	²NQ00 - TX: IND. DISTRACTION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_IPS_NUS_D	NQ00 - TX: IND. PSYCHOTHERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

¹ Data collected in the first phase of the QPR only

² Definitions of QPR phase 2 variables modified to match phase 1 definitions.

³ Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IPS_PRU_D	NQ00 - TX: IND. PSYCHOTHERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IPS_PSU_D	NQ00 - TX: IND. PSYCHOTHERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IPS_DKN_D	NQ00 - TX: IND. PSYCHOTHERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_IPS	<sup>2</sup> NQ00 - TX: IND. PSYCHOTHERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_GTH_NUS_D	NQ00 - TX: GROUP THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_GTH_PRU_D	NQ00 - TX: GROUP THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_GTH_PSU_D	NQ00 - TX: GROUP THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_GTH_DKN_D	NQ00 - TX: GROUP THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_GTH	<sup>2</sup> NQ00 - TX: GROUP THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_PSY_SSG_NUS_D	NQ00 - TX: SELF-HELP SUPPORT GROUP: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_SSG_PRU_D	NQ00 - TX: SELF-HELP SUPPORT GROUP: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_SSG_PSU_D	NQ00 - TX: SELF-HELP SUPPORT GROUP: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ00_TXP_PSY_SSG_DKN_D	NQ00 - TX: SELF-HELP SUPPORT GROUP: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_SSG	<sup>2</sup> NQ00 - TX: SELF-HELP SUPPORT GROUP	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PSY_OTH_SPE	NQ00 - TX: OTHER SELF-MANAG. STRAT.: TYPE		
NQ00_TXP_PSY_OTH_NUS_D	NQ00 - TX: OTHER SELF-MANAG. STRATEGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_PSY_OTH_PRU_D	NQ00 - TX: OTHER SELF-MANAG. STRATEGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_OTH_PSU_D	NQ00 - TX: OTHER SELF-MANAG. STRATEGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PSY_OTH_DKN_D	NQ00 - TX: OTHER SELF-MANAG. STRATEGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ00_TXP_PSY_OTH	<sup>2</sup> NQ00 - TX: OTHER SELF-MANAG. STRATEGY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_PHY_NUS_D	NQ00 - TX: PHYSIOTHERAPY EX.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_PHY_PRU_D	NQ00 - TX: PHYSIOTHERAPY EX.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_PHY_PSU_D	NQ00 - TX: PHYSIOTHERAPY EX.: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_PHY_DKN_D	NQ00 - TX: PHYSIOTHERAPY EX.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_PHY	<sup>2</sup> NQ00 - TX: PHYSIOTHERAPY EX.	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_OCC_NUS_D	NQ00 - TX: OCCUPATIONNAL THERAPY TX: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OCC_PRU_D	NQ00 - TX: OCCUPATIONNAL THERAPY TX: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OCC_PSU_D	NQ00 - TX: OCCUPATIONNAL THERAPY TX: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OCC_DKN_D	NQ00 - TX: OCCUPATIONNAL THERAPY TX: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OCC	<sup>2</sup> NQ00 - TX: OCCUPATIONNAL THERAPY TX	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_HYD_NUS_D	NQ00 - TX: HYDRO/AQUATHERAPY/HOT BATH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_HYD_PRU_D	NQ00 - TX: HYDRO/AQUATHERAPY/HOT BATH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_HYD_PSU_D	NQ00 - TX: HYDRO/AQUATHERAPY/HOT BATH; USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_HYD_DKN_D	NQ00 - TX: HYDRO/AQUATHERAPY/HOT BATH; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_HYD	<sup>2</sup> NQ00 - TX: HYDRO/AQUATHERAPY/HOT BATH	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_PHY_ELE_NUS_D	NQ00 - TX: ELECTRO-STIMULATION (TENS): NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ELE_PRU_D	NQ00 - TX: ELECTRO-STIMULATION (TENS): CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ELE_PSU_D	NQ00 - TX: ELECTRO-STIMULATION (TENS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ00_TXP_PHY_ELE_DKN_D	NQ00 - TX: ELECTRO-STIMULATION (TENS): DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ELE	<sup>2</sup> NQ00 - TX: ELECTRO-STIMULATION (TENS)	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_IMS_NUS_D	NQ00 - TX: INTRAMUSCULAR STIMULATION (IMS): NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_IMS_PRU_D	NQ00 - TX: INTRAMUSCULAR STIMULATION (IMS): CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_IMS_PSU_D	NQ00 - TX: INTRAMUSCULAR STIMULATION (IMS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_IMS_DKN_D	NQ00 - TX: INTRAMUSCULAR STIMULATION (IMS): DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_PHY_IMS	<sup>2</sup> NQ00 - TX: INTRAMUSCULAR STIMULATION (IMS)	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_ULT_NUS_D	NQ00 - TX: ULTRASOUND: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ULT_PRU_D	NQ00 - TX: ULTRASOUND: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ULT_PSU_D	NQ00 - TX: ULTRASOUND: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ULT_DKN_D	NQ00 - TX: ULTRASOUND: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ULT	<sup>2</sup> NQ00 - TX: ULTRASOUND	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_BIO_NUS_D	NQ00 - TX: BIOFEEDBACK: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_BIO_PRU_D	NQ00 - TX: BIOFEEDBACK: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_BIO_PSU_D	NQ00 - TX: BIOFEEDBACK: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_BIO_DKN_D	NQ00 - TX: BIOFEEDBACK: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_BIO	<sup>2</sup> NQ00 - TX: BIOFEEDBACK	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_ACU_NUS_D	NQ00 - TX: ACUPUNCTURE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_ACU_PRU_D	NQ00 - TX: ACUPUNCTURE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_TXP_PHY_ACU_PSU_D	NQ00 - TX: ACUPUNCTURE: USED IN THE PAST		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ00_TXP_PHY_ACU_DKN_D	NQ00 - TX: ACUPUNCTURE: DON'T KNOW		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ00_TXP_PHY_ACU	<sup>2</sup> NQ00 - TX: ACUPUNCTURE		0 Never used 1 Current use 2 Used in the past but stopped 3 Don't know
NQ00_TXP_PHY_MAS_NUS_D	NQ00 - TX: MASSOTHERAPY/MASSAGE: NEVER USED		1 Never used 2 Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MAS_PRU_D	NQ00 - TX: MASSOTHERAPY/MASSAGE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MAS_PSU_D	NQ00 - TX: MASSOTHERAPY/MASSAGE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MAS_DKN_D	NQ00 - TX: MASSOTHERAPY/MASSAGE: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MAS	<sup>2</sup> NQ00 - TX: MASSOTHERAPY/MASSAGE	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_CHI_NUS_D	NQ00 - TX: CHIROPRACTIC: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_CHI_PRU_D	NQ00 - TX: CHIROPRACTIC: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_CHI_PSU_D	NQ00 - TX: CHIROPRACTIC: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_CHI_DKN_D	NQ00 - TX: CHIROPRACTIC: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_CHI	<sup>2</sup> NQ00 - TX: CHIROPRACTIC	0	Never used
		1	Current use
		2	Used in the past but stopped

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		3	Don't know
NQ00_TXP_PHY_OST_NUS_D	NQ00 - TX: OSTEOPATHY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OST_PRU_D	NQ00 - TX: OSTEOPATHY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OST_PSU_D	NQ00 - TX: OSTEOPATHY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OST_DKN_D	NQ00 - TX: OSTEOPATHY; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OST	<sup>2</sup> NQ00 - TX: OSTEOPATHY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_TTC_NUS_D	NQ00 - TX: THERAPEUTIC TOUCH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_TXP_PHY_TTC_PRU_D	NQ00 - TX: THERAPEUTIC TOUCH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_TTC_PSU_D	NQ00 - TX: THERAPEUTIC TOUCH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_TTC_DKN_D	NQ00 - TX: THERAPEUTIC TOUCH: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ00_TXP_PHY_TTC	<sup>2</sup> NQ00 - TX: THERAPEUTIC TOUCH	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_REF_NUS_D	NQ00 - TX: REFLEXOLOGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REF_PRU_D	NQ00 - TX: REFLEXOLOGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REF_PSU_D	NQ00 - TX: REFLEXOLOGY: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REF_DKN_D	NQ00 - TX: REFLEXOLOGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REF	<sup>2</sup> NQ00 - TX: REFLEXOLOGY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_REI_NUS_D	NQ00 - TX: REIKI: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REI_PRU_D	NQ00 - TX: REIKI: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REI_PSU_D	NQ00 - TX: REIKI: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REI_DKN_D	NQ00 - TX: REIKI: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_REI	<sup>2</sup> NQ00 - TX: REIKI	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_MGT_NUS_D	NQ00 - TX: MAGNET THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MGT_PRU_D	NQ00 - TX: MAGNET THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MGT_PSU_D	NQ00 - TX: MAGNET THERAPY; USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MGT_DKN_D	NQ00 - TX: MAGNET THERAPY; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_MGT	<sup>2</sup> NQ00 - TX: MAGNET THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_TXP_PHY_EXH	^NQ00 - TX: EXERCISES AT HOME	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_HCA	^NQ00 - TX: HOT, COLD OR ALTERNATING	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_MIR	^NQ00 - TX: MIRROR THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_PHY_OTH_SPE	NQ00 - TX: OTHER PHYSICAL THERAPY: TYPE		
NQ00_TXP_PHY_OTH_NUS_D	NQ00 - TX: OTHER PHYSICAL THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OTH_PRU_D	NQ00 - TX: OTHER PHYSICAL THERAPY: CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OTH_PSU_D	NQ00 - TX: OTHER PHYSICAL THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_PHY_OTH_DKN_D	NQ00 - TX: OTHER PHYSICAL THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_TXP_PHY_OTH	²NQ00 - TX: OTHER PHYSICAL THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_OTH1_SPE	NQ00 - TX: OTHER 1: TYPE		
NQ00_TXP_OTH1_NUS_D	NQ00 - TX: OTHER 1: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH1_PRU_D	NQ00 - TX: OTHER 1: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH1_PSU_D	NQ00 - TX: OTHER 1: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

¹ Data collected in the first phase of the QPR only

² Definitions of QPR phase 2 variables modified to match phase 1 definitions.

³ Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH1_DKN_D	NQ00 - TX: OTHER 1: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH1	<sup>2</sup> NQ00 - TX: OTHER 1	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_OTH2_SPE	NQ00 - TX: OTHER 2: TYPE		
NQ00_TXP_OTH2_NUS_D	NQ00 - TX: OTHER 2: NEVER USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH2_PRU_D	NQ00 - TX: OTHER 2: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH2_PSU_D	NQ00 - TX: OTHER 2: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH2_DKN_D	NQ00 - TX: OTHER 2: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ00_TXP_OTH2	<sup>2</sup> NQ00 - TX: OTHER 2	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_OTH3_SPE	NQ00 - TX: OTHER 3: TYPE		
NQ00_TXP_OTH3	<sup>3</sup> NQ00 - TX: OTHER 3	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ00_TXP_OTH4_SPE	NQ00 - TX: OTHER 4: TYPE		
NQ00_TXP_OTH4	<sup>3</sup> NQ00 - TX: OTHER 4	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_CPM	NQ00 - CURRENT PAIN MEDICATIONS MEDICATION, MARIJUANA, CANNABIS, HASCHICH OR NATURAL PRODUCT USED	1	Checked
NQ00_CPM_ANA	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: DIN - up to 14		
NQ00_CPM_BNM	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: BRAND NAME†		
NQ00_CPM_ACT	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: ACTIVE INGREDIENT†		
NQ00_CPM_POS	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: POSOLOGY		
NQ00_CPM_UN	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: UNITS	0	MG
		1	MCG
		2	UI
		3	ND
NQ00_CPM_FRQ	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ	0	DIE
		1	BID
		2	TID
		3	QID
		4	Autre
NQ00_CPM_OFR	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: OTHER FREQ		
NQ00_CPM_FQB	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ BY		
NQ00_CPM_DTM	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-MONTH		
NQ00_CPM_DTY	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-YEAR		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_CPM_EFF	*NQ00 -ACTUAL MEDICATIONS FOR PAIN RELIEF: EFFICACY <sup>†</sup>	0	Not helpful
		1	Helpful
		2	Don't know
NQ00_SIDE_EFFECT_NOT_APPLICABLE	<sup>†</sup> NQ00 - SIDE EFFECTS: NOT APPLICABLE	1	Checked
NQ00_SIDE_EFFECT_1	<sup>†</sup> NQ00 - SIDE EFFECTS: LIGHT-HEADEDNESS / DIZZINESS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_2	<sup>†</sup> NQ00 - SIDE EFFECTS: DROWSINESS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_3	<sup>†</sup> NQ00 - SIDE EFFECTS: CONFUSION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_4	<sup>†</sup> NQ00 - SIDE EFFECTS: NAUSEA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_5	<sup>†</sup> NQ00 - SIDE EFFECTS: VOMITING	0	None

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>†</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_6	<sup>1</sup> NQ00 - SIDE EFFECTS: IMPAIRED MEMORY	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_7	<sup>1</sup> NQ00 - SIDE EFFECTS: DRY MOUTH	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_8	<sup>1</sup> NQ00 - SIDE EFFECTS: ITCHING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_9	<sup>1</sup> NQ00 - SIDE EFFECTS: ABDOMINAL DISCOMFORT	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_10	<sup>1</sup> NQ00 - SIDE EFFECTS: CONSTIPATION	0	None
		1	Mild
		2	Moderate

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		3	Severe
NQ00_SIDE_EFFECT_11	<sup>1</sup> NQ00 - SIDE EFFECTS: SLOWING OF THE URINE STREAM	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_12	<sup>1</sup> NQ00 - SIDE EFFECTS: FATIGUE	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_13	<sup>1</sup> NQ00 - SIDE EFFECTS: INSOMNIA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_14	<sup>1</sup> NQ00 - SIDE EFFECTS: SWELLING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_15	<sup>1</sup> NQ00 - SIDE EFFECTS: WEIGHT GAIN	0	None
		1	Mild
		2	Moderate
		3	Severe

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_SIDE_EFFECT_16	'NQ00 - SIDE EFFECTS: VISUAL BLURRING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_17	'NQ00 - SIDE EFFECTS: DECREASED SEX DRIVE	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_18	'NQ00 - SIDE EFFECTS: HALLUCINATIONS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_19	'NQ00 - SIDE EFFECTS: NIGHTMARES	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ00_SIDE_EFFECT_OTHER_SPE	*!NQ00 - OTHER SIDE EFFECT: NAME - up to 12		
NQ00_SIDE_EFFECT_OTHER	*!NQ00 - OTHER SIDE EFFECT: SEVERITY	0	None
		1	Mild
		2	Moderate
		3	Severe

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_NO_OTHER_MEDS	NQ00 - OTHER CURRENT MEDICATIONS: NO OTHER MEDICATION	1	Checked
NQ00_OTHER_MED	*NQ00 - OTHER CURRENT MEDICATIONS: DIN - up to 30		
NQ00_OTHER_MED_BN	*†NQ00 - OTHER CURRENT MEDICATIONS: BRAND NAME		
NQ00_OTHER_MED_AI	*†NQ00 - OTHER CURRENTMEDICATIONS: ACTIVE INGREDIENT		
NQ00_NO_OTH_NAT_PRODUCTS	NQ00 - ACTUAL OTHER MEDICATIONS: NO OTHER NATURAL PRODUCT	1	Checked
NQ00_OTH_NAT_PRODUCT	*NQ00 - NATURAL PRODUCT: NAME - up to 6		
NQ00_ALLERGIES	NQ00 - ALLERGY TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ00_ALLERGIES_SPE	*NQ00 - MEDICATIONS: NAME - up to 11		
NQ00_INTOLERANCES	NQ00 - INTOLERANCE TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ00_INTOLERANCES_SPE	*NQ00 - MEDICATIONS: NAME - up to 11		
NQ00_PPM	NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR	-1	Missing data
		0	No
		1	Yes
NQ00_PPM_PREVIOUS_USE	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : USED IN THE PAST YEAR BUT STOPED	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
		2	Don't know
NQ00_PPM_BRAND_NAME	*†NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : BRAND NAME		
NQ00_PPM_ACTIVE_INGREDIENT	*†NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : ACTIVE INGREDIENT		
NQ00_PPM_DIN	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : DIN		
NQ00_PPM_STOPPED_SE	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : STOPPED BECAUSE: SIDE EFFECTS	-1	Missing data
		0	No
		1	Yes
NQ00_PPM_STOPPED_COST	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : STOPPED BECAUSE: COST	-1	Missing data
		0	No
		1	Yes
NQ00_PPM_STOPPED_LB	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : STOPPED BECAUSE: LACK OF BENEFIT	-1	Missing data
		0	No
		1	Yes
NQ00_PPM_STOPPED_NN	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : STOPPED BECAUSE: NOT NEEDED	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# **QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_PPM_STOPPED_DK	*NQ00 - PAIN MEDICATIONS USED IN THE PAST YEAR : STOPPED BECAUSE: DON'T KNOW OR OTHER REASON	-1	Missing data
		0	No
		1	Yes
NQ00_OPIOIDS_RISK_1A	NQ00 - OPIOD RISK TOOL : FAMILY HISTORY OF SUBSTANCE ABUSE - ALCOHOL		
NQ00_OPIOIDS_RISK_1D	NQ00 - OPIOD RISK TOOL : FAMILY HISTORY OF SUBSTANCE ABUSE - ILLEGAL DRUGS		
NQ00_OPIOIDS_RISK_1M	NQ00 - OPIOD RISK TOOL : FAMILY HISTORY OF SUBSTANCE ABUSE - PRESCRIPTION DRUGS		
NQ00_OPIOIDS_RISK_2A	NQ00 - OPIOD RISK TOOL : PERSONAL HISTORY OF SUBSTANCE ABUSE - ALCOHOL		
NQ00_OPIOIDS_RISK_2D	NQ00 - OPIOD RISK TOOL : PERSONAL HISTORY OF SUBSTANCE ABUSE - ILLEGAL DRUGS		
NQ00_OPIOIDS_RISK_2M	NQ00 - OPIOD RISK TOOL : PERSONAL HISTORY OF SUBSTANCE ABUSE - PRESCRIPTION DRUGS		
NQ00_OPIOIDS_RISK_3AG	NQ00 - OPIOD RISK TOOL : BETWEEN 16 AND 45 YEARS OF AGE		
NQ00_OPIOIDS_RISK_4SA	NQ00 - OPIOD RISK TOOL : HISTORY OF PREADOLESCENT SEXUAL ABUSE		
NQ00_OPIOIDS_RISK_5TR	NQ00 - OPIOD RISK TOOL : PPSYCHOLOGICAL DISEASE - ADD, DEFICIT DISORDER, OBSESSIVE-COMPULSIVE DISORDER, ...		
NQ00_OPIOIDS_RISK_5DE	NQ00 - OPIOD RISK TOOL : PPSYCHOLOGICAL DISEASE - DEPRESSION		
NQ00_OPIOIDS_RISK_TS	NQ00 - OPIOD RISK TOOL : TOTAL SCORE		
NQ00_HC_PROVIDER_1	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: ANAESTHESIOLOGIST	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ00_HC_PROVIDER_2	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: NEUROLOGIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_3	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: NEUROSURGEON	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_4	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: ORTHOPAEDIC	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_5	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: SCPEC. IN PHYSIATRY & REHAB.	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_6	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: PSYCHIATRIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_7	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: RHEUMATOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_8	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: FAMILY PRACTITIONER	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ00_HC_PROVIDER_9	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: OCCUPATIONNAL THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_10	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: PHYSIOTHERAPIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_11	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: PSYCHOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_12	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: NURSE	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_13	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: SOCIAL WORKER	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_14	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: ACUPUNCTURIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_15	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: CHIROPRACTOR	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ00_HC_PROVIDER_16	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: MASSAGE THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_17	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: OSTEOPATH	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_18	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: KINESITHERAPIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_19	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: NATUROPATH	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_20	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: HOMEOPATH	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_21	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: RADIOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_22	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: GYNAECOLOGIST	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ00_HC_PROVIDER_23	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: DENTIST	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_24	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: OTHER PAIN CLINIC	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_25	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: EMERGENCY PHYSICIAN	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_26	NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: PLASTIC SURGEON	-1	Missing data
		0	No
		1	Yes
NQ00_HC_PROVIDER_OTH_SPE	*NQ00 - HEALTH PROF. VIS. FOR/SINCE PAIN: OTHER: TYPE		
NQ00_MH_DI_TYP	NQ00 - MED. HIST.: DIABETES TYPE	1	Type 1
		2	Type 2
NQ00_MH_DI_D	<sup>2</sup> NQ00 - MED. HIST.: DIABETES	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_MH_DI	NQ00 - MED. HIST.: DIABETES	-1	Missing data
		0	No
		1	Yes
NQ00_MH_DI_SPE	NQ00 - MED. HIST.: DIABETES: SPECIFICATIONS		
NQ00_MH_BP_D	<sup>2</sup> NQ00 - ED. HIST.: HBP (HYPERTENSION)	-1	Missing data
		0	No
		1	Yes
NQ00_MH_BP	NQ00 - ED. HIST.: HBP (HYPERTENSION)	-1	Missing data
		0	No
		1	Yes
NQ00_MH_BP_SPE	NQ00 - ED. HIST.: HBP (HYPERTENSION): SPECIFICATIONS		
NQ00_MH_LI_D	<sup>2</sup> NQ00 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA)	-1	Missing data
		0	No
		1	Yes
NQ00_MH_LI	NQ00 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA)	-1	Missing data
		0	No
		1	Yes
NQ00_MH_LI_SPE	NQ00 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA): SPECIFICATIONS		
NQ00_MH_AN_D	<sup>2</sup> NQ00 - ED. HIST.: ANGINA/HEART ATTACK	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		1	Yes
NQ00_MH_AN	NQ00 - ED. HIST.: ANGINA/HEART ATTACK	-1	Missing data
		0	No
		1	Yes
NQ00_MH_AN_SPE	NQ00 - ED. HIST.: ANGINA/HEART ATTACK: SPECIFICATIONS		
NQ00_MH_HF_D	<sup>2</sup> NQ00 - ED. HIST.: HEART FAILURE	-1	Missing data
		0	No
		1	Yes
NQ00_MH_HF	NQ00 - ED. HIST.: HEART FAILURE	-1	Missing data
		0	No
		1	Yes
NQ00_MH_HF_SPE	NQ00 - ED. HIST.: HEART FAILURE: SPECIFICATIONS		
NQ00_MH_CE_D	<sup>2</sup> NQ00 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE)	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CE	NQ00 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE)	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CE_SPE	NQ00 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE): SPECIFICATIONS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_MH_HY_D	<sup>2</sup> NQ00 - ED. HIST.: HYPOTHYROIDISM	-1	Missing data
		0	No
		1	Yes
NQ00_MH_HY	NQ00 - ED. HIST.: HYPOTHYROIDISM	-1	Missing data
		0	No
		1	Yes
NQ00_MH_HY_SPE	NQ00 - ED. HIST.: HYPOTHYROIDISM: SPECIFICATIONS		
NQ00_MH_CO_D	<sup>2</sup> NQ00 - ED. HIST.: COPD	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CO	NQ00 - ED. HIST.: COPD	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CO_SPE	NQ00 - ED. HIST.: COPD: SPECIFICATIONS		
NQ00_MH_AS_D	<sup>2</sup> NQ00 - ED. HIST.: ASTHMA	-1	Missing data
		0	No
		1	Yes
NQ00_MH_AS	NQ00 - ED. HIST.: ASTHMA	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_MH_AS_SPE	NQ00 - ED. HIST.: ASTHMA: SPECIFICATIONS		
NQ00_MH_AX_D	<sup>2</sup> NQ00 - MED. HIST.: ANXIETY DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_AX	NQ00 - MED. HIST.: ANXIETY DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_AX_SPE	NQ00 - MED. HIST.: ANXIETY DISORDERS: SPECIFICATIONS		
NQ00_MH_DP_D	<sup>2</sup> NQ00 - MED. HIST.: DEPRESSIVE DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_DP_MED_D	<sup>1</sup> NQ00 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED MEDICATION		
NQ00_MH_DP_HOS_D	<sup>1</sup> NQ00 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED HOSPITALIZATION		
NQ00_MH_DP	NQ00 - MED. HIST.: DEPRESSIVE DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_DP_SPE	NQ00 - MED. HIST.: DEPRESSIVE DISORDERS: SPECIFICATIONS		
NQ00_MH_OS_D	<sup>2</sup> NQ00 - MED. HIST.: OSTEOPOROSIS	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		1	Yes
NQ00_MH_OS	NQ00 - MED. HIST.: OSTEOPOROSIS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_OS_SPE	NQ00 - MED. HIST.: OSTEOPOROSIS: SPECIFICATIONS		
NQ00_MH_SA_D	<sup>2</sup> NQ00 - MED. HIST.: SLEEP APNEA	-1	Missing data
		0	No
		1	Yes
NQ00_MH_SA	NQ00 - MED. HIST.: SLEEP APNEA	-1	Missing data
		0	No
		1	Yes
NQ00_MH_SA_SPE	NQ00 - MED. HIST.: SLEEP APNEA: SPECIFICATIONS		
NQ00_MH_RL_D	<sup>2</sup> NQ00 - MED. HIST.: RESTLESS LEG SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ00_MH_RL	NQ00 - MED. HIST.: RESTLESS LEG SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ00_MH_RL_SPE	NQ00 - MED. HIST.: RESTLESS LEG SYNDROME: SPECIFICATIONS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_MH_BR_D	<sup>2</sup> NQ00 - MED. HIST.: BRUXISM	-1	Missing data
		0	No
		1	Yes
NQ00_MH_BR	NQ00 - MED. HIST.: BRUXISM	-1	Missing data
		0	No
		1	Yes
NQ00_MH_BR_SPE	NQ00 - MED. HIST.: BRUXISM: SPECIFICATIONS		
NQ00_MH_CS_D	<sup>2</sup> NQ00 - MED. HIST.: CHRONIC SNORING	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CS	NQ00 - MED. HIST.: CHRONIC SNORING	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CS_SPE	NQ00 - MED. HIST.: CHRONIC SNORING: SPECIFICATIONS		
NQ00_MH_IB_D	<sup>1</sup> NQ00 - MED. HIST.: IRRITABLE BOWEL SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ00_MH_IB_SPE	<sup>1</sup> NQ00 - MED. HIST.: IRRITABLE BOWEL SYNDROME: SPECIFICATIONS		
NQ00_MH_MI_D	<sup>1</sup> NQ00 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		1	Yes
NQ00_MH_MI_SPE	<sup>1</sup> NQ00 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE: SPECIFICATIONS		
NQ00_MH_DM_D	<sup>1</sup> NQ00 - MED. HIST.: DYSMENORRHOEA	-1	Missing data
		0	No
		1	Yes
NQ00_MH_DM_SPE	<sup>1</sup> NQ00 - MED. HIST.: DYSMENORRHOEA: SPECIFICATIONS		
NQ00_MH_CY_D	<sup>1</sup> NQ00 - MED. HIST.: INTERSTITIAL CYSTITIS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_CY_SPE	<sup>1</sup> NQ00 - MED. HIST.: INTERSTITIAL CYSTITIS: SPECIFICATIONS		
NQ00_MH_FI_D	<sup>1</sup> NQ00 - MED. HIST.: FIBROMYALGIA	-1	Missing data
		0	No
		1	Yes
NQ00_MH_FI_SPE	<sup>1</sup> NQ00 - MED. HIST.: FIBROMYALGIA: SPECIFICATIONS		
NQ00_MH_RA_D	<sup>1</sup> NQ00 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHRITIS	-1	Missing data
		0	No
		1	Yes
NQ00_MH_RA_SPE	<sup>1</sup> NQ00 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHRITIS: SPECIFICATIONS		
NQ00_MH_TM_D	<sup>1</sup> NQ00 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFUNCTION	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ00_MH_TM_SPE	<sup>1</sup> NQ00 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFONCTION: SPECIFICATIONS		
NQ00_MH_OTH_DES	*NQ00 - MED. HIST.: OTHER: DESCRIPTION		
NQ00_MH_OTH_D	<sup>2</sup> *NQ00 - MED. HIST.: OTHER		
NQ00_MH_OTH	*NQ00 - MED. HIST.: OTHER	-1	Missing data
		0	No
		1	Yes
NQ00_MH_OTH_SPE	*NQ00 - MED. HIST.: OTHER: SPECIFICATIONS		
NQ00_MH_ER	NQ00 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ00_MH_ER_FRQ	NQ00 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ00_MH_HOSPITAL	NQ00 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ00_MH_HOSPITAL_FRQ	NQ00 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ00_MH_HOSPITAL_DAYS	NQ00 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: TOT. NO DAYS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_MOBILITY_IN_HOME	NQ00 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME	0	None
		1	Cane
		2	Walker
		3	Wheelchair
		4	Other
NQ00_MOBILITY_IN_HOME_SPE	NQ00 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME: TYPE, IF OTHER		
NQ00_MOBILITY_OUTSIDE	NQ00 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE	0	None
		1	Cane
		2	Walker
		3	Wheelchair
		4	Other
NQ00_MOBILITY_OUTSIDE_SPE	NQ00 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE: TYPE, IF OTHER		
NQ00_MOBILITY_SUPPORT_PAIN	NQ00 - MOBILITY: USE OF MOBILITY SUPPORT RELATED TO PAIN	-1	Missing data
		0	No
		1	Yes
		2	Not applicable
NQ00_FH_FATHER	'NQ00 - P.18 Q.1: FAMILIAL HISTORY (CHRONIC PAIN): FATHER	-1	Missing data
		0	No
		1	Yes
		2	Don't know
NQ00_FH_FATHER_1	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: FIBROMYALGIA	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_FH_FATHER_2	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: HEADACHE OR MIGRAINE	1	Checked
NQ00_FH_FATHER_3	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: CERVICAL CHRONIC PAIN	1	Checked
NQ00_FH_FATHER_4	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: LUMBAR CHRONIC PAIN	1	Checked
NQ00_FH_FATHER_5	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: PERIPHERAL NEUROPATHIC PAIN	1	Checked
NQ00_FH_FATHER_6	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: IRRITABLE BOWEL SYNDROME	1	Checked
NQ00_FH_FATHER_7	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: INTERSTITIAL CYSTITIS	1	Checked
NQ00_FH_FATHER_8	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: RHEUMATOID ARTHRITIS	1	Checked
NQ00_FH_FATHER_9	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: OSTEOARTHRITIS	1	Checked
NQ00_FH_FATHER_10	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: TEMPOROMANDIBULAR JOINT DYSFUNCTION	1	Checked
NQ00_FH_FATHER_OTH1	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: OTHER CHRONIC PAIN 1		
NQ00_FH_FATHER_OTH2	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: OTHER CHRONIC PAIN 2		
NQ00_FH_FATHER_OTH3	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: OTHER CHRONIC PAIN 3		
NQ00_FH_FATHER_OTH4	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: OTHER CHRONIC PAIN 4		
NQ00_FH_FATHER_OTH5	'NQ00 - P.18 Q.1: FAM. HIST.: FATHER: OTHER CHRONIC PAIN 5		
NQ00_FH_MOTHER	'NQ00 - P.18 Q.2: FAMILIAL HISTORY (CHRONIC PAIN): MOTHER	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2	Don't know
NQ00_FH_MOTHER_1	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: FIBROMYALGIA	1	Checked
NQ00_FH_MOTHER_2	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: HEADACHE OR MIGRAINE	1	Checked
NQ00_FH_MOTHER_3	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: CERVICAL CHRONIC PAIN	1	Checked
NQ00_FH_MOTHER_4	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: LUMBAR CHRONIC PAIN	1	Checked
NQ00_FH_MOTHER_5	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: PERIPHERAL NEUROPATHIC PAIN	1	Checked
NQ00_FH_MOTHER_6	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: IRRITABLE BOWEL SYNDROME	1	Checked
NQ00_FH_MOTHER_7	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: INTERSTITIAL CYSTITIS	1	Checked
NQ00_FH_MOTHER_8	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: RHEUMATOID ARTHRITIS	1	Checked
NQ00_FH_MOTHER_9	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: OSTEOARTHRISIS	1	Checked
NQ00_FH_MOTHER_10	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: TEMPOROMANDIBULAR JOINT DYSFUNCTION	1	Checked
NQ00_FH_MOTHER_OTH1	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: OTHER CHRONIC PAIN 1		
NQ00_FH_MOTHER_OTH2	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: OTHER CHRONIC PAIN 2		
NQ00_FH_MOTHER_OTH3	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: OTHER CHRONIC PAIN 3		
NQ00_FH_MOTHER_OTH4	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: OTHER CHRONIC PAIN 4		
NQ00_FH_MOTHER_OTH5	<sup>1</sup> NQ00 - P.18 Q.2: FAM. HIST.: MOTHER: OTHER CHRONIC PAIN 5		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
NQ00_FH_SIBLING	'NQ00 - P.18 Q.3: FAMILIAL HISTORY (CHRONIC PAIN): SIBLING(S)	-1	Missing data
		0	No
		1	Yes
		2	Don't know
NQ00_FH_SIBLING_1	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: FIBROMYALGIA	1	Checked
NQ00_FH_SIBLING_2	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: HEADACHE OR MIGRAINE	1	Checked
NQ00_FH_SIBLING_3	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: CERVICAL CHRONIC PAIN	1	Checked
NQ00_FH_SIBLING_4	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: LUMBAR CHRONIC PAIN	1	Checked
NQ00_FH_SIBLING_5	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: PERIPHERAL NEUROPATHIC PAIN	1	Checked
NQ00_FH_SIBLING_6	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: IRRITABLE BOWEL SYNDROME	1	Checked
NQ00_FH_SIBLING_7	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: INTERSTITIAL CYSTITIS	1	Checked
NQ00_FH_SIBLING_8	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: RHEUMATOID ARTHRITIS	1	Checked
NQ00_FH_SIBLING_9	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: OSTEOARTHRISIS	1	Checked
NQ00_FH_SIBLING_10	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: TEMPOROMANDIBULAR JOINT DYSFUNCTION	1	Checked
NQ00_FH_SIBLING_OTH1	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: OTHER CHRONIC PAIN 1		
NQ00_FH_SIBLING_OTH2	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: OTHER CHRONIC PAIN 2		
NQ00_FH_SIBLING_OTH3	'NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: OTHER CHRONIC PAIN 3		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

[Initial nurse questionnaire](#)

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_FH_SIBLING_OTH4	<sup>†</sup> NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: OTHER CHRONIC PAIN 4		
NQ00_FH_SIBLING_OTH5	<sup>†</sup> NQ00 - P.18 Q.3: FAM. HIST.: SIBLINGS: OTHER CHRONIC PAIN 5		
NQ00_DX_CLINIC_O	*NQ00 - PAIN CLINIC MED. DX: ORDER (1st, 2nd,...)		
NQ00_DX_CLINIC_G	*NQ00 - PAIN CLINIC MED. DX: GENERAL CODE	-1	Missing data
		1	01-Cervical pain
		2	02-Thoracic pain
		3	03-Lumbar pain
		4	04-Sacral pain
		5	05-Coccygeal pain
		6	06-Abdominal pain
		7	07-Pelvic pain
		8	08-Upper limb pain
		9	09-Lower limb pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		10	10-Head & face painful syndromes
		11	11-Generalized syndromes
		12	12-Pregnancy
		13	13-Pain resolved
NQ00_DX_CLINIC_S	*NQ00 - PAIN CLINIC MED. DX: SPECIFIC CODE	-1	Missing data
		1.1	1.1-Cervical without radicular pain
		1.2	1.2-Cervical and radicular pain
		1.3	1.3-Radicular pain only
		1.4	1.4-Diffuse pain in the cervical region
		1.5	1.5-Torticollis
		1.6	1.6-Other cervical pain
		2.1	2.1-Thoracic without radicular pain
		2.2	2.2-Thoracic and radicular pain
		2.3	2.3-Radicular pain only
		2.4	2.4-Diffuse pain in the thoracic region
		2.5	2.5-Acute herpes zoster
		2.6	2.6-Postherpetic neuralgia
		2.7	2.7-Costochondritis
		2.8	2.8-Post mastectomy

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2.9	2.9-Post thoracotomy
		2.10	2.10-Associated with a neoplasm
		2.11	2.11-Following cancer treatment (chemotherapy/radiotherapy)
		2.12	2.12-Following HIV and/or its treatment
		2.13	2.13-Refractory angina
		3.1	3.1-Lumbar without radicular pain
		3.2	3.2-Lumbar and radicular pain
		3.3	3.3-Radicular pain only
		3.4	3.4-Diffuse pain in the lumbar region
		3.5	3.5-Acute herpes zoster
		3.6	3.6-Postherpetic neuralgia
		3.7	3.7-Lumbar pain of uncertain origin
		3.8	3.8-Other lumbar pain
		4.1	4.1-Sacroiliitis
		4.2	4.2-Acute herpes zoster
		4.3	4.3-Postherpetic neuralgia
		4.4	4.4-Mechanical pain
		4.5	4.5-Traumatic origin
		4.6	4.6-Associated with a neoplasm
		5.1	5.1-Traumatic origin
		5.2	5.2-Associated with a neoplasm
		5.3	5.3-Following cancer treatment (chemotherapy/radiotherapy)
		6.1	6.1-Acute herpes zoster
		6.2	6.2-Postherpetic neuralgia

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		6.3	6.3-Post-cholecystectomy
		6.4	6.4-Post-hemiorrhaphy
		6.5	6.5-Irritable bowel syndrome
		6.6	6.6-Chronic pancreatitis
		6.7	6.7-Crohn's disease
		6.8	6.8-Ulcerative colitis
		6.9	6.9-Following surgery
		6.10	6.10-Associated with a neoplasm
		7.1	7.1-Endometriosis
		7.2	7.2-Vulvodynia
		7.3	7.3-Post-hemiorrhaphy
		7.4	7.4-Acute herpes zoster
		7.5	7.5-Postherpetic neuralgia
		7.6	7.6-Chronic prostatitis
		7.7	7.7-Interstitial cystitis
		7.8	7.8-Pudendal neuropathy
		8.1	8.1-Brachial plexopathy
		8.2	8.2-Bicipital tendinitis
		8.3	8.3-Subacromial bursitis
		8.4	8.4-Rotator cuff tear or tendinitis
		8.5	8.5-Adhesive capsulitis and frozen shoulder
		8.6	8.6-Lateral epicondylitis
		8.7	8.7-Medial epitrochleitis
		8.8	8.8-Cubital tunnel syndrome
		8.9	8.9-Carpal tunnel syndrome

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8.10	8.10-Acute herpes zoster
		8.11	8.11-Postherpetic neuralgia
		8.12	8.12-Diabetic neuropathy
		8.13	8.13-Other peripheral neuropathy
		8.14	8.14-Complex regional pain syndrome
		8.15	8.15-Stump pain
		8.16	8.16-Phantom pain
		8.17	8.17-Myofascial pain (trigger point)
		8.18	8.18-Traumatic origin
		9.1	9.1-Ischial bursitis
		9.2	9.2-Trochanteric bursitis
		9.3	9.3-Osteoarthritis of the hip
		9.4	9.4-Osteoarthritis of the knee
		9.5	9.5-Plantar fasciitis
		9.6	9.6-Sciatica neuralgia
		9.7	9.7-Obturator neuralgia
		9.8	9.8-Femoral neuralgia
		9.9	9.9-Piriformis syndrome
		9.10	9.10-Plexopathy
		9.11	9.11-Acute herpes zoster
		9.12	9.12-Postherpetic neuralgia
		9.13	9.13-Diabetic neuropathy
		9.14	9.14-Other peripheral neuropathy
		9.15	9.15-Complex regional pain syndrome
		9.16	9.16-Post phlebotic pain syndrome

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		9.17	9.17-Stump pain
		9.18	9.18-Phantom pain
		9.19	9.19-Myofascial pain (trigger point)
		9.20	9.20-Restless leg syndrome
		10.1	10.1-Migraine
		10.2	10.2-Headache
		10.3	10.3-Occipital neuralgia (Arnold)
		10.4	10.4-Trigeminal neuralgia
		10.5	10.5-Atypical facial neuralgia
		10.6	10.6-Myofascial pain (trigger point)
		10.7	10.7-Acute herpes zoster
		10.8	10.8-Postherpetic neuralgia
		10.9	10.9-Temporomandibular joint disorder
		10.10	10.10-Burning mouth syndrome
		10.11	10.11-Traumatic origin
		10.12	10.12-Following dental surgery
		10.13	10.13-Following other type of surgery
		10.14	10.14-Associated with neoplasm
		10.15	10.15-Following cancer treatment (chemotherapy/radiotherapy)
		10.16	10.16-Following HIV and/or its treatment
		10.17	10.17-Head and face painful syndromes of uncertain origin
		10.18	10.18-Other head and face painful syndromes
		11.1	11.1-Fibromyalgia
		11.2	11.2-Diffuse myofascial pain syndrome

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		11.3	11.3-Rheumatoid arthritis
		11.4	11.4-Other type of inflammatory arthritis
		11.5	11.5-Osteoarthritis
		11.6	11.6-Multiple sclerosis
		11.7	11.7-Central post-stroke pain (CVA)
		11.8	11.8-Diabetic polyneuropathy (upper + lower limbs)
		11.9	11.9-Autre polyneuropathie impliquant plus d'un membre (membre supérieur et inférieur)
		11.10	11.10-Widespread pain of uncertain origin
		11.11	11.11-Other generalized syndromes
		12.1	12.1-Post cesarean pain
		12.2	12.2-Postpartum pain
		12.3	12.3-Other pregnancy related pain
		13.1	13.1-Pain resolved (no more pain, no more pain medication)
		2.14	2.14-Thoracic pain of uncertain origin
		2.15	2.15-Other thoracic pain
		4.10	4.10-Other sacral pain
		4.7	4.7-Following cancer treatment (chemotherapy/radiotherapy)
		4.8	4.8-Following HIV (treatment or virus)
		4.9	4.9-Sacral pain of uncertain origin
		5.4	5.4-Following HIV and/or its treatment
		5.5	5.5-Coccygeal pain of uncertain origin
		5.6	5.6-Other coccygeal pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		6.11	6.11-Following cancer treatment (chemotherapy/radiotherapy)
		6.12	6.12-Following HIV and/or its treatment
		6.13	6.13-Abdominal pain of uncertain origin
		6.14	6.14-Other abdominal pain
		7.10	7.10-Associated with a neoplasm
		7.11	7.11-Following cancer treatment (chemotherapy/radiotherapy)
		7.12	7.12-Following HIV and/or its treatment
		7.13	7.13-Pelvic pain of uncertain origin
		7.14	7.14-Other pelvic pain
		7.9	7.9-Following surgeryE
		8.19	8.19-Following surgery
		8.20	8.20-Associated with a neoplasm
		8.21	8.21-Following cancer treatment (chemotherapy/radiotherapy)
		8.22	8.22-Following HIV and/or its treatment
		8.23	8.23-Upper limb pain of uncertain origin
		8.24	8.24-Other upper limb pain
		9.21	9.21-Traumatic origin
		9.22	9.22-Following surgery
		9.23	9.23-Associated with a neoplasm
		9.24	9.24-Following cancer treatment (chemotherapy/radiotherapy)
		9.25	9.25-Following HIV and/or its treatment
		9.26	9.26-Lower limb pain of uncertain origin
		9.27	9.27-Other lower limb pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial nurse questionnaire

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
NQ00_DX_CLINIC_S_SPE	*NQ00 - DX: SPECIFIC CODE SPECIFICATION, IF OTHER		
NQ00_DX_CLINIC_E	*NQ00 - PAIN CLINIC MED. DX: ETIOLOGY	-1	Na
		1.a	1.a-Muscular
		1.b	1.b-Facet joint disorder
		1.c	1.c-Disc disorder
		1.d	1.d-Medullary
		1.e	1.e-Myofascial (trigger point)
		1.f	1.f-Mechanical
		1.g	1.g-Osteoarthritis
		1.h	1.h-Osteoporosis fracture
		1.i	1.i-Traumatic origin
		1.j	1.j-Following surgery
		1.k	1.k-Following nerve injury
		1.l	1.l-Spinal stenosis
		1.m	1.m-Scoliosis
		1.n	1.n-Spondylolysis/spondylolisthesis
		1.o	1.o-Syringomyelia
		1.p	1.p-Neoplasm
		1.q	1.q-Following cancer treatment (chemotherapy/radiotherapy)
		1.r	1.r-Following HIV and/or its treatment
		1.s	1.s-Infectious
		1.t	1.t-Cervical pain of uncertain etiology
		1.u	1.u-Other cervical pain etiology

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		10.a	10.a-Tension headache
		10.b	10.b-Mixed headache
		10.c	10.c-Cluster headache
		10.d	10.d-Other type of headache
		2.a	2.a-Muscular
		2.b	2.b-Facet joint disorder
		2.c	2.c-Disc disorder
		2.d	2.d-Medullary
		2.e	2.e-Myofascial (trigger point)
		2.f	2.f-Mechanical
		2.g	2.g-Osteoarthritis
		2.h	2.h-Osteoporosis fracture
		2.i	2.i-Traumatic origin
		2.j	2.j-Following surgery
		2.k	2.k-Following nerve injury
		2.l	2.l-Spinal stenosis
		2.m	2.m-Scoliosis
		2.n	2.n-Spondylolysis/spondylolisthesis
		2.o	2.o-Syringomyelia
		2.p	2.p-Neoplasm
		2.q	2.q-Following cancer treatment (chemotherapy/radiotherapy)
		2.r	2.r-Following HIV and/or its treatment
		2.s	2.s-Infectious
		2.t	2.t-Thoracic pain of uncertain etiology

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		2.u	2.u-Other thoracic pain etiology
		3.a	3.a-Muscular
		3.b	3.b-Facet joint disorder
		3.c	3.c-Disc disorder
		3.d	3.d-Medullary
		3.e	3.e-Myofascial (trigger point)
		3.f	3.f-Mechanical
		3.g	3.g-Osteoarthritis
		3.h	3.h-Osteoporosis fracture
		3.i	3.i-Traumatic origin
		3.j	3.j-Following surgery
		3.k	3.k-Following nerve injury
		3.l	3.l-Spinal stenosis
		3.m	3.m-Scoliosis
		3.n	3.n-Spondylolysis/spondylolisthesis
		3.o	3.o-Syringomyelia
		3.p	3.p-Neoplasm
		3.q	3.q-Following cancer treatment (chemotherapy/radiotherapy)
		3.r	3.r-Following HIV and/or its treatment
		3.s	3.s-Infectious
		3.t	3.t-Sacroiliac
		3.u	3.u-Lumbar pain of uncertain etiology
		3.v	3.v-Other Lumbar pain etiology
		8.a	8.a-Mononeuropathy

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial nurse questionnaire

Number of Variables: 555

Variable Name	Variable Label	Code	Value
		8.b	8.b-Polyneuropathy
		9.a	9.a-Mononeuropathy
		9.b	9.b-Polyneuropathy
NQ00_DX_CLINIC_E_SPE	*NQ00 - DX: ETIOLOGY SPECIFICATION, IF OTHER		
NQ00_NURSES_NAME	NQ00 - NURSE NAME	1	(Sherbrooke) Anne Bérard
		2	(Sherbrooke) Charlyne Boutin
		3	(Sherbrooke) Diane Leduc
		4	(Sherbrooke) Diane Proteau
		5	(Sherbrooke) Francine Nadeau
		6	(Sherbrooke) Marc-André Rodrigue
		7	(Sherbrooke) Marjolaine Landry
		8	(Sherbrooke) Véronique Dagenais
		9	(Mcgill) Laura Pallet
		10	(Mcgill) Louise Ullyatt
		11	(Mcgill) Magaret Pednault
		12	(Mcgill) Sylvie Toupin
		13	(Mcgill) Sasha Dyck
		14	(Mcgill) Seigrid Serre
		15	(Chum - Hôtel-Dieu) Hélène Lancôt
		16	(Chum - Hôtel-Dieu) Denise Héroux
		17	(Chum - Hôtel-Dieu) Ann Rusnov
		18	(Chum - Hôtel-Dieu) Martine Derome
		19	(Chum - Hôtel-Dieu) Annie Boivin

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

[Initial nurse questionnaire](#)

**Number of Variables: 555**

Variable Name	Variable Label	Code	Value
		20	(Chum - Hôtel-Dieu) Hourria Belaidi
		21	(Chum - Hôtel-Dieu) Roseline Desjardins
		22	(Chum - Hôtel-Dieu) Suzanne Paris
		23	(Lévis) Sylvie Martel
		24	(Québec) Chloé Péloquin
		25	(Lévis) Carole Jacques
		26	(Québec) Valérie Bouchard
		27	(Québec) Marie-Pierre Bilodeau
		28	(Québec) Nathalie Bellavance
		29	(Québec) Andrée Anne Therrien

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# Initial Patient Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

## Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
CODEID	UNIQUE CODE OF THE SUBJECT		
PQ00_VISIT_DATE	PQ00 - VISIT DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
PQ00_COMPLETED	PQ00 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
PQ00_NOT_COMPL_REASON	PQ00 - QUESTIONNAIRE NOT COMPLETED, REASON		
PQ00_CONSENT_SIGNED	PQ00 - SIGNED CONSENT FORM	-1	Missing data
		0	No
		1	Yes
PQ00_CONSENT_NOT_SIGNED_REASON	PQ00 - CONSENT FORM NOT SIGNED, REASON		
PQ00_YOUR_PAIN_Q1	PQ00 - YOUR PAIN - PAIN RIGHT NOW (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ00_YOUR_PAIN_Q2	PQ00 - YOUR PAIN - AVERAGE PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

### Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
PQ00_YOUR_PAIN_Q3	PQ00 - YOUR PAIN - WORST PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ00_BPI_A	PQ00 - BPI: GENERAL ACTIVITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_B	PQ00 - BPI: MOOD (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_C	PQ00 - BPI: WALKING ABILITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_D	PQ00 - BPI: NORMAL WORK (INCL. HOUSEWORK, 0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_E	PQ00 - BPI: RELATIONS WITH OTHER PEOPLE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_F	PQ00 - BPI: SLEEP (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_G	PQ00 - BPI: ENJOYMENT OF LIFE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_H	PQ00 - BPI: SELF-CARE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_I	PQ00 - BPI: RECREATIONAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_J	PQ00 - BPI: SOCIAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ00_BPI_GLOBAL_SCORE	†PQ00 - BPI: GLOBAL SCORE		
PQ00_CPSI_Q01	PQ00 - CPSI: SLEEP & PAIN: TROUBLE FALLING ASLEEP BECAUSE OF PAIN (0= NEVER, 10= ALWAYS)		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

## Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
PQ00_CPSI_Q02	PQ00 - CPSI: SLEEP & PAIN: NEED OF SLEEP MEDICATION TO HELP FALL ASLEEP (0= NEVER, 10= ALWAYS)		
PQ00_CPSI_Q03	PQ00 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN DURING NIGHT (0= NEVER, 10= ALWAYS)		
PQ00_CPSI_Q04	PQ00 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN IN THE MORNING (0= NEVER, 10= ALWAYS)		
PQ00_CPSI_Q05	PQ00 - CPSI: SLEEP & PAIN: OVERALL QUALITY OF SLEEP (0= VERY BAD, 10= EXCELLENT)		
PQ00_CPSI_Q06	PQ00 - CPSI: SLEEP & PAIN: SLEEPING PROBLEMS BEFORE PAIN APPEARANCE	-1	Missing data
		0	No
		1	Yes
		2	I don't remember
PQ00_CPSI_SP_INDEX	†PQ00 - CPSI: SLEEP & PAIN: SLEEP PROBLEM INDEX		
PQ00_PCS_Q01	PQ00 - PCS: WORRIES ALL THE TIME ABOUT WHETHER THE PAIN WILL END	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q02	PQ00 - PCS: FEELS THAT CAN'T GO ON	-1	Missing data
		0	Not at all
		1	To a slight degree

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q03	PQ00 - PCS: IT'S TERRIBLE & THINKS IT'S NEVER GOING TO GET BETTER	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q04	PQ00 - PCS: IT'S AWFULL & FEELS IT OVERWHELMS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q05	PQ00 - PCS: FEELS THAT CAN'T STAND IT ANYMORE	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q06	PQ00 - PCS: BECOMES AFRAID THE PAIN WILL GET WORSE	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q07	PQ00 - PCS: KEEPS THINKING OF OTHER PAINFUL EVENTS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q08	PQ00 - PCS: ANXIOUSLY WANTS THE PAIN TO GO AWAY	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q09	PQ00 - PCS: CAN'T SEEM TO KEEP IT OUT OF MIND	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
PQ00_PCS_Q10	PQ00 - PCS: KEEPS THINKING ABOUT HOW MUCH IT HURTS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q11	PQ00 - PCS: KEEPS THINKING ABOUT WANTING THE PAIN TO STOP	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q12	PQ00 - PCS: NOTHING CAN REDUCE THE INTENSITY OF PAIN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ00_PCS_Q13	PQ00 - PCS: WONDERS WHETHER SOMETHING SERIOUS MAY HAPPEN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		3	To a great degree
		4	All the time
PQ00_PCS_RUMINATION	†PQ00 - PCS: RUMINATION SUB-SCALE		
PQ00_PCS_MAGNIFICATION	†PQ00 - PCS: MAGNIFICATION SUB-SCALE		
PQ00_PCS_HELPLESSNESS	†PQ00 - PCS: HELPPLENESS SUB-SCALE		
PQ00_PCS_GLOBAL	†PQ00 - PCS: GLOBAL SCALE		
PQ00_BDI1_Q01	PQ00 - BDI 1: SADNESS	-1	Missing data
		0	I do not feel sad
		1	I feel sad
		2	I am sad all the time and I can't snap out of it
		3	I am so sad or unhappy that I can't stand it
PQ00_BDI1_Q02	PQ00 - BDI 1: FUTURE	-1	Missing data
		0	I am not particularly discouraged about my future
		1	I feel discouraged about the future
		2	I feel I have nothing to look forward to
		3	I feel that the future is hopeless and that things cannot improve
PQ00_BDI1_Q03	PQ00 - BDI 1: FAILURE	-1	Missing data
		0	I do not feel like a failure
		1	I feel I have failed more than the average person

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		2	As I look back on my life, all I can see is a lot of failures
		3	I feel I am a complete failure as a person
PQ00_BDI1_Q04	PQ00 - BDI 1: SATISFACTION	-1	Missing data
		0	I get as much satisfaction out of things as I used to
		1	I don't enjoy things the way I used to
		2	I don't get real satisfaction out of anything anymore
		3	I am dissatisfied or bored with everything
PQ00_BDI1_Q05	PQ00 - BDI 1: GUILT	-1	Missing data
		0	I don't feel particularly guilty
		1	I feel guilty a good part of the time
		2	I feel quite guilty most of the time
		3	I feel guilty all of the time
PQ00_BDI1_Q06	PQ00 - BDI 1: PUNISHED	-1	Missing data
		0	I don't feel I am being punished
		1	I feel I may be punished
		2	I expect to be punished
		3	I feel I am being punished
PQ00_BDI1_Q07	PQ00 - BDI 1: SELF-DISAPPOINTMENT	-1	Missing data
		0	I don't feel disappointed in myself
		1	I am disappointed in myself
		2	I am disgusted with myself

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

## Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		3	I hate myself
PQ00_BDI1_Q08	PQ00 - BDI 1: SELF-ESTEEM	-1	Missing data
		0	I don't feel I am any worse than anybody else
		1	I am critical of myself for my weaknesses or mistakes
		2	I blame myself all the time for my faults
		3	I blame myself for everything bad that happens
PQ00_BDI1_Q09	PQ00 - BDI 1: SUICIDE	-1	Missing data
		0	I don't have any thoughts of killing myself
		1	I have thoughts of killing myself, but I would not carry them out
		2	I would like to kill myself
		3	I would kill myself if I had the chance
PQ00_BDI1_Q10	PQ00 - BDI 1: CRY	-1	Missing data
		0	I don't cry anymore than usual
		1	I cry more now than I used to
		2	I cry all the time now
		3	I used to be able to cry, but now I can't cry even though I want to
PQ00_BDI1_Q11	PQ00 - BDI 1: IRRITATED	-1	Missing data
		0	I am no more irritated now than I ever am
		1	I get annoyed or irritated more easily than I used to
		2	I feel irritated all the time now

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		3	I don't get irritated at all by the things that used to irritate me
PQ00_BDI1_Q12	PQ00 - BDI 1: PEOPLE INTEREST	-1	Missing data
		0	I have not lost interest in other people
		1	I am less interested in other people than I used to be
		2	I have lost most of my interest in other people
		3	I have lost all my interest in other people
PQ00_BDI1_Q13	PQ00 - BDI 1: DECISIONS	-1	Missing data
		0	I make decisions about as well as ever could
		1	I put off making decisions more than I used to
		2	I have greater difficulty in making decisions than before
		3	I can't make decisions at all anymore
PQ00_BDI1_Q14	PQ00 - BDI 1: LOOK	-1	Missing data
		0	I don't feel I look any worse than I used to
		1	I am worried that I am looking old or unattractive
		2	I feel that there are permanent changes in my appearance that make me look unattractive
		3	I believe that I look ugly
PQ00_BDI1_Q15	PQ00 - BDI 1: WORK	-1	Missing data
		0	I can work about as well as before
		1	It takes an extra effort to get started at doing something

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

## Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		2	I have to push myself very hard to do anything
		3	I can't do any work at all
PQ00_BDI1_Q16	PQ00 - BDI 1: SLEEP	-1	Missing data
		0	I can sleep as well as usual
		1	I don't sleep as well as I used to
		2	I wake up 1-2 hours earlier than usual and find it hard to get back to sleep
		3	I wake up several hours earlier than I used to and cannot get back to sleep
PQ00_BDI1_Q17	PQ00 - BDI 1: TIRED	-1	Missing data
		0	I don't get more tired than usual
		1	I get tired more easily than I used to
		2	I get tired from doing almost anything
		3	I am too tired to do anything
PQ00_BDI1_Q18	PQ00 - BDI 1: APPETITE	-1	Missing data
		0	My appetite is no worse than usual
		1	My appetite is not as good as it used to be
		2	My appetite is much worse now
		3	I have no appetite at all anymore
PQ00_BDI1_Q18_1	PQ00 - BDI 1: PURPOSELY TRYING TO LOSE WEIGHT BY EATING LESS	-1	Missing data
		0	No - I am not purposely trying to lose weight by eating less
		1	Yes - I am purposely trying to lose weight by eating less

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
PQ00_BDI1_Q19	PQ00 - BDI 1: WEIGHT LOSS	-1	Missing data
		0	I haven't lost much weight, if any, lately
		1	I have lost more than 5 pounds
		2	I have lost more than 10 pounds
		3	I have lost more than 15 pounds
PQ00_BDI1_Q20	PQ00 - BDI 1: HEALTH	-1	Missing data
		0	I am no more worried about my health than usual
		1	I am worried about physical problems such as aches and pains; or upset stomach; or constipation
		2	I am very worried about physical problems and it's hard to think of much else
		3	I am so worried about my physical problems that I cannot think about anything else
PQ00_BDI1_Q21	PQ00 - BDI 1: SEX INTEREST	-1	Missing data
		0	I have not noticed any recent change in my interest in sex
		1	I am less interested in sex than I used to be
		2	I am much less interested in sex now
		3	I have lost interest in sex completely
PQ00_BDI1_GLOBAL_SCORE	†PQ00 - BDI 1: GLOBAL SCORE		
PQ00_MOOD	<sup>1</sup> PQ00 - MOOD: ANGRY IN THE PAST 7 DAYS (0= NOT AT ALL, 10= EXTREMELY)		
PQ00_SF12V2_Q1	PQ00 - SF-12V2: GENERAL HEALTH	-2	Missing data
		1	Excellent

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		2	Very good
		3	Good
		4	Fair
		5	Poor
PQ00_SF12V2_Q2A	PQ00 - SF-12V2: HEALTH LIMITS MODERATE ACTIVITIES	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ00_SF12V2_Q2B	PQ00 - SF-12V2: HEALTH LIMITS CLIMBING STAIRS.	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ00_SF12V2_Q3A	PQ00 - SF-12V2: ACCOMPLISHED LESS DUE TO PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q3B	PQ00 - SF-12V2: KIND OF ACTIV. LIMITED BY PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q4A	PQ00 - SF-12V2: ACCOMPLISHED LESS DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q4B	PQ00 - SF-12V2: DID ACTIV. LESS CAREFULLY DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q5	PQ00 - SF-12V2: PAIN INTERF. WITH WORK IN PAST 4 WKS	-2	Missing data
		1	Not at all
		2	A little bit
		3	Moderately
		4	Quite a bit
		5	Extremely
PQ00_SF12V2_Q6A	PQ00 - SF-12V2: FELT CALM & PEACEFUL IN PAST 4 WKS	-2	Missing data
		1	All of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q6B	PQ00 - SF-12V2: HAD A LOT OF ENERGY IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q6C	PQ00 - SF-12V2: FELT DOWN & DEPRESSED IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ00_SF12V2_Q7	PQ00 - SF-12V2: HEALTH & EMOTIONAL INTERF. WITH SOCIAL ACTIV. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

## QUEBEC PAIN REGISTRY

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
PQ00_SF12V2_RAW_PHYS_FUNCT	†PQ00 - SF-12V2: PHYSICAL FUNCTIONING SCORE		
PQ00_SF12V2_RAW_ROLE_PHYS	†PQ00 - SF-12V2: ROLE PHYSICAL SCORE		
PQ00_SF12V2_RAW_BODILY_PAIN	†PQ00 - SF-12V2: BODILY PAIN SCORE		
PQ00_SF12V2_RAW_GEN_HEALTH	†PQ00 - SF-12V2: GENERAL HEALTH SCORE		
PQ00_SF12V2_RAW_VITALITY	†PQ00 - SF-12V2: VITALITY SCORE		
PQ00_SF12V2_RAW_SOC_FUNCT	†PQ00 - SF-12V2: SOCIAL FUNCTIONING SCORE		
PQ00_SF12V2_RAW_ROLE_EMOT	†PQ00 - SF-12V2: ROLE EMOTIONAL SCORE		
PQ00_SF12V2_RAW_MENT_HEALTH	†PQ00 - SF-12V2: MENTAL HEALTH SCORE		
PQ00_SF12V2_NBS_PHYS_FUNCT	†PQ00 - SF-12V2: PHYSICAL FUNCTIONING NORM-BASED SCORE		
PQ00_SF12V2_NBS_ROLE_PHYS	†PQ00 - SF-12V2: ROLE PHYSICAL NORM-BASED SCORE		
PQ00_SF12V2_NBS_BODILY_PAIN	†PQ00 - SF-12V2: BODILY PAIN NORM-BASED SCORE		
PQ00_SF12V2_NBS_GEN_HEALTH	†PQ00 - SF-12V2: GENERAL HEALTH NORM-BASED SCORE		
PQ00_SF12V2_NBS_VITALITY	†PQ00 - SF-12V2: VITALITY NORM-BASED SCORE		
PQ00_SF12V2_NBS_SOC_FUNCT	†PQ00 - SF-12V2: SOCIAL FUNCTIONING NORM-BASED SCORE		
PQ00_SF12V2_NBS_ROLE_EMOT	†PQ00 - SF-12V2: ROLE EMOTIONAL NORM-BASED SCORE		
PQ00_SF12V2_NBS_MENT_HEALTH	†PQ00 - SF-12V2: MENTAL HEALTH NORM-BASED SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
PQ00_SF12V2_NBS_PHYS_SUMM_SCORE	†PQ00 - SF-12V2: PHYSICAL SUMMARY NORM-BASED SCORE		
PQ00_SF12V2_NBS_MENT_SUMM_SCORE	†PQ00 - SF-12V2: MENTAL SUMMARY NORM-BASED SCORE		
PQ00_EXPECTATIONS_Q1	PQ00 - EXPECTATIONS: PAIN IN 6 MOS	-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
		5	Greatly decreased
		6	Considerably decreased
PQ00_EXPECTATIONS_Q1V2	PQ00 - EXPECTATIONS: PAIN IN 6 MOS (NEW VERSION)	-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
		5	Greatly decreased
		6	Considerably decreased
PQ00_EXPECTATIONS_Q2	PQ00 - EXPECTATIONS: FUNCTION LEVEL IN 6 MOS	-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved
		6	Considerably Improved
PQ00_EXPECTATIONS_Q3	PQ00 - EXPECTATIONS: QUALITY OF LIFE IN 6 MOS	-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved
		6	Considerably Improved
PQ00_EXPECTATIONS_Q4	PQ00 - EXPECTATIONS: PAIN RELIEF % IN 6 MOS (0= NO RELIEF, 100= COMPLETE RELIEF)		
PQ00_CH_CIG_Q1	PQ00 - CONSUMPTION HABITS: CIG: CIGARETTES SMOKING HABITS	-1	Missing data
		0	I have never smoked
		1	I smoked in the past but I stopped
		2	I am currently smoking
PQ00_CH_CIG_Q1_1A	<sup>1</sup> PQ00 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST: NO CIG/DAY		
PQ00_CH_CIG_Q1_1B	<sup>1</sup> PQ00 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST: NO YRS SMOKED		
PQ00_CH_CIG_Q1_2A	<sup>1</sup> PQ00 - CONSUMPTION HABITS: CIG: CURRENTLY SMOKING: NO CIG/DAY		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
PQ00_CH_CIG_Q1_2B	'PQ00 - CONSUMPTION HABITS: CIG: CURRENTLY SMOKING: NO YRS SMOKED		
PQ00_CH_ALC_Q1	PQ00 - CONSUMPTION HABITS: ALC: ALCOHOL DRINKING HABITS (FREQUENCY) IN PAST 12 MOS	-1	Missing data
		0	Never
		1	Less than once a month
		2	Once a month
		3	2 to 3 times a month
		4	Once a week
		5	2 to 3 times a week
		6	4 to 6 times a week
		7	Every day
PQ00_CH_ALC_Q2_WEEK	'PQ00 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER WEEK		
PQ00_CH_ALC_Q2_MONTH	'PQ00 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER MONTH		
PQ00_CH_ALC_Q3A	'PQ00 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT THAT SHOULD CUT ON DRINKING	-1	Missing data
		0	No
		1	Yes
PQ00_CH_ALC_Q3B	'PQ00 - CONSUMPTION HABITS: ALC: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRINKING	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

## Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
PQ00_CH_ALC_Q3C	'PQ00 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT BAD OR GUILTY ABOUT DRINKING	-1	Missing data
		0	No
		1	Yes
PQ00_CH_ALC_Q3D	'PQ00 - CONSUMPTION HABITS: ALC: DURING LIFE, EVER USED A DRINK FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ00_CH_DRUG_Q1A	PQ00 - CONSUMPTION HABITS: DRG: USE OF MARIJUANA, CANNABIS OR HASHISH IN PAST 12 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ00_CH_DRUG_Q1B	PQ00 - CONSUMPTION HABITS: DRG: USE OF COCAINE OR CRACK IN PAST 12 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ00_CH_DRUG_Q1C	PQ00 - CONSUMPTION HABITS: DRG: USE OF HEROIN IN PAST 12 MOS	-2	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ00_CH_DRUG_Q1D	PQ00 - CONSUMPTION HABITS: DRG: USE OF ECSTASY IN PAST 12 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ00_CH_DRUG_Q1E	PQ00 - CONSUMPTION HABITS: DRG: USE OF OTHER DRUGS IN PAST 12 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ00_CH_DRUG_Q2A	<sup>1</sup> PQ00 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT THAT SHOULD CUT ON DRUG USE	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		1	Yes
PQ00_CH_DRUG_Q2B	<sup>1</sup> PQ00 - CONSUMPTION HABITS: DRG: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ00_CH_DRUG_Q2C	<sup>1</sup> PQ00 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT BAD OR GUILTY ABOUT DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ00_CH_DRUG_Q2D	<sup>1</sup> PQ00 - CONSUMPTION HABITS: DRG: DURING LIFE, EVER USED DRUGS FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ00_DOB	PQ00 - DATE OF BIRTH		
PQ00_AGE	<sup>†</sup> PQ00 - AGE AT VISIT		
PQ00_SEX	PQ00 - SEX	1	Women
		2	Men
PQ00_ETH_CAU	PQ00 - ETHNICITY: CAUCASIAN	1	Checked
PQ00_ETH_BLK	PQ00 - ETHNICITY: BLACK	1	Checked
PQ00_ETH_NAT	PQ00 - ETHNICITY: NATIVE AMERICAN	1	Checked

<sup>†</sup> Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**[Initial patient questionnaire](#)**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
PQ00_ETH_HIS	PQ00 - ETHNICITY: HISPANIC	1	Checked
PQ00_ETH_ASI	PQ00 - ETHNICITY: ASIAN	1	Checked
PQ00_ETH_OTH	PQ00 - ETHNICITY: OTHER	1	Checked
PQ00_ETH_OTH_SPE	PQ00 - ETHNICITY: OTHER: SPECIFICATION		
PQ00_LAN	PQ00 - FIRST LANGUAGE	-1	Missing data
		1	French
		2	English
		3	Spanish
		4	Italian
		5	Portugese
		6	German
		7	Arab
		8	Chinese
		9	Japanese
		10	Vietnamese
		11	Other
PQ00_LAN_OTH_SPE	PQ00 - FIRST LANGUAGE: OTHER: SPECIFICATION		
PQ00_EDU	PQ00 - EDUCATION LEVEL	-1	Missing data
		0	None
		1	Primary
		2	Secondary

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
		3	CEGEP or Technical school
		4	University
PQ00_LIV_ALO	PQ00 - LIVING CONDITIONS: ALONE	1	Checked
PQ00_LIV_SPO	PQ00 - LIVING CONDITIONS: WITH SPOUSE	1	Checked
PQ00_LIV_CHI	PQ00 - LIVING CONDITIONS: WITH CHILDREN	1	Checked
PQ00_LIV_GCH	PQ00 - LIVING CONDITIONS: WITH GRANDCHILDREN	1	Checked
PQ00_LIV_PAR	PQ00 - LIVING CONDITIONS: WITH PARENTS	1	Checked
PQ00_LIV_SIB	PQ00 - LIVING CONDITIONS: WITH SIBLINGS	1	Checked
PQ00_LIV_ROO	PQ00 - LIVING CONDITIONS: WITH ROOMMATES	1	Checked
PQ00_LIV_NOS	PQ00 - LIVING CONDITIONS: NO STABLE LIVING CONDITION	1	Checked
PQ00_LIV_INS	PQ00 - LIVING CONDITIONS: IN INSTITUTION	1	Checked
PQ00_CST	PQ00 - CIVIL STATUS	-1	Missing data
		1	Single
		2	Married or common law
		3	Separated or divorced
		4	Widowed
PQ00_WRK_FTI	PQ00 - CURRENT WORK: FULL-TIME JOB	1	Checked
PQ00_WRK_PTI	PQ00 - CURRENT WORK: PART-TIME JOB	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

Initial patient questionnaire

Number of Variables: 175

Variable Name	Variable Label	Code	Value
PQ00_WRK_HMA	PQ00 - CURRENT WORK: HOMEMAKER	1	Checked
PQ00_WRK_STU	PQ00 - CURRENT WORK: STUDENT	1	Checked
PQ00_WRK_RET	PQ00 - CURRENT WORK: RETIRED	1	Checked
PQ00_WRK_TDI	PQ00 - CURRENT WORK: ON TEMPORARY DISABILITY	1	Checked
PQ00_WRK_PDI	PQ00 - CURRENT WORK: ON PERMANENT DISABILITY	1	Checked
PQ00_WRK_UNE	PQ00 - CURRENT WORK: UNEMPLOYED	1	Checked
PQ00_WRK_LOF	PQ00 - CURRENT WORK: LAID OFF	1	Checked
PQ00_WRK_VOL	PQ00 - CURRENT WORK: VOLUNTEER	1	Checked
PQ00_WRK_OTH	PQ00 - CURRENT WORK: OTHER	1	Checked
PQ00_WRK_OTH_SPE	PQ00 - CURRENT WORK: OTHER: SPECIFICATION		
PQ00_FAM_INC	PQ00 - FAMILY INCOME	-1	Missing data
		0	Less than 20 000\$
		1	20 000 - 34 999\$
		2	35 000 - 49 999\$
		3	50 000 - 64 999\$
		4	65 000 - 79 999\$
		5	80 000 - 99 999\$
		6	100 000 - 119 999\$

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		7	120 000\$ and more
		8	Do not wish to answer
PQ00_SINC_Q1	PQ00 - PRINCIPAL INCOME SOURCE	-1	Missing data
		1	Employment wages or salary
		2	Disability benefits from the CSST (Commission de la Santé et Sécurité au travail)
		3	Disability benefits from the SAAQ (Société d'assurance-automobile du Québec)
		4	Disability benefits from the IVAC (Indemnisation des victimes d'actes criminels)
		5	Disability payments or pension through employer
		6	Personal insurance
		7	Retirement pension (retirement pension, old age security, Quebec pension plan)
		8	Canada disability pension
		9	Employment insurance
		10	Social assistance
		11	Personal savings or investments
		12	Assured income for the severely handicapped
		13	Family member
		14	Other
PQ00_SINC_Q1_OTH_SPE	PQ00 - SPECIFICATION OF PRINCIPAL INCOME SOURCE, IF OTHER		
PQ00_SINC_Q2_CSST	PQ00 - PRESENT: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		1	Yes
PQ00_SINC_Q2_SAAQ	PQ00 - PRESENT: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q2_IVAC	PQ00 - PRESENT: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q2_EMPL	PQ00 - PRESENT: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q2_PRSA	PQ00 - PRESENT: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q3_CSST	PQ00 - IN PROCESS: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q3_SAAQ	PQ00 - IN PROCESS: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q3_IVAC	PQ00 - IN PROCESS: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

Initial patient questionnaire

**Number of Variables: 175**

Variable Name	Variable Label	Code	Value
		1	Yes
PQ00_SINC_Q3_EMPL	PQ00 - IN PROCESS: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q3_PRSA	PQ00 - IN PROCESS: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ00_SINC_Q3_1_LIT	PQ00 - OUTSTANDING LITIGATION RELATED TO CLAIM	-1	Missing data
		0	No
		1	Yes
		2	Not applicable

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



## 6 Month Nurse Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
DB			
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
CODEID	UNIQUE CODE OF THE SUBJECT		
NQ06_VISIT_DATE	NQ06 - VISIT DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
NQ06_COMPLETED	NQ06 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
NQ06_NOT_COMPL_REASON	NQ06 - QUESTIONNAIRE NOT COMPLETED, REASON		
NQ06_LOST_TO_FUP	NQ06 - LOST TO FU	-1	Missing data
		0	No
		1	Yes
NQ06_LOST_TO_FUP_REASON	NQ06 - LOST TO FU, REASON		
NQ06_PATIENT_QUESTION_1A	NQ06 - Q.1A: FOLLOW UP AT PAIN CLINIC	1	Follow up expected at the pain clinic

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		2	Follow up at the pain clinic if necessary
		3	Decided not to return to the pain clinic
		4	Has been discharged by the doctor of the pain clinic (1b)
NQ06_PATIENT_QUESTION_1B	NQ06 - Q.1B: REFERRED TO, IF DISCHARGED	1	Family doctor
		2	Specialist who referred the patient
		3	Other specialist
		4	Not referred
		5	Autre
NQ06_PATIENT_QUESTION_1B_OTHER	NQ06 - Q.1B: REFERRED TO, IF OTHER		
NQ06_PATIENT_QUESTION_1C	NQ06 - Q.1C: STATUS OF PAIN FOR WHICH PATIENT INITIALLY CONSULTED	1	Still present
		2	Completely relieved
NQ06_PAIN_FRQ_IN_P7DAYS	NQ06 - PAIN CHARACTERISTICS: PAIN IN PAST 7 DAYS	-2	Missing data
		1	Always present
		2	Occasionally
		3	No pain
NQ06_PAIN_IN_P7DAYS	NQ06 - PAIN CHARACTERISTICS: NO OF DAYS IN PAIN IN PAST 7 DAYS, IF OCCASIONALLY		
NQ06_PAIN_IN_PMONTH	NQ06 - PAIN CHARACTERISTICS: NO OF DAYS IN PAIN IN PAST MONTH, IF NO PAIN		
NQ06_PAIN_FRQ_IN_PMONTH	†NQ06 - PAIN FREQUENCY (DAYS)		
NQ06_DN4_Q1_1	NQ06 - DN4: BURNING	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ06_DN4_Q1_2	NQ06 - DN4: PAINFUL COLD	-1	Missing data
		0	No
		1	Yes
NQ06_DN4_Q1_3	NQ06 - DN4: ELECTRIC SHOCKS	-1	Missing data
		0	No
		1	Yes
NQ06_DN4_Q2_4	NQ06 - DN4: TINGLING	-1	Missing data
		0	No
		1	Yes
NQ06_DN4_Q2_5	NQ06 - DN4: PINS & NEEDLES	-1	Missing data
		0	No
		1	Yes
NQ06_DN4_Q2_6	NQ06 - DN4: ITCHING	-1	Missing data
		0	No
		1	Yes
NQ06_DN4_Q2_7	NQ06 - DN4: NUMBNESS	-1	Missing data
		0	No
		1	Yes
NQ06_DN4_SS	†NQ06 - DN4: SUBSCORE BASED ON THE FIRST 7 ITEMS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_INJ	NQ06 - TX: INJECTIONS: NEVER USED	1	Checked
NQ06_TXP_INJ_CODE	*NQ06 - TX: INJECTION: CODE	1	Epidural injection
		2	Epidural continuous infusion
		3	Caudal block
		4	Intradiscal injection
		5	Facet joint block
		6	Medial branch block
		7	Foraminal block
		8	Paravertebral block
		9	Occipital nerve block
		10	Intercostal nerve block
		11	Peripheral nerve block
		12	Trigger point injections
		13	Intra-articular injection
		14	Intravenous regional blockade
		15	Injection of botulinum toxin (Botox)
		16	Intrathecal injection
		17	Intrathecal continuous infusion
		18	Spinal cord stimulation
		19	Sympathetic block (local anesthetic)
		20	Stellar
		21	Celiac
		22	Lumbar

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		23	Impar ganglion
		24	Sympathectomy (neurolytic agent)
		25	stellar
		26	celiac
		27	lumbar
		28	Impar ganglion
		29	Intrathecal neurolysis
		30	Medial branch neurolysis
		31	Peripheral neurolysis
		32	IDET (Intradiscal Electrothermal Therapy)
		33	Coblation
		34	Subcitrical infiltration
		35	Muscular infiltration
		36	Lumbar discography
		37	Ketamine + versed infusion
		38	Trigeminal nerve block
		39	Ketamine infusion
		40	Lidocaine infusion (xylocaïne infusion)
		41	Cortisone infusion
		42	Kadian infusion
		43	Synvisc infiltration
		44	Biacuplasty
		45	Thermocoagulation (Rhizotomy sacroiliac by thermolesion (Sinergy)
		46	Epidural parasagittal

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		47	Unknown type
		48	If other, specify
NQ06_TXP_INJ_CODE_SPE	*NQ06 - TX: INJECTION: SPECIFY IF OTHER		
NQ06_TXP_INJ_CODE_FRQ	*NQ06 - TX: INJECTION: NO TIMES		
NQ06_TXP_INJ_CODE_PSU_D	*NQ06 - TX: INJECTION: PAST USE	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_INJ_CODE_DKN_D	*NQ06 - TX: INJECTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_INJ_CODE_USE	<sup>2</sup> *NQ06 - TX: INJECTION: USE	0	Never used
		1	Current use

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_IMP_PUMP	<sup>2</sup> NQ06 - TX: IMPLANTABLE PUMP	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_IMP_PUMP_PRU_D	NQ06 - TX: IMPLANTABLE PUMP: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_IMP_PUMP_PSU_D	NQ06 - TX: IMPLANTABLE PUMP: USED IN PAST 6 MOS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_IMP_PUMP_DKN_D	NQ06 - TX: IMPLANTABLE PUMP: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_NRV_STIM	<sup>2</sup> NQ06 - TX: IMPLANTABLE NERVE STIMULATOR	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_NRV_STIM_PRU_D	NQ06 - TX: IMPLANTABLE NERVE STIMULATOR: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_NRV_STIM_PSU_D	NQ06 - TX: IMPLANTABLE NERVE STIMULATOR: USED IN PAST 6 MOS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_NRV_STIM_DKN_D	NQ06 - TX: IMPLANTABLE NERVE STIMULATOR: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_NUS	NQ06 - TX: SURGERY: NEVER USED	1	Checked
NQ06_TXP_SRG_TYPA_SPE	NQ06 - TX: SURGERY A: TYPE		
NQ06_TXP_SRG_TYPA_PSU_D	NQ06 - TX: SURGERY A: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ06_TXP_SRG_TYPA_DKN_D	NQ06 - TX: SURGERY A: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPA	<sup>2</sup> NQ06 - TX: SURGERY A	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPB_SPE	NQ06 - TX: SURGERY B: TYPE		
NQ06_TXP_SRG_TYPB_PSU_D	NQ06 - TX: SURGERY B: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_SRG_TYPB_DKN_D	NQ06 - TX: SURGERY B: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPB	NQ06 - TX: SURGERY B	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPC_SPE	NQ06 - TX: SURGERY C: TYPE		
NQ06_TXP_SRG_TYPC_PSU_D	NQ06 - TX: SURGERY C: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPC_DKN_D	NQ06 - TX: SURGERY C: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPC	<sup>2</sup> NQ06 - TX: SURGERY C	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPD_SPE	NQ06 - TX: SURGERY D: TYPE		
NQ06_TXP_SRG_TYPD_PSU_D	NQ06 - TX: SURGERY D: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPD_DKN_D	NQ06 - TX: SURGERY D: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPD	<sup>2</sup> NQ06 - TX: SURGERY D	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPE_SPE	NQ06 - TX: SURGERY E: TYPE		
NQ06_TXP_SRG_TYPE_PSU_D	NQ06 - TX: SURGERY E: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPE_DKN_D	NQ06 - TX: SURGERY E: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPE	<sup>2</sup> NQ06 - TX: SURGERY E	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPF_SPE	NQ06 - TX: SURGERY F: TYPE		
NQ06_TXP_SRG_TYPF_PSU_D	NQ06 - TX: SURGERY F: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPF_DKN_D	NQ06 - TX: SURGERY F: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPF	<sup>2</sup> NQ06 - TX: SURGERY F	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPG_SPE	NQ06 - TX: SURGERY G: TYPE		
NQ06_TXP_SRG_TYPG_PSU_D	NQ06 - TX: SURGERY G: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPG_DKN_D	NQ06 - TX: SURGERY G: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPG	<sup>2</sup> NQ06 - TX: SURGERY G	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_SRG_TYPH_SPE	NQ06 - TX: SURGERY H: TYPE		
NQ06_TXP_SRG_TYPH_PSU_D	NQ06 - TX: SURGERY H: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPH_DKN_D	NQ06 - TX: SURGERY H: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_SRG_TYPH	<sup>2</sup> NQ06 - TX: SURGERY H	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_RLX_NUS_D	NQ06 - TX: RELAXATION/BREATHING TECH.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_RLX_PRU_D	NQ06 - TX: RELAXATION/BREATHING TECH.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PSY_RLX_PSU_D	NQ06 - TX: RELAXATION/BREATHING TECH.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_RLX_DKN_D	NQ06 - TX: RELAXATION/BREATHING TECH.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_RLX	NQ06 - TX: RELAXATION/BREATHING TECH.	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_MED_NUS_D	NQ06 - TX: MEDITATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

¹ Data collected in the first phase of the QPR only

² Definitions of QPR phase 2 variables modified to match phase 1 definitions.

³ Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_MED_PRU_D	NQ06 - TX: MEDITATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_MED_PSU_D	NQ06 - TX: MEDITATION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_MED_DKN_D	NQ06 - TX: MEDITATION: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_MED	<sup>2</sup> NQ06 - TX: MEDITATION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_HYP_NUS_D	NQ06 - TX: HYPNOSIS: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_HYP_PRU_D	NQ06 - TX: HYPNOSIS: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_HYP_PSU_D	NQ06 - TX: HYPNOSIS: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_HYP_DKN_D	NQ06 - TX: HYPNOSIS: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_HYP	<sup>2</sup> NQ06 - TX: HYPNOSIS	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PSY_VIS_NUS_D	NQ06 - TX: VISUALISATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_VIS_PRU_D	NQ06 - TX: VISUALISATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_VIS_PSU_D	NQ06 - TX: VISUALISATION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ06_TXP_PSY_VIS_DKN_D	NQ06 - TX: VISUALISATION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_VIS	<sup>2</sup> NQ06 - TX: VISUALISATION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_IDS_NUS_D	NQ06 - TX: IND. DISTRACTION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IDS_PRU_D	NQ06 - TX: IND. DISTRACTION: CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IDS_PSU_D	NQ06 - TX: IND. DISTRACTION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IDS_DKN_D	NQ06 - TX: IND. DISTRACTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PSY_IDS	<sup>2</sup> NQ06 - TX: IND. DISTRACTION	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_IPS_NUS_D	NQ06 - TX: IND. PSYCHOTHERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IPS_PRU_D	NQ06 - TX: IND. PSYCHOTHERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IPS_PSU_D	NQ06 - TX: IND. PSYCHOTHERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IPS_DKN_D	NQ06 - TX: IND. PSYCHOTHERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_IPS	<sup>2</sup> NQ06 - TX: IND. PSYCHOTHERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_GTH_NUS_D	NQ06 - TX: GROUP THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_GTH_PRU_D	NQ06 - TX: GROUP THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_GTH_PSU_D	NQ06 - TX: GROUP THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_GTH_DKN_D	NQ06 - TX: GROUP THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_GTH	<sup>2</sup> NQ06 - TX: GROUP THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_SSG_NUS_D	NQ06 - TX: SELF-HELP SUPPORT GROUP: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_SSG_PRU_D	NQ06 - TX: SELF-HELP SUPPORT GROUP: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_TXP_PSY_SSG_PSU_D	NQ06 - TX: SELF-HELP SUPPORT GROUP: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_SSG_DKN_D	NQ06 - TX: SELF-HELP SUPPORT GROUP: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_SSG	<sup>2</sup> NQ06 - TX: SELF-HELP SUPPORT GROUP	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PSY_OTH_SPE	NQ06 - TX: OTHER SELF-MANAG. STRAT.: TYPE		
NQ06_TXP_PSY_OTH_NUS_D	NQ06 - TX: OTHER SELF-MANAG. STRATEGY: NEVER USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_OTH_PRU_D	NQ06 - TX: OTHER SELF-MANAG. STRATEGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_OTH_PSU_D	NQ06 - TX: OTHER SELF-MANAG. STRATEGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PSY_OTH_DKN_D	NQ06 - TX: OTHER SELF-MANAG. STRATEGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PSY_OTH	NQ06 - TX: OTHER SELF-MANAG. STRATEGY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_PHY_NUS_D	NQ06 - TX: PHYSIOTHERAPY EX.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_PHY_PRU_D	NQ06 - TX: PHYSIOTHERAPY EX.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_PHY_PSU_D	NQ06 - TX: PHYSIOTHERAPY EX.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_PHY_DKN_D	NQ06 - TX: PHYSIOTHERAPY EX.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_PHY	<sup>2</sup> NQ06 - TX: PHYSIOTHERAPY EX.	0	Never used
		1	Current use

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_OCC_NUS_D	NQ06 - TX: OCCUPATIONNAL THERAPY TX: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OCC_PRU_D	NQ06 - TX: OCCUPATIONNAL THERAPY TX: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OCC_PSU_D	NQ06 - TX: OCCUPATIONNAL THERAPY TX: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OCC_DKN_D	NQ06 - TX: OCCUPATIONNAL THERAPY TX: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OCC	<sup>2</sup> NQ06 - TX: OCCUPATIONNAL THERAPY TX	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_HYD_NUS_D	NQ06 - TX: HYDRO/AQUATHERAPY/HOT BATH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PHY_HYD_PRU_D	NQ06 - TX: HYDRO/AQUATHERAPY/HOT BATH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_HYD_PSU_D	NQ06 - TX: HYDRO/AQUATHERAPY/HOT BATH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_HYD_DKN_D	NQ06 - TX: HYDRO/AQUATHERAPY/HOT BATH: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ06_TXP_PHY_HYD	<sup>2</sup> NQ06 - TX: HYDRO/AQUATHERAPY/HOT BATH	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_ELE_NUS_D	NQ06 - TX: ELECTRO-STIMULATION (TENS): NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ELE_PRU_D	NQ06 - TX: ELECTRO-STIMULATION (TENS): CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ELE_PSU_D	NQ06 - TX: ELECTRO-STIMULATION (TENS): USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ELE_DKN_D	NQ06 - TX: ELECTRO-STIMULATION (TENS); DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ELE	<sup>2</sup> NQ06 - TX: ELECTRO-STIMULATION (TENS)	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_IMS_NUS_D	NQ06 - TX: INTRAMUSCULAR STIMULATION (IMS); NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_IMS_PRU_D	NQ06 - TX: INTRAMUSCULAR STIMULATION (IMS): CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_IMS_PSU_D	NQ06 - TX: INTRAMUSCULAR STIMULATION (IMS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_IMS_DKN_D	NQ06 - TX: INTRAMUSCULAR STIMULATION (IMS): DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_IMS	<sup>2</sup> NQ06 - TX: INTRAMUSCULAR STIMULATION (IMS)	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_ULT_NUS_D	NQ06 - TX: ULTRASOUND: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ULT_PRU_D	NQ06 - TX: ULTRASOUND: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ULT_PSU_D	NQ06 - TX: ULTRASOUND: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ULT_DKN_D	NQ06 - TX: ULTRASOUND: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ULT	<sup>2</sup> NQ06 - TX: ULTRASOUND	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PHY_BIO_NUS_D	NQ06 - TX: BIOFEEDBACK: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_BIO_PRU_D	NQ06 - TX: BIOFEEDBACK: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_BIO_PSU_D	NQ06 - TX: BIOFEEDBACK: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ06_TXP_PHY_BIO_DKN_D	NQ06 - TX: BIOFEEDBACK: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_BIO	<sup>2</sup> NQ06 - TX: BIOFEEDBACK	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_ACU_NUS_D	NQ06 - TX: ACUPUNCTURE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ACU_PRU_D	NQ06 - TX: ACUPUNCTURE: CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ACU_PSU_D	NQ06 - TX: ACUPUNCTURE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_ACU_DKN_D	NQ06 - TX: ACUPUNCTURE: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PHY_ACU	<sup>2</sup> NQ06 - TX: ACUPUNCTURE	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_MAS_NUS_D	NQ06 - TX: MASSOTHERAPY/MASSAGE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_MAS_PRU_D	NQ06 - TX: MASSOTHERAPY/MASSAGE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_MAS_PSU_D	NQ06 - TX: MASSOTHERAPY/MASSAGE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_MAS_DKN_D	NQ06 - TX: MASSOTHERAPY/MASSAGE: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_MAS	<sup>2</sup> NQ06 - TX: MASSOTHERAPY/MASSAGE	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_CHI_NUS_D	NQ06 - TX: CHIROPRACTIC: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_CHI_PRU_D	NQ06 - TX: CHIROPRACTIC; CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_CHI_PSU_D	NQ06 - TX: CHIROPRACTIC; USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_CHI_DKN_D	NQ06 - TX: CHIROPRACTIC; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_CHI	<sup>2</sup> NQ06 - TX: CHIROPRACTIC	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_OST_NUS_D	NQ06 - TX: OSTEOPATHY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OST_PRU_D	NQ06 - TX: OSTEOPATHY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_TXP_PHY_OST_PSU_D	NQ06 - TX: OSTEOPATHY: USED IN THE PAST		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ06_TXP_PHY_OST_DKN_D	NQ06 - TX: OSTEOPATHY: DON'T KNOW		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ06_TXP_PHY_OST	<sup>2</sup> NQ06 - TX: OSTEOPATHY		0 Never used 1 Current use 2 Used in the past but stopped 3 Don't know
NQ06_TXP_PHY_TTC_NUS_D	NQ06 - TX: THERAPEUTIC TOUCH: NEVER USED		1 Never used 2 Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_TTC_PRU_D	NQ06 - TX: THERAPEUTIC TOUCH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_TTC_PSU_D	NQ06 - TX: THERAPEUTIC TOUCH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_TTC_DKN_D	NQ06 - TX: THERAPEUTIC TOUCH: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_TTC	<sup>2</sup> NQ06 - TX: THERAPEUTIC TOUCH	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_REF_NUS_D	NQ06 - TX: REFLEXOLOGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REF_PRU_D	NQ06 - TX: REFLEXOLOGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REF_PSU_D	NQ06 - TX: REFLEXOLOGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REF_DKN_D	NQ06 - TX: REFLEXOLOGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REF	<sup>2</sup> NQ06 - TX: REFLEXOLOGY	0	Never used
		1	Current use
		2	Used in the past but stopped

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		3	Don't know
NQ06_TXP_PHY_REI_NUS_D	NQ06 - TX: REIKI: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REI_PRU_D	NQ06 - TX: REIKI: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REI_PSU_D	NQ06 - TX: REIKI: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REI_DKN_D	NQ06 - TX: REIKI: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_REI	<sup>2</sup> NQ06 - TX: REIKI	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_MGT_NUS_D	NQ06 - TX: MAGNET THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PHY_MGT_PRU_D	NQ06 - TX: MAGNET THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_MGT_PSU_D	NQ06 - TX: MAGNET THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_MGT_DKN_D	NQ06 - TX: MAGNET THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ06_TXP_PHY_MGT	<sup>2</sup> NQ06 - TX: MAGNET THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_OTH_SPE	NQ06 - TX: OTHER PHYSICAL THERAPY: TYPE		
NQ06_TXP_PHY_OTH_NUS_D	NQ06 - TX: OTHER PHYSICAL THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OTH_PRU_D	NQ06 - TX: OTHER PHYSICAL THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_PHY_OTH_PSU_D	NQ06 - TX: OTHER PHYSICAL THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OTH_DKN_D	NQ06 - TX: OTHER PHYSICAL THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_PHY_OTH	²NQ06 - TX: OTHER PHYSICAL THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_OTH1_SPE	NQ06 - TX: OTHER 1: TYPE		
NQ06_TXP_OTH1_NUS_D	NQ06 - TX: OTHER 1: NEVER USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH1_PRU_D	NQ06 - TX: OTHER 1: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH1_PSU_D	NQ06 - TX: OTHER 1: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_TXP_OTH1_DKN_D	NQ06 - TX: OTHER 1: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH1	NQ06 - TX: OTHER 1	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_OTH2_SPE	NQ06 - TX: OTHER 2: TYPE		
NQ06_TXP_OTH2_NUS_D	NQ06 - TX: OTHER 2: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH2_PRU_D	NQ06 - TX: OTHER 2: CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH2_PSU_D	NQ06 - TX: OTHER 2: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH2_DKN_D	NQ06 - TX: OTHER 2: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_TXP_OTH2	<sup>2</sup> NQ06 - TX: OTHER 2	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_EXH	<sup>3</sup> NQ06 - TX: EXERCISES AT HOME	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_HCA	<sup>3</sup> NQ06 - TX: MAGNET THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_PHY_MIR	<sup>3</sup> NQ06 - TX: MAGNET THERAPY	0	Never used
		1	Current use
		2	Used in the past but stopped
		3	Don't know
NQ06_TXP_OTH3_SPE	NQ06 - TX: OTHER 3: TYPE		
NQ06_TXP_OTH3	<sup>3</sup> NQ06 - TX: OTHER 3	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_TXP_OTH4_SPE	NQ06 - TX: OTHER 4: TYPE		
NQ06_TXP_OTH4	<sup>3</sup> NQ06 - TX: OTHER 4	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ06_CPM	NQ06 - NO MEDICATION, MARIJUANA, CANNABIS, HASCHICH OR NATURAL PRODUCT USED	1	Checked
NQ06_CPM_BNM	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: BRAND NAME†		
NQ06_CPM_ANA	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DIN		
NQ06_CPM_OFR	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: OTHER FREQ		
NQ06_CPM_DTM	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-MONTH		
NQ06_CPM_DTY	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-YEAR		
NQ06_CPM_FRQ	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ	0	DIE

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		1	BID
		2	TID
		3	QID
		4	Autre
NQ06_CPM_FQB	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ BY		
NQ06_CPM_POS	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: POSOLOGY		
NQ06_CPM_UNE	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: UNITS	0	MG
		1	MCG
		2	UI
		3	ND
NQ06_CPM_ACT	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: ACTIVE INGREDIENT†		
NQ06_CPM_EFF	*NQ06 - ACTUAL MEDICATIONS FOR PAIN RELIEF: EFFICACY	0	Not helpful
		1	Helpful
		2	Don't know
NQ06_SIDE_EFFECT_NOT_APPLICABLE	¹NQ06 - SIDE EFFECTS: NOT APPLICABLE	1	Checked
NQ06_SIDE_EFFECT_1	¹NQ06 - SIDE EFFECTS: LIGHT-HEADEDNESS / DIZZINESS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_2	¹NQ06 - SIDE EFFECTS: DROWSINESS	0	None

† Variable determined (calculated) from collected variables

\* Multiple records per patient

¹ Data collected in the first phase of the QPR only

² Definitions of QPR phase 2 variables modified to match phase 1 definitions.

³ Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_3	<sup>1</sup> NQ06 - SIDE EFFECTS: CONFUSION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_4	<sup>1</sup> NQ06 - SIDE EFFECTS: NAUSEA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_5	<sup>1</sup> NQ06 - SIDE EFFECTS: VOMITING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_6	<sup>1</sup> NQ06 - SIDE EFFECTS: IMPAIRED MEMORY	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_7	<sup>1</sup> NQ06 - SIDE EFFECTS: DRY MOUTH	0	None
		1	Mild
		2	Moderate

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		3	Severe
NQ06_SIDE_EFFECT_8	<sup>1</sup> NQ06 - SIDE EFFECTS: ITCHING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_9	<sup>1</sup> NQ06 - SIDE EFFECTS: ABDOMINAL DISCOMFORT	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_10	<sup>1</sup> NQ06 - SIDE EFFECTS: CONSTIPATION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_11	<sup>1</sup> NQ06 - SIDE EFFECTS: SLOWING OF THE URINE STREAM	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_12	<sup>1</sup> NQ06 - SIDE EFFECTS: FATIGUE	0	None
		1	Mild
		2	Moderate
		3	Severe

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_SIDE_EFFECT_13	'NQ06 - SIDE EFFECTS: INSOMNIA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_14	'NQ06 - SIDE EFFECTS: SWELLING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_15	'NQ06 - SIDE EFFECTS: WEIGHT GAIN	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_16	'NQ06 - SIDE EFFECTS: VISUAL BLURRING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_17	'NQ06 - SIDE EFFECTS: DECREASED SEX DRIVE	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_18	'NQ06 - SIDE EFFECTS: HALLUCINATIONS	0	None
		1	Mild

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_19	'NQ06 - SIDE EFFECTS: NIGHTMARES	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_OTHER_SPE	*NQ06 - OTHER SIDE EFFECT: NAME - up to 12		
NQ06_SIDE_EFFECT_OTHER	*NQ06 - OTHER SIDE EFFECT: SEVERITY	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ06_SIDE_EFFECT_20_SPE			
NQ06_SIDE_EFFECT_20			
NQ06_SIDE_EFFECT_21_SPE			
NQ06_SIDE_EFFECT_21			
NQ06_SIDE_EFFECT_22_SPE			
NQ06_SIDE_EFFECT_22			
NQ06_SIDE_EFFECT_23_SPE			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_SIDE_EFFECT_23			
NQ06_SIDE_EFFECT_24_SPE			
NQ06_SIDE_EFFECT_24			
NQ06_SIDE_EFFECT_25_SPE			
NQ06_SIDE_EFFECT_25			
NQ06_SIDE_EFFECT_26_SPE			
NQ06_SIDE_EFFECT_26			
NQ06_SIDE_EFFECT_27_SPE			
NQ06_SIDE_EFFECT_27			
NQ06_SIDE_EFFECT_28_SPE			
NQ06_SIDE_EFFECT_28			
NQ06_SIDE_EFFECT_29_SPE			
NQ06_SIDE_EFFECT_29			
NQ06_SIDE_EFFECT_30_SPE			
NQ06_SIDE_EFFECT_30			
NQ06_SIDE_EFFECT_31_SPE			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_SIDE_EFFECT_31			
NQ06_NO_OTHER_MEDS	NQ06 - ACTUAL OTHER MEDICATIONS: NO OTHER MEDICATION	1	Checked
NQ06_OTHER_MED	*NQ06 - OTHER MEDICATIONS: DIN - up to 30		
NQ06_OTHER_MED_BN	†*NQ06 - OTHER MEDICATIONS: BRAND NAME		
NQ06_OTHER_MED_AI	†*NQ06 - OTHER MEDICATIONS: ACTIVE INGREDIENT		
NQ06_NO_OTH_NAT_PRODUCTS	NQ06 - ACTUAL OTHER MEDICATIONS: NO OTHER NATURAL PRODUCT	1	Checked
NQ06_OTH_NAT_PRODUCT	*NQ06 - NATURAL PRODUCT: NAME - up to 6		
NQ06_ALLERGIES	NQ06 - ALLERGY TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ06_ALLERGIES_SPE	*NQ06 - MEDICATIONS: NAME - up to 11		
NQ06_INTOLERANCES	NQ06 - INTOLERANCE TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ06_INTOLERANCES_SPE	*NQ06 - MEDICATIONS: NAME - up to 11		
NQ06_PPM	NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_PPM_PREVIOUS_USE	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : USED IN THE PAST 6 MONTHS BUT STOPPED	-1	Missing data
		0	No
		1	Yes
		2	Don't know
NQ06_PPM_BRAND_NAME	†NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : BRAND NAME		
NQ06_PPM_ACTIVE_INGREDIENT	†NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : ACTIVE INGREDIENT		
NQ06_PPM_DIN	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : DIN		
NQ06_PPM_STOPPED_SE	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: SIDE EFFECTS	-1	Missing data
		0	No
		1	Yes
NQ06_PPM_STOPPED_COST	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: COST	-1	Missing data
		0	No
		1	Yes
NQ06_PPM_STOPPED_LB	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: LACK OF BENEFIT	-1	Missing data
		0	No
		1	Yes
NQ06_PPM_STOPPED_NN	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: NOT NEEDED	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		1	Yes
NQ06_PPM_STOPPED_DK	*NQ06 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: DON'T KNOW OR OTHER REASON	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_01	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ANAESTHESIOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_01_IH	NQ06 - ANAESTHESIOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_01_OH	NQ06 - ANAESTHESIOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_02	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NEUROLOGIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_02_IH	NQ06 - NEUROLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_02_OH	NQ06 - NEUROLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_03	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NEUROSURGEON	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_03_IH	NQ06 - NEUROSURGEON: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_HC_PROVIDER_03_OH	NQ06 - NEUROSURGEON: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_04	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ORTHOPAEDIC	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_04_IH	NQ06 - ORTHOPAEDIC: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_04_OH	NQ06 - ORTHOPAEDIC: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_05	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SCPEC. IN PHYSIATRY & REHAB.	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_05_IH	NQ06 - SCPEC. IN PHYSIATRY & REHAB.: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_05_OH	NQ06 - SCPEC. IN PHYSIATRY & REHAB.: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_06	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PSYCHIATRIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_06_IH	NQ06 - PSYCHIATRIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_06_OH	NQ06 - PSYCHIATRIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_07	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: RHEUMATOLOGIST	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		1	Yes
NQ06_HC_PROVIDER_07_IH	NQ06 - RHEUMATOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_07_OH	NQ06 - RHEUMATOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_08	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: FAMILY PRACTITIONER	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_08_IH	NQ06 - FAMILY PRACTITIONER: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_08_OH	NQ06 - FAMILY PRACTITIONER: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_09	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: REHABILITATION CENTRE	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_09_IH	NQ06 - REHABILITATION CENTRE: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_09_OH	NQ06 - REHABILITATION CENTRE: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_10	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OCCUPATIONNAL THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_10_IH	NQ06 - OCCUPATIONNAL THERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_HC_PROVIDER_10_OH	NQ06 - OCCUPATIONNAL THERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_11	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PHYSIOTHERAPIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_11_IH	NQ06 - PHYSIOTHERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_11_OH	NQ06 - PHYSIOTHERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_12	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PSYCHOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_12_IH	NQ06 - PSYCHOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_12_OH	NQ06 - PSYCHOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_13	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NURSE	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_13_IH	NQ06 - NURSE: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_13_OH	NQ06 - NURSE: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_14	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SOCIAL WORKER	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_HC_PROVIDER_14_IH	NQ06 - SOCIAL WORKER: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_14_OH	NQ06 - SOCIAL WORKER: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_15	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ACUPUNCTURIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_15_IH	NQ06 - ACUPUNCTURIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_15_OH	NQ06 - ACUPUNCTURIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_16	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: CHIROPRACTOR	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_16_IH	NQ06 - CHIROPRACTOR: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_16_OH	NQ06 - CHIROPRACTOR: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_17	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: MASSAGE THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_17_IH	NQ06 - MASSAGE THERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_17_OH	NQ06 - MASSAGE THERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_18	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OSTEOPATH	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ06_HC_PROVIDER_18_IH	NQ06 - OSTEOPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_18_OH	NQ06 - OSTEOPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_19	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: KINESITHERAPIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_19_IH	NQ06 - KINESITHERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_19_OH	NQ06 - KINESITHERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_20	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NATUROPATH	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_20_IH	NQ06 - NATUROPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_20_OH	NQ06 - NATUROPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_21	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: HOMEOPATH	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_21_IH	NQ06 - HOMEOPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_HC_PROVIDER_21_OH	NQ06 - HOMEOPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_22	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: RADIOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_22_IH	NQ06 - RADIOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_22_OH	NQ06 - RADIOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_23	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: GYNAECOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_23_IH	NQ06 - GYNAECOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_23_OH	NQ06 - GYNAECOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_24	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: DENTIST	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_24_IH	NQ06 - DENTIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_24_OH	NQ06 - DENTIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_25	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OTHER PAIN CLINIC	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ06_HC_PROVIDER_25_IH	NQ06 - OTHER PAIN CLINIC: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_25_OH	NQ06 - OTHER PAIN CLINIC: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_26	NQ06 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: EMERGENCY PHYSICIAN	-1	Missing data
		0	No
		1	Yes
NQ06_HC_PROVIDER_26_IH	NQ06 - EMERGENCY PHYSICIAN: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_26_OH	NQ06 - EMERGENCY PHYSICIAN: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_HC_PROVIDER_OTH_SPE	*NQ06 - OTHER HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SPECIFY		
NQ06_HC_PROVIDER_OTH_IH	*NQ06 - OTHER HEALTH PROF: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ06_HC_PROVIDER_OTH_OH	*NQ06 - OTHER HEALTH PROF: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ06_NEW_HEALTH_PROBLEMS	NQ06 - MED. HIST.: NEW HEALTH PROBLEMS IN PAST 6 MOS	-1	Missing data
		0	No
		1	Yes
NQ06_MH_DI_TYP	NQ06 - MED. HIST.: DIABETES TYPE	1	Type 1
		2	Type 2
NQ06_MH_DI	NQ06 - MED. HIST.: DIABETES	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_MH_DI_SPE	NQ06 - MED. HIST.: DIABETES: SPECIFICATIONS		
NQ06_MH_BP	NQ06 - ED. HIST.: HBP (HYPERTENSION)	-1	Missing data
		0	No
		1	Yes
NQ06_MH_BP_SPE	NQ06 - ED. HIST.: HBP (HYPERTENSION): SPECIFICATIONS		
NQ06_MH_LI	NQ06 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA)	-1	Missing data
		0	No
		1	Yes
NQ06_MH_LI_SPE	NQ06 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA): SPECIFICATIONS		
NQ06_MH_AN	NQ06 - ED. HIST.: ANGINA/HEART ATTACK	-1	Missing data
		0	No
		1	Yes
NQ06_MH_AN_SPE	NQ06 - ED. HIST.: ANGINA/HEART ATTACK: SPECIFICATIONS		
NQ06_MH_HF	NQ06 - ED. HIST.: HEART FAILURE	-1	Missing data
		0	No
		1	Yes
NQ06_MH_HF_SPE	NQ06 - ED. HIST.: HEART FAILURE: SPECIFICATIONS		
NQ06_MH_CE	NQ06 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE)	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		1	Yes
NQ06_MH_CE_SPE	NQ06 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE): SPECIFICATIONS		
NQ06_MH_HY	NQ06 - ED. HIST.: HYPOTHYROIDISM	-1	Missing data
		0	No
		1	Yes
NQ06_MH_HY_SPE	NQ06 - ED. HIST.: HYPOTHYROIDISM: SPECIFICATIONS		
NQ06_MH_CO	NQ06 - ED. HIST.: COPD	-1	Missing data
		0	No
		1	Yes
NQ06_MH_CO_SPE	NQ06 - ED. HIST.: COPD: SPECIFICATIONS		
NQ06_MH_AS	NQ06 - ED. HIST.: ASTHMA	-1	Missing data
		0	No
		1	Yes
NQ06_MH_AS_SPE	NQ06 - ED. HIST.: ASTHMA: SPECIFICATIONS		
NQ06_MH_AX	NQ06 - MED. HIST.: ANXIETY DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ06_MH_AX_SPE	NQ06 - MED. HIST.: ANXIETY DISORDERS: SPECIFICATIONS		
NQ06_MH_DP	NQ06 - MED. HIST.: DEPRESSIVE DISORDERS	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ06_MH_DP_MED	'NQ06 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED MEDICATION		
NQ06_MH_DP_HOS	'NQ06 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED HOSPITALIZATION		
NQ06_MH_DP_SPE	NQ06 - MED. HIST.: DEPRESSIVE DISORDERS: SPECIFICATIONS		
NQ06_MH_OS	NQ06 - MED. HIST.: OSTEOPOROSIS	-1	Missing data
		0	No
		1	Yes
NQ06_MH_OS_SPE	NQ06 - MED. HIST.: OSTEOPOROSIS: SPECIFICATIONS		
NQ06_MH_SA	NQ06 - MED. HIST.: SLEEP APNEA	-1	Missing data
		0	No
		1	Yes
NQ06_MH_SA_SPE	NQ06 - MED. HIST.: SLEEP APNEA: SPECIFICATIONS		
NQ06_MH_RL	NQ06 - MED. HIST.: RESTLESS LEG SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ06_MH_RL_SPE	NQ06 - MED. HIST.: RESTLESS LEG SYNDROME: SPECIFICATIONS		
NQ06_MH_BR	NQ06 - MED. HIST.: BRUXISM	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		1	Yes
NQ06_MH_BR_SPE	NQ06 - MED. HIST.: BRUXISM: SPECIFICATIONS		
NQ06_MH_CS	NQ06 - MED. HIST.: CHRONIC SNORING	-1	Missing data
		0	No
		1	Yes
NQ06_MH_CS_SPE	NQ06 - MED. HIST.: CHRONIC SNORING: SPECIFICATIONS		
NQ06_MH_IB	<sup>1</sup> NQ06 - MED. HIST.: IRRITABLE BOWEL SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ06_MH_IB_SPE	<sup>1</sup> NQ06 - MED. HIST.: IRRITABLE BOWEL SYNDROME: SPECIFICATIONS		
NQ06_MH_MI	<sup>1</sup> NQ06 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE	-1	Missing data
		0	No
		1	Yes
NQ06_MH_MI_SPE	<sup>1</sup> NQ06 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE: SPECIFICATIONS		
NQ06_MH_DM	<sup>1</sup> NQ06 - MED. HIST.: DYSMENORRHOEA	-1	Missing data
		0	No
		1	Yes
NQ06_MH_DM_SPE	<sup>1</sup> NQ06 - MED. HIST.: DYSMENORRHOEA: SPECIFICATIONS		
NQ06_MH_CY	<sup>1</sup> NQ06 - MED. HIST.: INTERSTITIAL CYSTITIS	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ06_MH_CY_SPE	<sup>†</sup> NQ06 - MED. HIST.: INTERSTITIAL CYSTITIS: SPECIFICATIONS		
NQ06_MH_FI	<sup>†</sup> NQ06 - MED. HIST.: FIBROMYALGIA	-1	Missing data
		0	No
		1	Yes
NQ06_MH_FI_SPE	<sup>†</sup> NQ06 - MED. HIST.: FIBROMYALGIA: SPECIFICATIONS		
NQ06_MH_RA	<sup>†</sup> NQ06 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHROSIS	-1	Missing data
		0	No
		1	Yes
NQ06_MH_RA_SPE	<sup>†</sup> NQ06 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHROSIS: SPECIFICATIONS		
NQ06_MH_TM	<sup>†</sup> NQ06 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFUNCTION	-1	Missing data
		0	No
		1	Yes
NQ06_MH_TM_SPE	<sup>†</sup> NQ06 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFUNCTION: SPECIFICATIONS		
NQ06_MH_OTH_DES	*NQ06 - MED. HIST.: OTHER: DESCRIPTION		
NQ06_MH_OTH_SPE	*NQ06 - MED. HIST.: OTHER: SPECIFICATIONS		
NQ06_MH_ER	NQ06 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		1	Yes
NQ06_MH_ER_FRQ	NQ06 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ06_MH_HOSPITAL	NQ06 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ06_MH_HOSPITAL_FRQ	NQ06 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ06_MH_HOSPITAL_DAYS	NQ06 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: TOT. NO DAYS		
NQ06_MOBILITY_IN_HOME	NQ06 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME	0	None
		1	Cane
		2	Walker
		3	Wheelchair
		4	Other
NQ06_MOBILITY_IN_HOME_SPE	NQ06 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME: TYPE, IF OTHER		
NQ06_MOBILITY_OUTSIDE	NQ06 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE	0	None
		1	Cane
		2	Walker
		3	Wheelchair
		4	Other
NQ06_MOBILITY_OUTSIDE_SPE	NQ06 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE: TYPE, IF OTHER		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_MOBILITY_SUPPORT_PAIN	NQ06 - MOBILITY: USE OF MOBILITY SUPPORT RELATED TO PAIN	-1	Missing data
		0	No
		1	Yes
		2	Not applicable
NURSES_NAME			
NQ00_NURSES_NAME			
PATIENT_REF			
SEXE			
DATE_NAISSANCE			
TODO_DATE			
INTERVALLEID			
NODE_TYPE			
NID			
VID			
CREATED			
NQ6_P13Q02			
NQ6_P13Q02_T			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ6_P13Q02_S			
NQ6_P13Q03_S			
NQ6_P13Q03			
NQ6_P13Q04_S			
NQ6_P13Q04			
NQ6_P13Q05_S			
NQ6_P13Q05			
NQ6_P13Q06_S			
NQ6_P13Q06			
NQ6_P13Q07_S			
NQ6_P13Q07			
NQ6_P13Q08_S			
NQ6_P13Q08			
NQ6_P13Q09_S			
NQ6_P13Q09			
NQ6_P13Q10_S			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ6_P13Q10			
NQ6_P13Q11_S			
NQ6_P13Q11			
NQ6_P13Q12_S			
NQ6_P13Q12			
NQ6_P13Q13_S			
NQ6_P13Q13			
NQ6_P13Q14_S			
NQ6_P13Q14			
NQ6_P13Q15_S			
NQ6_P13Q15			
NQ6_P13Q16_S			
NQ6_P13Q16			
NQ6_P13Q17_S			
NQ6_P13Q17			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ6_P01Q01A			
NQ6_P01Q01B			
NQ6_P01Q01B_S			
NQ6_P01Q01C			
NQ6_P02Q01			
NQ6_P02Q01_OP			
NQ6_P02Q01_NP			
NQ6_P03Q01			
NQ6_P03Q02			
NQ6_P03Q03			
NQ6_P03Q04			
NQ6_P04Q01_SM			
NQ6_P04Q02_SM			
NQ6_P04Q03_SM			
NQ6_P04Q04_SM			
NQ6_P04Q05_SM			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ6_P04Q06_SM			
NQ6_P04Q07_SM			
NQ6_P04Q08_SM			
NQ6_P04Q09_SM			
NQ6_P04Q09_S_SM			
NQ6_P04Q01_PT			
NQ6_P04Q02_PT			
NQ6_P04Q03_PT			
NQ6_P04Q04_PT			
NQ6_P04Q05_PT			
NQ6_P04Q06_PT			
NQ6_P04Q07_PT			
NQ6_P04Q08_PT			
NQ6_P04Q09_PT			
NQ6_P04Q10_PT			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ6_P04Q11_PT			
NQ6_P04Q12_PT			
NQ6_P04Q13_PT			
NQ6_P04Q14_PT			
NQ6_P04Q15_PT			
NQ6_P04Q15_1_PT			
NQ6_P04Q15_2_PT			
NQ6_P04Q15_3_PT			
NQ6_P04Q16_PT			
NQ6_P04Q16_S_PT			
NQ6_P05Q01			
NQ6_P07_NOM			
NQ6_P07_OTH			
NQ6_P07_ALL			
NQ6_P07_ALL_S			
NQ6_P07_INT			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
NQ6_P07_INT_S			
NQ6_P08Q01			
NQ6_P13Q01			
NQ6_P14Q24			
NQ6_P14Q24_T			
NQ6_P14Q25			
NQ6_P14Q25_T			
NQ6_P14Q26			
NQ6_P14Q26_S			
NQ6_P14Q27			
NQ6_P14Q27_S			
NQ6_P14Q28			
NQ6_P15Q01			
NQ6_P15_SIGNATURE			
NQ06_NURSES_NAME	NQ06 - NURSE NAME	1	(Sherbrooke) Anne Bérard
		2	(Sherbrooke) Charlyne Boutin

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		3	(Sherbrooke) Diane Leduc
		4	(Sherbrooke) Diane Proteau
		5	(Sherbrooke) Francine Nadeau
		6	(Sherbrooke) Marc-André Rodrigue
		7	(Sherbrooke) Marjolaine Landry
		8	(Sherbrooke) Véronique Dagenais
		9	(Mcgill) Laura Pallet
		10	(Mcgill) Louise Ullyatt
		11	(Mcgill) Magaret Pednault
		12	(Mcgill) Sylvie Toupin
		13	(Mcgill) Sasha Dyck
		14	(Mcgill) Seigrid Serre
		15	(Chum - Hôtel-Dieu) Hélène Lancôt
		16	(Chum - Hôtel-Dieu) Denise Héroux
		17	(Chum - Hôtel-Dieu) Ann Rusnov
		18	(Chum - Hôtel-Dieu) Martine Derome
		19	(Chum - Hôtel-Dieu) Annie Boivin
		20	(Chum - Hôtel-Dieu) Hourria Belaidi
		21	(Chum - Hôtel-Dieu) Roseline Desjardins
		22	(Chum - Hôtel-Dieu) Suzanne Paris
		23	(Lévis) Sylvie Martel
		24	(Québec) Chloé Pêloquin
		25	(Lévis) Carole Jacques
		26	(Québec) Valérie Bouchard
		27	(Québec) Marie-Pierre Bilodeau

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		28	(Québec) Nathalie Bellavance
		29	(Québec) Andrée Anne Therrien
NQ06_DX_CLINIC_O	*NQ06 - PAIN CLINIC MED. DX: ORDER (1st, 2nd,...)		
NQ06_DX_CLINIC_G	*NQ06 - PAIN CLINIC MED. DX: GENERAL CODE	-1	Missing data
		1	01-Cervical pain
		2	02-Thoracic pain
		3	03-Lumbar pain
		4	04-Sacral pain
		5	05-Coccygeal pain
		6	06-Abdominal pain
		7	07-Pelvic pain
		8	08-Upper limb pain
		9	09-Lower limb pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		10	10-Head & face painful syndromes
		11	11-Generalized syndromes
		12	12-Pregnancy
		13	13-Pain resolved
NQ06_DX_CLINIC_S	*NQ06 - PAIN CLINIC MED. DX: SPECIFIC CODE	-1	Missing data
		1.1	1.1-Cervical without radicular pain
		1.2	1.2-Cervical and radicular pain
		1.3	1.3-Radicular pain only
		1.4	1.4-Diffuse pain in the cervical region
		1.5	1.5-Torticollis
		1.6	1.6-Other cervical pain
		2.1	2.1-Thoracic without radicular pain
		2.2	2.2-Thoracic and radicular pain
		2.3	2.3-Radicular pain only
		2.4	2.4-Diffuse pain in the thoracic region
		2.5	2.5-Acute herpes zoster
		2.6	2.6-Postherpetic neuralgia
		2.7	2.7-Costochondritis
		2.8	2.8-Post mastectomy
		2.9	2.9-Post thoracotomy

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		2.10	2.10-Associated with a neoplasm
		2.11	2.11-Following cancer treatment (chemotherapy/radiotherapy)
		2.12	2.12-Following HIV and/or its treatment
		2.13	2.13-Refractory angina
		3.1	3.1-Lumbar without radicular pain
		3.2	3.2-Lumbar and radicular pain
		3.3	3.3-Radicular pain only
		3.4	3.4-Diffuse pain in the lumbar region
		3.5	3.5-Acute herpes zoster
		3.6	3.6-Postherpetic neuralgia
		3.7	3.7-Lumbar pain of uncertain origin
		3.8	3.8-Other lumbar pain
		4.1	4.1-Sacroiliitis
		4.2	4.2-Acute herpes zoster
		4.3	4.3-Postherpetic neuralgia
		4.4	4.4-Mechanical pain
		4.5	4.5-Traumatic origin
		4.6	4.6-Associated with a neoplasm
		5.1	5.1-Traumatic origin
		5.2	5.2-Associated with a neoplasm
		5.3	5.3-Following cancer treatment (chemotherapy/radiotherapy)
		6.1	6.1-Acute herpes zoster
		6.2	6.2-Postherpetic neuralgia
		6.3	6.3-Post-cholecystectomy

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		6.4	6.4-Post-herniorraphy
		6.5	6.5-Irritable bowel syndrome
		6.6	6.6-Chronic pancreatitis
		6.7	6.7-Crohn's disease
		6.8	6.8-Ulcerative colitis
		6.9	6.9-Following surgery
		6.10	6.10-Associated with a neoplasm
		7.1	7.1-Endometriosis
		7.2	7.2-Vulvodynia
		7.3	7.3-Post-herniorraphy
		7.4	7.4-Acute herpes zoster
		7.5	7.5-Postherpetic neuralgia
		7.6	7.6-Chronic prostatitis
		7.7	7.7-Interstitial cystitis
		7.8	7.8-Pudendal neuropathy
		8.1	8.1-Brachial plexopathy
		8.2	8.2-Bicipital tendinitis
		8.3	8.3-Subacromial bursitis
		8.4	8.4-Rotator cuff tear or tendinitis
		8.5	8.5-Adhesive capsulitis and frozen shoulder
		8.6	8.6-Lateral epicondylitis
		8.7	8.7-Medial epitrochleitis
		8.8	8.8-Cubital tunnel syndrome
		8.9	8.9-Carpal tunnel syndrome
		8.10	8.10-Acute herpes zoster

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		8.11	8.11-Postherpetic neuralgia
		8.12	8.12-Diabetic neuropathy
		8.13	8.13-Other peripheral neuropathy
		8.14	8.14-Complex regional pain syndrome
		8.15	8.15-Stump pain
		8.16	8.16-Phantom pain
		8.17	8.17-Myofascial pain (trigger point)
		8.18	8.18-Traumatic origin
		9.1	9.1-Ischial bursitis
		9.2	9.2-Trochanteric bursitis
		9.3	9.3-Osteoarthritis of the hip
		9.4	9.4-Osteoarthritis of the knee
		9.5	9.5-Plantar fasciitis
		9.6	9.6-Sciatica neuralgia
		9.7	9.7-Obturator neuralgia
		9.8	9.8-Femoral neuralgia
		9.9	9.9-Piriformis syndrome
		9.10	9.10-Plexopathy
		9.11	9.11-Acute herpes zoster
		9.12	9.12-Postherpetic neuralgia
		9.13	9.13-Diabetic neuropathy
		9.14	9.14-Other peripheral neuropathy
		9.15	9.15-Complex regional pain syndrome
		9.16	9.16-Post phlebotic pain syndrome
		9.17	9.17-Stump pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		9.18	9.18-Phantom pain
		9.19	9.19-Myofascial pain (trigger point)
		9.20	9.20-Restless leg syndrome
		10.1	10.1-Migraine
		10.2	10.2-Headache
		10.3	10.3-Occipital neuralgia (Arnold)
		10.4	10.4-Trigeminal neuralgia
		10.5	10.5-Atypical facial neuralgia
		10.6	10.6-Myofascial pain (trigger point)
		10.7	10.7-Acute herpes zoster
		10.8	10.8-Postherpetic neuralgia
		10.9	10.9-Temporomandibular joint disorder
		10.10	10.10-Burning mouth syndrome
		10.11	10.11-Traumatic origin
		10.12	10.12-Following dental surgery
		10.13	10.13-Following other type of surgery
		10.14	10.14-Associated with neoplasm
		10.15	10.15-Following cancer treatment (chemotherapy/radiotherapy)
		10.16	10.16-Following HIV and/or its treatment
		10.17	10.17-Head and face painful syndromes of uncertain origin
		10.18	10.18-Other head and face painful syndromes
		11.1	11.1-Fibromyalgia
		11.2	11.2-Diffuse myofascial pain syndrome
		11.3	11.3-Rheumatoid arthritis

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		11.4	11.4-Other type of inflammatory arthritis
		11.5	11.5-Osteoarthritis
		11.6	11.6-Multiple sclerosis
		11.7	11.7-Central post-stroke pain (CVA)
		11.8	11.8-Diabetic polyneuropathy (upper + lower limbs)
		11.9	11.9-Autre polyneuropathie impliquant plus d'un membre (membre supérieur et inférieur)
		11.10	11.10-Widespread pain of uncertain origin
		11.11	11.11-Other generalized syndromes
		12.1	12.1-Post cesarean pain
		12.2	12.2-Postpartum pain
		12.3	12.3-Other pregnancy related pain
		13.1	13.1-Pain resolved (no more pain, no more pain medication)
		2.14	2.14-Thoracic pain of uncertain origin
		2.15	2.15-Other thoracic pain
		4.10	4.10-Other sacral pain
		4.7	4.7-Following cancer treatment (chemotherapy/radiotherapy)
		4.8	4.8-Following HIV (treatment or virus)
		4.9	4.9-Sacral pain of uncertain origin
		5.4	5.4-Following HIV and/or its treatment
		5.5	5.5-Coccygeal pain of uncertain origin
		5.6	5.6-Other coccygeal pain
		6.11	6.11-Following cancer treatment (chemotherapy/radiotherapy)

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		6.12	6.12-Following HIV and/or its treatment
		6.13	6.13-Abdominal pain of uncertain origin
		6.14	6.14-Other abdominal pain
		7.10	7.10-Associated with a neoplasm
		7.11	7.11-Following cancer treatment (chemotherapy/radiotherapy)
		7.12	7.12-Following HIV and/or its treatment
		7.13	7.13-Pelvic pain of uncertain origin
		7.14	7.14-Other pelvic pain
		7.9	7.9-Following surgeryE
		8.19	8.19-Following surgery
		8.20	8.20-Associated with a neoplasm
		8.21	8.21-Following cancer treatment (chemotherapy/radiotherapy)
		8.22	8.22-Following HIV and/or its treatment
		8.23	8.23-Upper limb pain of uncertain origin
		8.24	8.24-Other upper limb pain
		9.21	9.21-Traumatic origin
		9.22	9.22-Following surgery
		9.23	9.23-Associated with a neoplasm
		9.24	9.24-Following cancer treatment (chemotherapy/radiotherapy)
		9.25	9.25-Following HIV and/or its treatment
		9.26	9.26-Lower limb pain of uncertain origin
		9.27	9.27-Other lower limb pain
NQ06_DX_CLINIC_S_SPE	*NQ06 - DX: SPECIFIC CODE SPECIFICATION, IF OTHER		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
NQ06_DX_CLINIC_E	*NQ06 - PAIN CLINIC MED. DX: ETIOLOGY	-1	Na
		1.a	1.a-Muscular
		1.b	1.b-Facet joint disorder
		1.c	1.c-Disc disorder
		1.d	1.d-Medullary
		1.e	1.e-Myofascial (trigger point)
		1.f	1.f-Mechanical
		1.g	1.g-Osteoarthritis
		1.h	1.h-Osteoporosis fracture
		1.i	1.i-Traumatic origin
		1.j	1.j-Following surgery
		1.k	1.k-Following nerve injury
		1.l	1.l-Spinal stenosis
		1.m	1.m-Scoliosis
		1.n	1.n-Spondylolysis/spondylolisthesis
		1.o	1.o-Syringomyelia
		1.p	1.p-Neoplasm
		1.q	1.q-Following cancer treatment (chemotherapy/radiotherapy)
		1.r	1.r-Following HIV and/or its treatment
		1.s	1.s-Infectious
		1.t	1.t-Cervical pain of uncertain etiology
		1.u	1.u-Other cervical pain etiology
		10.a	10.a-Tension headache
		10.b	10.b-Mixed headache

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		10.c	10.c-Cluster headache
		10.d	10.d-Other type of headache
		2.a	2.a-Muscular
		2.b	2.b-Facet joint disorder
		2.c	2.c-Disc disorder
		2.d	2.d-Medullary
		2.e	2.e-Myofascial (trigger point)
		2.f	2.f-Mechanical
		2.g	2.g-Osteoarthritis
		2.h	2.h-Osteoporosis fracture
		2.i	2.i-Traumatic origin
		2.j	2.j-Following surgery
		2.k	2.k-Following nerve injury
		2.l	2.l-Spinal stenosis
		2.m	2.m-Scoliosis
		2.n	2.n-Spondylolysis/spondylolisthesis
		2.o	2.o-Syringomyelia
		2.p	2.p-Neoplasm
		2.q	2.q-Following cancer treatment (chemotherapy/radiotherapy)
		2.r	2.r-Following HIV and/or its treatment
		2.s	2.s-Infectious
		2.t	2.t-Thoracic pain of uncertain etiology
		2.u	2.u-Other thoracic pain etiology
		3.a	3.a-Muscular

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up nurse questionnaire

**Number of Variables: 552**

Variable Name	Variable Label	Code	Value
		3.b	3.b-Facet joint disorder
		3.c	3.c-Disc disorder
		3.d	3.d-Medullary
		3.e	3.e-Myofascial (trigger point)
		3.f	3.f-Mechanical
		3.g	3.g-Osteoarthritis
		3.h	3.h-Osteoporosis fracture
		3.i	3.i-Traumatic origin
		3.j	3.j-Following surgery
		3.k	3.k-Following nerve injury
		3.l	3.l-Spinal stenosis
		3.m	3.m-Scoliosis
		3.n	3.n-Spondylolysis/spondylolisthesis
		3.o	3.o-Syringomyelia
		3.p	3.p-Neoplasm
		3.q	3.q-Following cancer treatment (chemotherapy/radiotherapy)
		3.r	3.r-Following HIV and/or its treatment
		3.s	3.s-Infectious
		3.t	3.t-Sacroiliac
		3.u	3.u-Lumbar pain of uncertain etiology
		3.v	3.v-Other Lumbar pain etiology
		8.a	8.a-Mononeuropathy
		8.b	8.b-Polyneuropathy
		9.a	9.a-Mononeuropathy

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

QUEBEC PAIN REGISTRY

6-month follow-up nurse questionnaire

Number of Variables: 552

Variable Name	Variable Label	Code	Value
		9.b	9.b-Polyneuropathy
NQ06_DX_CLINIC_E_SPE	*NQ06 - DX: ETIOLOGY SPECIFICATION, IF OTHER		

† Variable determined (calculated) from collected variables  
\* Multiple records per patient  
¹ Data collected in the first phase of the QPR only  
² Definitions of QPR phase 2 variables modified to match phase 1 definitions.  
³ Data collected in the second phase of the QPR only



## 6 Month Patient Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
DB			
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
CODEID	†UNIQUE CODE OF THE SUBJECT		
PQ06_VISIT_DATE	PQ06 - FOLLOW UP DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
PQ06_COMPLETED	PQ06 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
PQ06_NOT_COMPL_REASON	PQ06 - QUESTIONNAIRE NOT COMPLETED, REASON		
PQ06_LOST_TO_FUP	PQ06 - LOST TO FU	-1	Missing data
		0	No
		1	Yes
PQ06_LOST_TO_FUP_REASON	PQ06 - LOST TO FU, REASON		
PQ06_YOUR_PAIN_Q1	PQ06 - YOUR PAIN - PAIN RIGHT NOW (0= NO PAIN, 10= WORST POSSIBLE PAIN)		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
PQ06_YOUR_PAIN_Q2	PQ06 - YOUR PAIN - AVERAGE PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ06_YOUR_PAIN_Q3	PQ06 - YOUR PAIN - WORST PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ06_BPI_A	PQ06 - BPI: GENERAL ACTIVITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_B	PQ06 - BPI: MOOD (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_C	PQ06 - BPI: WALKING ABILITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_D	PQ06 - BPI: NORMAL WORK (INCL. HOUSEWORK, 0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_E	PQ06 - BPI: RELATIONS WITH OTHER PEOPLE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_F	PQ06 - BPI: SLEEP (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_G	PQ06 - BPI: ENJOYMENT OF LIFE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_H	PQ06 - BPI: SELF-CARE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_I	PQ06 - BPI: RECREATIONAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_J	PQ06 - BPI: SOCIAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ06_BPI_GLOBAL_SCORE	†PQ06 - BPI: GLOBAL SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
PQ06_CPSI_Q01	PQ06 - CPSI: SLEEP & PAIN: TROUBLE FALLING ASLEEP BECAUSE OF PAIN (0= NEVER, 10= ALWAYS)		
PQ06_CPSI_Q02	PQ06 - CPSI: SLEEP & PAIN: NEED OF SLEEP MEDICATION TO HELP FALL ASLEEP (0= NEVER, 10= ALWAYS)		
PQ06_CPSI_Q03	PQ06 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN DURING NIGHT (0= NEVER, 10= ALWAYS)		
PQ06_CPSI_Q04	PQ06 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN IN THE MORNING (0= NEVER, 10= ALWAYS)		
PQ06_CPSI_Q05	PQ06 - CPSI: SLEEP & PAIN: OVERALL QUALITY OF SLEEP (0= VERY BAD, 10= EXCELLENT)		
PQ06_CPSI_SP_INDEX	†PQ06 - CPSI: SLEEP & PAIN: SLEEP PROBLEM INDEX		
PQ06_PCS_Q01	PQ06 - PCS: WORRIES ALL THE TIME ABOUT WHETHER THE PAIN WILL END	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q02	PQ06 - PCS: FEELS THAT CAN'T GO ON	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_PCS_Q03	PQ06 - PCS: IT'S TERRIBLE & THINKS IT'S NEVER GOING TO GET BETTER	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
PQ06_PCS_Q04	PQ06 - PCS: IT'S AWFULL & FEELS IT OVERWHELMS	4	All the time
		-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
PQ06_PCS_Q05	PQ06 - PCS: FEELS THAT CAN'T STAND IT ANYMORE	3	To a great degree
		4	All the time
		-1	Missing data
		0	Not at all
		1	To a slight degree
PQ06_PCS_Q06	PQ06 - PCS: BECOMES AFRAID THE PAIN WILL GET WORSE	2	To a moderate degree
		3	To a great degree
		-1	Missing data
		0	Not at all
		1	To a slight degree

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		4	All the time
PQ06_PCS_Q07	PQ06 - PCS: KEEPS THINKING OF OTHER PAINFUL EVENTS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q08	PQ06 - PCS: ANXIOUSLY WANTS THE PAIN TO GO AWAY	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q09	PQ06 - PCS: CAN'T SEEM TO KEEP IT OUT OF MIND	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q10	PQ06 - PCS: KEEPS THINKING ABOUT HOW MUCH IT HURTS	-1	Missing data
		0	Not at all
		1	To a slight degree

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q11	PQ06 - PCS: KEEPS THINKING ABOUT WANTING THE PAIN TO STOP	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q12	PQ06 - PCS: NOTHING CAN REDUCE THE INTENSITY OF PAIN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_Q13	PQ06 - PCS: WONDERS WHETHER SOMETHING SERIOUS MAY HAPPEN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ06_PCS_RUMINATION	†PQ06 - PCS: RUMINATION SUB-SCALE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_PCS_MAGNIFICATION	†PQ06 - PCS: MAGNIFICATION SUB-SCALE		
PQ06_PCS_HELPLESSNESS	†PQ06 - PCS: HELPPLESSNESS SUB-SCALE		
PQ06_PCS_GLOBAL	†PQ06 - PCS: GLOBAL SCALE		
PQ06_BDI1_Q01	PQ06 - BDI 1: SADNESS	-1	Missing data
		0	I do not feel sad
		1	I feel sad
		2	I am sad all the time and I can't snap out of it
		3	I am so sad or unhappy that I can't stand it
PQ06_BDI1_Q02	PQ06 - BDI 1: FUTURE	-1	Missing data
		0	I am not particularly discouraged about my future
		1	I feel discouraged about the future
		2	I feel I have nothing to look forward to
		3	I feel that the future is hopeless and that things cannot improve
PQ06_BDI1_Q03	PQ06 - BDI 1: FAILURE	-1	Missing data
		0	I do not feel like a failure
		1	I feel I have failed more than the average person
		2	As I look back on my life, all I can see is a lot of failures
		3	I feel I am a complete failure as a person
PQ06_BDI1_Q04	PQ06 - BDI 1: SATISFACTION	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		0	I get as much satisfaction out of things as I used to
		1	I don't enjoy things the way I used to
		2	I don't get real satisfaction out of anything anymore
		3	I am dissatisfied or bored with everything
PQ06_BDI1_Q05	PQ06 - BDI 1: GUILT	-1	Missing data
		0	I don't feel particularly guilty
		1	I feel guilty a good part of the time
		2	I feel quite guilty most of the time
		3	I feel guilty all of the time
PQ06_BDI1_Q06	PQ06 - BDI 1: PUNISHED	-1	Missing data
		0	I don't feel I am being punished
		1	I feel I may be punished
		2	I expect to be punished
		3	I feel I am being punished
PQ06_BDI1_Q07	PQ06 - BDI 1: SELF-DISAPPOINTMENT	-1	Missing data
		0	I don't feel disappointed in myself
		1	I am disappointed in myself
		2	I am disgusted with myself
		3	I hate myself
PQ06_BDI1_Q08	PQ06 - BDI 1: SELF-ESTEEM	-1	Missing data
		0	I don't feel I am any worse than anybody else

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
		1	I am critical of myself for my weaknesses or mistakes
		2	I blame myself all the time for my faults
		3	I blame myself for everything bad that happens
PQ06_BDI1_Q09	PQ06 - BDI 1: SUICIDE	-1	Missing data
		0	I don't have any thoughts of killing myself
		1	I have thoughts of killing myself, but I would not carry them out
		2	I would like to kill myself
		3	I would kill myself if I had the chance
PQ06_BDI1_Q10	PQ06 - BDI 1: CRY	-1	Missing data
		0	I don't cry anymore than usual
		1	I cry more now than I used to
		2	I cry all the time now
		3	I used to be able to cry, but now I can't cry even though I want to
PQ06_BDI1_Q11	PQ06 - BDI 1: IRRITATED	-1	Missing data
		0	I am no more irritated now than I ever am
		1	I get annoyed or irritated more easily than I used to
		2	I feel irritated all the time now
		3	I don't get irritated at all by the things that used to irritate me
PQ06_BDI1_Q12	PQ06 - BDI 1: PEOPLE INTEREST	-1	Missing data
		0	I have not lost interest in other people

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		1	I am less interested in other people than I used to be
		2	I have lost most of my interest in other people
		3	I have lost all my interest in other people
PQ06_BDI1_Q13	PQ06 - BDI 1: DECISIONS	-1	Missing data
		0	I make decisions about as well as ever could
		1	I put off making decisions more than I used to
		2	I have greater difficulty in making decisions than before
		3	I can't make decisions at all anymore
PQ06_BDI1_Q14	PQ06 - BDI 1: LOOK	-1	Missing data
		0	I don't feel I look any worse than I used to
		1	I am worried that I am looking old or unattractive
		2	I feel that there are permanent changes in my appearance that make me look unattractive
		3	I believe that I look ugly
PQ06_BDI1_Q15	PQ06 - BDI 1: WORK	-1	Missing data
		0	I can work about as well as before
		1	It takes an extra effort to get started at doing something
		2	I have to push myself very hard to do anything
		3	I can't do any work at all
PQ06_BDI1_Q16	PQ06 - BDI 1: SLEEP	-1	Missing data
		0	I can sleep as well as usual

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		1	I don't sleep as well as I used to
		2	I wake up 1-2 hours earlier than usual and find it hard to get back to sleep
		3	I wake up several hours earlier than I used to and cannot get back to sleep
PQ06_BDI1_Q17	PQ06 - BDI 1: TIRED	-1	Missing data
		0	I don't get more tired than usual
		1	I get tired more easily than I used to
		2	I get tired from doing almost anything
		3	I am too tired to do anything
PQ06_BDI1_Q18	PQ06 - BDI 1: APPETITE	-1	Missing data
		0	My appetite is no worse than usual
		1	My appetite is not as good as it used to be
		2	My appetite is much worse now
		3	I have no appetite at all anymore
PQ06_BDI1_Q18_1	PQ06 - BDI 1: PURPOSELY TRYING TO LOSE WEIGHT BY EATING LESS	-1	Missing data
		0	No - I am not purposely trying to lose weight by eating less
		1	Yes - I am purposely trying to lose weight by eating less
PQ06_BDI1_Q19	PQ06 - BDI 1: WEIGHT LOSS	-1	Missing data
		0	I haven't lost much weight, if any, lately
		1	I have lost more than 5 pounds
		2	I have lost more than 10 pounds

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
		3	I have lost more than 15 pounds
PQ06_BDI1_Q20	PQ06 - BDI 1: HEALTH	-1	Missing data
		0	I am no more worried about my health than usual
		1	I am worried about physical problems such as aches and pains; or upset stomach; or constipation
		2	I am very worried about physical problems and it's hard to think of much else
		3	I am so worried about my physical problems that I cannot think about anything else
PQ06_BDI1_Q21	PQ06 - BDI 1: SEX INTEREST	-1	Missing data
		0	I have not noticed any recent change in my interest in sex
		1	I am less interested in sex than I used to be
		2	I am much less interested in sex now
		3	I have lost interest in sex completely
PQ06_BDI1_GS			
PQ06_BDI1_GLOBAL_SCORE	†PQ06 - BDI 1: GLOBAL SCORE		
PQ06_MOOD	<sup>1</sup> PQ06 - MOOD: ANGRY IN THE PAST 7 DAYS (0= NOT AT ALL, 10= EXTREMELY)		
PQ06_SF12V2_Q1	PQ06 - SF-12V2: GENERAL HEALTH	-2	Missing data
		1	Excellent
		2	Very good
		3	Good

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		4	Fair
		5	Poor
PQ06_SF12V2_Q2A	PQ06 - SF-12V2: HEALTH LIMITS MODERATE ACTIVITIES	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ06_SF12V2_Q2B	PQ06 - SF-12V2: HEALTH LIMITS CLIMBING STAIRS.	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ06_SF12V2_Q3A	PQ06 - SF-12V2: ACCOMPLISHED LESS DUE TO PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ06_SF12V2_Q3B	PQ06 - SF-12V2: KIND OF ACTIV. LIMITED BY PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_SF12V2_Q4A	PQ06 - SF-12V2: ACCOMPLISHED LESS DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ06_SF12V2_Q4B	PQ06 - SF-12V2: DID ACTIV. LESS CAREFULLY DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ06_SF12V2_Q5	PQ06 - SF-12V2: PAIN INTERF. WITH WORK IN PAST 4 WKS	-2	Missing data
		1	Not at all
		2	A little bit
		3	Moderately
		4	Quite a bit
		5	Extremely
PQ06_SF12V2_Q6A	PQ06 - SF-12V2: FELT CALM & PEACEFUL IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		4	A little of the time
		5	None of the time
PQ06_SF12V2_Q6B	PQ06 - SF-12V2: HAD A LOT OF ENERGY IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ06_SF12V2_Q6C	PQ06 - SF-12V2: FELT DOWN & DEPRESSED IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ06_SF12V2_Q7	PQ06 - SF-12V2: HEALTH & EMOTIONAL INTERF. WITH SOCIAL ACTIV. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ06_SF12V2_RAW_PHYS_FUNCT	†PQ06 - SF-12V2: PHYSICAL FUNCTIONING SCORE		
PQ06_SF12V2_RAW_ROLE_PHYS	†PQ06 - SF-12V2: ROLE PHYSICAL SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# **QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_SF12V2_RAW_BODILY_PAIN	†PQ06 - SF-12V2: BODILY PAIN SCORE		
PQ06_SF12V2_RAW_GEN_HEALTH	†PQ06 - SF-12V2: GENERAL HEALTH SCORE		
PQ06_SF12V2_RAW_VITALITY	†PQ06 - SF-12V2: VITALITY SCORE		
PQ06_SF12V2_RAW_SOC_FUNCT	†PQ06 - SF-12V2: SOCIAL FUNCTIONING SCORE		
PQ06_SF12V2_RAW_ROLE_EMOT	†PQ06 - SF-12V2: ROLE EMOTIONAL SCORE		
PQ06_SF12V2_RAW_MENT_HEALTH	†PQ06 - SF-12V2: MENTAL HEALTH SCORE		
PQ06_SF12V2_NBS_PHYS_FUNCT	†PQ06 - SF-12V2: PHYSICAL FUNCTIONING NORM-BASED SCORE		
PQ06_SF12V2_NBS_ROLE_PHYS	†PQ06 - SF-12V2: ROLE PHYSICAL NORM-BASED SCORE		
PQ06_SF12V2_NBS_BODILY_PAIN	†PQ06 - SF-12V2: BODILY PAIN NORM-BASED SCORE		
PQ06_SF12V2_NBS_GEN_HEALTH	†PQ06 - SF-12V2: GENERAL HEALTH NORM-BASED SCORE		
PQ06_SF12V2_NBS_VITALITY	†PQ06 - SF-12V2: VITALITY NORM-BASED SCORE		
PQ06_SF12V2_NBS_SOC_FUNCT	†PQ06 - SF-12V2: SOCIAL FUNCTIONING NORM-BASED SCORE		
PQ06_SF12V2_NBS_ROLE_EMOT	†PQ06 - SF-12V2: ROLE EMOTIONAL NORM-BASED SCORE		
PQ06_SF12V2_NBS_MENT_HEALTH	†PQ06 - SF-12V2: MENTAL HEALTH NORM-BASED SCORE		
PQ06_SF12V2_NBS_PHYS_SUMM_SCORE	†PQ06 - SF-12V2: PHYSICAL SUMMARY NORM-BASED SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_SF12V2_NBS_MENT_SUMM_SCORE	†PQ06 - SF-12V2: MENTAL SUMMARY NORM-BASED SCORE		
PQ06_FOLLOWUP_Q1	PQ06 - FOLLOW UP: PAIN, PAST 6 MOS	-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
		5	Greatly decreased
		6	Considerably decreased
PQ06_FOLLOWUP_Q1V2	PQ06 - FOLLOW UP: PAIN, PAST 6 MOS (NEW VERSION)	-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
		5	Greatly decreased
		6	Considerably decreased
PQ06_FOLLOWUP_Q2	PQ06 - FOLLOW UP: FUNCTION LEVEL, PAST 6 MOS	-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		5	Greatly improved
		6	Considerably Improved
PQ06_FOLLOWUP_Q3	PQ06 - FOLLOW UP: QUALITY OF LIFE, PAST 6 MOS	-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved
		6	Considerably Improved
PQ06_FOLLOWUP_Q4	PQ06 - FOLLOW UP: PERCENTAGE OF PAIN RELIEF OVER PAST 6 MOS (0= NO RELIEF, 100= COMPLETE RELIEF)		
PQ06_SATISFACTION	PQ06 - SATISFACTION IN PAIN CLINIC TX RECEIVED IN PAST 6 MOS	-1	Missing data
		1	Very dissatisfied
		2	Dissatisfied
		3	A little bit dissatisfied
		4	A little bit satisfied
		5	Satisfied
		6	Very satisfied
		7	Non applicable
PQ06_CIG_Q1			
PQ06_ALC_Q1			

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
PQ06_DRUG_Q1A			
PQ06_DRUG_Q1B			
PQ06_DRUG_Q1C			
PQ06_DRUG_Q1D			
PQ06_DRUG_Q1E			
PQ06_CH_CIG_Q1	PQ06 - CONSUMPTION HABITS: CIG: CIGARETTES SMOKING HABITS	-1	Missing data
		0	I have never smoked
		1	I smoked in the past but I stopped
		2	I am currently smoking
PQ06_CH_CIG_Q1_1A	<sup>1</sup> PQ06 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST 6 MOS: NO CIG/DAY		
PQ06_CH_CIG_Q1_1B	<sup>1</sup> PQ06 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST 6 MOS: NO YRS SMOKED		
PQ06_CH_ALC_Q1	PQ06 - CONSUMPTION HABITS: ALC: ALCOHOL DRINKING HABITS (FREQUENCY) IN PAST 6 MOS	-1	Missing data
		0	Never
		1	Less than once a month
		2	Once a month
		3	2 to 3 times a month
		4	Once a week
		5	2 to 3 times a week
		6	4 to 6 times a week
		7	Every day

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
PQ06_CH_ALC_Q2_WEEK	<sup>1</sup> PQ06 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER WEEK		
PQ06_CH_ALC_Q2_MONTH	<sup>1</sup> PQ06 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER MONTH		
PQ06_CH_ALC_Q3A	<sup>1</sup> PQ06 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT THAT SHOULD CUT ON DRINKING	-1	Missing data
		0	No
		1	Yes
PQ06_CH_ALC_Q3B	<sup>1</sup> PQ06 - CONSUMPTION HABITS: ALC: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRINKING	-1	Missing data
		0	No
		1	Yes
PQ06_CH_ALC_Q3C	<sup>1</sup> PQ06 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT BAD OR GUILTY ABOUT DRINKING	-1	Missing data
		0	No
		1	Yes
PQ06_CH_ALC_Q3D	<sup>1</sup> PQ06 - CONSUMPTION HABITS: ALC: DURING LIFE, EVER USED A DRINK FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ06_CH_DRUG_Q1A	PQ06 - CONSUMPTION HABITS: DRG: USE OF MARIJUANA, CANNABIS OR HASHISH IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ06_CH_DRUG_Q1B	PQ06 - CONSUMPTION HABITS: DRG: USE OF COCAINE OR CRACK IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ06_CH_DRUG_Q1C	PQ06 - CONSUMPTION HABITS: DRG: USE OF HEROIN IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ06_CH_DRUG_Q1D	PQ06 - CONSUMPTION HABITS: DRG: USE OF ECSTASY IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		4	More than once a week
		5	Every day
PQ06_CH_DRUG_Q1E	PQ06 - CONSUMPTION HABITS: DRG: USE OF OTHER DRUGS IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ06_CH_DRUG_Q2A	<sup>1</sup> PQ06 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT THAT SHOULD CUT ON DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ06_CH_DRUG_Q2B	<sup>1</sup> PQ06 - CONSUMPTION HABITS: DRG: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ06_CH_DRUG_Q2C	<sup>1</sup> PQ06 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT BAD OR GUILTY ABOUT DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ06_CH_DRUG_Q2D	<sup>1</sup> PQ06 - CONSUMPTION HABITS: DRG: DURING LIFE, EVER USED DRUGS FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		1	Yes
PQ06_LIV_ALO	PQ06 - LIVING CONDITIONS: ALONE	1	Checked
PQ06_LIV_SPO	PQ06 - LIVING CONDITIONS: WITH SPOUSE	1	Checked
PQ06_LIV_CHI	PQ06 - LIVING CONDITIONS: WITH CHILDREN	1	Checked
PQ06_LIV_GCH	PQ06 - LIVING CONDITIONS: WITH GRANDCHILDREN	1	Checked
PQ06_LIV_PAR	PQ06 - LIVING CONDITIONS: WITH PARENTS	1	Checked
PQ06_LIV_SIB	PQ06 - LIVING CONDITIONS: WITH SIBLINGS	1	Checked
PQ06_LIV_ROO	PQ06 - LIVING CONDITIONS: WITH ROOMMATES	1	Checked
PQ06_LIV_NOS	PQ06 - LIVING CONDITIONS: NO STABLE LIVING CONDITION	1	Checked
PQ06_LIV_INS	PQ06 - LIVING CONDITIONS: IN INSTITUTION	1	Checked
PQ06_CST	PQ06 - CIVIL STATUS	-1	Missing data
		1	Single
		2	Married or common law
		3	Separated or divorced
		4	Widowed
PQ06_WRK_FTI	PQ06 - CURRENT WORK: FULL-TIME JOB	1	Checked
PQ06_WRK_PTI	PQ06 - CURRENT WORK: PART-TIME JOB	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

6-month follow-up patient questionnaire

Number of Variables: 169

Variable Name	Variable Label	Code	Value
PQ06_WRK_HMA	PQ06 - CURRENT WORK: HOMEMAKER	1	Checked
PQ06_WRK_STU	PQ06 - CURRENT WORK: STUDENT	1	Checked
PQ06_WRK_RET	PQ06 - CURRENT WORK: RETIRED	1	Checked
PQ06_WRK_TDI	PQ06 - CURRENT WORK: ON TEMPORARY DISABILITY	1	Checked
PQ06_WRK_PDI	PQ06 - CURRENT WORK: ON PERMANENT DISABILITY	1	Checked
PQ06_WRK_UNE	PQ06 - CURRENT WORK: UNEMPLOYED	1	Checked
PQ06_WRK_LOF	PQ06 - CURRENT WORK: LAID OFF	1	Checked
PQ06_WRK_VOL	PQ06 - CURRENT WORK: VOLUNTEER	1	Checked
PQ06_WRK_OTH	PQ06 - CURRENT WORK: OTHER	1	Checked
PQ06_WRK_OTH_SPE	PQ06 - CURRENT WORK: OTHER: SPECIFICATION		
PQ06_FIN	PQ06 - FAMILY INCOME	-1	Missing data
		0	Less than 20 000\$
		1	20 000 - 34 999\$
		2	35 000 - 49 999\$
		3	50 000 - 64 999\$
		4	65 000 - 79 999\$
		5	80 000 - 99 999\$
		6	100 000 - 119 999\$
		7	120 000\$ and more

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
		8	Do not wish to answer
PQ06_SINC_Q1	PQ06 - PRINCIPAL INCOME SOURCE	-1	Missing data
		1	Employment wages or salary
		2	Disability benefits from the CSST (Commission de la Santé et Sécurité au travail)
		3	Disability benefits from the SAAQ (Société d'assurance-automobile du Québec)
		4	Disability benefits from the IVAC (Indemnisation des victimes d'actes criminels)
		5	Disability payments or pension through employer
		6	Personal insurance
		7	Retirement pension (retirement pension, old age security, Quebec pension plan)
		8	Canada disability pension
		9	Employment insurance
		10	Social assistance
		11	Personal savings or investments
		12	Assured income for the severely handicapped
		13	Family member
		14	Other
PQ06_SINC_Q1_OTH_SPE	PQ06 - SPECIFICATION OF PRINCIPAL INCOME SOURCE, IF OTHER		
PQ06_SINC_Q2_CSST	PQ06 - PRESENT: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_SINC_Q2_SAAQ	PQ06 - PRESENT: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q2_IVAC	PQ06 - PRESENT: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q2_EMPL	PQ06 - PRESENT: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q2_PRSA	PQ06 - PRESENT: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q3_CSST	PQ06 - IN PROCESS: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q3_SAAQ	PQ06 - IN PROCESS: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q3_IVAC	PQ06 - IN PROCESS: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

6-month follow-up patient questionnaire

**Number of Variables: 169**

Variable Name	Variable Label	Code	Value
PQ06_SINC_Q3_EMPL	PQ06 - IN PROCESS: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q3_PRSA	PQ06 - IN PROCESS: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ06_SINC_Q3_1_LIT	PQ06 - OUTSTANDING LITIGATION RELATED TO CLAIM	-1	Missing data
		0	No
		1	Yes
		2	Not applicable

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



## 12 Month Nurse Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
DB			
CODEID	UNIQUE CODE OF THE SUBJECT		
NQ12_VISIT_DATE	'NQ12 - VISIT DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
NQ12_COMPLETED	'NQ12 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
NQ12_NOT_COMPL_REASON	'NQ12 - QUESTIONNAIRE NOT COMPLETED, REASON		
NQ12_LOST_TO_FUP	'NQ12 - LOST TO FU	-1	Missing data
		0	No
		1	Yes
NQ12_LOST_TO_FUP_REASON	'NQ12 - LOST TO FU, REASON		
NQ12_PATIENT_QUESTION_1A	'NQ12 - FOLLOW UP AT PAIN CLINIC	1	Follow up expected at the pain clinic

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Follow up at the pain clinic if necessary
		3	Decided not to return to the pain clinic
		4	Has been discharged by the doctor of the pain clinic (1b)
NQ12_PATIENT_QUESTION_1B	'NQ12 - REFERRED TO, IF DISCHARGED	1	Family doctor
		2	Specialist who referred the patient
		3	Other specialist
		4	Not referred
		5	Autre
NQ12_PATIENT_QUESTION_1B_OTHER	'NQ12 - REFERRED TO, IF OTHER		
NQ12_PATIENT_QUESTION_1C	'NQ12 - PAIN FOR WHICH PATIENT INITIALLY CONSULTED	1	Still present
		2	Completely relieved
NQ12_PAIN_FRQ_IN_P7DAYS	'NQ12 - PAIN IN PAST 7 DAYS	-2	Missing data
		1	Always present
		2	Occasionally
		3	No pain
NQ12_PAIN_IN_P7DAYS	'NQ12 - NO OF DAYS IN PAIN IN PAST 7 DAYS, IF OCCASIONALLY		
NQ12_PAIN_IN_PMONTH	'NQ12 - NO OF DAYS IN PAIN IN PAST MONTH, IF NO PAIN		
NQ12_PAIN_FRQ_IN_PMONTH	†'NQ12 - PAIN FREQUENCY (DAYS)		
NQ12_DN4_Q1_1	'NQ12 - DN4: BURNING	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1	Yes
NQ12_DN4_Q1_2	<sup>1</sup> NQ12 - DN4: PAINFUL COLD	-1	Missing data
		0	No
		1	Yes
NQ12_DN4_Q1_3	<sup>1</sup> NQ12 - DN4: ELECTRIC SHOCKS	-1	Missing data
		0	No
		1	Yes
NQ12_DN4_Q2_4	<sup>1</sup> NQ12 - DN4: TINGLING	-1	Missing data
		0	No
		1	Yes
NQ12_DN4_Q2_5	<sup>1</sup> NQ12 - DN4: PINS & NEEDLES	-1	Missing data
		0	No
		1	Yes
NQ12_DN4_Q2_6	<sup>1</sup> NQ12 - DN4: ITCHING	-1	Missing data
		0	No
		1	Yes
NQ12_DN4_Q2_7	<sup>1</sup> NQ12 - DN4: NUMBNESS	-1	Missing data
		0	No
		1	Yes
NQ12_DN4_SS	<sup>†</sup> NQ12 - DN4: SUBSCORE BASED ON THE FIRST 7 ITEMS		

<sup>†</sup> Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_TXP_INJ_NUS	'NQ12 - TX: INJECTIONS: NEVER USED	1	Checked
NQ12_TXP_INJ_CODE	*NQ12 - TX: INJECTION: CODE	1	Epidural injection
		2	Epidural continuous infusion
		3	Caudal block
		4	Intradiscal injection
		5	Facet joint block
		6	Medial branch block
		7	Foraminal block
		8	Paravertebral block
		9	Occipital nerve block
		10	Intercostal nerve block
		11	Peripheral nerve block
		12	Trigger point injections
		13	Intra-articular injection
		14	Intravenous regional blockade
		15	Injection of botulinum toxin (Botox)
		16	Intrathecal injection
		17	Intrathecal continuous infusion
		18	Spinal cord stimulation
		19	Sympathetic block (local anesthetic)
		20	Stellar
		21	Celiac
		22	Lumbar
		23	Impar ganglion

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		24	Sympathectomy (neurolytic agent)
		25	stellar
		26	celiac
		27	lumbar
		28	Impar ganglion
		29	Intrathecal neurolysis
		30	Medial branch neurolysis
		31	Peripheral neurolysis
		32	IDET (Intradiscal Electrothermal Therapy)
		33	Coblation
		34	Subcutaneous infiltration
		35	Muscular infiltration
		36	Lumbar discography
		37	Ketamine + versed infusion
		38	Trigeminal nerve block
		39	Ketamine infusion
		40	Lidocaine infusion (xylocaine infusion)
		41	Cortisone infusion
		42	Kadian infusion
		43	Synvisc infiltration
		44	Biacuplasty
		45	Thermocoagulation (Rhizotomy sacroiliac by thermolesion (Sinergy))
		46	Epidural parasagittal
		47	Unknown type

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		48	If other, specify
NQ12_TXP_INJ_CODE_SPE	*!NQ12 - TX: INJECTION: SPECIFY IF OTHER		
NQ12_TXP_INJ_CODE_FRQ	*!NQ12 - TX: INJECTION: NO TIMES		
NQ12_TXP_INJ_CODE_PSU_D	*!NQ12 - TX: INJECTION: PAST USE	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_INJ_CODE_DKN_D	*!NQ12 - TX: INJECTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_IMP_PUMP_NUS_D	!NQ12 - TX: IMPLANTABLE PUMP: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_IMP_PUMP_PRU_D	'NQ12 - TX: IMPLANTABLE PUMP: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_IMP_PUMP_PSU_D	'NQ12 - TX: IMPLANTABLE PUMP: USED IN PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_IMP_PUMP_DKN_D	'NQ12 - TX: IMPLANTABLE PUMP: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_NRV_STIM_NUS_D	'NQ12 - TX: IMPLANTABLE NERVE STIMULATOR: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_NRV_STIM_PRU_D	'NQ12 - TX: IMPLANTABLE NERVE STIMULATOR: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_NRV_STIM_PSU_D	'NQ12 - TX: IMPLANTABLE NERVE STIMULATOR: USED IN PAST 6 MONTHS	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_NRV_STIM_DKN_D	'NQ12 - TX: IMPLANTABLE NERVE STIMULATOR: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_NUS	'NQ12 - TX: SURGERY: NEVER USED	1	Checked
NQ12_TXP_SRG_TYPA_SPE	'NQ12 - TX: SURGERY A: TYPE		
NQ12_TXP_SRG_TYPA_PSU_D	'NQ12 - TX: SURGERY A: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPA_DKN_D	'NQ12 - TX: SURGERY A: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPB_SPE	'NQ12 - TX: SURGERY B: TYPE		
NQ12_TXP_SRG_TYPB_PSU_D	'NQ12 - TX: SURGERY B: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPB_DKN_D	'NQ12 - TX: SURGERY B: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPC_SPE	'NQ12 - TX: SURGERY C: TYPE		
NQ12_TXP_SRG_TYPC_PSU_D	'NQ12 - TX: SURGERY C: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPC_DKN_D	'NQ12 - TX: SURGERY C: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ12_TXP_SRG_TYPD_SPE	'NQ12 - TX: SURGERY D: TYPE		
NQ12_TXP_SRG_TYPD_PSU_D	'NQ12 - TX: SURGERY D: USED IN THE PAST 6 MONTHS		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ12_TXP_SRG_TYPD_DKN_D	'NQ12 - TX: SURGERY D: DON'T KNOW		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ12_TXP_SRG_TYPE_SPE	'NQ12 - TX: SURGERY E: TYPE		
NQ12_TXP_SRG_TYPE_PSU_D	'NQ12 - TX: SURGERY E: USED IN THE PAST 6 MONTHS		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPE_DKN_D	'NQ12 - TX: SURGERY E: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPF_SPE	'NQ12 - TX: SURGERY F: TYPE		
NQ12_TXP_SRG_TYPF_PSU_D	'NQ12 - TX: SURGERY F: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPF_DKN_D	'NQ12 - TX: SURGERY F: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPG_SPE	'NQ12 - TX: SURGERY G: TYPE		
NQ12_TXP_SRG_TYPG_PSU_D	'NQ12 - TX: SURGERY G: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPG_DKN_D	'NQ12 - TX: SURGERY G: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ12_TXP_SRG_TYPH_SPE	'NQ12 - TX: SURGERY H: TYPE		
NQ12_TXP_SRG_TYPH_PSU_D	'NQ12 - TX: SURGERY H: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_SRG_TYPH_DKN_D	'NQ12 - TX: SURGERY H: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_RLX_NUS_D	NQ12 - TX: RELAXATION/BREATHING TECH.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_RLX_PRU_D	NQ12 - TX: RELAXATION/BREATHING TECH.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_RLX_PSU_D	NQ12 - TX: RELAXATION/BREATHING TECH.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_RLX_DKN_D	NQ12 - TX: RELAXATION/BREATHING TECH.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_MED_NUS_D	NQ12 - TX: MEDITATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_MED_PRU_D	NQ12 - TX: MEDITATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_MED_PSU_D	NQ12 - TX: MEDITATION: USED IN THE PAST	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_MED_DKN_D	NQ12 - TX: MEDITATION; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_HYP_NUS_D	NQ12 - TX: HYPNOSIS; NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_HYP_PRU_D	NQ12 - TX: HYPNOSIS; CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_HYP_PSU_D	NQ12 - TX: HYPNOSIS: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_HYP_DKN_D	NQ12 - TX: HYPNOSIS: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_TXP_PSY_VIS_NUS_D	NQ12 - TX: VISUALISATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_VIS_PRU_D	NQ12 - TX: VISUALISATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_VIS_PSU_D	NQ12 - TX: VISUALISATION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ12_TXP_PSY_VIS_DKN_D	NQ12 - TX: VISUALISATION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IDS_NUS_D	NQ12 - TX: IND. DISTRACTION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IDS_PRU_D	NQ12 - TX: IND. DISTRACTION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IDS_PSU_D	NQ12 - TX: IND. DISTRACTION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IDS_DKN_D	NQ12 - TX: IND. DISTRACTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IPS_NUS_D	NQ12 - TX: IND. PSYCHOTHERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IPS_PRU_D	NQ12 - TX: IND. PSYCHOTHERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IPS_PSU_D	NQ12 - TX: IND. PSYCHOTHERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_IPS_DKN_D	NQ12 - TX: IND. PSYCHOTHERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_GTH_NUS_D	NQ12 - TX: GROUP THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_GTH_PRU_D	NQ12 - TX: GROUP THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_GTH_PSU_D	NQ12 - TX: GROUP THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_GTH_DKN_D	NQ12 - TX: GROUP THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_SSG_NUS_D	NQ12 - TX: SELF-HELP SUPPORT GROUP: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_SSG_PRU_D	NQ12 - TX: SELF-HELP SUPPORT GROUP: CURRENTLY USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_SSG_PSU_D	NQ12 - TX: SELF-HELP SUPPORT GROUP: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_SSG_DKN_D	NQ12 - TX: SELF-HELP SUPPORT GROUP: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_OTH_SPE	NQ12 - TX: OTHER SELF-MANAG. STRAT.: TYPE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_TXP_PSY_OTH_NUS_D	NQ12 - TX: OTHER SELF-MANAG. STRATEGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_OTH_PRU_D	NQ12 - TX: OTHER SELF-MANAG. STRATEGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PSY_OTH_PSU_D	NQ12 - TX: OTHER SELF-MANAG. STRATEGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ12_TXP_PSY_OTH_DKN_D	NQ12 - TX: OTHER SELF-MANAG. STRATEGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_PHY_NUS_D	NQ12 - TX: PHYSIOTHERAPY EX.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_PHY_PRU_D	NQ12 - TX: PHYSIOTHERAPY EX.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_PHY_PSU_D	NQ12 - TX: PHYSIOTHERAPY EX.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_PHY_DKN_D	NQ12 - TX: PHYSIOTHERAPY EX.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OCC_NUS_D	NQ12 - TX: OCCUPATIONNAL THERAPY TX: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OCC_PRU_D	NQ12 - TX: OCCUPATIONNAL THERAPY TX: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OCC_PSU_D	NQ12 - TX: OCCUPATIONNAL THERAPY TX: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OCC_DKN_D	NQ12 - TX: OCCUPATIONNAL THERAPY TX: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_HYD_NUS_D	NQ12 - TX: HYDRO/AQUATHERAPY/HOT BATH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_HYD_PRU_D	NQ12 - TX: HYDRO/AQUATHERAPY/HOT BATH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_HYD_PSU_D	NQ12 - TX: HYDRO/AQUATHERAPY/HOT BATH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_HYD_DKN_D	NQ12 - TX: HYDRO/AQUATHERAPY/HOT BATH: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ELE_NUS_D	NQ12 - TX: ELECTRO-STIMULATION (TENS): NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ELE_PRU_D	NQ12 - TX: ELECTRO-STIMULATION (TENS): CURRENTLY USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ELE_PSU_D	NQ12 - TX: ELECTRO-STIMULATION (TENS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ELE_DKN_D	NQ12 - TX: ELECTRO-STIMULATION (TENS): DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_IMS_NUS_D	NQ12 - TX: INTRAMUSCULAR STIMULATION (IMS): NEVER USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_IMS_PRU_D	NQ12 - TX: INTRAMUSCULAR STIMULATION (IMS): CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_IMS_PSU_D	NQ12 - TX: INTRAMUSCULAR STIMULATION (IMS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_TXP_PHY_IMS_DKN_D	NQ12 - TX: INTRAMUSCULAR STIMULATION (IMS); DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ULT_NUS_D	NQ12 - TX: ULTRASOUND: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ULT_PRU_D	NQ12 - TX: ULTRASOUND: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ12_TXP_PHY_ULT_PSU_D	NQ12 - TX: ULTRASOUND: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ULT_DKN_D	NQ12 - TX: ULTRASOUND: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_BIO_NUS_D	NQ12 - TX: BIOFEEDBACK: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_BIO_PRU_D	NQ12 - TX: BIOFEEDBACK: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_BIO_PSU_D	NQ12 - TX: BIOFEEDBACK: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_BIO_DKN_D	NQ12 - TX: BIOFEEDBACK: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ACU_NUS_D	NQ12 - TX: ACUPUNCTURE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ACU_PRU_D	NQ12 - TX: ACUPUNCTURE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ACU_PSU_D	NQ12 - TX: ACUPUNCTURE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_ACU_DKN_D	NQ12 - TX: ACUPUNCTURE: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MAS_NUS_D	NQ12 - TX: MASSOTHERAPY/MASSAGE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MAS_PRU_D	NQ12 - TX: MASSOTHERAPY/MASSAGE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MAS_PSU_D	NQ12 - TX: MASSOTHERAPY/MASSAGE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MAS_DKN_D	NQ12 - TX: MASSOTHERAPY/MASSAGE: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_CHI_NUS_D	NQ12 - TX: CHIROPRACTIC: NEVER USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_CHI_PRU_D	NQ12 - TX: CHIROPRACTIC: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_CHI_PSU_D	NQ12 - TX: CHIROPRACTIC: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_CHI_DKN_D	NQ12 - TX: CHIROPRACTIC: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OST_NUS_D	NQ12 - TX: OSTEOPATHY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OST_PRU_D	NQ12 - TX: OSTEOPATHY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_TXP_PHY_OST_PSU_D	NQ12 - TX: OSTEOPATHY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OST_DKN_D	NQ12 - TX: OSTEOPATHY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_TTC_NUS_D	NQ12 - TX: THERAPEUTIC TOUCH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ12_TXP_PHY_TTC_PRU_D	NQ12 - TX: THERAPEUTIC TOUCH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_TTC_PSU_D	NQ12 - TX: THERAPEUTIC TOUCH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_TTC_DKN_D	NQ12 - TX: THERAPEUTIC TOUCH: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REF_NUS_D	NQ12 - TX: REFLEXOLOGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REF_PRU_D	NQ12 - TX: REFLEXOLOGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REF_PSU_D	NQ12 - TX: REFLEXOLOGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REF_DKN_D	NQ12 - TX: REFLEXOLOGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REI_NUS_D	NQ12 - TX: REIKI: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REI_PRU_D	NQ12 - TX: REIKI: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REI_PSU_D	NQ12 - TX: REIKI: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_REI_DKN_D	NQ12 - TX: REIKI: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MGT_NUS_D	NQ12 - TX: MAGNET THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MGT_PRU_D	NQ12 - TX: MAGNET THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MGT_PSU_D	NQ12 - TX: MAGNET THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_MGT_DKN_D	NQ12 - TX: MAGNET THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OTH_SPE	NQ12 - TX: OTHER PHYSICAL THERAPY: TYPE		
NQ12_TXP_PHY_OTH_NUS_D	NQ12 - TX: OTHER PHYSICAL THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OTH_PRU_D	NQ12 - TX: OTHER PHYSICAL THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_TXP_PHY_OTH_PSU_D	NQ12 - TX: OTHER PHYSICAL THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_PHY_OTH_DKN_D	NQ12 - TX: OTHER PHYSICAL THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH1_SPE	NQ12 - TX: OTHER 1: TYPE		
NQ12_TXP_OTH1_NUS_D	NQ12 - TX: OTHER 1: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH1_PRU_D	NQ12 - TX: OTHER 1: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH1_PSU_D	NQ12 - TX: OTHER 1: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH1_DKN_D	NQ12 - TX: OTHER 1: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH2_SPE	NQ12 - TX: OTHER 2: TYPE		
NQ12_TXP_OTH2_NUS_D	NQ12 - TX: OTHER 2: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH2_PRU_D	NQ12 - TX: OTHER 2: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH2_PSU_D	NQ12 - TX: OTHER 2: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_TXP_OTH2_DKN_D	NQ12 - TX: OTHER 2: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ12_CPM	NQ12 - NO MEDICATION, MARIJUANA, CANNABIS, HASCHICH OR NATURAL PRODUCT USED	1	Checked
NQ12_CPM_ANA	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DIN		
NQ12_CPM_BNM	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: BRAND NAME†		
NQ12_CPM_ACT	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: ACTIVE INGREDIENT†		
NQ12_CPM_POS	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: POSOLOGY		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_CPM_UN	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: UNITS	0	MG
		1	MCG
		2	UI
		3	ND
NQ12_CPM_FRQ	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ	0	DIE
		1	BID
		2	TID
		3	QID
		4	Autre
NQ12_CPM_OFR	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: OTHER FREQ		
NQ12_CPM_FQB	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ BY	0	Day
		1	Week
		3	Month
NQ12_CPM_DTM	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-MONTH		
NQ12_CPM_DTY	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-YEAR		
NQ12_CPM_EFF	*NQ12 - ACTUAL MEDICATIONS FOR PAIN RELIEF: EFFICACY	0	Not helpful
		1	Helpful
		2	Don't know
NQ12_SIDE_EFFECT_NOT_APPLICABLE	!NQ12 - SIDE EFFECTS: NOT APPLICABLE	1	Checked
NQ12_SIDE_EFFECT_1	!NQ12 - SIDE EFFECTS: LIGHT-HEADEDNESS / DIZZINESS	0	None

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_2	<sup>1</sup> NQ12 - SIDE EFFECTS: DROWSINESS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_3	<sup>1</sup> NQ12 - SIDE EFFECTS: CONFUSION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_4	<sup>1</sup> NQ12 - SIDE EFFECTS: NAUSEA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_5	<sup>1</sup> NQ12 - SIDE EFFECTS: VOMITING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_6	<sup>1</sup> NQ12 - SIDE EFFECTS: IMPAIRED MEMORY	0	None
		1	Mild
		2	Moderate

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Severe
NQ12_SIDE_EFFECT_7	<sup>1</sup> NQ12 - SIDE EFFECTS: DRY MOUTH	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_8	<sup>1</sup> NQ12 - SIDE EFFECTS: ITCHING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_9	<sup>1</sup> NQ12 - SIDE EFFECTS: ABDOMINAL DISCOMFORT	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_10	<sup>1</sup> NQ12 - SIDE EFFECTS: CONSTIPATION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_11	<sup>1</sup> NQ12 - SIDE EFFECTS: SLOWING OF THE URINE STREAM	0	None
		1	Mild
		2	Moderate
		3	Severe

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_SIDE_EFFECT_12	'NQ12 - SIDE EFFECTS: FATIGUE	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_13	'NQ12 - SIDE EFFECTS: INSOMNIA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_14	'NQ12 - SIDE EFFECTS: SWELLING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_15	'NQ12 - SIDE EFFECTS: WEIGHT GAIN	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_16	'NQ12 - SIDE EFFECTS: VISUAL BLURRING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_17	'NQ12 - SIDE EFFECTS: DECREASED SEX DRIVE	0	None
		1	Mild

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_18	'NQ12 - SIDE EFFECTS: HALLUCINATIONS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_19	'NQ12 - SIDE EFFECTS: NIGHTMARES	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_SIDE_EFFECT_OTHER_SPE	*'NQ12 - OTHER SIDE EFFECT: NAME - up to 12		
NQ12_SIDE_EFFECT_OTHER	*'NQ12 - OTHER SIDE EFFECT: SEVERITY	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ12_NO_OTHER_MEDS	'NQ12 - ACTUAL OTHER MEDICATIONS: NO OTHER MEDICATION	1	Checked
NQ12_OTHER_MED	*'NQ12 - OTHER MEDICATIONS: DIN - up to 30		
NQ12_OTHER_MED_BN	†*'NQ12 - OTHER MEDICATIONS: BRAND NAME		
NQ12_OTHER_MED_AI	†*'NQ12 - OTHER MEDICATIONS: ACTIVE INGREDIENT		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ12_NO_OTH_NAT_PRODUCTS	'NQ12 - ACTUAL OTHER MEDICATIONS: NO OTHER NATURAL PRODUCT	1	Checked
NQ12_OTH_NAT_PRODUCT	*'NQ12 - NATURAL PRODUCT: NAME - up to 6		
NQ12_ALLERGIES	'NQ12 - ALLERGY TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ12_ALLERGIES_SPE	*'NQ12 - MEDICATIONS: NAME - up to 11		
NQ12_INTOLERANCES	'NQ12 - INTOLERANCE TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ12_INTOLERANCES_SPE	*'NQ12 - MEDICATIONS: NAME - up to 11		
NQ12_PPM	'NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS	-1	Missing data
		0	No
		1	Yes
NQ12_PPM_PREVIOUS_USE	*'NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : USED IN THE PAST 6 MONTHS BUT STOPPED	-1	Missing data
		0	No
		1	Yes
		2	Don't know
NQ12_PPM_BRAND_NAME	†*'NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : BRAND NAME		
NQ12_PPM_ACTIVE_INGREDIENT	†*'NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : ACTIVE INGREDIENT		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_PPM_DIN	*!NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : DIN		
NQ12_PPM_STOPPED_SE	*!NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: SIDE EFFECTS	-1	Missing data
		0	No
		1	Yes
NQ12_PPM_STOPPED_COST	*!NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: COST	-1	Missing data
		0	No
		1	Yes
NQ12_PPM_STOPPED_LB	*!NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: LACK OF BENEFIT	-1	Missing data
		0	No
		1	Yes
NQ12_PPM_STOPPED_NN	*!NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: NOT NEEDED	-1	Missing data
		0	No
		1	Yes
NQ12_PPM_STOPPED_DK	*!NQ12 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: DON'T KNOW OR OTHER REASON	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_01	!NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ANAESTHESIOLOGIST	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		1	Yes
NQ12_HC_PROVIDER_01_IH	<sup>1</sup> NQ12 - ANAESTHESIOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_01_OH	<sup>1</sup> NQ12 - ANAESTHESIOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_02	<sup>1</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NEUROLOGIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_02_IH	<sup>1</sup> NQ12 - NEUROLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_02_OH	<sup>1</sup> NQ12 - NEUROLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_03	<sup>1</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NEUROSURGEON	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_03_IH	<sup>1</sup> NQ12 - NEUROSURGEON: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_03_OH	<sup>1</sup> NQ12 - NEUROSURGEON: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_04	<sup>1</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ORTHOPAEDIC	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_04_IH	<sup>1</sup> NQ12 - ORTHOPAEDIC: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_04_OH	<sup>1</sup> NQ12 - ORTHOPAEDIC: NO TIMES VIS. OUTSIDE THE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_HC_PROVIDER_05	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SCPEC. IN PHYSIATRY & REHAB.	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_05_IH	'NQ12 - SCPEC. IN PHYSIATRY & REHAB.: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_05_OH	'NQ12 - SCPEC. IN PHYSIATRY & REHAB.: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_06	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PSYCHIATRIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_06_IH	'NQ12 - PSYCHIATRIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_06_OH	'NQ12 - PSYCHIATRIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_07	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: RHEUMATOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_07_IH	'NQ12 - RHEUMATOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_07_OH	'NQ12 - RHEUMATOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_08	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: FAMILY PRACTITIONER	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ12_HC_PROVIDER_08_IH	'NQ12 - FAMILY PRACTITIONER: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_08_OH	'NQ12 - FAMILY PRACTITIONER: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_09	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: REHABILITATION CENTRE	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_09_IH	'NQ12 - REHABILITATION CENTRE: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_09_OH	'NQ12 - REHABILITATION CENTRE: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_10	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OCCUPATIONNAL THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_10_IH	'NQ12 - OCCUPATIONNAL THERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_10_OH	'NQ12 - OCCUPATIONNAL THERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_11	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PHYSIOTHERAPIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_11_IH	'NQ12 - PHYSIOTHERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_11_OH	'NQ12 - PHYSIOTHERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_HC_PROVIDER_12	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PSYCHOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_12_IH	'NQ12 - PSYCHOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_12_OH	'NQ12 - PSYCHOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_13	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NURSE	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_13_IH	'NQ12 - NURSE: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_13_OH	'NQ12 - NURSE: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_14	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SOCIAL WORKER	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_14_IH	'NQ12 - SOCIAL WORKER: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_14_OH	'NQ12 - SOCIAL WORKER: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_15	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ACUPUNCTURIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_15_IH	'NQ12 - ACUPUNCTURIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_HC_PROVIDER_15_OH	<sup>†</sup> NQ12 - ACUPUNCTURIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_16	<sup>†</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: CHIROPRACTOR	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_16_IH	<sup>†</sup> NQ12 - CHIROPRACTOR: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_16_OH	<sup>†</sup> NQ12 - CHIROPRACTOR: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_17	<sup>†</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: MASSAGE THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_17_IH	<sup>†</sup> NQ12 - MASSAGE THERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_17_OH	<sup>†</sup> NQ12 - MASSAGE THERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_18	<sup>†</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OSTEOPATH	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_18_IH	<sup>†</sup> NQ12 - OSTEOPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_18_OH	<sup>†</sup> NQ12 - OSTEOPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_19	<sup>†</sup> NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: KINESITHERAPIST	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# **QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1	Yes
NQ12_HC_PROVIDER_19_IH	'NQ12 - KINESITHERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_19_OH	'NQ12 - KINESITHERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_20	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NATUROPATH	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_20_IH	'NQ12 - NATUROPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_20_OH	'NQ12 - NATUROPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_21	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: HOMEOPATH	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_21_IH	'NQ12 - HOMEOPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_21_OH	'NQ12 - HOMEOPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_22	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: RADIOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_22_IH	'NQ12 - RADIOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_22_OH	'NQ12 - RADIOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_HC_PROVIDER_23	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: GYNAECOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_23_IH	'NQ12 - GYNAECOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_23_OH	'NQ12 - GYNAECOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_24	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: DENTIST	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_24_IH	'NQ12 - DENTIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_24_OH	'NQ12 - DENTIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_25	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OTHER PAIN CLINIC	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_25_IH	'NQ12 - OTHER PAIN CLINIC: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_25_OH	'NQ12 - OTHER PAIN CLINIC: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_26	'NQ12 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: EMERGENCY PHYSICIAN	-1	Missing data
		0	No
		1	Yes
NQ12_HC_PROVIDER_26_IH	'NQ12 - EMERGENCY PHYSICIAN: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ12_HC_PROVIDER_26_OH	'NQ12 - EMERGENCY PHYSICIAN: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_HC_PROVIDER_OTH_SPE	*'NQ12 - OTHER HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SPECIFY		
NQ12_HC_PROVIDER_OTH_IH	*'NQ12 - OTHER HEALTH PROF: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ12_HC_PROVIDER_OTH_OH	*'NQ12 - OTHER HEALTH PROF: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ12_NEW_HEALTH_PROBLEMS	'NQ12 - MED. HIST.: NEW HEALTH PROBLEMS IN PAST 6 MOS	-1	Missing data
		0	No
		1	Yes
NQ12_MH_DI_TYP	'NQ12 - MED. HIST.: DIABETES TYPE	1	Type 1
		2	Type 2
NQ12_MH_DI	'NQ12 - MED. HIST.: DIABETES	-1	Missing data
		0	No
		1	Yes
NQ12_MH_DI_SPE	'NQ12 - MED. HIST.: DIABETES: SPECIFICATIONS		
NQ12_MH_BP	'NQ12 - ED. HIST.: HBP (HYPERTENSION)	-1	Missing data
		0	No
		1	Yes
NQ12_MH_BP_SPE	'NQ12 - ED. HIST.: HBP (HYPERTENSION): SPECIFICATIONS		
NQ12_MH_LI	'NQ12 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA)	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ12_MH_LI_SPE	'NQ12 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA): SPECIFICATIONS		
NQ12_MH_AN	'NQ12 - ED. HIST.: ANGINA/HEART ATTACK	-1	Missing data
		0	No
		1	Yes
NQ12_MH_AN_SPE	'NQ12 - ED. HIST.: ANGINA/HEART ATTACK: SPECIFICATIONS		
NQ12_MH_HF	'NQ12 - ED. HIST.: HEART FAILURE	-1	Missing data
		0	No
		1	Yes
NQ12_MH_HF_SPE	'NQ12 - ED. HIST.: HEART FAILURE: SPECIFICATIONS		
NQ12_MH_CE	'NQ12 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE)	-1	Missing data
		0	No
		1	Yes
NQ12_MH_CE_SPE	'NQ12 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE): SPECIFICATIONS		
NQ12_MH_HY	'NQ12 - ED. HIST.: HYPOTHYROIDISM	-1	Missing data
		0	No
		1	Yes
NQ12_MH_HY_SPE	'NQ12 - ED. HIST.: HYPOTHYROIDISM: SPECIFICATIONS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ12_MH_CO	'NQ12 - ED. HIST.: COPD	-1	Missing data
		0	No
		1	Yes
NQ12_MH_CO_SPE	'NQ12 - ED. HIST.: COPD: SPECIFICATIONS		
NQ12_MH_AS	'NQ12 - ED. HIST.: ASTHMA	-1	Missing data
		0	No
		1	Yes
NQ12_MH_AS_SPE	'NQ12 - ED. HIST.: ASTHMA: SPECIFICATIONS		
NQ12_MH_AX	'NQ12 - MED. HIST.: ANXIETY DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ12_MH_AX_SPE	'NQ12 - MED. HIST.: ANXIETY DISORDERS: SPECIFICATIONS		
NQ12_MH_DP_MED	'NQ12 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED MEDICATION		
NQ12_MH_DP_HOS	'NQ12 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED HOSPITALIZATION		
NQ12_MH_DP	'NQ12 - MED. HIST.: DEPRESSIVE DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ12_MH_IB	'NQ12 - MED. HIST.: IRRITABLE BOWEL SYNDROME	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		1	Yes
NQ12_MH_IB_SPE	<sup>1</sup> NQ12 - MED. HIST.: IRRITABLE BOWEL SYNDROME: SPECIFICATIONS		
NQ12_MH_MI	<sup>1</sup> NQ12 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE	-1	Missing data
		0	No
		1	Yes
NQ12_MH_MI_SPE	<sup>1</sup> NQ12 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE: SPECIFICATIONS		
NQ12_MH_RL	<sup>1</sup> NQ12 - MED. HIST.: RESTLESS LEG SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ12_MH_RL_SPE	<sup>1</sup> NQ12 - MED. HIST.: RESTLESS LEG SYNDROME: SPECIFICATIONS		
NQ12_MH_DM	<sup>1</sup> NQ12 - MED. HIST.: DYSMENORRHOEA	-1	Missing data
		0	No
		1	Yes
NQ12_MH_DM_SPE	<sup>1</sup> NQ12 - MED. HIST.: DYSMENORRHOEA: SPECIFICATIONS		
NQ12_MH_CY	<sup>1</sup> NQ12 - MED. HIST.: INTERSTITIAL CYSTITIS	-1	Missing data
		0	No
		1	Yes
NQ12_MH_CY_SPE	<sup>1</sup> NQ12 - MED. HIST.: INTERSTITIAL CYSTITIS: SPECIFICATIONS		
NQ12_MH_BR	<sup>1</sup> NQ12 - MED. HIST.: BRUXISM	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ12_MH_BR_SPE	'NQ12 - MED. HIST.: BRUXISM: SPECIFICATIONS		
NQ12_MH_CS	'NQ12 - MED. HIST.: CHRONIC SNORING	-1	Missing data
		0	No
		1	Yes
NQ12_MH_CS_SPE	'NQ12 - MED. HIST.: CHRONIC SNORING: SPECIFICATIONS		
NQ12_MH_FI	'NQ12 - MED. HIST.: FIBROMYALGIA	-1	Missing data
		0	No
		1	Yes
NQ12_MH_FI_SPE	'NQ12 - MED. HIST.: FIBROMYALGIA: SPECIFICATIONS		
NQ12_MH_RA	'NQ12 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHRISIS	-1	Missing data
		0	No
		1	Yes
NQ12_MH_RA_SPE	'NQ12 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHRISIS: SPECIFICATIONS		
NQ12_MH_TM	'NQ12 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFONCTION	-1	Missing data
		0	No
		1	Yes
NQ12_MH_TM_SPE	'NQ12 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFONCTION: SPECIFICATIONS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ12_MH_OTH_DES	*NQ12 - MED. HIST.: OTHER: DESCRIPTION		
NQ12_MH_OTH_SPE	*NQ12 - MED. HIST.: OTHER: SPECIFICATIONS		
NQ12_MH_ER	'NQ12 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ12_MH_ER_FRQ	'NQ12 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ12_MH_HOSPITAL	'NQ12 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ12_MH_HOSPITAL_FRQ	'NQ12 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ12_MH_HOSPITAL_DAYS	'NQ12 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: TOT. NO DAYS		
NQ12_MOBILITY_IN_HOME	'NQ12 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME	0	None
		1	Cane
		2	Walker
		3	Wheelchair
		4	Other
NQ12_MOBILITY_IN_HOME_SPE	'NQ12 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME: TYPE, IF OTHER		
NQ12_MOBILITY_OUTSIDE	'NQ12 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE	0	None
		1	Cane

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Walker
		3	Wheelchair
		4	Other
NQ12_MOBILITY_OUTSIDE_SPE	'NQ12 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE: TYPE, IF OTHER		
NQ12_MOBILITY_SUPPORT_PAIN	'NQ12 - MOBILITY: USE OF MOBILITY SUPPORT RELATED TO PAIN	-1	Missing data
		0	No
		1	Yes
		2	Not applicable
NQ12_DX_CLINIC_O	*'NQ12 - PAIN CLINIC MED. DX: ORDER (1st, 2nd,...)		
NQ12_DX_CLINIC_G	*'NQ12 - PAIN CLINIC MED. DX: GENERAL CODE	-1	Missing data
		1	01-Cervical pain
		2	02-Thoracic pain
		3	03-Lumbar pain
		4	04-Sacral pain
		5	05-Coccygeal pain
		6	06-Abdominal pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	07-Pelvic pain
		8	08-Upper limb pain
		9	09-Lower limb pain
		10	10-Head & face painful syndromes
		11	11-Generalized syndromes
		12	12-Pregnancy
		13	13-Pain resolved
NQ12_DX_CLINIC_S	**NQ12 - PAIN CLINIC MED. DX: SPECIFIC CODE	-1	Missing data
		1.1	1.1-Cervical without radicular pain
		1.2	1.2-Cervical and radicular pain
		1.3	1.3-Radicular pain only
		1.4	1.4-Diffuse pain in the cervical region
		1.5	1.5-Torticollis
		1.6	1.6-Other cervical pain
		2.1	2.1-Thoracic without radicular pain
		2.2	2.2-Thoracic and radicular pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		2.3	2.3-Radicular pain only
		2.4	2.4-Diffuse pain in the thoracic region
		2.5	2.5-Acute herpes zoster
		2.6	2.6-Postherpetic neuralgia
		2.7	2.7-Costochondritis
		2.8	2.8-Post mastectomy
		2.9	2.9-Post thoracotomy
		2.10	2.10-Associated with a neoplasm
		2.11	2.11-Following cancer treatment (chemotherapy/radiotherapy)
		2.12	2.12-Following HIV and/or its treatment
		2.13	2.13-Refractory angina
		3.1	3.1-Lumbar without radicular pain
		3.2	3.2-Lumbar and radicular pain
		3.3	3.3-Radicular pain only
		3.4	3.4-Diffuse pain in the lumbar region
		3.5	3.5-Acute herpes zoster
		3.6	3.6-Postherpetic neuralgia
		3.7	3.7-Lumbar pain of uncertain origin
		3.8	3.8-Other lumbar pain
		4.1	4.1-Sacroiliitis
		4.2	4.2-Acute herpes zoster
		4.3	4.3-Postherpetic neuralgia
		4.4	4.4-Mechanical pain
		4.5	4.5-Traumatic origin

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4.6	4.6-Associated with a neoplasm
		5.1	5.1-Traumatic origin
		5.2	5.2-Associated with a neoplasm
		5.3	5.3-Following cancer treatment (chemotherapy/radiotherapy)
		6.1	6.1-Acute herpes zoster
		6.2	6.2-Postherpetic neuralgia
		6.3	6.3-Post-cholecystectomy
		6.4	6.4-Post-herniorrhaphy
		6.5	6.5-Irritable bowel syndrome
		6.6	6.6-Chronic pancreatitis
		6.7	6.7-Crohn's disease
		6.8	6.8-Ulcerative colitis
		6.9	6.9-Following surgery
		6.10	6.10-Associated with a neoplasm
		7.1	7.1-Endometriosis
		7.2	7.2-Vulvodynia
		7.3	7.3-Post-herniorrhaphy
		7.4	7.4-Acute herpes zoster
		7.5	7.5-Postherpetic neuralgia
		7.6	7.6-Chronic proctitis
		7.7	7.7-Interstitial cystitis
		7.8	7.8-Pudendal neuropathy
		8.1	8.1-Brachial plexopathy
		8.2	8.2-Bicipital tendinitis

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		8.3	8.3-Subacromial bursitis
		8.4	8.4-Rotator cuff tear or tendinitis
		8.5	8.5-Adhesive capsulitis and frozen shoulder
		8.6	8.6-Lateral epicondylitis
		8.7	8.7-Medial epicondylitis
		8.8	8.8-Cubital tunnel syndrome
		8.9	8.9-Carpal tunnel syndrome
		8.10	8.10-Acute herpes zoster
		8.11	8.11-Postherpetic neuralgia
		8.12	8.12-Diabetic neuropathy
		8.13	8.13-Other peripheral neuropathy
		8.14	8.14-Complex regional pain syndrome
		8.15	8.15-Stump pain
		8.16	8.16-Phantom pain
		8.17	8.17-Myofascial pain (trigger point)
		8.18	8.18-Traumatic origin
		9.1	9.1-Ischial bursitis
		9.2	9.2-Trochanteric bursitis
		9.3	9.3-Osteoarthritis of the hip
		9.4	9.4-Osteoarthritis of the knee
		9.5	9.5-Plantar fasciitis
		9.6	9.6-Sciatica neuralgia
		9.7	9.7-Obturator neuralgia
		9.8	9.8-Femoral neuralgia
		9.9	9.9-Piriformis syndrome

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		9.10	9.10-Plexopathy
		9.11	9.11-Acute herpes zoster
		9.12	9.12-Postherpetic neuralgia
		9.13	9.13-Diabetic neuropathy
		9.14	9.14-Other peripheral neuropathy
		9.15	9.15-Complex regional pain syndrome
		9.16	9.16-Post phlebotic pain syndrome
		9.17	9.17-Stump pain
		9.18	9.18-Phantom pain
		9.19	9.19-Myofascial pain (trigger point)
		9.20	9.20-Restless leg syndrome
		10.1	10.1-Migraine
		10.2	10.2-Headache
		10.3	10.3-Occipital neuralgia (Arnold)
		10.4	10.4-Trigeminal neuralgia
		10.5	10.5-Atypical facial neuralgia
		10.6	10.6-Myofascial pain (trigger point)
		10.7	10.7-Acute herpes zoster
		10.8	10.8-Postherpetic neuralgia
		10.9	10.9-Temporomandibular joint disorder
		10.10	10.10-Burning mouth syndrome
		10.11	10.11-Traumatic origin
		10.12	10.12-Following dental surgery
		10.13	10.13-Following other type of surgery
		10.14	10.14-Associated with neoplasm

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		10.15	10.15-Following cancer treatment (chemotherapy/radiotherapy)
		10.16	10.16-Following HIV and/or its treatment
		10.17	10.17-Head and face painful syndromes of uncertain origin
		10.18	10.18-Other head and face painful syndromes
		11.1	11.1-Fibromyalgia
		11.2	11.2-Diffuse myofascial pain syndrome
		11.3	11.3-Rheumatoid arthritis
		11.4	11.4-Other type of inflammatory arthritis
		11.5	11.5-Osteoarthritis
		11.6	11.6-Multiple sclerosis
		11.7	11.7-Central post-stroke pain (CVA)
		11.8	11.8-Diabetic polyneuropathy (upper + lower limbs)
		11.9	11.9-Autre polyneuropathie impliquant plus d'un membre (membre supérieur et inférieur)
		11.10	11.10-Widespread pain of uncertain origin
		11.11	11.11-Other generalized syndromes
		12.1	12.1-Post cesarean pain
		12.2	12.2-Postpartum pain
		12.3	12.3-Other pregnancy related pain
		13.1	13.1-Pain resolved (no more pain, no more pain medication)
		2.14	2.14-Thoracic pain of uncertain origin
		2.15	2.15-Other thoracic pain
		4.10	4.10-Other sacral pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4.7	4.7-Following cancer treatment (chemotherapy/radiotherapy)
		4.8	4.8-Following HIV (treatment or virus)
		4.9	4.9-Sacral pain of uncertain origin
		5.4	5.4-Following HIV and/or its treatment
		5.5	5.5-Coccygeal pain of uncertain origin
		5.6	5.6-Other coccygeal pain
		6.11	6.11-Following cancer treatment (chemotherapy/radiotherapy)
		6.12	6.12-Following HIV and/or its treatment
		6.13	6.13-Abdominal pain of uncertain origin
		6.14	6.14-Other abdominal pain
		7.10	7.10-Associated with a neoplasm
		7.11	7.11-Following cancer treatment (chemotherapy/radiotherapy)
		7.12	7.12-Following HIV and/or its treatment
		7.13	7.13-Pelvic pain of uncertain origin
		7.14	7.14-Other pelvic pain
		7.9	7.9-Following surgeryE
		8.19	8.19-Following surgery
		8.20	8.20-Associated with a neoplasm
		8.21	8.21-Following cancer treatment (chemotherapy/radiotherapy)
		8.22	8.22-Following HIV and/or its treatment
		8.23	8.23-Upper limb pain of uncertain origin
		8.24	8.24-Other upper limb pain
		9.21	9.21-Traumatic origin

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		9.22	9.22-Following surgery
		9.23	9.23-Associated with a neoplasm
		9.24	9.24-Following cancer treatment (chemotherapy/radiotherapy)
		9.25	9.25-Following HIV and/or its treatment
		9.26	9.26-Lower limb pain of uncertain origin
		9.27	9.27-Other lower limb pain
NQ12_DX_CLINIC_S_SPE	*!NQ12 - DX: SPECIFIC CODE SPECIFICATION, IF OTHER		
NQ12_DX_CLINIC_E	*!NQ12 - PAIN CLINIC MED. DX: ETIOLOGY	-1	Na
		1.a	1.a-Muscular
		1.b	1.b-Facet joint disorder
		1.c	1.c-Disc disorder
		1.d	1.d-Medullary
		1.e	1.e-Myofascial (trigger point)
		1.f	1.f-Mechanical
		1.g	1.g-Osteoarthritis
		1.h	1.h-Osteoporosis fracture
		1.i	1.i-Traumatic origin
		1.j	1.j-Following surgery
		1.k	1.k-Following nerve injury
		1.l	1.l-Spinal stenosis
		1.m	1.m-Scoliosis
		1.n	1.n-Spondylolysis/spondylolisthesis
		1.o	1.o-Syringomyelia

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1.p	1.p-Neoplasm
		1.q	1.q-Following cancer treatment (chemotherapy/radiotherapy)
		1.r	1.r-Following HIV and/or its treatment
		1.s	1.s-Infectious
		1.t	1.t-Cervical pain of uncertain etiology
		1.u	1.u-Other cervical pain etiology
		10.a	10.a-Tension headache
		10.b	10.b-Mixed headache
		10.c	10.c-Cluster headache
		10.d	10.d-Other type of headache
		2.a	2.a-Muscular
		2.b	2.b-Facet joint disorder
		2.c	2.c-Disc disorder
		2.d	2.d-Medullary
		2.e	2.e-Myofascial (trigger point)
		2.f	2.f-Mechanical
		2.g	2.g-Osteoarthritis
		2.h	2.h-Osteoporosis fracture
		2.i	2.i-Traumatic origin
		2.j	2.j-Following surgery
		2.k	2.k-Following nerve injury
		2.l	2.l-Spinal stenosis
		2.m	2.m-Scoliosis
		2.n	2.n-Spondylolysis/spondylolisthesis

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2.o	2.o-Syringomyelia
		2.p	2.p-Neoplasm
		2.q	2.q-Following cancer treatment (chemotherapy/radiotherapy)
		2.r	2.r-Following HIV and/or its treatment
		2.s	2.s-Infectious
		2.t	2.t-Thoracic pain of uncertain etiology
		2.u	2.u-Other thoracic pain etiology
		3.a	3.a-Muscular
		3.b	3.b-Facet joint disorder
		3.c	3.c-Disc disorder
		3.d	3.d-Medullary
		3.e	3.e-Myofascial (trigger point)
		3.f	3.f-Mechanical
		3.g	3.g-Osteoarthritis
		3.h	3.h-Osteoporosis fracture
		3.i	3.i-Traumatic origin
		3.j	3.j-Following surgery
		3.k	3.k-Following nerve injury
		3.l	3.l-Spinal stenosis
		3.m	3.m-Scoliosis
		3.n	3.n-Spondylolysis/spondylolisthesis
		3.o	3.o-Syringomyelia
		3.p	3.p-Neoplasm
		3.q	3.q-Following cancer treatment (chemotherapy/radiotherapy)

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3.r	3.r-Following HIV and/or its treatment
		3.s	3.s-Infectious
		3.t	3.t-Sacroiliac
		3.u	3.u-Lumbar pain of uncertain etiology
		3.v	3.v-Other Lumbar pain etiology
		8.a	8.a-Mononeuropathy
		8.b	8.b-Polyneuropathy
		9.a	9.a-Mononeuropathy
		9.b	9.b-Polyneuropathy
NQ12_DX_CLINIC_E_SPE	*!NQ12 - DX: ETIOLOGY SPECIFICATION, IF OTHER		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# 12 Month Patient Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
DB			
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
CODEID	†UNIQUE CODE OF THE SUBJECT		
PQ12_VISIT_DATE	<sup>1</sup> PQ12 - FOLLOW UP DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
PQ12_COMPLETED	<sup>1</sup> PQ12 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
PQ12_NOT_COMPL_REASON	<sup>1</sup> PQ12 - QUESTIONNAIRE NOT COMPLETED, REASON		
PQ12_LOST_TO_FUP	<sup>1</sup> PQ12 - LOST TO FU	-1	Missing data
		0	No
		1	Yes
PQ12_LOST_TO_FUP_REASON	<sup>1</sup> PQ12 - LOST TO FU, REASON		
PQ12_YOUR_PAIN_Q1	<sup>1</sup> PQ12 - YOUR PAIN - PAIN RIGHT NOW (0= NO PAIN, 10= WORST POSSIBLE PAIN)		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ12_YOUR_PAIN_Q2	'PQ12 - YOUR PAIN - AVERAGE PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ12_YOUR_PAIN_Q3	'PQ12 - YOUR PAIN - WORST PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ12_BPI_A	'PQ12 - BPI: GENERAL ACTIVITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_B	'PQ12 - BPI: MOOD (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_C	'PQ12 - BPI: WALKING ABILITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_D	'PQ12 - BPI: NORMAL WORK (INCL. HOUSEWORK, 0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_E	'PQ12 - BPI: RELATIONS WITH OTHER PEOPLE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_F	'PQ12 - BPI: SLEEP (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_G	'PQ12 - BPI: ENJOYMENT OF LIFE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_H	'PQ12 - BPI: SELF-CARE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_I	'PQ12 - BPI: RECREATIONAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_J	'PQ12 - BPI: SOCIAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ12_BPI_GLOBAL_SCORE	†'PQ12 - BPI: GLOBAL SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ12_CPSI_Q01	'PQ12 - CPSI: SLEEP & PAIN: TROUBLE FALLING ASLEEP BECAUSE OF PAIN (0= NEVER, 10= ALWAYS)		
PQ12_CPSI_Q02	'PQ12 - CPSI: SLEEP & PAIN: NEED OF SLEEP MEDICATION TO HELP FALL ASLEEP (0= NEVER, 10= ALWAYS)		
PQ12_CPSI_Q03	'PQ12 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN DURING NIGHT (0= NEVER, 10= ALWAYS)		
PQ12_CPSI_Q04	'PQ12 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN IN THE MORNING (0= NEVER, 10= ALWAYS)		
PQ12_CPSI_Q05	'PQ12 - CPSI: SLEEP & PAIN: OVERALL QUALITY OF SLEEP (0= VERY BAD, 10= EXCELLENT)		
PQ12_CPSI_SP_INDEX	†'PQ12 - CPSI: SLEEP & PAIN: SLEEP PROBLEM INDEX		
PQ12_PCS_Q01	'PQ12 - PCS: WORRIES ALL THE TIME ABOUT WHETHER THE PAIN WILL END	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q02	'PQ12 - PCS: FEELS THAT CAN'T GO ON	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_PCS_Q03	'PQ12 - PCS: IT'S TERRIBLE & THINKS IT'S NEVER GOING TO GET BETTER	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q04	'PQ12 - PCS: IT'S AWFULL & FEELS IT OVERWHELMS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q05	'PQ12 - PCS: FEELS THAT CAN'T STAND IT ANYMORE	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q06	'PQ12 - PCS: BECOMES AFRAID THE PAIN WILL GET WORSE	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		3	To a great degree
		4	All the time
PQ12_PCS_Q07	'PQ12 - PCS: KEEPS THINKING OF OTHER PAINFUL EVENTS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q08	'PQ12 - PCS: ANXIOUSLY WANTS THE PAIN TO GO AWAY	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q09	'PQ12 - PCS: CAN'T SEEM TO KEEP IT OUT OF MIND	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q10	'PQ12 - PCS: KEEPS THINKING ABOUT HOW MUCH IT HURTS	-1	Missing data
		0	Not at all

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q11	<sup>1</sup> PQ12 - PCS: KEEPS THINKING ABOUT WANTING THE PAIN TO STOP	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q12	<sup>1</sup> PQ12 - PCS: NOTHING CAN REDUCE THE INTENSITY OF PAIN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ12_PCS_Q13	<sup>1</sup> PQ12 - PCS: WONDERS WHETHER SOMETHING SERIOUS MAY HAPPEN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_PCS_RUMINATION	†PQ12 - PCS: RUMINATION SUB-SCALE		
PQ12_PCS_MAGNIFICATION	†PQ12 - PCS: MAGNIFICATION SUB-SCALE		
PQ12_PCS_HELPLESSNESS	†PQ12 - PCS: HELPPLESSNESS SUB-SCALE		
PQ12_PCS_GLOBAL	†PQ12 - PCS: GLOBAL SCALE		
PQ12_BDI1_Q01	'PQ12 - BDI 1: SADNESS	-1	Missing data
		0	I do not feel sad
		1	I feel sad
		2	I am sad all the time and I can't snap out of it
		3	I am so sad or unhappy that I can't stand it
PQ12_BDI1_Q02	'PQ12 - BDI 1: FUTURE	-1	Missing data
		0	I am not particularly discouraged about my future
		1	I feel discouraged about the future
		2	I feel I have nothing to look forward to
		3	I feel that the future is hopeless and that things cannot improve
PQ12_BDI1_Q03	'PQ12 - BDI 1: FAILURE	-1	Missing data
		0	I do not feel like a failure
		1	I feel I have failed more than the average person
		2	As I look back on my life, all I can see is a lot of failures
		3	I feel I am a complete failure as a person

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_BDI1_Q04	'PQ12 - BDI 1: SATISFACTION	-1	Missing data
		0	I get as much satisfaction out of things as I used to
		1	I don't enjoy things the way I used to
		2	I don't get real satisfaction out of anything anymore
		3	I am dissatisfied or bored with everything
PQ12_BDI1_Q05	'PQ12 - BDI 1: GUILT	-1	Missing data
		0	I don't feel particularly guilty
		1	I feel guilty a good part of the time
		2	I feel quite guilty most of the time
		3	I feel guilty all of the time
PQ12_BDI1_Q06	'PQ12 - BDI 1: PUNISHED	-1	Missing data
		0	I don't feel I am being punished
		1	I feel I may be punished
		2	I expect to be punished
		3	I feel I am being punished
PQ12_BDI1_Q07	'PQ12 - BDI 1: SELF-DISAPPOINTMENT	-1	Missing data
		0	I don't feel disappointed in myself
		1	I am disappointed in myself
		2	I am disgusted with myself
		3	I hate myself
PQ12_BDI1_Q08	'PQ12 - BDI 1: SELF-ESTEEM	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		0	I don't feel I am any worse than anybody else
		1	I am critical of myself for my weaknesses or mistakes
		2	I blame myself all the time for my faults
		3	I blame myself for everything bad that happens
PQ12_BDI1_Q09	'PQ12 - BDI 1: SUICIDE	-1	Missing data
		0	I don't have any thoughts of killing myself
		1	I have thoughts of killing myself, but I would not carry them out
		2	I would like to kill myself
		3	I would kill myself if I had the chance
PQ12_BDI1_Q10	'PQ12 - BDI 1: CRY	-1	Missing data
		0	I don't cry anymore than usual
		1	I cry more now than I used to
		2	I cry all the time now
		3	I used to be able to cry, but now I can't cry even though I want to
PQ12_BDI1_Q11	'PQ12 - BDI 1: IRRITATED	-1	Missing data
		0	I am no more irritated now than I ever am
		1	I get annoyed or irritated more easily than I used to
		2	I feel irritated all the time now
		3	I don't get irritated at all by the things that used to irritate me
PQ12_BDI1_Q12	'PQ12 - BDI 1: PEOPLE INTEREST	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		0	I have not lost interest in other people
		1	I am less interested in other people than I used to be
		2	I have lost most of my interest in other people
		3	I have lost all my interest in other people
PQ12_BDI1_Q13	'PQ12 - BDI 1: DECISIONS	-1	Missing data
		0	I make decisions about as well as ever could
		1	I put off making decisions more than I used to
		2	I have greater difficulty in making decisions than before
		3	I can't make decisions at all anymore
PQ12_BDI1_Q14	'PQ12 - BDI 1: LOOK	-1	Missing data
		0	I don't feel I look any worse than I used to
		1	I am worried that I am looking old or unattractive
		2	I feel that there are permanent changes in my appearance that make me look unattractive
		3	I believe that I look ugly
PQ12_BDI1_Q15	'PQ12 - BDI 1: WORK	-1	Missing data
		0	I can work about as well as before
		1	It takes an extra effort to get started at doing something
		2	I have to push myself very hard to do anything
		3	I can't do any work at all
PQ12_BDI1_Q16	'PQ12 - BDI 1: SLEEP	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		0	I can sleep as well as usual
		1	I don't sleep as well as I used to
		2	I wake up 1-2 hours earlier than usual and find it hard to get back to sleep
		3	I wake up several hours earlier than I used to and cannot get back to sleep
PQ12_BDI1_Q17	'PQ12 - BDI 1: TIRED	-1	Missing data
		0	I don't get more tired than usual
		1	I get tired more easily than I used to
		2	I get tired from doing almost anything
		3	I am too tired to do anything
PQ12_BDI1_Q18	'PQ12 - BDI 1: APPETITE	-1	Missing data
		0	My appetite is no worse than usual
		1	My appetite is not as good as it used to be
		2	My appetite is much worse now
		3	I have no appetite at all anymore
PQ12_BDI1_Q18_1	'PQ12 - BDI 1: PURPOSELY TRYING TO LOSE WEIGHT BY EATING LESS	-1	Missing data
		0	No - I am not purposely trying to lose weight by eating less
		1	Yes - I am purposely trying to lose weight by eating less
PQ12_BDI1_Q19	'PQ12 - BDI 1: WEIGHT LOSS	-1	Missing data
		0	I haven't lost much weight, if any, lately
		1	I have lost more than 5 pounds

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		2	I have lost more than 10 pounds
		3	I have lost more than 15 pounds
PQ12_BDI1_Q20	'PQ12 - BDI 1: HEALTH	-1	Missing data
		0	I am no more worried about my health than usual
		1	I am worried about physical problems such as aches and pains; or upset stomach; or constipation
		2	I am very worried about physical problems and it's hard to think of much else
		3	I am so worried about my physical problems that I cannot think about anything else
PQ12_BDI1_Q21	'PQ12 - BDI 1: SEX INTEREST	-1	Missing data
		0	I have not noticed any recent change in my interest in sex
		1	I am less interested in sex than I used to be
		2	I am much less interested in sex now
		3	I have lost interest in sex completely
PQ12_BDI1_GLOBAL_SCORE	†'PQ12 - BDI 1: GLOBAL SCORE		
PQ12_MOOD	'PQ12 - MOOD: ANGRY IN THE PAST 7 DAYS (0= NOT AT ALL, 10= EXTREMELY)		
PQ12_SF12V2_Q1	'PQ12 - SF-12V2: GENERAL HEALTH	-2	Missing data
		1	Excellent
		2	Very good
		3	Good
		4	Fair

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		5	Poor
PQ12_SF12V2_Q2A	'PQ12 - SF-12V2: HEALTH LIMITS MODERATE ACTIVITIES	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ12_SF12V2_Q2B	'PQ12 - SF-12V2: HEALTH LIMITS CLIMBING STAIRS.	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ12_SF12V2_Q3A	'PQ12 - SF-12V2: ACCOMPLISHED LESS DUE TO PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_Q3B	'PQ12 - SF-12V2: KIND OF ACTIV. LIMITED BY PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_Q4A	'PQ12 - SF-12V2: ACCOMPLISHED LESS DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_Q4B	<sup>1</sup> PQ12 - SF-12V2: DID ACTIV. LESS CAREFULLY DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_Q5	<sup>1</sup> PQ12 - SF-12V2: PAIN INTERF. WITH WORK IN PAST 4 WKS	-2	Missing data
		1	Not at all
		2	A little bit
		3	Moderately
		4	Quite a bit
		5	Extremely
PQ12_SF12V2_Q6A	<sup>1</sup> PQ12 - SF-12V2: FELT CALM & PEACEFUL IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		5	None of the time
PQ12_SF12V2_Q6B	'PQ12 - SF-12V2: HAD A LOT OF ENERGY IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_Q6C	'PQ12 - SF-12V2: FELT DOWN & DEPRESSED IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_Q7	'PQ12 - SF-12V2: HEALTH & EMOTIONAL INTERF. WITH SOCIAL ACTIV. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ12_SF12V2_RAW_PHYS_FUNCT	†'PQ12 - SF-12V2: PHYSICAL FUNCTIONING SCORE		
PQ12_SF12V2_RAW_ROLE_PHYS	†'PQ12 - SF-12V2: ROLE PHYSICAL SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ12_SF12V2_RAW_BODILY_PAIN	†PQ12 - SF-12V2: BODILY PAIN SCORE		
PQ12_SF12V2_RAW_GEN_HEALTH	†PQ12 - SF-12V2: GENERAL HEALTH SCORE		
PQ12_SF12V2_RAW_VITALITY	†PQ12 - SF-12V2: VITALITY SCORE		
PQ12_SF12V2_RAW_SOC_FUNCT	†PQ12 - SF-12V2: SOCIAL FUNCTIONING SCORE		
PQ12_SF12V2_RAW_ROLE_EMOT	†PQ12 - SF-12V2: ROLE EMOTIONAL SCORE		
PQ12_SF12V2_RAW_MENT_HEALTH	†PQ12 - SF-12V2: MENTAL HEALTH SCORE		
PQ12_SF12V2_NBS_PHYS_FUNCT	†PQ12 - SF-12V2: PHYSICAL FUNCTIONING NORM-BASED SCORE		
PQ12_SF12V2_NBS_ROLE_PHYS	†PQ12 - SF-12V2: ROLE PHYSICAL NORM-BASED SCORE		
PQ12_SF12V2_NBS_BODILY_PAIN	†PQ12 - SF-12V2: BODILY PAIN NORM-BASED SCORE		
PQ12_SF12V2_NBS_GEN_HEALTH	†PQ12 - SF-12V2: GENERAL HEALTH NORM-BASED SCORE		
PQ12_SF12V2_NBS_VITALITY	†PQ12 - SF-12V2: VITALITY NORM-BASED SCORE		
PQ12_SF12V2_NBS_SOC_FUNCT	†PQ12 - SF-12V2: SOCIAL FUNCTIONING NORM-BASED SCORE		
PQ12_SF12V2_NBS_ROLE_EMOT	†PQ12 - SF-12V2: ROLE EMOTIONAL NORM-BASED SCORE		
PQ12_SF12V2_NBS_MENT_HEALTH	†PQ12 - SF-12V2: MENTAL HEALTH NORM-BASED SCORE		
PQ12_SF12V2_NBS_PHYS_SUMM_SCORE	†PQ12 - SF-12V2: PHYSICAL SUMMARY NORM-BASED SCORE		
PQ12_SF12V2_NBS_MENT_SUMM_SCORE	†PQ12 - SF-12V2: MENTAL SUMMARY NORM-BASED SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_FOLLOWUP_Q1	'PQ12 - FOLLOW UP: PAIN, PAST 6 MOS	-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
		5	Greatly decreased
PQ12_FOLLOWUP_Q1V2	'PQ12 - FOLLOW UP: PAIN, PAST 6 MOS (NEW VERSION)	6	Considerably decreased
		-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
PQ12_FOLLOWUP_Q2	'PQ12 - FOLLOW UP: FUNCTION LEVEL, PAST 6 MOS	5	Greatly decreased
		6	Considerably decreased
		-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		6	Considerably Improved
PQ12_FOLLOWUP_Q3	'PQ12 - FOLLOW UP: QUALITY OF LIFE, PAST 6 MOS	-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved
		6	Considerably Improved
PQ12_FOLLOWUP_Q4	'PQ12 - FOLLOW UP: PERCENTAGE OF PAIN RELIEF OVER PAST 6 MOS (0= NO RELIEF, 100= COMPLETE RELIEF)		
PQ12_SATISFACTION	'PQ12 - SATISFACTION IN PAIN CLINIC TX RECEIVED IN PAST 6 MOS	-1	Missing data
		1	Very dissatisfied
		2	Dissatisfied
		3	A little bit dissatisfied
		4	A little bit satisfied
		5	Satisfied
		6	Very satisfied
		7	Non applicable
PQ12_CH_CIG_Q1	'PQ12 - CONSUMPTION HABITS: CIG: CIGARETTES SMOKING HABITS	-1	Missing data
		0	I have never smoked
		1	I smoked in the past but I stopped
		2	I am currently smoking

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ12_CH_CIG_Q1_1A	<sup>1</sup> PQ12 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST 6 MOS: NO CIG/DAY		
PQ12_CH_CIG_Q1_1B	<sup>1</sup> PQ12 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST 6 MOS: NO YRS SMOKED		
PQ12_CH_ALC_Q1	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: ALCOHOL DRINKING HABITS (FREQUENCY) IN PAST 6 MOS	-1	Missing data
		0	Never
		1	Less than once a month
		2	Once a month
		3	2 to 3 times a month
		4	Once a week
		5	2 to 3 times a week
		6	4 to 6 times a week
		7	Every day
PQ12_CH_ALC_Q2_WEEK	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER WEEK		
PQ12_CH_ALC_Q2_MONTH	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER MONTH		
PQ12_CH_ALC_Q3A	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT THAT SHOULD CUT ON DRINKING	-1	Missing data
		0	No
		1	Yes
PQ12_CH_ALC_Q3B	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRINKING	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	Yes
PQ12_CH_ALC_Q3C	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT BAD OR GUILTY ABOUT DRINKING	-1	Missing data
		0	No
		1	Yes
PQ12_CH_ALC_Q3D	<sup>1</sup> PQ12 - CONSUMPTION HABITS: ALC: DURING LIFE, EVER USED A DRINK FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ12_CH_DRUG_Q1A	<sup>1</sup> PQ12 - CONSUMPTION HABITS: DRG: USE OF MARIJUANA, CANNABIS OR HASHISH IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ12_CH_DRUG_Q1B	<sup>1</sup> PQ12 - CONSUMPTION HABITS: DRG: USE OF COCAINE OR CRACK IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_CH_DRUG_Q1C	'PQ12 - CONSUMPTION HABITS: DRG: USE OF HEROIN IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ12_CH_DRUG_Q1D	'PQ12 - CONSUMPTION HABITS: DRG: USE OF ECSTASY IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ12_CH_DRUG_Q1E	'PQ12 - CONSUMPTION HABITS: DRG: USE OF OTHER DRUGS IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ12_CH_DRUG_Q2A	'PQ12 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT THAT SHOULD CUT ON DRUG USE	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

12-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
PQ12_CH_DRUG_Q2B	<sup>1</sup> PQ12 - CONSUMPTION HABITS: DRG: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ12_CH_DRUG_Q2C	<sup>1</sup> PQ12 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT BAD OR GUILTY ABOUT DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ12_CH_DRUG_Q2D	<sup>1</sup> PQ12 - CONSUMPTION HABITS: DRG: DURING LIFE, EVER USED DRUGS FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ12_LIV_ALO	<sup>1</sup> PQ12 - LIVING CONDITIONS: ALONE	1	Checked
PQ12_LIV_SPO	<sup>1</sup> PQ12 - LIVING CONDITIONS: WITH SPOUSE	1	Checked
PQ12_LIV_CHI	<sup>1</sup> PQ12 - LIVING CONDITIONS: WITH CHILDREN	1	Checked
PQ12_LIV_GCH	<sup>1</sup> PQ12 - LIVING CONDITIONS: WITH GRANDCHILDREN	1	Checked
PQ12_LIV_PAR	<sup>1</sup> PQ12 - LIVING CONDITIONS: WITH PARENTS	1	Checked
PQ12_LIV_SIB	<sup>1</sup> PQ12 - LIVING CONDITIONS: WITH SIBLINGS	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_LIV_ROO	'PQ12 - LIVING CONDITIONS: WITH ROOMMATES	1	Checked
PQ12_LIV_NOS	'PQ12 - LIVING CONDITIONS: NO STABLE LIVING CONDITION	1	Checked
PQ12_LIV_INS	'PQ12 - LIVING CONDITIONS: IN INSTITUTION	1	Checked
PQ12_CST	'PQ12 - CIVIL STATUS	-1	Missing data
		1	Single
		2	Married or common law
		3	Separated or divorced
		4	Widowed
PQ12_WRK_FTI	'PQ12 - CURRENT WORK: FULL-TIME JOB	1	Checked
PQ12_WRK_PTI	'PQ12 - CURRENT WORK: PART-TIME JOB	1	Checked
PQ12_WRK_HMA	'PQ12 - CURRENT WORK: HOMEMAKER	1	Checked
PQ12_WRK_STU	'PQ12 - CURRENT WORK: STUDENT	1	Checked
PQ12_WRK_RET	'PQ12 - CURRENT WORK: RETIRED	1	Checked
PQ12_WRK_TDI	'PQ12 - CURRENT WORK: ON TEMPORARY DISABILITY	1	Checked
PQ12_WRK_PDI	'PQ12 - CURRENT WORK: ON PERMANENT DISABILITY	1	Checked
PQ12_WRK_UNE	'PQ12 - CURRENT WORK: UNEMPLOYED	1	Checked
PQ12_WRK_LOF	'PQ12 - CURRENT WORK: LAID OFF	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ12_WRK_VOL	'PQ12 - CURRENT WORK: VOLUNTEER	1	Checked
PQ12_WRK_OTH	'PQ12 - CURRENT WORK: OTHER	1	Checked
PQ12_WRK_OTH_SPE	'PQ12 - CURRENT WORK: OTHER: SPECIFICATION		
PQ12_FIN	'PQ12 - FAMILY INCOME	-1	Missing data
		0	Less than 20 000\$
		1	20 000 - 34 999\$
		2	35 000 - 49 999\$
		3	50 000 - 64 999\$
		4	65 000 - 79 999\$
		5	80 000 - 99 999\$
		6	100 000 - 119 999\$
		7	120 000\$ and more
		8	Do not wish to answer
PQ12_SINC_Q1	'PQ12 - PRINCIPAL INCOME SOURCE	-1	Missing data
		1	Employment wages or salary
		2	Disability benefits from the CSST (Commission de la Santé et Sécurité au travail)
		3	Disability benefits from the SAAQ (Société d'assurance-automobile du Québec)
		4	Disability benefits from the IVAC (Indemnisation des victimes d'actes criminels)
		5	Disability payments or pension through employer

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

12-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
		6	Personal insurance
		7	Retirement pension (retirement pension, old age security, Quebec pension plan)
		8	Canada disability pension
		9	Employment insurance
		10	Social assistance
		11	Personal savings or investments
		12	Assured income for the severely handicapped
		13	Family member
		14	Other
PQ12_SINC_Q1_OTH_SPE	'PQ12 - SPECIFICATION OF PRINCIPAL INCOME SOURCE, IF OTHER		
PQ12_SINC_Q2_CSST	'PQ12 - PRESENT: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q2_SAAQ	'PQ12 - PRESENT: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q2_IVAQ	'PQ12 - PRESENT: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q2_EMPL	'PQ12 - PRESENT: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	Yes
PQ12_SINC_Q2_PRSA	<sup>1</sup> PQ12 - PRESENT: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q3_CSST	<sup>1</sup> PQ12 - IN PROCESS: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q3_SAAQ	<sup>1</sup> PQ12 - IN PROCESS: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q3_IVAC	<sup>1</sup> PQ12 - IN PROCESS: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q3_EMPL	<sup>1</sup> PQ12 - IN PROCESS: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q3_PRSA	<sup>1</sup> PQ12 - IN PROCESS: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ12_SINC_Q3_1_LIT	<sup>1</sup> PQ12 - OUTSTANDING LITIGATION RELATED TO CLAIM	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

12-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	Yes
		2	Not applicable

† Variable determined (calculated) from collected variables  
\* Multiple records per patient  
¹ Data collected in the first phase of the QPR only  
² Definitions of QPR phase 2 variables modified to match phase 1 definitions.  
³ Data collected in the second phase of the QPR only



## 24 Month Nurse Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
DB			
CODEID	UNIQUE CODE OF THE SUBJECT		
NQ24_VISIT_DATE	'NQ24 - VISIT DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
NQ24_COMPLETED	'NQ24 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
NQ24_NOT_COMPL_REASON	'NQ24 - QUESTIONNAIRE NOT COMPLETED, REASON		
NQ24_LOST_TO_FUP	'NQ24 - LOST TO FU	-1	Missing data
		0	No
		1	Yes
NQ24_LOST_TO_FUP_REASON	'NQ24 - LOST TO FU, REASON		
NQ24_PATIENT_QUESTION_1A	'NQ24 - FOLLOW UP AT PAIN CLINIC	1	Follow up expected at the pain clinic

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		2	Follow up at the pain clinic if necessary
		3	Decided not to return to the pain clinic
		4	Has been discharged by the doctor of the pain clinic (1b)
NQ24_PATIENT_QUESTION_1B	'NQ24 - REFERRED TO, IF DISCHARGED	1	Family doctor
		2	Specialist who referred the patient
		3	Other specialist
		4	Not referred
		5	Autre
NQ24_PATIENT_QUESTION_1B_OTHER	'NQ24 - REFERRED TO, IF OTHER		
NQ24_PATIENT_QUESTION_1C	'NQ24 - PAIN FOR WHICH PATIENT INITIALLY CONSULTED	1	Still present
		2	Completely relieved
NQ24_PAIN_FRQ_IN_P7DAYS	'NQ24 - PAIN IN PAST 7 DAYS	-2	Missing data
		1	Always present
		2	Occasionally
		3	No pain
NQ24_PAIN_IN_P7DAYS	'NQ24 - NO OF DAYS IN PAIN IN PAST 7 DAYS, IF OCCASIONALLY		
NQ24_PAIN_IN_PMONTH	'NQ24 - NO OF DAYS IN PAIN IN PAST MONTH, IF NO PAIN		
NQ24_PAIN_FRQ_IN_PMONTH	†'NQ24 - PAIN FREQUENCY (DAYS)		
NQ24_DN4_Q1_1	'NQ24 - DN4: BURNING	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1	Yes
NQ24_DN4_Q1_2	<sup>1</sup> NQ24 - DN4: PAINFUL COLD	-1	Missing data
		0	No
		1	Yes
NQ24_DN4_Q1_3	<sup>1</sup> NQ24 - DN4: ELECTRIC SHOCKS	-1	Missing data
		0	No
		1	Yes
NQ24_DN4_Q2_4	<sup>1</sup> NQ24 - DN4: TINGLING	-1	Missing data
		0	No
		1	Yes
NQ24_DN4_Q2_5	<sup>1</sup> NQ24 - DN4: PINS & NEEDLES	-1	Missing data
		0	No
		1	Yes
NQ24_DN4_Q2_6	<sup>1</sup> NQ24 - DN4: ITCHING	-1	Missing data
		0	No
		1	Yes
NQ24_DN4_Q2_7	<sup>1</sup> NQ24 - DN4: NUMBNESS	-1	Missing data
		0	No
		1	Yes
NQ24_DN4_SS	<sup>†</sup> <sup>1</sup> NQ24 - DN4: SUBSCORE BASED ON THE FIRST 7 ITEMS		

<sup>†</sup> Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_INJ_NUS	'NQ24 - TX: INJECTIONS: NEVER USED	1	Checked
NQ24_TXP_INJ_CODE	*NQ24 - TX: INJECTION: CODE	1	Epidural injection
		2	Epidural continuous infusion
		3	Caudal block
		4	Intradiscal injection
		5	Facet joint block
		6	Medial branch block
		7	Foraminal block
		8	Paravertebral block
		9	Occipital nerve block
		10	Intercostal nerve block
		11	Peripheral nerve block
		12	Trigger point injections
		13	Intra-articular injection
		14	Intravenous regional blockade
		15	Injection of botulinum toxin (Botox)
		16	Intrathecal injection
		17	Intrathecal continuous infusion
		18	Spinal cord stimulation
		19	Sympathetic block (local anesthetic)
		20	Stellar
		21	Celiac
		22	Lumbar
		23	Impar ganglion

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		24	Sympathectomy (neurolytic agent)
		25	stellar
		26	celiac
		27	lumbar
		28	Impar ganglion
		29	Intrathecal neurolysis
		30	Medial branch neurolysis
		31	Peripheral neurolysis
		32	IDET (Intradiscal Electrothermal Therapy)
		33	Coblation
		34	Subcutaneous infiltration
		35	Muscular infiltration
		36	Lumbar discography
		37	Ketamine + versed infusion
		38	Trigeminal nerve block
		39	Ketamine infusion
		40	Lidocaine infusion (xylocaine infusion)
		41	Cortisone infusion
		42	Kadian infusion
		43	Synvisc infiltration
		44	Biacuplasty
		45	Thermocoagulation (Rhizotomy sacroiliac by thermolesion (Sinergy))
		46	Epidural parasagittal
		47	Unknown type

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		48	If other, specify
NQ24_TXP_INJ_CODE_SPE	*!NQ24 - TX: INJECTION: SPECIFY IF OTHER		
NQ24_TXP_INJ_CODE_FRQ	*!NQ24 - TX: INJECTION: NO TIMES		
NQ24_TXP_INJ_CODE_PSU_D	*!NQ24 - TX: INJECTION: PAST USE	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_INJ_CODE_DKN_D	*!NQ24 - TX: INJECTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_IMP_PUMP_NUS_D	!NQ24 - TX: IMPLANTABLE PUMP: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_IMP_PUMP_PRU_D	'NQ24 - TX: IMPLANTABLE PUMP: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_IMP_PUMP_PSU_D	'NQ24 - TX: IMPLANTABLE PUMP: USED IN PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_IMP_PUMP_DKN_D	'NQ24 - TX: IMPLANTABLE PUMP: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_NRV_STIM_NUS_D	'NQ24 - TX: IMPLANTABLE NERVE STIMULATOR: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_NRV_STIM_PRU_D	'NQ24 - TX: IMPLANTABLE NERVE STIMULATOR: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_NRV_STIM_PSU_D	'NQ24 - TX: IMPLANTABLE NERVE STIMULATOR: USED IN PAST 6 MONTHS	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_NRV_STIM_DKN_D	'NQ24 - TX: IMPLANTABLE NERVE STIMULATOR: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_NUS	'NQ24 - TX: SURGERY: NEVER USED	1	Checked
NQ24_TXP_SRG_TYPA_SPE	'NQ24 - TX: SURGERY A: TYPE		
NQ24_TXP_SRG_TYPA_PSU_D	'NQ24 - TX: SURGERY A: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPA_DKN_D	'NQ24 - TX: SURGERY A: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPB_SPE	'NQ24 - TX: SURGERY B: TYPE		
NQ24_TXP_SRG_TYPB_PSU_D	'NQ24 - TX: SURGERY B: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPB_DKN_D	'NQ24 - TX: SURGERY B: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPC_SPE	'NQ24 - TX: SURGERY C: TYPE		
NQ24_TXP_SRG_TYPC_PSU_D	'NQ24 - TX: SURGERY C: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPC_DKN_D	'NQ24 - TX: SURGERY C: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_SRG_TYPD_SPE	'NQ24 - TX: SURGERY D: TYPE		
NQ24_TXP_SRG_TYPD_PSU_D	'NQ24 - TX: SURGERY D: USED IN THE PAST 6 MONTHS		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ24_TXP_SRG_TYPD_DKN_D	'NQ24 - TX: SURGERY D: DON'T KNOW		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ24_TXP_SRG_TYPE_SPE	'NQ24 - TX: SURGERY E: TYPE		
NQ24_TXP_SRG_TYPE_PSU_D	'NQ24 - TX: SURGERY E: USED IN THE PAST 6 MONTHS		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPE_DKN_D	'NQ24 - TX: SURGERY E: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPF_SPE	'NQ24 - TX: SURGERY F: TYPE		
NQ24_TXP_SRG_TYPF_PSU_D	'NQ24 - TX: SURGERY F: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPF_DKN_D	'NQ24 - TX: SURGERY F: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPG_SPE	'NQ24 - TX: SURGERY G: TYPE		
NQ24_TXP_SRG_TYPG_PSU_D	'NQ24 - TX: SURGERY G: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPG_DKN_D	'NQ24 - TX: SURGERY G: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ24_TXP_SRG_TYPH_SPE	'NQ24 - TX: SURGERY H: TYPE		
NQ24_TXP_SRG_TYPH_PSU_D	'NQ24 - TX: SURGERY H: USED IN THE PAST 6 MONTHS	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_SRG_TYPH_DKN_D	'NQ24 - TX: SURGERY H: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_RLX_NUS_D	NQ24 - TX: RELAXATION/BREATHING TECH.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_RLX_PRU_D	NQ24 - TX: RELAXATION/BREATHING TECH.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_RLX_PSU_D	NQ24 - TX: RELAXATION/BREATHING TECH.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_RLX_DKN_D	NQ24 - TX: RELAXATION/BREATHING TECH.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_MED_NUS_D	NQ24 - TX: MEDITATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_MED_PRU_D	NQ24 - TX: MEDITATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_MED_PSU_D	NQ24 - TX: MEDITATION: USED IN THE PAST	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_MED_DKN_D	NQ24 - TX: MEDITATION; DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_HYP_NUS_D	NQ24 - TX: HYPNOSIS; NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_HYP_PRU_D	NQ24 - TX: HYPNOSIS; CURRENTLY USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_HYP_PSU_D	NQ24 - TX: HYPNOSIS: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_HYP_DKN_D	NQ24 - TX: HYPNOSIS: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_PSY_VIS_NUS_D	NQ24 - TX: VISUALISATION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_VIS_PRU_D	NQ24 - TX: VISUALISATION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_VIS_PSU_D	NQ24 - TX: VISUALISATION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ24_TXP_PSY_VIS_DKN_D	NQ24 - TX: VISUALISATION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IDS_NUS_D	NQ24 - TX: IND. DISTRACTION: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IDS_PRU_D	NQ24 - TX: IND. DISTRACTION: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IDS_PSU_D	NQ24 - TX: IND. DISTRACTION: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IDS_DKN_D	NQ24 - TX: IND. DISTRACTION: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IPS_NUS_D	NQ24 - TX: IND. PSYCHOTHERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IPS_PRU_D	NQ24 - TX: IND. PSYCHOTHERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IPS_PSU_D	NQ24 - TX: IND. PSYCHOTHERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_IPS_DKN_D	NQ24 - TX: IND. PSYCHOTHERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_GTH_NUS_D	NQ24 - TX: GROUP THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_GTH_PRU_D	NQ24 - TX: GROUP THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_GTH_PSU_D	NQ24 - TX: GROUP THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_GTH_DKN_D	NQ24 - TX: GROUP THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_SSG_NUS_D	NQ24 - TX: SELF-HELP SUPPORT GROUP: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_SSG_PRU_D	NQ24 - TX: SELF-HELP SUPPORT GROUP: CURRENTLY USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_SSG_PSU_D	NQ24 - TX: SELF-HELP SUPPORT GROUP: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_SSG_DKN_D	NQ24 - TX: SELF-HELP SUPPORT GROUP: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_OTH_SPE	NQ24 - TX: OTHER SELF-MANAG. STRAT.: TYPE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_PSY_OTH_NUS_D	NQ24 - TX: OTHER SELF-MANAG. STRATEGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_OTH_PRU_D	NQ24 - TX: OTHER SELF-MANAG. STRATEGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PSY_OTH_PSU_D	NQ24 - TX: OTHER SELF-MANAG. STRATEGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ24_TXP_PSY_OTH_DKN_D	NQ24 - TX: OTHER SELF-MANAG. STRATEGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_PHY_NUS_D	NQ24 - TX: PHYSIOTHERAPY EX.: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_PHY_PRU_D	NQ24 - TX: PHYSIOTHERAPY EX.: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_PHY_PSU_D	NQ24 - TX: PHYSIOTHERAPY EX.: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_PHY_DKN_D	NQ24 - TX: PHYSIOTHERAPY EX.: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OCC_NUS_D	NQ24 - TX: OCCUPATIONNAL THERAPY TX: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OCC_PRU_D	NQ24 - TX: OCCUPATIONNAL THERAPY TX: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OCC_PSU_D	NQ24 - TX: OCCUPATIONNAL THERAPY TX: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OCC_DKN_D	NQ24 - TX: OCCUPATIONNAL THERAPY TX: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_HYD_NUS_D	NQ24 - TX: HYDRO/AQUATHERAPY/HOT BATH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_HYD_PRU_D	NQ24 - TX: HYDRO/AQUATHERAPY/HOT BATH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_HYD_PSU_D	NQ24 - TX: HYDRO/AQUATHERAPY/HOT BATH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_HYD_DKN_D	NQ24 - TX: HYDRO/AQUATHERAPY/HOT BATH: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ELE_NUS_D	NQ24 - TX: ELECTRO-STIMULATION (TENS): NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ELE_PRU_D	NQ24 - TX: ELECTRO-STIMULATION (TENS): CURRENTLY USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ELE_PSU_D	NQ24 - TX: ELECTRO-STIMULATION (TENS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ELE_DKN_D	NQ24 - TX: ELECTRO-STIMULATION (TENS): DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_IMS_NUS_D	NQ24 - TX: INTRAMUSCULAR STIMULATION (IMS): NEVER USED	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_IMS_PRU_D	NQ24 - TX: INTRAMUSCULAR STIMULATION (IMS): CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_IMS_PSU_D	NQ24 - TX: INTRAMUSCULAR STIMULATION (IMS): USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_PHY_IMS_DKN_D	NQ24 - TX: INTRAMUSCULAR STIMULATION (IMS): DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ULT_NUS_D	NQ24 - TX: ULTRASOUND: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ULT_PRU_D	NQ24 - TX: ULTRASOUND: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ24_TXP_PHY_ULT_PSU_D	NQ24 - TX: ULTRASOUND: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ULT_DKN_D	NQ24 - TX: ULTRASOUND: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_BIO_NUS_D	NQ24 - TX: BIOFEEDBACK: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_BIO_PRU_D	NQ24 - TX: BIOFEEDBACK: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_BIO_PSU_D	NQ24 - TX: BIOFEEDBACK: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_BIO_DKN_D	NQ24 - TX: BIOFEEDBACK: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ACU_NUS_D	NQ24 - TX: ACUPUNCTURE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ACU_PRU_D	NQ24 - TX: ACUPUNCTURE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ACU_PSU_D	NQ24 - TX: ACUPUNCTURE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_ACU_DKN_D	NQ24 - TX: ACUPUNCTURE: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MAS_NUS_D	NQ24 - TX: MASSOTHERAPY/MASSAGE: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MAS_PRU_D	NQ24 - TX: MASSOTHERAPY/MASSAGE: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MAS_PSU_D	NQ24 - TX: MASSOTHERAPY/MASSAGE: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MAS_DKN_D	NQ24 - TX: MASSOTHERAPY/MASSAGE: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_CHI_NUS_D	NQ24 - TX: CHIROPRACTIC: NEVER USED	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_CHI_PRU_D	NQ24 - TX: CHIROPRACTIC: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_CHI_PSU_D	NQ24 - TX: CHIROPRACTIC: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_CHI_DKN_D	NQ24 - TX: CHIROPRACTIC: DON'T KNOW	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OST_NUS_D	NQ24 - TX: OSTEOPATHY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OST_PRU_D	NQ24 - TX: OSTEOPATHY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_PHY_OST_PSU_D	NQ24 - TX: OSTEOPATHY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OST_DKN_D	NQ24 - TX: OSTEOPATHY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_TTC_NUS_D	NQ24 - TX: THERAPEUTIC TOUCH: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		8	Don't know
NQ24_TXP_PHY_TTC_PRU_D	NQ24 - TX: THERAPEUTIC TOUCH: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_TTC_PSU_D	NQ24 - TX: THERAPEUTIC TOUCH: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_TTC_DKN_D	NQ24 - TX: THERAPEUTIC TOUCH: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REF_NUS_D	NQ24 - TX: REFLEXOLOGY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REF_PRU_D	NQ24 - TX: REFLEXOLOGY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REF_PSU_D	NQ24 - TX: REFLEXOLOGY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REF_DKN_D	NQ24 - TX: REFLEXOLOGY: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REI_NUS_D	NQ24 - TX: REIKI: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REI_PRU_D	NQ24 - TX: REIKI: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REI_PSU_D	NQ24 - TX: REIKI: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_REI_DKN_D	NQ24 - TX: REIKI: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MGT_NUS_D	NQ24 - TX: MAGNET THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MGT_PRU_D	NQ24 - TX: MAGNET THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MGT_PSU_D	NQ24 - TX: MAGNET THERAPY: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_MGT_DKN_D	NQ24 - TX: MAGNET THERAPY: DON'T KNOW	1	Never used
		2	Current use - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OTH_SPE	NQ24 - TX: OTHER PHYSICAL THERAPY: TYPE		
NQ24_TXP_PHY_OTH_NUS_D	NQ24 - TX: OTHER PHYSICAL THERAPY: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_PHY_OTH_PRU_D	NQ24 - TX: OTHER PHYSICAL THERAPY: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_TXP_PHY_OTH_PSU_D	NQ24 - TX: OTHER PHYSICAL THERAPY: USED IN THE PAST		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ24_TXP_PHY_OTH_DKN_D	NQ24 - TX: OTHER PHYSICAL THERAPY: DON'T KNOW		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful 6 Used in the past but stopped - partially helpful 7 Used in the past but stopped - not helpful 8 Don't know
NQ24_TXP_OTH1_SPE	NQ24 - TX: OTHER 1: TYPE		
NQ24_TXP_OTH1_NUS_D	NQ24 - TX: OTHER 1: NEVER USED		1 Never used 2 Current use - helpful 3 Current use - partially helpful 4 Current use - not helpful 5 Used in the past but stopped - helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH1_PRU_D	NQ24 - TX: OTHER 1: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH1_PSU_D	NQ24 - TX: OTHER 1: USED IN THE PAST	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH1_DKN_D	NQ24 - TX: OTHER 1: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH2_SPE	NQ24 - TX: OTHER 2: TYPE		
NQ24_TXP_OTH2_NUS_D	NQ24 - TX: OTHER 2: NEVER USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH2_PRU_D	NQ24 - TX: OTHER 2: CURRENTLY USED	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH2_PSU_D	NQ24 - TX: OTHER 2: USED IN THE PAST	1	Never used

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_TXP_OTH2_DKN_D	NQ24 - TX: OTHER 2: DON'T KNOW	1	Never used
		2	Current use - helpful
		3	Current use - partially helpful
		4	Current use - not helpful
		5	Used in the past but stopped - helpful
		6	Used in the past but stopped - partially helpful
		7	Used in the past but stopped - not helpful
		8	Don't know
NQ24_CPM	NQ24 - NO MEDICATION, MARIJUANA, CANNABIS, HASCHICH OR NATURAL PRODUCT USED	1	Checked
NQ24_CPM_ANA	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DIN		
NQ24_CPM_BNM	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: BRAND NAME†		
NQ24_CPM_ACT	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: ACTIVE INGREDIENT†		
NQ24_CPM_POS	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: POSOLOGY		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_CPM_UN	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: UNITS	0	MG
		1	MCG
		2	UI
		3	ND
NQ24_CPM_FRQ	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ	0	DIE
		1	BID
		2	TID
		3	QID
		4	Autre
NQ24_CPM_OF	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: OTHER FREQ		
NQ24_CPM_FQ	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: FREQ BY	0	Day
		1	Week
		3	Month
NQ24_CPM_DT	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-MONTH		
NQ24_CPM_DY	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: DATE-YEAR		
NQ24_CPM_EF	*NQ24 - ACTUAL MEDICATIONS FOR PAIN RELIEF: EFFICACY	0	Not helpful
		1	Helpful
		2	Don't know
NQ24_SIDE_EFFECT_NOT_APPLICABLE	!NQ24 - SIDE EFFECTS: NOT APPLICABLE	1	Checked
NQ24_SIDE_EFFECT_1	!NQ24 - SIDE EFFECTS: LIGHT-HEADEDNESS / DIZZINESS	0	None

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_2	<sup>1</sup> NQ24 - SIDE EFFECTS: DROWSINESS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_3	<sup>1</sup> NQ24 - SIDE EFFECTS: CONFUSION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_4	<sup>1</sup> NQ24 - SIDE EFFECTS: NAUSEA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_5	<sup>1</sup> NQ24 - SIDE EFFECTS: VOMITING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_6	<sup>1</sup> NQ24 - SIDE EFFECTS: IMPAIRED MEMORY	0	None
		1	Mild
		2	Moderate

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3	Severe
NQ24_SIDE_EFFECT_7	<sup>1</sup> NQ24 - SIDE EFFECTS: DRY MOUTH	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_8	<sup>1</sup> NQ24 - SIDE EFFECTS: ITCHING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_9	<sup>1</sup> NQ24 - SIDE EFFECTS: ABDOMINAL DISCOMFORT	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_10	<sup>1</sup> NQ24 - SIDE EFFECTS: CONSTIPATION	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_11	<sup>1</sup> NQ24 - SIDE EFFECTS: SLOWING OF THE URINE STREAM	0	None
		1	Mild
		2	Moderate
		3	Severe

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_SIDE_EFFECT_12	'NQ24 - SIDE EFFECTS: FATIGUE	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_13	'NQ24 - SIDE EFFECTS: INSOMNIA	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_14	'NQ24 - SIDE EFFECTS: SWELLING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_15	'NQ24 - SIDE EFFECTS: WEIGHT GAIN	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_16	'NQ24 - SIDE EFFECTS: VISUAL BLURRING	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_17	'NQ24 - SIDE EFFECTS: DECREASED SEX DRIVE	0	None
		1	Mild

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_18	'NQ24 - SIDE EFFECTS: HALLUCINATIONS	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_19	'NQ24 - SIDE EFFECTS: NIGHTMARES	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_SIDE_EFFECT_OTHER_SPE	*'NQ24 - OTHER SIDE EFFECT: NAME - up to 12		
NQ24_SIDE_EFFECT_OTHER	*'NQ24 - OTHER SIDE EFFECT: SEVERITY	0	None
		1	Mild
		2	Moderate
		3	Severe
NQ24_NO_OTHER_MEDS	'NQ24 - ACTUAL OTHER MEDICATIONS: NO OTHER MEDICATION	1	Checked
NQ24_OTHER_MED	*'NQ24 - OTHER MEDICATIONS: DIN - up to 30		
NQ24_OTHER_MED_BN	†*'NQ24 - OTHER MEDICATIONS: BRAND NAME		
NQ24_OTHER_MED_AI	†*'NQ24 - OTHER MEDICATIONS: ACTIVE INGREDIENT		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ24_NO_OTH_NAT_PRODUCTS	'NQ24 - ACTUAL OTHER MEDICATIONS: NO OTHER NATURAL PRODUCT	1	Checked
NQ24_OTH_NAT_PRODUCT	*'NQ24 - NATURAL PRODUCT: NAME - up to 6		
NQ24_ALLERGIES	'NQ24 - ALLERGY TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ24_ALLERGIES_SPE	*'NQ24 - MEDICATIONS: NAME - up to 11		
NQ24_INTOLERANCES	'NQ24 - INTOLERANCE TO MEDICATIONS	-1	Missing data
		0	No
		1	Yes
NQ24_INTOLERANCES_SPE	*'NQ24 - MEDICATIONS: NAME - up to 11		
NQ24_PPM	'NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS	-1	Missing data
		0	No
		1	Yes
NQ24_PPM_PREVIOUS_USE	*'NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : USED IN THE PAST 6 MONTHS BUT STOPPED	-1	Missing data
		0	No
		1	Yes
		2	Don't know
NQ24_PPM_BRAND_NAME	†*'NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : BRAND NAME		
NQ24_PPM_ACTIVE_INGREDIENT	†*'NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : ACTIVE INGREDIENT		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_PPM_DIN	*!NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : DIN		
NQ24_PPM_STOPPED_SE	*!NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: SIDE EFFECTS	-1	Missing data
		0	No
		1	Yes
NQ24_PPM_STOPPED_COST	*!NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: COST	-1	Missing data
		0	No
		1	Yes
NQ24_PPM_STOPPED_LB	*!NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: LACK OF BENEFIT	-1	Missing data
		0	No
		1	Yes
NQ24_PPM_STOPPED_NN	*!NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: NOT NEEDED	-1	Missing data
		0	No
		1	Yes
NQ24_PPM_STOPPED_DK	*!NQ24 - PAIN MEDICATIONS USED IN THE PAST 6 MONTHS : STOPPED BECAUSE: DON'T KNOW OR OTHER REASON	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_01	!NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ANAESTHESIOLOGIST	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		1	Yes
NQ24_HC_PROVIDER_01_IH	<sup>1</sup> NQ24 - ANAESTHESIOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_01_OH	<sup>1</sup> NQ24 - ANAESTHESIOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_02	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NEUROLOGIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_02_IH	<sup>1</sup> NQ24 - NEUROLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_02_OH	<sup>1</sup> NQ24 - NEUROLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_03	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NEUROSURGEON	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_03_IH	<sup>1</sup> NQ24 - NEUROSURGEON: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_03_OH	<sup>1</sup> NQ24 - NEUROSURGEON: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_04	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ORTHOPAEDIC	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_04_IH	<sup>1</sup> NQ24 - ORTHOPAEDIC: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_04_OH	<sup>1</sup> NQ24 - ORTHOPAEDIC: NO TIMES VIS. OUTSIDE THE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ24_HC_PROVIDER_05	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SCPEC. IN PHYSIATRY & REHAB.	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_05_IH	'NQ24 - SCPEC. IN PHYSIATRY & REHAB.: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_05_OH	'NQ24 - SCPEC. IN PHYSIATRY & REHAB.: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_06	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PSYCHIATRIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_06_IH	'NQ24 - PSYCHIATRIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_06_OH	'NQ24 - PSYCHIATRIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_07	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: RHEUMATOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_07_IH	'NQ24 - RHEUMATOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_07_OH	'NQ24 - RHEUMATOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_08	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: FAMILY PRACTITIONER	-1	Missing data
		0	No
		1	Yes

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ24_HC_PROVIDER_08_IH	'NQ24 - FAMILY PRACTITIONER: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_08_OH	'NQ24 - FAMILY PRACTITIONER: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_09	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: REHABILITATION CENTRE	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_09_IH	'NQ24 - REHABILITATION CENTRE: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_09_OH	'NQ24 - REHABILITATION CENTRE: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_10	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OCCUPATIONNAL THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_10_IH	'NQ24 - OCCUPATIONNAL THERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_10_OH	'NQ24 - OCCUPATIONNAL THERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_11	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PHYSIOTHERAPIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_11_IH	'NQ24 - PHYSIOTHERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_11_OH	'NQ24 - PHYSIOTHERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_HC_PROVIDER_12	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: PSYCHOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_12_IH	'NQ24 - PSYCHOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_12_OH	'NQ24 - PSYCHOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_13	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NURSE	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_13_IH	'NQ24 - NURSE: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_13_OH	'NQ24 - NURSE: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_14	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SOCIAL WORKER	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_14_IH	'NQ24 - SOCIAL WORKER: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_14_OH	'NQ24 - SOCIAL WORKER: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_15	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: ACUPUNCTURIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_15_IH	'NQ24 - ACUPUNCTURIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_HC_PROVIDER_15_OH	<sup>1</sup> NQ24 - ACUPUNCTURIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_16	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: CHIROPRACTOR	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_16_IH	<sup>1</sup> NQ24 - CHIROPRACTOR: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_16_OH	<sup>1</sup> NQ24 - CHIROPRACTOR: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_17	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: MASSAGE THERAPIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_17_IH	<sup>1</sup> NQ24 - MASSAGE THERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_17_OH	<sup>1</sup> NQ24 - MASSAGE THERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_18	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OSTEOPATH	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_18_IH	<sup>1</sup> NQ24 - OSTEOPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_18_OH	<sup>1</sup> NQ24 - OSTEOPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_19	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: KINESITHERAPIST	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		1	Yes
NQ24_HC_PROVIDER_19_IH	<sup>1</sup> NQ24 - KINESITHERAPIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_19_OH	<sup>1</sup> NQ24 - KINESITHERAPIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_20	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: NATUROPATH	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_20_IH	<sup>1</sup> NQ24 - NATUROPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_20_OH	<sup>1</sup> NQ24 - NATUROPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_21	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: HOMEOPATH	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_21_IH	<sup>1</sup> NQ24 - HOMEOPATH: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_21_OH	<sup>1</sup> NQ24 - HOMEOPATH: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_22	<sup>1</sup> NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: RADIOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_22_IH	<sup>1</sup> NQ24 - RADIOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_22_OH	<sup>1</sup> NQ24 - RADIOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_HC_PROVIDER_23	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: GYNAECOLOGIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_23_IH	'NQ24 - GYNAECOLOGIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_23_OH	'NQ24 - GYNAECOLOGIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_24	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: DENTIST	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_24_IH	'NQ24 - DENTIST: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_24_OH	'NQ24 - DENTIST: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_25	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: OTHER PAIN CLINIC	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_25_IH	'NQ24 - OTHER PAIN CLINIC: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_25_OH	'NQ24 - OTHER PAIN CLINIC: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_26	'NQ24 - HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: EMERGENCY PHYSICIAN	-1	Missing data
		0	No
		1	Yes
NQ24_HC_PROVIDER_26_IH	'NQ24 - EMERGENCY PHYSICIAN: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ24_HC_PROVIDER_26_OH	'NQ24 - EMERGENCY PHYSICIAN: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_HC_PROVIDER_OTH_SPE	*'NQ24 - OTHER HEALTH PROF. VIS. FOR PAIN, PAST 6 MOS: SPECIFY		
NQ24_HC_PROVIDER_OTH_IH	*'NQ24 - OTHER HEALTH PROF: NO TIMES VIS. AT PAIN CLINIC OR INSIDE HOSPITAL		
NQ24_HC_PROVIDER_OTH_OH	*'NQ24 - OTHER HEALTH PROF: NO TIMES VIS. OUTSIDE THE HOSPITAL		
NQ24_NEW_HEALTH_PROBLEMS	'NQ24 - MED. HIST.: NEW HEALTH PROBLEMS IN PAST 6 MOS	-1	Missing data
		0	No
		1	Yes
NQ24_MH_DI_TYP	'NQ24 - MED. HIST.: DIABETES TYPE	1	Type 1
		2	Type 2
NQ24_MH_DI	'NQ24 - MED. HIST.: DIABETES	-1	Missing data
		0	No
		1	Yes
NQ24_MH_DI_SPE	'NQ24 - MED. HIST.: DIABETES: SPECIFICATIONS		
NQ24_MH_BP	'NQ24 - ED. HIST.: HBP (HYPERTENSION)	-1	Missing data
		0	No
		1	Yes
NQ24_MH_BP_SPE	'NQ24 - ED. HIST.: HBP (HYPERTENSION): SPECIFICATIONS		
NQ24_MH_LI	'NQ24 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA)	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ24_MH_LI_SPE	'NQ24 - ED. HIST.: DYSLIPIDEMIA (HYPERCHOLESTEROLEMIA): SPECIFICATIONS		
NQ24_MH_AN	'NQ24 - ED. HIST.: ANGINA/HEART ATTACK	-1	Missing data
		0	No
		1	Yes
NQ24_MH_AN_SPE	'NQ24 - ED. HIST.: ANGINA/HEART ATTACK: SPECIFICATIONS		
NQ24_MH_HF	'NQ24 - ED. HIST.: HEART FAILURE	-1	Missing data
		0	No
		1	Yes
NQ24_MH_HF_SPE	'NQ24 - ED. HIST.: HEART FAILURE: SPECIFICATIONS		
NQ24_MH_CE	'NQ24 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE)	-1	Missing data
		0	No
		1	Yes
NQ24_MH_CE_SPE	'NQ24 - ED. HIST.: CVA (CEREBRAL VASCULAR ACCIDENT, STROKE): SPECIFICATIONS		
NQ24_MH_HY	'NQ24 - ED. HIST.: HYPOTHYROIDISM	-1	Missing data
		0	No
		1	Yes
NQ24_MH_HY_SPE	'NQ24 - ED. HIST.: HYPOTHYROIDISM: SPECIFICATIONS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
NQ24_MH_CO	'NQ24 - ED. HIST.: COPD	-1	Missing data
		0	No
		1	Yes
NQ24_MH_CO_SPE	'NQ24 - ED. HIST.: COPD: SPECIFICATIONS		
NQ24_MH_AS	'NQ24 - ED. HIST.: ASTHMA	-1	Missing data
		0	No
		1	Yes
NQ24_MH_AS_SPE	'NQ24 - ED. HIST.: ASTHMA: SPECIFICATIONS		
NQ24_MH_AX	'NQ24 - MED. HIST.: ANXIETY DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ24_MH_AX_SPE	'NQ24 - MED. HIST.: ANXIETY DISORDERS: SPECIFICATIONS		
NQ24_MH_DP_MED	'NQ24 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED MEDICATION		
NQ24_MH_DP_HOS	'NQ24 - MED. HIST.: DEPRESSIVE DISORDERS: REQUIRED HOSPITALIZATION		
NQ24_MH_DP	'NQ24 - MED. HIST.: DEPRESSIVE DISORDERS	-1	Missing data
		0	No
		1	Yes
NQ24_MH_IB	'NQ24 - MED. HIST.: IRRITABLE BOWEL SYNDROME	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		1	Yes
NQ24_MH_IB_SPE	<sup>1</sup> NQ24 - MED. HIST.: IRRITABLE BOWEL SYNDROME: SPECIFICATIONS		
NQ24_MH_MI	<sup>1</sup> NQ24 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE	-1	Missing data
		0	No
		1	Yes
NQ24_MH_MI_SPE	<sup>1</sup> NQ24 - MED. HIST.: CHRONIC HEADACHE/MIGRAINE: SPECIFICATIONS		
NQ24_MH_RL	<sup>1</sup> NQ24 - MED. HIST.: RESTLESS LEG SYNDROME	-1	Missing data
		0	No
		1	Yes
NQ24_MH_RL_SPE	<sup>1</sup> NQ24 - MED. HIST.: RESTLESS LEG SYNDROME: SPECIFICATIONS		
NQ24_MH_DM	<sup>1</sup> NQ24 - MED. HIST.: DYSMENORRHOEA	-1	Missing data
		0	No
		1	Yes
NQ24_MH_DM_SPE	<sup>1</sup> NQ24 - MED. HIST.: DYSMENORRHOEA: SPECIFICATIONS		
NQ24_MH_CY	<sup>1</sup> NQ24 - MED. HIST.: INTERSTITIAL CYSTITIS	-1	Missing data
		0	No
		1	Yes
NQ24_MH_CY_SPE	<sup>1</sup> NQ24 - MED. HIST.: INTERSTITIAL CYSTITIS: SPECIFICATIONS		
NQ24_MH_BR	<sup>1</sup> NQ24 - MED. HIST.: BRUXISM	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
NQ24_MH_BR_SPE	<sup>†</sup> NQ24 - MED. HIST.: BRUXISM: SPECIFICATIONS		
NQ24_MH_CS	<sup>†</sup> NQ24 - MED. HIST.: CHRONIC SNORING	-1	Missing data
		0	No
		1	Yes
NQ24_MH_CS_SPE	<sup>†</sup> NQ24 - MED. HIST.: CHRONIC SNORING: SPECIFICATIONS		
NQ24_MH_FI	<sup>†</sup> NQ24 - MED. HIST.: FIBROMYALGIA	-1	Missing data
		0	No
		1	Yes
NQ24_MH_FI_SPE	<sup>†</sup> NQ24 - MED. HIST.: FIBROMYALGIA: SPECIFICATIONS		
NQ24_MH_RA	<sup>†</sup> NQ24 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHRISIS	-1	Missing data
		0	No
		1	Yes
NQ24_MH_RA_SPE	<sup>†</sup> NQ24 - MED. HIST.: RHEUMATOID ARTHRITIS/OSTEOARTHRISIS: SPECIFICATIONS		
NQ24_MH_TM	<sup>†</sup> NQ24 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFONCTION	-1	Missing data
		0	No
		1	Yes
NQ24_MH_TM_SPE	<sup>†</sup> NQ24 - MED. HIST.: TEMPOROMANDIBULAR JOINT DYSFONCTION: SPECIFICATIONS		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
NQ24_MH_OTH_DES	*!NQ24 - MED. HIST.: OTHER: DESCRIPTION		
NQ24_MH_OTH_SPE	*!NQ24 - MED. HIST.: OTHER: SPECIFICATIONS		
NQ24_MH_ER	!NQ24 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ24_MH_ER_FRQ	!NQ24 - MED. HIST.: BEEN TO EMERGENCY DEPT. IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ24_MH_HOSPITAL	!NQ24 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN	-1	Missing data
		0	No
		1	Yes
NQ24_MH_HOSPITAL_FRQ	!NQ24 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: NO TIMES		
NQ24_MH_HOSPITAL_DAYS	!NQ24 - MED. HIST.: BEEN HOSPITALIZED IN PAST 6 MOS FOR PAIN: TOT. NO DAYS		
NQ24_MOBILITY_IN_HOME	!NQ24 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME	0	None
		1	Cane
		2	Walker
		3	Wheelchair
		4	Other
NQ24_MOBILITY_IN_HOME_SPE	!NQ24 - MOBILITY: USE OF MOBILITY SUPPORT AT HOME: TYPE, IF OTHER		
NQ24_MOBILITY_OUTSIDE	!NQ24 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE	0	None
		1	Cane

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2	Walker
		3	Wheelchair
		4	Other
NQ24_MOBILITY_OUTSIDE_SPE	'NQ24 - MOBILITY: USE OF MOBILITY SUPPORT OUTSIDE: TYPE, IF OTHER		
NQ24_MOBILITY_SUPPORT_PAIN	'NQ24 - MOBILITY: USE OF MOBILITY SUPPORT RELATED TO PAIN	-1	Missing data
		0	No
		1	Yes
		2	Not applicable
NQ24_DX_CLINIC_O	*'NQ24 - PAIN CLINIC MED. DX: ORDER (1st, 2nd,...)		
NQ24_DX_CLINIC_G	*'NQ24 - PAIN CLINIC MED. DX: GENERAL CODE	-1	Missing data
		1	01-Cervical pain
		2	02-Thoracic pain
		3	03-Lumbar pain
		4	04-Sacral pain
		5	05-Coccygeal pain
		6	06-Abdominal pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		7	07-Pelvic pain
		8	08-Upper limb pain
		9	09-Lower limb pain
		10	10-Head & face painful syndromes
		11	11-Generalized syndromes
		12	12-Pregnancy
		13	13-Pain resolved
NQ24_DX_CLINIC_S	*NQ24 - PAIN CLINIC MED. DX: SPECIFIC CODE	-1	Missing data
		1.1	1.1-Cervical without radicular pain
		1.2	1.2-Cervical and radicular pain
		1.3	1.3-Radicular pain only
		1.4	1.4-Diffuse pain in the cervical region
		1.5	1.5-Torticollis
		1.6	1.6-Other cervical pain
		2.1	2.1-Thoracic without radicular pain
		2.2	2.2-Thoracic and radicular pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		2.3	2.3-Radicular pain only
		2.4	2.4-Diffuse pain in the thoracic region
		2.5	2.5-Acute herpes zoster
		2.6	2.6-Postherpetic neuralgia
		2.7	2.7-Costochondritis
		2.8	2.8-Post mastectomy
		2.9	2.9-Post thoracotomy
		2.10	2.10-Associated with a neoplasm
		2.11	2.11-Following cancer treatment (chemotherapy/radiotherapy)
		2.12	2.12-Following HIV and/or its treatment
		2.13	2.13-Refractory angina
		3.1	3.1-Lumbar without radicular pain
		3.2	3.2-Lumbar and radicular pain
		3.3	3.3-Radicular pain only
		3.4	3.4-Diffuse pain in the lumbar region
		3.5	3.5-Acute herpes zoster
		3.6	3.6-Postherpetic neuralgia
		3.7	3.7-Lumbar pain of uncertain origin
		3.8	3.8-Other lumbar pain
		4.1	4.1-Sacroiliitis
		4.2	4.2-Acute herpes zoster
		4.3	4.3-Postherpetic neuralgia
		4.4	4.4-Mechanical pain
		4.5	4.5-Traumatic origin

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		4.6	4.6-Associated with a neoplasm
		5.1	5.1-Traumatic origin
		5.2	5.2-Associated with a neoplasm
		5.3	5.3-Following cancer treatment (chemotherapy/radiotherapy)
		6.1	6.1-Acute herpes zoster
		6.2	6.2-Postherpetic neuralgia
		6.3	6.3-Post-cholecystectomy
		6.4	6.4-Post-herniorrhaphy
		6.5	6.5-Irritable bowel syndrome
		6.6	6.6-Chronic pancreatitis
		6.7	6.7-Crohn's disease
		6.8	6.8-Ulcerative colitis
		6.9	6.9-Following surgery
		6.10	6.10-Associated with a neoplasm
		7.1	7.1-Endometriosis
		7.2	7.2-Vulvodynia
		7.3	7.3-Post-herniorrhaphy
		7.4	7.4-Acute herpes zoster
		7.5	7.5-Postherpetic neuralgia
		7.6	7.6-Chronic proctitis
		7.7	7.7-Interstitial cystitis
		7.8	7.8-Pudendal neuropathy
		8.1	8.1-Brachial plexopathy
		8.2	8.2-Bicipital tendinitis

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		8.3	8.3-Subacromial bursitis
		8.4	8.4-Rotator cuff tear or tendinitis
		8.5	8.5-Adhesive capsulitis and frozen shoulder
		8.6	8.6-Lateral epicondylitis
		8.7	8.7-Medial epitrochleitis
		8.8	8.8-Cubital tunnel syndrome
		8.9	8.9-Carpal tunnel syndrome
		8.10	8.10-Acute herpes zoster
		8.11	8.11-Postherpetic neuralgia
		8.12	8.12-Diabetic neuropathy
		8.13	8.13-Other peripheral neuropathy
		8.14	8.14-Complex regional pain syndrome
		8.15	8.15-Stump pain
		8.16	8.16-Phantom pain
		8.17	8.17-Myofascial pain (trigger point)
		8.18	8.18-Traumatic origin
		9.1	9.1-Ischial bursitis
		9.2	9.2-Trochanteric bursitis
		9.3	9.3-Osteoarthritis of the hip
		9.4	9.4-Osteoarthritis of the knee
		9.5	9.5-Plantar fasciitis
		9.6	9.6-Sciatica neuralgia
		9.7	9.7-Obturator neuralgia
		9.8	9.8-Femoral neuralgia
		9.9	9.9-Piriformis syndrome

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		9.10	9.10-Plexopathy
		9.11	9.11-Acute herpes zoster
		9.12	9.12-Postherpetic neuralgia
		9.13	9.13-Diabetic neuropathy
		9.14	9.14-Other peripheral neuropathy
		9.15	9.15-Complex regional pain syndrome
		9.16	9.16-Post phlebotic pain syndrome
		9.17	9.17-Stump pain
		9.18	9.18-Phantom pain
		9.19	9.19-Myofascial pain (trigger point)
		9.20	9.20-Restless leg syndrome
		10.1	10.1-Migraine
		10.2	10.2-Headache
		10.3	10.3-Occipital neuralgia (Arnold)
		10.4	10.4-Trigeminal neuralgia
		10.5	10.5-Atypical facial neuralgia
		10.6	10.6-Myofascial pain (trigger point)
		10.7	10.7-Acute herpes zoster
		10.8	10.8-Postherpetic neuralgia
		10.9	10.9-Temporomandibular joint disorder
		10.10	10.10-Burning mouth syndrome
		10.11	10.11-Traumatic origin
		10.12	10.12-Following dental surgery
		10.13	10.13-Following other type of surgery
		10.14	10.14-Associated with neoplasm

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		10.15	10.15-Following cancer treatment (chemotherapy/radiotherapy)
		10.16	10.16-Following HIV and/or its treatment
		10.17	10.17-Head and face painful syndromes of uncertain origin
		10.18	10.18-Other head and face painful syndromes
		11.1	11.1-Fibromyalgia
		11.2	11.2-Diffuse myofascial pain syndrome
		11.3	11.3-Rheumatoid arthritis
		11.4	11.4-Other type of inflammatory arthritis
		11.5	11.5-Osteoarthritis
		11.6	11.6-Multiple sclerosis
		11.7	11.7-Central post-stroke pain (CVA)
		11.8	11.8-Diabetic polyneuropathy (upper + lower limbs)
		11.9	11.9-Autre polyneuropathie impliquant plus d'un membre (membre supérieur et inférieur)
		11.10	11.10-Widespread pain of uncertain origin
		11.11	11.11-Other generalized syndromes
		12.1	12.1-Post cesarean pain
		12.2	12.2-Postpartum pain
		12.3	12.3-Other pregnancy related pain
		13.1	13.1-Pain resolved (no more pain, no more pain medication)
		2.14	2.14-Thoracic pain of uncertain origin
		2.15	2.15-Other thoracic pain
		4.10	4.10-Other sacral pain

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

24-month follow-up nurse questionnaire

Number of Variables: 374

Variable Name	Variable Label	Code	Value
		4.7	4.7-Following cancer treatment (chemotherapy/radiotherapy)
		4.8	4.8-Following HIV (treatment or virus)
		4.9	4.9-Sacral pain of uncertain origin
		5.4	5.4-Following HIV and/or its treatment
		5.5	5.5-Coccygeal pain of uncertain origin
		5.6	5.6-Other coccygeal pain
		6.11	6.11-Following cancer treatment (chemotherapy/radiotherapy)
		6.12	6.12-Following HIV and/or its treatment
		6.13	6.13-Abdominal pain of uncertain origin
		6.14	6.14-Other abdominal pain
		7.10	7.10-Associated with a neoplasm
		7.11	7.11-Following cancer treatment (chemotherapy/radiotherapy)
		7.12	7.12-Following HIV and/or its treatment
		7.13	7.13-Pelvic pain of uncertain origin
		7.14	7.14-Other pelvic pain
		7.9	7.9-Following surgeryE
		8.19	8.19-Following surgery
		8.20	8.20-Associated with a neoplasm
		8.21	8.21-Following cancer treatment (chemotherapy/radiotherapy)
		8.22	8.22-Following HIV and/or its treatment
		8.23	8.23-Upper limb pain of uncertain origin
		8.24	8.24-Other upper limb pain
		9.21	9.21-Traumatic origin

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		9.22	9.22-Following surgery
		9.23	9.23-Associated with a neoplasm
		9.24	9.24-Following cancer treatment (chemotherapy/radiotherapy)
		9.25	9.25-Following HIV and/or its treatment
		9.26	9.26-Lower limb pain of uncertain origin
		9.27	9.27-Other lower limb pain
NQ24_DX_CLINIC_S_SPE	*!NQ24 - DX: SPECIFIC CODE SPECIFICATION, IF OTHER		
NQ24_DX_CLINIC_E	*!NQ24 - PAIN CLINIC MED. DX: ETIOLOGY	-1	Na
		1.a	1.a-Muscular
		1.b	1.b-Facet joint disorder
		1.c	1.c-Disc disorder
		1.d	1.d-Medullary
		1.e	1.e-Myofascial (trigger point)
		1.f	1.f-Mechanical
		1.g	1.g-Osteoarthritis
		1.h	1.h-Osteoporosis fracture
		1.i	1.i-Traumatic origin
		1.j	1.j-Following surgery
		1.k	1.k-Following nerve injury
		1.l	1.l-Spinal stenosis
		1.m	1.m-Scoliosis
		1.n	1.n-Spondylolysis/spondylolisthesis
		1.o	1.o-Syringomyelia

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		1.p	1.p-Neoplasm
		1.q	1.q-Following cancer treatment (chemotherapy/radiotherapy)
		1.r	1.r-Following HIV and/or its treatment
		1.s	1.s-Infectious
		1.t	1.t-Cervical pain of uncertain etiology
		1.u	1.u-Other cervical pain etiology
		10.a	10.a-Tension headache
		10.b	10.b-Mixed headache
		10.c	10.c-Cluster headache
		10.d	10.d-Other type of headache
		2.a	2.a-Muscular
		2.b	2.b-Facet joint disorder
		2.c	2.c-Disc disorder
		2.d	2.d-Medullary
		2.e	2.e-Myofascial (trigger point)
		2.f	2.f-Mechanical
		2.g	2.g-Osteoarthritis
		2.h	2.h-Osteoporosis fracture
		2.i	2.i-Traumatic origin
		2.j	2.j-Following surgery
		2.k	2.k-Following nerve injury
		2.l	2.l-Spinal stenosis
		2.m	2.m-Scoliosis
		2.n	2.n-Spondylolysis/spondylolisthesis

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		2.o	2.o-Syringomyelia
		2.p	2.p-Neoplasm
		2.q	2.q-Following cancer treatment (chemotherapy/radiotherapy)
		2.r	2.r-Following HIV and/or its treatment
		2.s	2.s-Infectious
		2.t	2.t-Thoracic pain of uncertain etiology
		2.u	2.u-Other thoracic pain etiology
		3.a	3.a-Muscular
		3.b	3.b-Facet joint disorder
		3.c	3.c-Disc disorder
		3.d	3.d-Medullary
		3.e	3.e-Myofascial (trigger point)
		3.f	3.f-Mechanical
		3.g	3.g-Osteoarthritis
		3.h	3.h-Osteoporosis fracture
		3.i	3.i-Traumatic origin
		3.j	3.j-Following surgery
		3.k	3.k-Following nerve injury
		3.l	3.l-Spinal stenosis
		3.m	3.m-Scoliosis
		3.n	3.n-Spondylolysis/spondylolisthesis
		3.o	3.o-Syringomyelia
		3.p	3.p-Neoplasm
		3.q	3.q-Following cancer treatment (chemotherapy/radiotherapy)

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up nurse questionnaire

**Number of Variables: 374**

Variable Name	Variable Label	Code	Value
		3.r	3.r-Following HIV and/or its treatment
		3.s	3.s-Infectious
		3.t	3.t-Sacroiliac
		3.u	3.u-Lumbar pain of uncertain etiology
		3.v	3.v-Other Lumbar pain etiology
		8.a	8.a-Mononeuropathy
		8.b	8.b-Polyneuropathy
		9.a	9.a-Mononeuropathy
		9.b	9.b-Polyneuropathy
NQ24_DX_CLINIC_E_SPE	*!NQ24 - DX: ETIOLOGY SPECIFICATION, IF OTHER		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



## 24 Month Patient Questionnaire

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



This page is intentionally left blank

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
DB			
SUBJECT_ID	SUBJECT NUMBER		
CENTRE	PATIENT SITE	1	Sherbrooke
		2	McGill
		3	CHUM-HD
		4	CHUL
		5	HDL
		999	Test
CODEID	†UNIQUE CODE OF THE SUBJECT		
PQ24_VISIT_DATE	<sup>1</sup> PQ24 - FOLLOW UP DATE (Format = MM/DD/YYYY. eg. 12/02/2010 for December 2, 2010)		
PQ24_COMPLETED	<sup>1</sup> PQ24 - COMPLETED QUESTIONNAIRE	-1	Missing data
		0	No
		1	Yes
PQ24_NOT_COMPL_REASON	<sup>1</sup> PQ24 - QUESTIONNAIRE NOT COMPLETED, REASON		
PQ24_LOST_TO_FUP	<sup>1</sup> PQ24 - LOST TO FU	-1	Missing data
		0	No
		1	Yes
PQ24_LOST_TO_FUP_REASON	<sup>1</sup> PQ24 - LOST TO FU, REASON		
PQ24_YOUR_PAIN_Q1	<sup>1</sup> PQ24 - YOUR PAIN - PAIN RIGHT NOW (0= NO PAIN, 10= WORST POSSIBLE PAIN)		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_YOUR_PAIN_Q2	'PQ24 - YOUR PAIN - AVERAGE PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ24_YOUR_PAIN_Q3	'PQ24 - YOUR PAIN - WORST PAIN IN PAST 7 DAYS (0= NO PAIN, 10= WORST POSSIBLE PAIN)		
PQ24_BPI_A	'PQ24 - BPI: GENERAL ACTIVITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_B	'PQ24 - BPI: MOOD (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_C	'PQ24 - BPI: WALKING ABILITY (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_D	'PQ24 - BPI: NORMAL WORK (INCL. HOUSEWORK, 0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_E	'PQ24 - BPI: RELATIONS WITH OTHER PEOPLE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_F	'PQ24 - BPI: SLEEP (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_G	'PQ24 - BPI: ENJOYMENT OF LIFE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_H	'PQ24 - BPI: SELF-CARE (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_I	'PQ24 - BPI: RECREATIONAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_J	'PQ24 - BPI: SOCIAL ACTIVITIES (0= DOES NOT INTERFERE, 10= COMPLETELY INTERFERES)		
PQ24_BPI_GLOBAL_SCORE	†'PQ24 - BPI: GLOBAL SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_CPSI_Q01	'PQ24 - CPSI: SLEEP & PAIN: TROUBLE FALLING ASLEEP BECAUSE OF PAIN (0= NEVER, 10= ALWAYS)		
PQ24_CPSI_Q02	'PQ24 - CPSI: SLEEP & PAIN: NEED OF SLEEP MEDICATION TO HELP FALL ASLEEP (0= NEVER, 10= ALWAYS)		
PQ24_CPSI_Q03	'PQ24 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN DURING NIGHT (0= NEVER, 10= ALWAYS)		
PQ24_CPSI_Q04	'PQ24 - CPSI: SLEEP & PAIN: AWAKENED BY PAIN IN THE MORNING (0= NEVER, 10= ALWAYS)		
PQ24_CPSI_Q05	'PQ24 - CPSI: SLEEP & PAIN: OVERALL QUALITY OF SLEEP (0= VERY BAD, 10= EXCELLENT)		
PQ24_CPSI_SP_INDEX	†'PQ24 - CPSI: SLEEP & PAIN: SLEEP PROBLEM INDEX		
PQ24_PCS_Q01	'PQ24 - PCS: WORRIES ALL THE TIME ABOUT WHETHER THE PAIN WILL END	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q02	'PQ24 - PCS: FEELS THAT CAN'T GO ON	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ24_PCS_Q03	'PQ24 - PCS: IT'S TERRIBLE & THINKS IT'S NEVER GOING TO GET BETTER	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q04	'PQ24 - PCS: IT'S AWFULL & FEELS IT OVERWHELMS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q05	'PQ24 - PCS: FEELS THAT CAN'T STAND IT ANYMORE	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q06	'PQ24 - PCS: BECOMES AFRAID THE PAIN WILL GET WORSE	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		3	To a great degree
		4	All the time
PQ24_PCS_Q07	'PQ24 - PCS: KEEPS THINKING OF OTHER PAINFUL EVENTS	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q08	'PQ24 - PCS: ANXIOUSLY WANTS THE PAIN TO GO AWAY	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q09	'PQ24 - PCS: CAN'T SEEM TO KEEP IT OUT OF MIND	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q10	'PQ24 - PCS: KEEPS THINKING ABOUT HOW MUCH IT HURTS	-1	Missing data
		0	Not at all

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q11	<sup>1</sup> PQ24 - PCS: KEEPS THINKING ABOUT WANTING THE PAIN TO STOP	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q12	<sup>1</sup> PQ24 - PCS: NOTHING CAN REDUCE THE INTENSITY OF PAIN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time
PQ24_PCS_Q13	<sup>1</sup> PQ24 - PCS: WONDERS WHETHER SOMETHING SERIOUS MAY HAPPEN	-1	Missing data
		0	Not at all
		1	To a slight degree
		2	To a moderate degree
		3	To a great degree
		4	All the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_PCS_RUMINATION	†PQ24 - PCS: RUMINATION SUB-SCALE		
PQ24_PCS_MAGNIFICATION	†PQ24 - PCS: MAGNIFICATION SUB-SCALE		
PQ24_PCS_HELPLESSNESS	†PQ24 - PCS: HELPPLESSNESS SUB-SCALE		
PQ24_PCS_GLOBAL	†PQ24 - PCS: GLOBAL SCALE		
PQ24_BDI1_Q01	'PQ24 - BDI 1: SADNESS	-1	Missing data
		0	I do not feel sad
		1	I feel sad
		2	I am sad all the time and I can't snap out of it
		3	I am so sad or unhappy that I can't stand it
PQ24_BDI1_Q02	'PQ24 - BDI 1: FUTURE	-1	Missing data
		0	I am not particularly discouraged about my future
		1	I feel discouraged about the future
		2	I feel I have nothing to look forward to
		3	I feel that the future is hopeless and that things cannot improve
PQ24_BDI1_Q03	'PQ24 - BDI 1: FAILURE	-1	Missing data
		0	I do not feel like a failure
		1	I feel I have failed more than the average person
		2	As I look back on my life, all I can see is a lot of failures
		3	I feel I am a complete failure as a person

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ24_BDI1_Q04	'PQ24 - BDI 1: SATISFACTION	-1	Missing data
		0	I get as much satisfaction out of things as I used to
		1	I don't enjoy things the way I used to
		2	I don't get real satisfaction out of anything anymore
		3	I am dissatisfied or bored with everything
PQ24_BDI1_Q05	'PQ24 - BDI 1: GUILT	-1	Missing data
		0	I don't feel particularly guilty
		1	I feel guilty a good part of the time
		2	I feel quite guilty most of the time
		3	I feel guilty all of the time
PQ24_BDI1_Q06	'PQ24 - BDI 1: PUNISHED	-1	Missing data
		0	I don't feel I am being punished
		1	I feel I may be punished
		2	I expect to be punished
		3	I feel I am being punished
PQ24_BDI1_Q07	'PQ24 - BDI 1: SELF-DISAPPOINTMENT	-1	Missing data
		0	I don't feel disappointed in myself
		1	I am disappointed in myself
		2	I am disgusted with myself
		3	I hate myself
PQ24_BDI1_Q08	'PQ24 - BDI 1: SELF-ESTEEM	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		0	I don't feel I am any worse than anybody else
		1	I am critical of myself for my weaknesses or mistakes
		2	I blame myself all the time for my faults
		3	I blame myself for everything bad that happens
PQ24_BDI1_Q09	'PQ24 - BDI 1: SUICIDE	-1	Missing data
		0	I don't have any thoughts of killing myself
		1	I have thoughts of killing myself, but I would not carry them out
		2	I would like to kill myself
		3	I would kill myself if I had the chance
PQ24_BDI1_Q10	'PQ24 - BDI 1: CRY	-1	Missing data
		0	I don't cry anymore than usual
		1	I cry more now than I used to
		2	I cry all the time now
		3	I used to be able to cry, but now I can't cry even though I want to
PQ24_BDI1_Q11	'PQ24 - BDI 1: IRRITATED	-1	Missing data
		0	I am no more irritated now than I ever am
		1	I get annoyed or irritated more easily than I used to
		2	I feel irritated all the time now
		3	I don't get irritated at all by the things that used to irritate me
PQ24_BDI1_Q12	'PQ24 - BDI 1: PEOPLE INTEREST	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		0	I have not lost interest in other people
		1	I am less interested in other people than I used to be
		2	I have lost most of my interest in other people
		3	I have lost all my interest in other people
PQ24_BDI1_Q13	'PQ24 - BDI 1: DECISIONS	-1	Missing data
		0	I make decisions about as well as ever could
		1	I put off making decisions more than I used to
		2	I have greater difficulty in making decisions than before
		3	I can't make decisions at all anymore
PQ24_BDI1_Q14	'PQ24 - BDI 1: LOOK	-1	Missing data
		0	I don't feel I look any worse than I used to
		1	I am worried that I am looking old or unattractive
		2	I feel that there are permanent changes in my appearance that make me look unattractive
		3	I believe that I look ugly
PQ24_BDI1_Q15	'PQ24 - BDI 1: WORK	-1	Missing data
		0	I can work about as well as before
		1	It takes an extra effort to get started at doing something
		2	I have to push myself very hard to do anything
		3	I can't do any work at all
PQ24_BDI1_Q16	'PQ24 - BDI 1: SLEEP	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		0	I can sleep as well as usual
		1	I don't sleep as well as I used to
		2	I wake up 1-2 hours earlier than usual and find it hard to get back to sleep
		3	I wake up several hours earlier than I used to and cannot get back to sleep
PQ24_BDI1_Q17	'PQ24 - BDI 1: TIRED	-1	Missing data
		0	I don't get more tired than usual
		1	I get tired more easily than I used to
		2	I get tired from doing almost anything
		3	I am too tired to do anything
PQ24_BDI1_Q18	'PQ24 - BDI 1: APPETITE	-1	Missing data
		0	My appetite is no worse than usual
		1	My appetite is not as good as it used to be
		2	My appetite is much worse now
		3	I have no appetite at all anymore
PQ24_BDI1_Q18_1	'PQ24 - BDI 1: PURPOSELY TRYING TO LOSE WEIGHT BY EATING LESS	-1	Missing data
		0	No - I am not purposely trying to lose weight by eating less
		1	Yes - I am purposely trying to lose weight by eating less
PQ24_BDI1_Q19	'PQ24 - BDI 1: WEIGHT LOSS	-1	Missing data
		0	I haven't lost much weight, if any, lately
		1	I have lost more than 5 pounds

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		2	I have lost more than 10 pounds
		3	I have lost more than 15 pounds
PQ24_BDI1_Q20	'PQ24 - BDI 1: HEALTH	-1	Missing data
		0	I am no more worried about my health than usual
		1	I am worried about physical problems such as aches and pains; or upset stomach; or constipation
		2	I am very worried about physical problems and it's hard to think of much else
		3	I am so worried about my physical problems that I cannot think about anything else
PQ24_BDI1_Q21	'PQ24 - BDI 1: SEX INTEREST	-1	Missing data
		0	I have not noticed any recent change in my interest in sex
		1	I am less interested in sex than I used to be
		2	I am much less interested in sex now
		3	I have lost interest in sex completely
PQ24_BDI1_GLOBAL_SCORE	†'PQ24 - BDI 1: GLOBAL SCORE		
PQ24_MOOD	'PQ24 - MOOD: ANGRY IN THE PAST 7 DAYS (0= NOT AT ALL, 10= EXTREMELY)		
PQ24_SF12V2_Q1	'PQ24 - SF-12V2: GENERAL HEALTH	-2	Missing data
		1	Excellent
		2	Very good
		3	Good
		4	Fair

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		5	Poor
PQ24_SF12V2_Q2A	<sup>1</sup> PQ24 - SF-12V2: HEALTH LIMITS MODERATE ACTIVITIES	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ24_SF12V2_Q2B	<sup>1</sup> PQ24 - SF-12V2: HEALTH LIMITS CLIMBING STAIRS.	-2	Missing data
		1	Yes, limited a lot
		2	Yes, limited a little
		3	No, not limited at all
PQ24_SF12V2_Q3A	<sup>1</sup> PQ24 - SF-12V2: ACCOMPLISHED LESS DUE TO PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_Q3B	<sup>1</sup> PQ24 - SF-12V2: KIND OF ACTIV. LIMITED BY PHYS. HEALTH IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_Q4A	<sup>1</sup> PQ24 - SF-12V2: ACCOMPLISHED LESS DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_Q4B	<sup>1</sup> PQ24 - SF-12V2: DID ACTIV. LESS CAREFULLY DUE TO EMOTIONAL PROB. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_Q5	<sup>1</sup> PQ24 - SF-12V2: PAIN INTERF. WITH WORK IN PAST 4 WKS	-2	Missing data
		1	Not at all
		2	A little bit
		3	Moderately
		4	Quite a bit
		5	Extremely
PQ24_SF12V2_Q6A	<sup>1</sup> PQ24 - SF-12V2: FELT CALM & PEACEFUL IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		5	None of the time
PQ24_SF12V2_Q6B	<sup>1</sup> PQ24 - SF-12V2: HAD A LOT OF ENERGY IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_Q6C	<sup>1</sup> PQ24 - SF-12V2: FELT DOWN & DEPRESSED IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_Q7	<sup>1</sup> PQ24 - SF-12V2: HEALTH & EMOTIONAL INTERF. WITH SOCIAL ACTIV. IN PAST 4 WKS	-2	Missing data
		1	All of the time
		2	Most of the time
		3	Some of the time
		4	A little of the time
		5	None of the time
PQ24_SF12V2_RAW_PHYS_FUNCT	<sup>†</sup> PQ24 - SF-12V2: PHYSICAL FUNCTIONING SCORE		
PQ24_SF12V2_RAW_ROLE_PHYS	<sup>†</sup> PQ24 - SF-12V2: ROLE PHYSICAL SCORE		

<sup>†</sup> Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_SF12V2_RAW_BODILY_PAIN	†PQ24 - SF-12V2: BODILY PAIN SCORE		
PQ24_SF12V2_RAW_GEN_HEALTH	†PQ24 - SF-12V2: GENERAL HEALTH SCORE		
PQ24_SF12V2_RAW_VITALITY	†PQ24 - SF-12V2: VITALITY SCORE		
PQ24_SF12V2_RAW_SOC_FUNCT	†PQ24 - SF-12V2: SOCIAL FUNCTIONING SCORE		
PQ24_SF12V2_RAW_ROLE_EMOT	†PQ24 - SF-12V2: ROLE EMOTIONAL SCORE		
PQ24_SF12V2_RAW_MENT_HEALTH	†PQ24 - SF-12V2: MENTAL HEALTH SCORE		
PQ24_SF12V2_NBS_PHYS_FUNCT	†PQ24 - SF-12V2: PHYSICAL FUNCTIONING NORM-BASED SCORE		
PQ24_SF12V2_NBS_ROLE_PHYS	†PQ24 - SF-12V2: ROLE PHYSICAL NORM-BASED SCORE		
PQ24_SF12V2_NBS_BODILY_PAIN	†PQ24 - SF-12V2: BODILY PAIN NORM-BASED SCORE		
PQ24_SF12V2_NBS_GEN_HEALTH	†PQ24 - SF-12V2: GENERAL HEALTH NORM-BASED SCORE		
PQ24_SF12V2_NBS_VITALITY	†PQ24 - SF-12V2: VITALITY NORM-BASED SCORE		
PQ24_SF12V2_NBS_SOC_FUNCT	†PQ24 - SF-12V2: SOCIAL FUNCTIONING NORM-BASED SCORE		
PQ24_SF12V2_NBS_ROLE_EMOT	†PQ24 - SF-12V2: ROLE EMOTIONAL NORM-BASED SCORE		
PQ24_SF12V2_NBS_MENT_HEALTH	†PQ24 - SF-12V2: MENTAL HEALTH NORM-BASED SCORE		
PQ24_SF12V2_NBS_PHYS_SUMM_SCORE	†PQ24 - SF-12V2: PHYSICAL SUMMARY NORM-BASED SCORE		
PQ24_SF12V2_NBS_MENT_SUMM_SCORE	†PQ24 - SF-12V2: MENTAL SUMMARY NORM-BASED SCORE		

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ24_FOLLOWUP_Q1	'PQ24 - FOLLOW UP: PAIN, PAST 6 MOS	-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
		5	Greatly decreased
PQ24_FOLLOWUP_Q1V2	'PQ24 - FOLLOW UP: PAIN, PAST 6 MOS (NEW VERSION)	6	Considerably decreased
		-1	Missing data
		0	Considerably increased
		1	Greatly increased
		2	Slightly increased
		3	Remained unchanged
		4	Slightly decreased
PQ24_FOLLOWUP_Q2	'PQ24 - FOLLOW UP: FUNCTION LEVEL, PAST 6 MOS	5	Greatly decreased
		6	Considerably decreased
		-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only



**QUEBEC PAIN REGISTRY**

## 24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		6	Considerably Improved
PQ24_FOLLOWUP_Q3	<sup>1</sup> PQ24 - FOLLOW UP: QUALITY OF LIFE, PAST 6 MOS	-1	Missing data
		0	Considerably deteriorated
		1	Greatly deteriorated
		2	Slightly deteriorated
		3	Remained unchanged
		4	Slightly improved
		5	Greatly improved
		6	Considerably Improved
PQ24_FOLLOWUP_Q4	<sup>1</sup> PQ24 - FOLLOW UP: PERCENTAGE OF PAIN RELIEF OVER PAST 6 MOS (0= NO RELIEF, 100= COMPLETE RELIEF)		
PQ24_SATISFACTION	<sup>1</sup> PQ24 - SATISFACTION IN PAIN CLINIC TX RECEIVED IN PAST 6 MOS	-1	Missing data
		1	Very dissatisfied
		2	Dissatisfied
		3	A little bit dissatisfied
		4	A little bit satisfied
		5	Satisfied
		6	Very satisfied
		7	Non applicable
PQ24_CH_CIG_Q1	<sup>1</sup> PQ24 - CONSUMPTION HABITS: CIG: CIGARETTES SMOKING HABITS	-1	Missing data
		0	I have never smoked
		1	I smoked in the past but I stopped
		2	I am currently smoking

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_CH_CIG_Q1_1A	<sup>1</sup> PQ24 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST 6 MOS: NO CIG/DAY		
PQ24_CH_CIG_Q1_1B	<sup>1</sup> PQ24 - CONSUMPTION HABITS: CIG: SMOKED IN THE PAST 6 MOS: NO YRS SMOKED		
PQ24_CH_ALC_Q1	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: ALCOHOL DRINKING HABITS (FREQUENCY) IN PAST 6 MOS	-1	Missing data
		0	Never
		1	Less than once a month
		2	Once a month
		3	2 to 3 times a month
		4	Once a week
		5	2 to 3 times a week
		6	4 to 6 times a week
		7	Every day
PQ24_CH_ALC_Q2_WEEK	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER WEEK		
PQ24_CH_ALC_Q2_MONTH	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: AVERAGE NO OF ALCOHOLIC BEVERAGES PER MONTH		
PQ24_CH_ALC_Q3A	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT THAT SHOULD CUT ON DRINKING	-1	Missing data
		0	No
		1	Yes
PQ24_CH_ALC_Q3B	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRINKING	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

## 24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
		1	Yes
PQ24_CH_ALC_Q3C	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: DURING LIFE, FELT BAD OR GUILTY ABOUT DRINKING	-1	Missing data
		0	No
		1	Yes
PQ24_CH_ALC_Q3D	<sup>1</sup> PQ24 - CONSUMPTION HABITS: ALC: DURING LIFE, EVER USED A DRINK FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ24_CH_DRUG_Q1A	<sup>1</sup> PQ24 - CONSUMPTION HABITS: DRG: USE OF MARIJUANA, CANNABIS OR HASHISH IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ24_CH_DRUG_Q1B	<sup>1</sup> PQ24 - CONSUMPTION HABITS: DRG: USE OF COCAINE OR CRACK IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

**QUEBEC PAIN REGISTRY**

24-month follow-up patient questionnaire

**Number of Variables: 161**

Variable Name	Variable Label	Code	Value
PQ24_CH_DRUG_Q1C	†PQ24 - CONSUMPTION HABITS: DRG: USE OF HEROIN IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ24_CH_DRUG_Q1D	†PQ24 - CONSUMPTION HABITS: DRG: USE OF ECSTASY IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ24_CH_DRUG_Q1E	†PQ24 - CONSUMPTION HABITS: DRG: USE OF OTHER DRUGS IN PAST 6 MOS	-2	Missing data
		0	Never
		1	Less than once a month
		2	1 to 3 times a month
		3	Once a week
		4	More than once a week
		5	Every day
PQ24_CH_DRUG_Q2A	†PQ24 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT THAT SHOULD CUT ON DRUG USE	-1	Missing data

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
		0	No
		1	Yes
PQ24_CH_DRUG_Q2B	<sup>1</sup> PQ24 - CONSUMPTION HABITS: DRG: DURING LIFE, ANNOYED BY PEOPLE CRITICIZING DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ24_CH_DRUG_Q2C	<sup>1</sup> PQ24 - CONSUMPTION HABITS: DRG: DURING LIFE, FELT BAD OR GUILTY ABOUT DRUG USE	-1	Missing data
		0	No
		1	Yes
PQ24_CH_DRUG_Q2D	<sup>1</sup> PQ24 - CONSUMPTION HABITS: DRG: DURING LIFE, EVER USED DRUGS FIRST THING IN THE MORNING (EYE OPENER)	-1	Missing data
		0	No
		1	Yes
PQ24_LIV_ALO	<sup>1</sup> PQ24 - LIVING CONDITIONS: ALONE	1	Checked
PQ24_LIV_SPO	<sup>1</sup> PQ24 - LIVING CONDITIONS: WITH SPOUSE	1	Checked
PQ24_LIV_CHI	<sup>1</sup> PQ24 - LIVING CONDITIONS: WITH CHILDREN	1	Checked
PQ24_LIV_GCH	<sup>1</sup> PQ24 - LIVING CONDITIONS: WITH GRANDCHILDREN	1	Checked
PQ24_LIV_PAR	<sup>1</sup> PQ24 - LIVING CONDITIONS: WITH PARENTS	1	Checked
PQ24_LIV_SIB	<sup>1</sup> PQ24 - LIVING CONDITIONS: WITH SIBLINGS	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_LIV_ROO	<sup>1</sup> PQ24 - LIVING CONDITIONS: WITH ROOMMATES	1	Checked
PQ24_LIV_NOS	<sup>1</sup> PQ24 - LIVING CONDITIONS: NO STABLE LIVING CONDITION	1	Checked
PQ24_LIV_INS	<sup>1</sup> PQ24 - LIVING CONDITIONS: IN INSTITUTION	1	Checked
PQ24_CST	<sup>1</sup> PQ24 - CIVIL STATUS	-1	Missing data
		1	Single
		2	Married or common law
		3	Separated or divorced
		4	Widowed
PQ24_WRK_FTI	<sup>1</sup> PQ24 - CURRENT WORK: FULL-TIME JOB	1	Checked
PQ24_WRK_PTI	<sup>1</sup> PQ24 - CURRENT WORK: PART-TIME JOB	1	Checked
PQ24_WRK_HMA	<sup>1</sup> PQ24 - CURRENT WORK: HOMEMAKER	1	Checked
PQ24_WRK_STU	<sup>1</sup> PQ24 - CURRENT WORK: STUDENT	1	Checked
PQ24_WRK_RET	<sup>1</sup> PQ24 - CURRENT WORK: RETIRED	1	Checked
PQ24_WRK_TDI	<sup>1</sup> PQ24 - CURRENT WORK: ON TEMPORARY DISABILITY	1	Checked
PQ24_WRK_PDI	<sup>1</sup> PQ24 - CURRENT WORK: ON PERMANENT DISABILITY	1	Checked
PQ24_WRK_UNE	<sup>1</sup> PQ24 - CURRENT WORK: UNEMPLOYED	1	Checked
PQ24_WRK_LOF	<sup>1</sup> PQ24 - CURRENT WORK: LAID OFF	1	Checked

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
PQ24_WRK_VOL	'PQ24 - CURRENT WORK: VOLUNTEER	1	Checked
PQ24_WRK_OTH	'PQ24 - CURRENT WORK: OTHER	1	Checked
PQ24_WRK_OTH_SPE	'PQ24 - CURRENT WORK: OTHER: SPECIFICATION		
PQ24_FIN	'PQ24 - FAMILY INCOME	-1	Missing data
		0	Less than 20 000\$
		1	20 000 - 34 999\$
		2	35 000 - 49 999\$
		3	50 000 - 64 999\$
		4	65 000 - 79 999\$
		5	80 000 - 99 999\$
		6	100 000 - 119 999\$
		7	120 000\$ and more
		8	Do not wish to answer
PQ24_SINC_Q1	'PQ24 - PRINCIPAL INCOME SOURCE	-1	Missing data
		1	Employment wages or salary
		2	Disability benefits from the CSST (Commission de la Santé et Sécurité au travail)
		3	Disability benefits from the SAAQ (Société d'assurance-automobile du Québec)
		4	Disability benefits from the IVAC (Indemnisation des victimes d'actes criminels)
		5	Disability payments or pension through employer

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
		6	Personal insurance
		7	Retirement pension (retirement pension, old age security, Quebec pension plan)
		8	Canada disability pension
		9	Employment insurance
		10	Social assistance
		11	Personal savings or investments
		12	Assured income for the severely handicapped
		13	Family member
		14	Other
PQ24_SINC_Q1_OTH_SPE	'PQ24 - SPECIFICATION OF PRINCIPAL INCOME SOURCE, IF OTHER		
PQ24_SINC_Q2_CSST	'PQ24 - PRESENT: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q2_SAAQ	'PQ24 - PRESENT: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q2_IVAQ	'PQ24 - PRESENT: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q2_EMPL	'PQ24 - PRESENT: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only



# QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
		1	Yes
PQ24_SINC_Q2_PRSA	<sup>1</sup> PQ24 - PRESENT: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q3_CSST	<sup>1</sup> PQ24 - IN PROCESS: DISABILITY BENEFITS FROM CSST	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q3_SAAQ	<sup>1</sup> PQ24 - IN PROCESS: DISABILITY BENEFITS FROM SAAQ	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q3_IVAC	<sup>1</sup> PQ24 - IN PROCESS: DISABILITY BENEFITS FROM IVAQ	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q3_EMPL	<sup>1</sup> PQ24 - IN PROCESS: DISABILITY BENEFITS FROM EMPLOYER	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q3_PRSA	<sup>1</sup> PQ24 - IN PROCESS: DISABILITY BENEFITS FROM PERS. INSURANCE	-1	Missing data
		0	No
		1	Yes
PQ24_SINC_Q3_1_LIT	<sup>1</sup> PQ24 - OUTSTANDING LITIGATION RELATED TO CLAIM	-1	Missing data
		0	No

† Variable determined (calculated) from collected variables

\* Multiple records per patient

<sup>1</sup> Data collected in the first phase of the QPR only

<sup>2</sup> Definitions of QPR phase 2 variables modified to match phase 1 definitions.

<sup>3</sup> Data collected in the second phase of the QPR only

QUEBEC PAIN REGISTRY

24-month follow-up patient questionnaire

Number of Variables: 161

Variable Name	Variable Label	Code	Value
		1	Yes
		2	Not applicable

† Variable determined (calculated) from collected variables  
\* Multiple records per patient  
¹ Data collected in the first phase of the QPR only  
² Definitions of QPR phase 2 variables modified to match phase 1 definitions.  
³ Data collected in the second phase of the QPR only