

Code file

Practical-8

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Stay Fit Login</title>

  <style>

    * {

      margin: 0;

      padding: 0;

      box-sizing: border-box;

      font-family: Arial, sans-serif;

    }

    body {

      background-color: #f9f9f9;

      display: flex;

      justify-content: center;

      align-items: center;

      height: 100vh;

    }

    .container {

      display: flex;

      width: 600px;

      height: 300px;

      border-radius: 10px;

      box-shadow: 0px 4px 8px rgba(0, 0, 0, 0.2);

      overflow: hidden;
```

```
    background: white;
}
.left {
    background: #b3e5fc;
    width: 50%;
    display: flex;
    justify-content: center;
    align-items: center;
    flex-direction: column;
    padding: 20px;
    text-align: center;
}
.left img {
    width: 50px;
    margin-bottom: 10px;
}
.left h2 {
    font-size: 20px;
    font-weight: bold;
}
.right {
    width: 50%;
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
    padding: 20px;
}
.right h2 {
    text-decoration: underline;
    margin-bottom: 15px;
}
```

```
}  
  
.input-box {  
  width: 100%;  
  margin: 8px 0;  
}  
  
.input-box input {  
  width: 100%;  
  padding: 10px;  
  border: 1px solid #b3e5fc;  
  border-radius: 5px;  
  background: #e0f7fa;  
  outline: none;  
}  
  
.login-btn {  
  width: 100%;  
  padding: 10px;  
  background: #ffb6c1;  
  border: none;  
  border-radius: 5px;  
  cursor: pointer;  
  font-weight: bold;  
  margin-top: 10px;  
}  
  
.forgot {  
  margin-top: 10px;  
  font-size: 12px;  
  color: gray;  
  cursor: pointer;  
}  
  
</style>  
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="left">
```

```

```

```
<h2>STAY <b>FITTT!!!!</b></h2>
```

```
</div>
```

```
<div class="right">
```

```
<h2>LOGIN</h2>
```

```
<div class="input-box">
```

```
<input type="text" placeholder="ID">
```

```
</div>
```

```
<div class="input-box">
```

```
<input type="password" placeholder="PASSWORD">
```

```
</div>
```

```
<button class="login-btn">Log in</button>
```

```
<div class="forgot">FORGOT PASSWORD?</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Practical-9

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Login Page</title>

  <style>

    * {

      margin: 0;

      padding: 0;

      box-sizing: border-box;

      font-family: Arial, sans-serif;

    }

    body {

      display: flex;

      justify-content: center;

      align-items: center;

      height: 100vh;

      background: #f7f7f7;

    }

    .container {

      display: flex;

      width: 600px;

      background: white;

      border-radius: 15px;

      overflow: hidden;

      box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
```

```
}
```

```
.left {  
  background: #b5e7f7;  
  padding: 50px;  
  width: 50%;  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  justify-content: center;  
}
```

```
.left img {  
  width: 50px;  
  height: 50px;  
}
```

```
.left h2 {  
  font-weight: bold;  
  margin-top: 10px;  
}
```

```
.right {  
  width: 50%;  
  padding: 40px;  
  text-align: center;  
}
```

```
.right h2 {  
  font-size: 20px;  
  text-decoration: underline;
```

```
    margin-bottom: 20px;
}
```

```
input {
    width: 100%;
    padding: 10px;
    margin: 10px 0;
    border: none;
    border-radius: 5px;
    background: #b5e7f7;
    font-size: 16px;
}
```

```
.btn {
    background-color: #ffb6b6;
    color: black;
    border: none;
    padding: 10px;
    cursor: pointer;
    width: 100%;
    border-radius: 5px;
    font-weight: bold;
}
```

```
.btn:hover {
    background-color: #ff9090;
}
```

```
.forgot {
    margin-top: 10px;
    font-size: 12px;
```

```
        color: gray;
    }

    .error {
        color: red;
        font-size: 12px;
        text-align: left;
        display: block;
    }
</style>
</head>
<body>

<div class="container">
    <div class="left">
        
        <h2>STAY <b>FITTT!!!!</b></h2>
    </div>
    <div class="right">
        <h2>LOGIN</h2>
        <form id="loginForm">
            <input type="text" id="email" name="email" placeholder="ID">
            <span class="error" id="emailError"></span>

            <input type="password" id="password" name="password" placeholder="PASSWORD">
            <span class="error" id="passwordError"></span>

            <button type="submit" class="btn">Log in</button>
        </form>
        <p class="forgot">FORGOT PASSWORD?</p>
    </div>
</div>
```


</div>

<script>

```
document.getElementById("loginForm").addEventListener("submit", function(event) {  
    let email = document.getElementById("email").value;  
    let password = document.getElementById("password").value;  
    let emailError = document.getElementById("emailError");  
    let passwordError = document.getElementById("passwordError");  
  
    emailError.textContent = "";  
    passwordError.textContent = "";  
  
    let valid = true;  
  
    if (!email.includes("@")) {  
        emailError.textContent = "Email must contain '@'.";  
        valid = false;  
    }  
  
    let hasLowercase = /[a-z]/.test(password);  
    let hasUppercase = /[A-Z]/.test(password);  
  
    if (!hasLowercase || !hasUppercase) {  
        passwordError.textContent = "Password must contain both lowercase and uppercase letters.";  
        valid = false;  
    }  
  
    if (!valid) {  
        event.preventDefault();  
    }  
});
```

</script>

</body>

</html>

Practical -10

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Simple Calculator</title>

<style>

body {

font-family: Arial, sans-serif;

display: flex;

justify-content: center;

align-items: center;

height: 100vh;

background-color: #f4f4f4;

}

.calculator {

background: white;

padding: 20px;

border-radius: 10px;

box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);

text-align: center;

}

input {

width: 80%;

padding: 10px;

```

        margin: 10px;

        font-size: 18px;
    }
    button {
        padding: 10px;
        margin: 5px;
        font-size: 18px;
        cursor: pointer;
    }
</style>
</head>
<body>
    <div class="calculator">
        <h2>Simple Calculator</h2>
        <input type="number" id="num1" placeholder="Enter first number">
        <input type="number" id="num2" placeholder="Enter second number">
        <br>
        <button onclick="calculate('+')">+</button>
        <button onclick="calculate('-')">-</button>
        <button onclick="calculate('*')">*</button>
        <button onclick="calculate('/')">/</button>
        <h3>Result: <span id="result">0</span></h3>
    </div>

    <script>
        function calculate(operator) {
            let num1 = parseFloat(document.getElementById("num1").value);
            let num2 = parseFloat(document.getElementById("num2").value);
            let result;

            if (isNaN(num1) || isNaN(num2)) {

```

```

        result = "Invalid Input";
    } else {
        switch(operator) {
            case '+': result = num1 + num2; break;
            case '-': result = num1 - num2; break;
            case '*': result = num1 * num2; break;
            case '/': result = num2 !== 0 ? num1 / num2 : "Cannot divide by zero"; break;
        }
    }

    document.getElementById("result").innerText = result;
}
</script>
</body>
</html>

```

Practical-11

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Stay Fitt Login</title>
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <style>
        body {
            font-family: Arial, sans-serif;
            display: flex;
            justify-content: center;
            align-items: center;
            height: 100vh;

```

```
    background-color: #f4f4f4;
}

.login-container {
    display: flex;
    background: white;
    border-radius: 15px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    overflow: hidden;
}

.left-section {
    background: #cceeef;
    padding: 40px;
    display: flex;
    align-items: center;
    justify-content: center;
    flex-direction: column;
    width: 50%;
}

.right-section {
    padding: 40px;
    text-align: center;
    width: 50%;
}

input {
    width: 80%;
    padding: 10px;
    margin: 10px;
    font-size: 18px;
    border: none;
    border-radius: 5px;
    background: #cceeef;
```

```

    }

    .login-btn {
        padding: 10px;
        font-size: 18px;
        cursor: pointer;
        background: #ffcccc;
        border: none;
        border-radius: 5px;
        width: 85%;
    }

    .shake {
        animation: shake 0.3s;
    }

    @keyframes shake {
        0% { transform: translateX(0); }
        25% { transform: translateX(-5px); }
        50% { transform: translateX(5px); }
        75% { transform: translateX(-5px); }
        100% { transform: translateX(0); }
    }
</style>
</head>
<body>
    <div class="login-container">
        <div class="left-section">
            
            <h2>STAY <b>FITTT!!!!</b></h2>
        </div>
        <div class="right-section">
            <h2><u>LOGIN</u></h2>
            <input type="text" id="username" placeholder="ID">

```

```
<input type="password" id="password" placeholder="PASSWORD">
<br>
<button class="login-btn">Log in</button>
<p>FORGOT PASSWORD?</p>
</div>
</div>
```

```
<script>
$(document).ready(function() {
    $('.login-container').fadeIn(1000);
    $('.login-btn').click(function() {
        let username = $('#username').val();
        let password = $('#password').val();
        if (username === '' || password === '') {
            $('.login-container').addClass('shake');
            setTimeout(() => {
                $('.login-container').removeClass('shake');
            }, 300);
        } else {
            alert("Login Successful");
        }
    });
});
</script>
```

```
</body>
```

```
</html>
```

Practical-12

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<title>Stay Fittt!!!</title>
```

```
<style>
```

```
body {
```

```
  font-family: Arial, sans-serif;
```

```
  margin: 0;
```

```
  background-color: #f0f4f8;
```

```
}
```

```
.sidebar {
```

```
  position: fixed;
```

```
  top: 0;
```

```
  left: 0;
```

```
  height: 100%;
```

```
  width: 250px;
```

```
  background-color: white;
```

```
  border-right: 1px solid #ddd;
```

```
  padding: 20px;
```

```
}
```

```
.sidebar img {
```

```
  border-radius: 50%;
```

```
  width: 80px;
```

```
  height: 80px;
```

```
  object-fit: cover;
```

```
}
```

```
.sidebar .info {
```

```
  margin-top: 10px;
```

```
}
```

```
.sidebar .menu {
```

```
  margin-top: 20px;
```

```
}
```

```
.sidebar .menu div {
```



```
margin-bottom: 15px;
cursor: pointer;
}
.sidebar .menu div.active {
  color: red;
}
.main-content {
  margin-left: 270px;
  padding: 20px;
}
.header {
  background: white;
  padding: 15px;
  font-weight: bold;
}
.avatar-section {
  display: flex;
  align-items: center;
  margin-top: 30px;
}
.avatar-section img {
  width: 150px;
}
.form-section {
  margin-top: 20px;
}
.form-section input[type="text"] {
  padding: 5px;
  margin-bottom: 10px;
  display: block;
  width: 300px;
}
```

```
}

.button {
  background-color: #1cc49d;
  color: white;
  padding: 10px 20px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}

.goal-complete {
  background-color: #1ca8f7;
  color: white;
  padding: 10px;
  text-align: center;
  margin-top: 20px;
  border-radius: 5px;
}

</style>
</head>
<body>
  <div class="sidebar">
    
    <div class="info">
      <div><strong>Vivek</strong></div>
      <div>Age - 21 years</div>
      <div>HEIGHT - 185 cm</div>
      <div>WEIGHT - 70 KG</div>
    </div>
    <div class="menu">
      <div>HOME</div>
      <div>GOALS</div>
    </div>
  </div>
</body>
</html>
```

```
<div>STATISTICS</div>

<div>WORKOUT DETAILS</div>

<div class="active">SETTING</div>

<div>FEEDBACK</div>

</div>

<div class="goal-complete">

  Congratulations!!!<br>Today's goal completed

</div>

</div>


<div class="main-content">

  <div class="header">

    STAY FITTT!!!! <span style="float:right;">DAY 2, WEEK 6 | TODAY, 16 JAN 2025</span>

  </div>

  <div class="avatar-section">

    <div>

      <h2>AI AVATAR</h2>

      

    </div>

  </div>

  <div class="form-section">

    <label>Username - <input type="text" value="vivek"></label><br>

    <label>DOB - <input type="text" value="4/10/2004"></label><br>

    <div>HIEGHT - 185 cm</div>

    <div>WEIGHT - 70 KG</div>

    <button class="button">SAVE CHANGES</button>

  </div>

</div>

</body>

</html>
```

Practical 13

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Stay Fittt!!!</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      margin: 0;

      background-color: #f0f4f8;

    }

    .sidebar {

      position: fixed;

      top: 0;

      left: 0;

      height: 100%;

      width: 250px;

      background-color: white;

      border-right: 1px solid #ddd;

      padding: 20px;

    }

    .sidebar img {

      border-radius: 50%;

      width: 80px;

      height: 80px;

      object-fit: cover;

    }

    .sidebar .info {
```

```
    margin-top: 10px;
}
.sidebar .menu {
    margin-top: 20px;
}
.sidebar .menu div {
    margin-bottom: 15px;
    cursor: pointer;
}
.sidebar .menu div.active {
    color: red;
}
.main-content {
    margin-left: 270px;
    padding: 20px;
}
.header {
    background: white;
    padding: 15px;
    font-weight: bold;
}
.goal-complete {
    background-color: #1ca8f7;
    color: white;
    padding: 10px;
    text-align: center;
    margin-top: 20px;
    border-radius: 5px;
}
.feedback-box {
    margin-top: 100px;
```

```
background-color: white;

padding: 30px;

border-radius: 20px;

width: 400px;

margin-left: auto;

margin-right: auto;

box-shadow: 0 8px 30px rgba(0,0,0,0.1);

text-align: center;
}

.feedback-box h2 {

font-size: 24px;
}

.feedback-box textarea {

width: 100%;

height: 120px;

background-color: #bde3fb;

border: none;

border-radius: 10px;

padding: 10px;

margin-top: 15px;

font-size: 16px;

resize: none;
}

.send-btn {

margin-top: 20px;

background-color: #f3a9a9;

color: white;

padding: 10px 30px;

font-size: 18px;

border: none;

border-radius: 25px;
```

```
        cursor: pointer;
    }
    .subtext {
        margin-top: 10px;
        font-size: 14px;
        color: #555;
    }
</style>
</head>
<body>
    <div class="sidebar">
        
        <div class="info">
            <div><strong>Vivek</strong></div>
            <div>Age - 21 years</div>
            <div><span style="color:blue; cursor:pointer">HEIGHT</span> - 185 cm</div>
            <div><span style="color:blue; cursor:pointer">WEIGHT</span> - 70 KG</div>
        </div>
        <div class="menu">
            <div>HOME</div>
            <div>GOALS</div>
            <div>STATISTICS</div>
            <div>WORKOUT DETAILS</div>
            <div>SETTING</div>
            <div class="active">FEEDBACK</div>
        </div>
        <div class="goal-complete">
            Congratulations!!!<br>Today's goal completed
        </div>
    </div>
```

```

<div class="main-content">

  <div class="header">

    STAY <strong>FITTT!!!!</strong> <span style="float:right; color:#0aa8f7">DAY 2, WEEK 6</span> |
    TODAY, 16 JAN 2025

  </div>

  <div class="feedback-box">

    <h2>STAY <strong>FITTT!!!!</strong></h2>

    <label for="feedback">FEEDBACK:-</label><br>

    <textarea id="feedback" placeholder="Write your thoughts here..."></textarea>

    <br>

    <button class="send-btn">SEND</button>

    <div class="subtext">Send feedback to make us better!!!</div>

  </div>

</div>

</body>

</html>

```

Practical-14

```

<!DOCTYPE html>

<html>

<head>

  <title>Simple Calculator</title>

</head>

<body>

  <h2>Simple Calculator</h2>

  <form name="calc">

    <input type="text" name="display" id="display" readonly><br><br>

    <button type="button" onclick="calc.display.value += '1'">1</button>

    <button type="button" onclick="calc.display.value += '2'">2</button>

    <button type="button" onclick="calc.display.value += '3'">3</button>

    <button type="button" onclick="calc.display.value += '+'>+</button><br>

```



```
<button type="button" onclick="calc.display.value += '4'">4</button>
<button type="button" onclick="calc.display.value += '5'">5</button>
<button type="button" onclick="calc.display.value += '6'">6</button>
<button type="button" onclick="calc.display.value += '-'></button><br>
```

```
<button type="button" onclick="calc.display.value += '7'">7</button>
<button type="button" onclick="calc.display.value += '8'">8</button>
<button type="button" onclick="calc.display.value += '9'">9</button>
<button type="button" onclick="calc.display.value += '*'></button><br>
```

```
<button type="button" onclick="calc.display.value = ''>C</button>
<button type="button" onclick="calc.display.value += '0'">0</button>
<button type="button" onclick="calc.display.value = eval(calc.display.value)">=</button>
<button type="button" onclick="calc.display.value += '/'></button>
```

```
</form>
```

```
</body>
```

```
</html>
```