Day - 2

10 March 2026 19:38

1. Knowledge object
2. Field Alias.
3. Tags & Eventtype.
4. Macros
5. Data Model & Pivot
6. Lookup - csv.

1. <u>Knowledge object:-</u> Basket, it has the list of features.



2. <u>Field Alias:-</u>

Field. New Name.



Join

1. We are not going to ~~tag~~ delete the old field
Add one additional, it will have the same data.

Severity ⟷ Priority

Tag:- Categorise your data.

severity = 3 → Normal.

2 new fields:-

tag = normal
tag :: severity = normal.

Eventtype:- Categorise the event on the basis of certain criteria.

CTS = "resolved" OR CTS = "closed"
↓
Completed.

Macros:-

No Arg.

Macros:-

```
function a(b, c)
  {
    d = b+c;
    return d;
  }

a(3, 4)
a(-2, 1)
```

1. No Arg.
2. Single Arg.
3. Multi Arg. Macros.

Calculated field:-

eval KB = round(bytes/1024, 3)."KB"

bytes.

Anyother normal field.

KB

Template

Lookup:-

1. CSV
2. Kvstore.
3. Geospatial
4. Database Lookup
5. External Lookup.

1. CSV Lookup:-

1. Lookup → (.csv)
2. small & static file.
3. upload, not indexing,

1. Pull the event → extract the field → Add.

2. Upload the Lookup file,

3. index Lookup file

① Pull

② extract the

Define the field in advance itself.

(1) Upload the Lookup

(2) Combine the dataset s/w index Lookup file

(3) Lookup Definition.

(4) After Lookup Definition → join the Lookup

(5) Automatic Lookup