Correlation	k	join Command!

Combing a given list of record returned by sul givens? e two diff record of two tables 4 for a very table by most ching

from each table. Defut yr of joir.

2. John Join

3 outer toir 81 / join [92], on: { wigne-field}, xird!

Default behaviour of the DOL join. Rocher the of record whenever arecord in left (1) 1), modden with ng 4 (D2) common Motor).

7~

left outer? 71 left side & only metaling record for Toget side. If their wo maked it will only show left cide read only

@ inner (1.) left

(n) Smest

81 Joh wignerten the="" home) left" [sent gr] DOL-1 Outer joins- return Matched & unmatched record from either join Nested commands one of the category of join command. Adde matchij sendt form the subsquey on an army of nested Syn: 81 | joinnested vanishe = [82], on : [Key] timesein command in DQL Jimesen's [cdumn=] aggregation (motric Key [, filter,] [, rate!] [; internal] [, faiti.] [, to] Ly used in the starting of the guery * Metris Command! metricity of key | seving should be wented for sum, and, total, default 7 Value. hate of durishan, wer filter

default " hate of during filter of addition filter (9) eval (8) Wark Syn: expand. Calier=) express [limit)

Syn: expand. Calier=). * Strictury Commands expand. 2. Edd Hooken (8) fred flatter feld for a next record. I depth)

Syn:

Syn:

Syn:

Today flatter feld

Syn:

Today flatter feld

Today for for feld

Today flatter feld

Today flatt (1) expand! - An array into selecte record. tield that your flettered want. record = 2-1,2,3,4

array land
array Dishut
array tirst
array hat
array Mr.

Bitwise functions Calculate Bitwise and Getween to long expression.

DT_TEKSYSTEMS_04_08_2025 Page 4