Day - 3

18 March 2026 10:02

1. Rex | erex | Regex
2. spath
3. eventstats | streamstats
4. Join
5. Prediction
6. Bin.

1. rex → | rex field= " ——— " regular expression.

2. erex:- Sample event → ML
   → regular. exp.
   → extraction

3. Regex:- Filter the events on the specific condition.

   | regex -raw " ——— "

4. Eventstats:- Stats → statistical o/p

   eventstats → event based o/p.

   Streamstats → cummulative data.

5. Join:-
   1. Inner join
   2. Left join.

② Left join.

① Inner join:-



② Left join:-

Common / Left part

Prediction:- Predict Command to use the data point to get the future value.

| predict <field> [AS Newfield]
[future_timespan = <n>] [algorithm = <algo>]

Bin:- Group continous values into discrete intervals.

Knowledge object:- Basket

Knowledge objects



y-axis x-axis

chart → | chart count by CTS

timechart → | timechart span= count by f1



Field Alias:

→ New name / pseudo-

→ field

Why?
How? → Section
What?

Project

Account

HR

employee

e_idetail



1. Extra field will be create with the name of ~~emp_id~~ e_id

2. Actual | old field will be same as it.

Severity →	Priority
Cussent →	ticket state

Calculated field:-

eval KB = round(byte/1024, 3)."KB"

byte

byte

Template.

FieldName = expression → Calling

fieldName = expression