Day - 4

19 March 2026 10:13

1. Lookup
2. Macros
3. Data Model & Pivot
4. Report & Alert.

1. Lookup
   - → csv lookup
   - → KVstore Lookup
   - → Geospatial Lookup
   - → external Lookup / Database Lookup

1. csv lookup:
   1. csv file → Not indexing
   2. upload in splunk No License
   3. Combining data b/w index & lookup
   4. Static & small in size.

1. Sample - lookup.csv → timetaken, ticketnumber
   1. upload the lookup.
   2. join dataset b/w index & lookup
   3. Lookup definition
   4. Automatic Lookup.

Index → tm, Severity, CTS

lookup → tm, *

→ + → o/p

Lookup → Input lookup → (1) extract the fields

→ (2) Pull the events

Lookup Definition → extraction → Advance Pull the logic → Saved Time.

(4) Automatic Lookup :-

→ lookup VK-sample.csv tm o/p tt

→ Template for Once → everytime

↓ CSV.

(2.) Kvstore Lookup :-

→ Key Value paired

Key1 → entry1

Key2 → entry 2

Key3 → entry 3

→ entry 4



(1) Collections.conf
↳ Structure of the Kvstore

(2.) LookUp definition (3) Query Part

Geospatial :- .kmz
Custom geofile upload in splunk.

External :- Fetch data from API or Script
↳ Lookup

Database :- MySQL, PostgreSQL
↳ Database Lookup

CSV Lookup — csv format
Kvstore " — Key Value paired
Geospatial " — .kmz
External — API / script
Database — MySQL | PostgreSQL DB.

Function:-

```
function a(b, c)
{
  d = b + c;
  return (d);
}
```

→ a(3, 4)
a(-5, 6)

fun → Argument

Macros → ① Argument

SPL

→ template → call SPL → o/p

Report & Alert:-

Notification ↺ Report

[Definition]

[Action]

- Alert → Trigger Condition

[Definition] → SPL, schedule, Interval

[Trigger Condition] → when! count = 0

[Trigger Action] → email, webhook, script



Data Model & Pivot:-

Data model:-
- What? → Increase your searching speed
- Why?
- How? → ① Extract the field in Advance.
  ② .tsidx
  ③ Hierarchical way
    - Root
    - Child + C'
    - SC + C''



→ Index.

chart | timechart

Pivot → Visualization
↳ Data Model.