

SPL Commands:-

1. Top
2. Rare
3. rex
4. Search
5. where
6. timechart
7. chart
8. single Value Visualization
9. Geo Map
10. rex.
 - ↳ field extraction

1. Top / Rare:-

Least values.

| rare sourcetype

↳ least 10 values by default

| top sourcetype

| rare limit = 0 source limit = 0 (Unlimited values)

limit = 5 source top

limit = 0 source type

limit = 3

limit = 5

Top - top 10 value.

- Count & percent field by default.

- By default, top 10 values.

- By default, top 10 values.

② Search & where

A	B
5	4
10	15
2	7
15	3
35	4


| search A > 10

- ↳ filters the result in the field.

A
15
35

| where A > B↳ filters/condn b/w two fields A > B

A	B
15	3
35	4
5	4

③ chart:-| chart count by CTS

- ↳ y-axis
- ↳ x-axis

| timechart count by severity

④ Timechart:-

Timechart count by severity

Span = 1d
1h → interval.

mon = month.
y = year.

d = day
h = hour.
m = minute
s = second.

Date & time → epoch
↓
strftime()

⑤ Single Value Visualization:-

Numeric.

99.98 →

⑥ Geomap:-

Coordinates → latitude
→ longitude

Final o/p.

⑦ Addtotal / Addcount:-

Addtotal:- Row wise addition.

Addcount:- Column wise addition.

⑧ rex:- Extract the fields from the raw event.

1. field "expression"


2. expression → select the fields splunk is going to write the regular expression on the

③ Reg:- Extract → " expression "

Field extraction → Regular expression → write +
 Delimiter type → Event will be break on the basis of certain symbol.
 Default symbol for Delimits types of field extraction: Space, comma, Tab & Pipe.

⑨ Field Alias:- Alias → click name / other name

Knowledge objects Bucket (FA, CF, Macros, DM, lookup)
 ↓
 saved in the config. file.
 ↓
 It will be permanent.



⑩ Calculated Field:-

$$Kb = \left(\frac{\text{bytes}}{1024} \right)$$

Kb

Calculation

Kb

Calculated

Added as any other normal field in your dataset

Kb as any other normal field

① Repeating.

② Small change in the field name.

bytes → byte

You don't need to make changes everywhere just making the change in calculated field will be everywhere.

Tags & Eventtype:-

Categorize your data.

Tag → Categorize on the basis of field value -

eventtype →

Severity = 3 → Normal

2 New fields

- ① tag → normal.
- ② tag :: Severity

Alert:-

[Definition - Frequency
- SPL
- schedule - Details]

[Trigger condition
- when?]


[Trigger Action
- Email - webhook
- SMS - Trigger Send]

Report:-

[Definition - freq.
- SPL - Details
- schedule]

[Trigger Action
- Email - Webhook
- SMS]

API



Webhook

