





- ① Bit AI Code.
- ② Bit AI Dev Agent
- ③ K8S



API



Webhook



② Bit AI Dev Agent! → Bit AI Code.

③ Bit AI Agent Builder! →

Custom AI Agent.

Bit AI Dev Agent = fix code & create Github PRs
 Agent Builder - custom AI Agent
 DataDog Agent = S/W collect metrics, logs, traces.

Store log APP.

↓
 DataDog Agent contains

↓
 logs + metrics + API + contains Data

logs + met.

↓
Datadog

↓
Bit AI Agent Builder

↓
Custom storedlog SRE Agent

↓
Root Cause + Remediation + flare / Slack / update,

Bit AI Dev Agent → Code / Repo

Bit AI SRE + Investigation.

Bit AI Security Analyst → Cloud SRE

Bit Assistant → NL Prompt

Agent Builder → Custom AI Agent.

K8S:-

Kubernetes →

Docker →

Image → Containers.

Ops/Develops

↓
Kubernetes / Helm / CI/CD

Amazon EKS Control Plane.

↓
K8S API
etcd
Scheduler
Controller Manager

smallest unit

AWS VPC

Public Subnet → ALB / Ingress.


Private Subnet AZ1

↓
WorkerNode

↓
Kubelet

↓
kube-proxy
kube-runtimes

Pod & Services
Deployment unit
in k8s



Run on every worker Node.
Datadog cluster Agents
Run centrally.

AWS Integration
↳ EKS metrics
↳ EC2 metrics
↳ AWS
↳ EBS
↳ Cloudwatch

- ① Datadog Agent DaemonSet.
- ② " cluster Agent,
- ③ K8s state metrics code.
- ④ Log collection.
- ⑤ APM traces collection.

```
kubectl create secret generic datadog-secret \
--from-literal api-key="f693822957026c8e871c46113799ca63" \
-n datadog
```

```
cat > datadog-values.yaml <<EOF
datadog:
  apiKeyExistingSecret: datadog-secret
  site: ap2.datadoghq.com
  clusterName: ferocious-disco-shark

tags:
  - env:dev
  - cloud:aws
  - platform:eks
  - cluster:ferocious-disco-shark
  - team:observability

collectEvents: true

kubeStateMetricsCore:
  enabled: true

kubeStateMetricsEnabled: false

logs:
  enabled: true
  containerCollectAll: true

apm:
  socketEnabled: true
  portEnabled: true

processAgent:
  enabled: true
  processCollection: true
  containerCollection: true

clusterAgent:
  enabled: true
  rbac:
    create: true

agents:
  rbac:
    create: true
EOF
```

