




- ① datadog.yaml → logs-enabled: true
- ② datadog-agent | conf.d / ~~system~~ custom-logs.d | conf.yaml

root@ip-172-31-3-221:/etc/datadog-agent/conf.d/custom_logs.d# cat conf.yaml

logs:

```
- type: file
  path: /var/log/syslog
  service: easytravel
  source: linux
```

} → syslog

logs:

```
- type: file
  path: /home/ubuntu/.dynaTrace/easyTravel 2.0.0/easyTravel/log/*.log"
  service: easytravel-app
  source: java
```

] → easyTravel

```
- type: file
  path: /home/ubuntu/easytravel-2.0.0-x64/nginx/nginx-eT-1.6.2-64/logs/access.log
  service: easytravel-nginx
  source: nginx
```

=] → nginx

```
- type: file
  path: /home/ubuntu/easytravel-2.0.0-x64/nginx/nginx-eT-1.6.2-64/logs/error.log
  service: easytravel-nginx
  source: nginx
```

root@ip-172-31-3-221:/etc/datadog-agent/conf.d/custom_logs.d#

- ③ datadog-agent status | grep -A40 "Custom-logs"
- ↓
Permission.

2

↓
permission.

4

→ user modify

→ Access

```
sudo usermod -aG ubuntu dd-agent
sudo chmod o+x /home
sudo chmod o+x /home/ubuntu
sudo chmod -R o+rx "/home/ubuntu/.dynaTrace"
sudo chmod -R o+rx "/home/ubuntu/easytravel-2.0.0-x64/nginx"
```

5

```
sudo systemctl restart datadog-agent
sleep 15
datadog-agent status | grep -A40 "custom_logs"
```

Parse your data.

status → time → ip
ip v4

```
2026-05-19T06:08:14.675255+00:00 ip-172-31-10-161 agent[19238]: 2026-05-19 06:08:14 UTC | CORE |  
INFO | (comp/metadata/host/hostimpl/utills/host.go:118 in getNetworkMeta) | Adding public IPv4  
44.255.89.135 to network metadata
```

Pipeline → Add processor → grok parsers → parse each rule → save

Date Renapper, status Renapper, Attribute Renapper
→ official log timestamp.
→ represent the official log severity.
→ Rename / copy / Normalize the field.
→ grok extract
ddl-component = CORE
↓
Component = CORE

12345 → XXXXX

