





① APM - Application Performance Monitoring.

- ① APM Concept
- ② Distributed Traces
- ③ Instrumentation option.
- ④ Naming Convention & Tags
- ⑤ Error Tracking
- ⑥ Sampling Strategy
- ⑦ Service Map & Dependencies
- ⑧ Trace Search & Analysis
- ⑨ Custom APM Tags
- ⑩ Continuous Profile Integration

① APM:-




Traces:- Complete journey of single req.

Each trace -> trace-id.

↓
x-datadog-trace-id

get -> fetch
Post -> New data
Put -> update/replace





Span - Single unit of work within a trace.

Latency - Time taken to complete a req.

P50, P75, P90, P95
↓
50% of req. are faster than this

P90 latency = 2sec.
90% → within 2sec.
10% → more than 2sec

P50 → Normal use exp.
P75 - early warning

P90 - slow req.
P95/P99 - Worst case max [tail] latency

② Instrumentation -

How code produce the trace & span.

Instrumentation -

Auto Instrumentation
↳ Datadog tracer.
Manual
↳ trace API

old trace - mr. → python.


trace.int()

Auto Instrumentation -


data.
del-true.int()

Service: payment - client.

Manual Instrumentation -



Naming Convention & Tags:-



VS7 Unified Service Tagging

lower case - checkout-api

payment

inventory system
email - dispatcher

Service: login-
env: dev
version: V.1.0-0.1

checkout - dev x
checkout - abc123 x
checkout API
checkout - api X →


flash-request
get/api/ user/id

from

get/api/ user/id
post/api/ checkan.

user.id ✓
db-stu. ✓
http.statuscode. ✓

user_id x
metaId x
userID x



High Cardinality

Metadata → Info. about the entity
Tag → label used for filter/group the entity