
Day - 1

26 October 2026 10:37

1. Observability & Monitoring.

Pro Active. — Reactive


- Log. → Timestamp. → timestamp. — — — —
- Metrices → CPU = 80%. → Aggregate Value. — Memory = High.
- Traces → Node level.



1. Splunk
2. Dynatrace.
3. New Relic.
4. AppDynamics
5. Datadog

Observability :-

1. Infrastructure → CPU, Memory, ...
2. APM.
3. Database visibility — NoSQL, SQL
4. AWS Monitoring. (Icloud.)
5. Container Monitoring → Docker, K8s
6. RUM — Real User Monitoring.
7. Synthetic Monitoring.
8. Log Monitoring.



New Relic :- Full stack observability platform.

→ Data collection.

3 layers → Data collection.
→ Data Platform.
→ observability & Analytics.


APM – RT, Throughput, error, DB Calls, Transaction.

Infra. Monitoring – CPU, Memory, Disk, Process, N/W.

RUM (Browser Monitoring) – Page load Time, Core Web Vitals, JS errors, User exp.


Architecture

6 logical Architecture Layers




Security Analysis.


License cost →



New Relic:- Cisco Catalyst Switch.



License Model:-



source


Aws/Azure Disk.

License

SAAS

example

* Infrastructure Monitoring :-




Linux Server
↓
New Relic Infra Agent
↓
O.S performance Counter
↓
New Relic Ingestion API
↓
NR DB
↓
Host Metric
Dashboard.


Host?
license key?
↑ logs
Custom Attribute.

1. newrelic-infra.yml.
2. newrelic.yml → Java APM Monitoring,
   ↳ APP name.
   instrumentation.
   transaction tracing.

newrelic-infra.yml → /etc/newrelic-infra.yml.
newrelic-easyTravel/

~~infra~~.
newrelic.yml → APM
newrelic-infra.yml → Infra





① Newrelic
② newrelic-infra
↓
'infra'.

Apdex → Application Performance Index

0.0 → frustrated user.
0.5 → Moderate
1.0 → Satisfied.

↓
RT ≤ T

Apdex = Satisfied + (Tolerating / 2) / Total Requests.

Tolerating = T < RT ≤ 4T
↓
0.5

Frustrated = RT > 4T → 0.

Easy Travel Booking Req. → Java Store Booking Mobile () → HTTP Post to localhost 8091

sudo ss -ltnp | grep '8091' ←

HTTP 200OK. ← 1.808 s client span.