BOOTSTRAP · BEGINNER LESSON


Bootstrap turns layout into a system

A beginner-friendly lesson on responsive pages, ready-made components, and the grid that holds them together.

`From CDN to classroom build`

`container → row → column`

`Responsive homepage challenge`



Made with GAMMA

Why developers reach for Bootstrap

Bootstrap is an open-source CSS framework for building responsive, mobile-first websites quickly.

Less repetitive styling for common patterns

Ready-made CSS classes | UI components | Responsive utilities

CUSTOM CSS

Before

```
.button {
  padding: 12px 20px;
  border-radius: 6px;
  background: #1F5EFF;
  color: white;
}
```

BOOTSTRAP

After

```
<button class="btn btn-primary">
  Start
</button>
```

Made with GAMMA

FIRST MOVE

Start with one link in the head

For beginners, the CDN route is the fastest way to begin because nothing needs to be downloaded.

CDN route | No download

HTML HEAD

```
<head>
  <meta name="viewport"
      content="width=device-width,
      initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/
  bootstrap@5.3.8/dist/css/bootstrap.min.css"
  rel="stylesheet">
</head>
```

The viewport keeps the page responsive; the stylesheet supplies Bootstrap’s classes.

Made with GAMMA

JavaScript unlocks the interactive pieces

Some components need Bootstrap’s JavaScript bundle: modals, dropdowns, carousels, collapse, offcanvas, and tooltips.

CSS-LED BUILDING BLOCKS



Buttons



Cards

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></script>
```

BUNDLE-POWERED COMPONENTS



Modals



Dropdowns




Carousels, collapse, offcanvas, tooltips

Made with GAMMA

The grid is 12 columns wide

Bootstrap’s grid divides a row into 12 equal parts, then lets you combine those parts into layouts.

6 + 6




Two equal columns

4 + 4 + 4



Three equal columns

3 + 9



Sidebar plus main content

Made with GAMMA

THE CORE MODEL

Remember the hierarchy: container → row → column

The container holds the content, the row creates the layout line, and columns divide the available space.

```
<div class="container">
  <div class="row">
    <div class="col">Column 1</div>
    <div class="col">Column 2</div>
  </div>
</div>
```

1

container

Holds the content.

2

row

Creates the layout line.

3

column

Divides space.

4

column

Divides space.

Made with GAMMA

Responsive classes change the layout by breakpoint

`col-12 col-md-6 col-lg-4` means full width on mobile, half width on medium screens, and one-third width on large screens.

MOBILE

12



One full-width column.

MEDIUM

6 + 6



Two half-width columns.

LARGE

4 + 4 + 4



Three one-third columns.

Made with GAMMA

Choose the right container for the job

Class	Behavior	Use it for
.container	Responsive max-width	Readable website content
.container-fluid	Always 100% width	Edge-to-edge layouts
.container-lg	Responsive from large breakpoint	Layouts that widen later

CONTROLLED WIDTH

Readable content

Space stays bounded as the viewport grows.

FULL WIDTH

Edge-to-edge canvas

The layout uses the whole viewport.

Made with GAMMA

FIRST-PASS POLISH

Utilities make the first pass feel finished

Small classes handle common polish without writing custom CSS.

`Alignment` `Color` `Spacing`

1

Alignment

text-center · text-start · text-end

2

Color

3

Spacing

m-3 · p-4 · mt-4 · mb-4

Made with GAMMA

Build the college homepage

Use Bootstrap CDN, a container, rows, responsive columns, spacing classes, and text/background utilities.

- Header
- Sidebar 3 / Main content 9
- Course cards 4 / 4 / 4
- Footer

1

Header

container · navigation · responsive spacing

2

Sidebar

col-lg-3

3

Main content

col-lg-9

4

Course card

col-12 col-md-4

5

Course card

col-12 col-md-4

6

Course card

col-12 col-md-4

7

Footer

Full-width closing band.

Made with GAMMA