BOOTSTRAP 5 · UI FOUNDATIONS

Bootstrap components that make interfaces feel alive

Buttons, alerts, badges, labels, and cards — taught through small UI decisions students can use immediately.

START HERE

01 **Intent**

Choose the action.

02 **Feedback**

Explain the result.

03 **Structure**

Organize the content.

Made with GAMMA

THE SHARED LANGUAGE

Bootstrap gives common UI patterns a shared language

Today’s goal: recognize the pattern, choose the right component, and build it with Bootstrap 5.



Buttons

Trigger actions.



Alerts

Explain what just happened.



Badges

Show counts and status.



Cards

Organize related content.

Made with GAMMA

COMPONENT 01 · BUTTONS

Buttons turn intent into one clear action

A button is an interactive element for actions such as submitting, logging in, downloading, or deleting.

MAIN ACTION

Click Me

btn-primary

THE STARTING POINT

```
<button class="btn btn-primary">
  Click Me
</button>
```

btn

Activates the base styling.

---

btn-primary

Signals the main action.

Made with GAMMA

COMPONENT 02 · COLOR

Use color to signal consequence

Design rule: the color should reinforce what happens next, not decorate the button.

Class	Signal	Typical use	Meaning
btn-primary	Blue	Main action	Start the task
btn-success	Green	Positive completion	Keep going
btn-danger	Red	Delete or destructive action	Proceed carefully
btn-warning	Yellow	Risk or caution	Pause and check
btn-info	Light blue	Supporting information	Learn more

Made with GAMMA

BUTTON COMPOSITION

Size and emphasis are separate choices

Filled buttons lead. Outline buttons support. A full-width button owns the available row.

Filled

Main path

Outline

Secondary path

Full width

Owns the row

SIZE

```
<button class="btn btn-primary btn-lg">Large</button>
<button class="btn btn-primary">Normal</button>
<button class="btn btn-primary btn-sm">Small</button>
```

EMPHASIS

```
<button class="btn btn-outline-primary">Secondary path</button>
<button class="btn btn-success w-100">Full width</button>
```

Source: attached lesson material

Made with GAMMA

COMPONENT 03 · ALERTS

Alerts answer the user’s immediate question

What happened? A success, error, warning, or information message should be visible at the moment it matters.

Class	Meaning
alert-success	confirmation
alert-danger	error
alert-warning	caution
alert-info	update or context

```
<div class="alert alert-success">
  Login Successful!
</div>
```

Source: attached lesson material

Made with GAMMA

ALERT BEHAVIOR

Dismissible alerts give control back to the user

The close control needs Bootstrap’s JavaScript bundle to work.

USE WHEN THE MESSAGE IS USEFUL — BUT TEMPORARY




```
<div class="alert alert-warning
 alert-dismissible fade show">
 Warning! Low Battery.
 <button class="btn-close"
  data-bs-dismiss="alert"></button>
</div>
```

Dismissal keeps a useful message from permanently occupying the interface.

Made with GAMMA

COMPONENT 04 · BADGES

Badges compress counts and status into a small signal

Think inbox counts, notification dots, cart quantities, and new-feature markers.

New Ready 5

SMALL SIGNALS, REAL CONTEXT

```
<span class="badge bg-primary">New</span>
<span class="badge rounded-pill bg-success">
  Ready
</span>
```

```
<button class="btn btn-primary">
  Messages
  <span class="badge bg-light text-dark">
    5
  </span>
</button>
```

Made with GAMMA

VERSION SHIFT · BOOTSTRAP 3 → 5

In Bootstrap 5, the old label lesson becomes a badge lesson

Older tutorial	Modern Bootstrap
Label	Badge
label label-success	badge bg-success
Deprecated pattern	Recommended pattern

THE SAME SIGNAL, UPDATED SYNTAX

```
<!-- Older Bootstrap 3 -->
<span class="label label-success">New</span>

<!-- Bootstrap 5 -->
<span class="badge bg-success">New</span>
```

Source: attached lesson material

Made with GAMMA

COMPONENT 05 · CARDS

Panels became cards because content needs a flexible container

Bootstrap 5 uses cards as the modern replacement for panels.

Header	Body	Action
Context	Related content	Next step

A FLEXIBLE CONTAINER

STUDENT

XYZ

B. Student

VIEW PROFILE

```
<div class="card">
 <div class="card-header">Student</div>
 <div class="card-body">
  <h5 class="card-title">XYZ</h5>
  <p>B.tech Student</p>
  <button class="btn btn-primary">
   View Profile
  </button>
 </div>
</div>
```

Cards can hold a header, body, footer, image, action, or several of these together.

Source: attached lesson material

Made with GAMMA