Question Bank: Mid-Semester Practice Set (200 MCQs)

Unit 1: Course Overview, Internet, WWW, Client-Server Architecture, Browsers & Web Technologies

Q1. A student types https://www.example.com in the browser. Which protocol is used to transfer the web page between the browser and the web server?

Options:

A) HTTP/HTTPS

B) FTP

C) SMTP

D) POP3

Answer: A) HTTP/HTTPS

Q2. You type a domain name such as www.example.com in the address bar. Which system translates this name into the server's IP address?

Options:

A) DNS

B) DHCP

C) SSL

D) ARP

Answer: A) DNS

Q3. A user submits a login form on a website. In the client-server model, what happens next?

Options:

A) The browser verifies the password and sends the result to the DNS server

B) The DNS server checks the username and returns the HTML page

C) The ISP generates the response page for the user

D) The web server receives the request, processes it and sends back a response

Answer: D) The web server receives the request, processes it and sends back a response

Q4. Your friend says "the Internet and the WWW are the same thing". Which statement correctly corrects this?

Options:

A) The WWW is the physical network; the Internet is a collection of web pages

B) The Internet is the global network of networks; the WWW is a service of linked web pages that runs on it

C) The Internet is a web browser; the WWW is a search engine

D) The WWW is a protocol used only for sending emails

Answer: B) The Internet is the global network of networks; the WWW is a service of linked web pages that runs on it

Q5. In this course (Fullstack using Scripting Technologies), which set correctly lists the three core front-end building blocks of a web page?

Options:

A) HTML for structure, CSS for presentation, JavaScript for behaviour

B) HTML for behaviour, CSS for structure, JavaScript for presentation

C) HTML for database, CSS for server logic, JavaScript for styling

D) HTML for styling, CSS for content, JavaScript for hosting

Answer: A) HTML for structure, CSS for presentation, JavaScript for behaviour

Q6. A page you requested does not exist on the server. Which HTTP status code does the server return?

Options:

A) 200

B) 404

C) 301

D) 500

Answer: B) 404

Q7. Which of the following technologies normally runs on the client side, inside the user's browser?

Options:

A) PHP

B) JavaScript

C) MySQL

D) Apache HTTP Server

Answer: B) JavaScript

Q8. Identify the part of the URL that represents the path to the resource.

```
https://www.example.com:443/courses/index.html?id=5
```

Options:

A) /courses/index.html

B) https

C) www.example.com

D) id=5

Answer: A) /courses/index.html

Q9. What is the main job of a web browser?

Options:

A) Store all websites permanently on the user's computer

B) Convert domain names into IP addresses

C) Request web resources, receive them and render HTML, CSS and JavaScript into a visual page

D) Host web pages for other users

Answer: C) Request web resources, receive them and render HTML, CSS and JavaScript into a visual page

Q10. Which of the following is a code editor commonly used for writing HTML, CSS and JavaScript?

Options:

A) Microsoft Excel
B) Windows Media Player
C) Visual Studio Code
D) Adobe Acrobat Reader

Answer: C) Visual Studio Code

Unit 2: HTML Structure, Boilerplate, Elements, Attributes, Headings & Paragraphs

Q11. You are writing the first line of an HTML5 boilerplate. Which declaration is correct?

```
____
<html lang="en">
```

Options:

A) <!DOCTYPE HTML5>
B) <!DOCTYPE xhtml>
C) <doctype html>
D) <!DOCTYPE html>

Answer: D) <!DOCTYPE html>

Q12. You want to declare that your page is written in English for screen readers and search engines. Which attribute is used?

```
<html ____="en">
```

Options:

A) language
B) locale
C) lang
D) charset

Answer: C) lang

Q13. Which element contains all the content that is visible in the browser window?

Options:

A) <body>
B) <head>
C) <title>
D) <meta>

Answer: A) <body>

Q14. Where does the text inside the <title> element appear?

```
<title>My Portfolio</title>
```

Options:

A) In the browser tab / title bar
B) At the top of the page body as a heading
C) In the footer of the page
D) Inside the first paragraph

Answer: A) In the browser tab / title bar

Q15. You need the most important, top-level heading of the page. Which tag should you use?

Options:

A) <h1>
B) <h6>
C) <head>
D) <heading>

Answer: A) <h1>

Q16. You want to break the line inside a paragraph without starting a new paragraph. Which element is missing?

```
<p>Line one<____>Line two</p>
```

Options:

A) lb
B) break
C) newline
D) br

Answer: D) br

Q17. Which attribute must have a value that is unique within an HTML document?

Options:

A) class
B) title
C) lang
D) id

Answer: D) id

Q18. Which option is the correct syntax for an HTML comment?

Options:

A) <!-- This is a comment -->
B) // This is a comment
C) /* This is a comment */
D) # This is a comment

Answer: A) <!-- This is a comment -->

Q19. Which snippet shows properly nested HTML elements?

Options:

A) Important note
B) Important note
C) Important note
D) Important note

**Answer: D) Important note **

Q20. What happens if you forget to write the <!DOCTYPE html> declaration at the top of a page?

Options:

A) The page will not open at all
B) The CSS will be ignored completely
C) The server returns a 404 error
D) The browser may render the page in quirks mode

Answer: D) The browser may render the page in quirks mode

Unit 3: Formatting Tags, Quotations, Lists & Lab: Portfolio Page (Task 1)

Q21. You want to mark a warning word with strong importance (not just bold styling). Which tag is correct?

```
<p><____>Warning:</____> Do not refresh.</p>
```

Options:

A) bold
B) big
C) strong
D) em

Answer: C) strong

Q22. In your portfolio page you want to emphasise a word with stress, which is shown in italics by default. Which tag is used?

```
<p>I <____>love</____> web design.</p>
```

Options:

A) mark
B) small
C) ins
D) em

Answer: D) em

Q23. You want to highlight a keyword like a highlighter pen. Which element is correct?

```
<p>Learn <____>HTML</____> first.</p>
```

Options:

A) highlight
B) hl
C) strong
D) mark

Answer: D) mark

Q24. You are writing the chemical formula of water on your portfolio. Which tag creates the subscript 2?

```
<p>H<____>2</____>O</p>
```

Options:

A) sub
B) sup
C) small
D) low

Answer: A) sub

Q25. You want to show a long quotation from another source as an indented block. Which element is correct?

```
<____>Design is not just what it looks like.</____>
```

Options:

A) blockquote
B) quote
C) q
D) cite

Answer: A) blockquote

Q26. You need a short inline quotation inside a sentence, which browsers show with quotation marks automatically. Which tag is correct?

```
<p>He said, <____>Practice daily</____>.</p>
```

Options:

A) blockquote

B) quote

C) cite

D) q

Answer: D) q

Q27. You want an ordered list that starts counting from 5. Which attribute is correct?

```
<ol ____="5">
  <li>Intro</li>
  <li>Summary</li>
</ol>
```

Options:

A) begin

B) from

C) start

D) value

Answer: C) start

Q28. You want the bullets of an unordered list to appear as squares. Which CSS value is correct?

```
ul {
  list-style-type: ____;
}
```

Options:

A) square

B) box

C) rectangle

D) block

Answer: A) square

Q29. In a description list, which tag holds the description (definition) of a term?

```
<dl>
  <dt>HTML</dt>
  <____>HyperText Markup Language</____>
</dl>
```

Options:

A) dt

B) dl

C) dd

D) dp

Answer: C) dd

Q30. In the Portfolio Page lab, you must show a bulleted list of your skills. Which structure is correct?

Options:

A) HTML CSS

B) <ol type="bullet">
HTML

C) HTML
CSS

D) HTML

**Answer: C) HTML
CSS
**

Unit 4: Hyperlinks, Images, Figure, Figcaption, Relative & Absolute Paths

Q31. You want a link to open in a new browser tab. Which attribute and value is correct?

```
<a href="https://example.com" ____>Visit</a>
```

Options:

A) target="_new_tab"

B) target="_blank"

C) open="new"

D) window="blank"

Answer: B) target="_blank"

Q32. Which of the following is an absolute URL?

Options:

A) ../img/logo.png

B) https://www.example.com/img/logo.png

C) img/logo.png

D) ./logo.png

Answer: B) https://www.example.com/img/logo.png

Q33. Your page is in /site/pages/about.html and the image is in /site/images/pic.jpg. Which path is correct for the image?

```
<img src="____images/pic.jpg" alt="Me">
```

Options:

A) ./

B) ~/

C) //

D) ../

Answer: D) ../

Q34. You want a link that jumps to the section with id="contact" on the same page. Which href is correct?

```
<a href="____">Contact</a>
...
<h2 id="contact">Contact Us</h2>
```

Options:

A) .contact

B) #contact

C) @contact

D) contact#

Answer: B) #contact

Q35. You want a link that opens the user's email client. Which value is missing?

```
<a href="____:info@example.com">Email us</a>
```

Options:

A) email
B) mailto
C) mail
D) sendto

Answer: B) mailto

Q36. What is the main purpose of the alt attribute on an image?

```
<img src="photo.jpg" alt="Profile Picture">
```

Options:

A) To set the tooltip size of the image
B) To give alternative text when the image fails to load and for screen readers
C) To change the image file format
D) To make the image clickable

Answer: B) To give alternative text when the image fails to load and for screen readers

Q37. You want to attach a caption to an image in a semantic way. Which tag is missing?

```
<figure>
  <img src="sunset.jpg" alt="Sunset">
  <____>Sunset at the beach</____>
</figure>
```

Options:

A) figcaption
B) caption
C) figtitle
D) legend

Answer: A) figcaption

Q38. You want the browser to download a PDF file instead of opening it when the link is clicked. Which attribute is required?

```
<a href="cv.pdf" ____>Download CV</a>
```

Options:

A) save
B) target="_save"
C) download
D) attach

Answer: C) download

Q39. You want a logo image to act as a link to home.html. Which element should wrap the image?

```
<____ href="home.html">
  <img src="logo.png" alt="Home">
</____>
```

Options:

A) a
B) link
C) href
D) nav

Answer: A) a

Q40. Which path always starts from the root folder of the website?

Options:

A) ../images/logo.png
B) images/logo.png
C) ./images/logo.png
D) /images/logo.png

Answer: D) /images/logo.png

Unit 5: Tables (table, tr, td, th, thead, tbody, colspan, rowspan) & Lab: Academic Timetable (Task 1)

Q41. Which element defines a row in an HTML table?

```
<table>
  <____>
    <td>Maths</td>
  </____>
</table>
```

Options:

A) tr
B) row
C) td
D) th

Answer: A) tr

Q42. Which element creates a header cell that is bold and centered by default?

```
<tr>
  <____>Day</____>
  <____>Subject</____>
</tr>
```

Options:

A) th
B) thead
C) td
D) tr

Answer: A) th

Q43. You want a cell to stretch across two columns. Which attribute is correct?

```
<td ____="2">Lunch Break</td>
```

Options:

A) rowspan
B) colspan
C) span
D) merge

Answer: B) colspan

Q44. In the timetable lab, a 2-hour lab session must occupy two consecutive period rows in the same column. Which attribute is needed?

```
<td ____="2">Web Lab</td>
```

Options:

A) colspan

B) span="row"

C) height="2"

D) rowspan

Answer: D) rowspan

Q45. You want to group the heading row of the table separately from the data rows. Which element is used?

```
<table>
  <____>
    <tr><th>Day</th><th>Period 1</th></tr>
  </____>
  <tbody>...</tbody>
</table>
```

Options:

A) thead

B) header

C) th

D) tfoot

Answer: A) thead

Q46. You want to give the table a title that is placed above it. Which element should be the first child of <table>?

```
<table>
  <____>Weekly Timetable</____>
  ...
</table>
```

Options:

A) title

B) legend

C) caption

D) figcaption

Answer: C) caption

Q47. You want the table borders to merge into single lines instead of double lines. Which CSS is correct?

```
table {
  border-collapse: ____;
}
```

Options:

A) collapse

B) merge

C) single

D) joined

Answer: A) collapse

Q48. A table has 4 columns. One row contains a cell with colspan="3". How many more <td> cells does this row need?

```
<tr>
  <td colspan="3">Seminar</td>
  ...
</tr>
```

Options:

A) 0
B) 2
C) 3
D) 1

Answer: D) 1

Q49. For accessibility, you want to tell screen readers that a <th> is a header for a column. Which attribute is correct?

```
<th ____="col">Monday</th>
```

Options:

A) headers
B) role-col
C) axis
D) scope

Answer: D) scope

Unit 6: Form Elements, Input Types, Validation, Dropdowns & Buttons

Q50. Which attribute of the <form> tag specifies the page or script that will process the submitted data?

```
<form ____="/submit" method="post">
```

Options:

A) action
B) target
C) src
D) href

Answer: A) action

Q51. You want clicking the label text to focus the email input. Which attribute connects them?

```
<label ____="email">Email</label>
<input type="text" id="email">
```

Options:

A) name
B) for
C) id
D) link

Answer: B) for

Q52. You are creating gender radio buttons where only one can be chosen. What must all the radio inputs share?

```
<input type="radio" ____="gender" value="male">
<input type="radio" ____="gender" value="female">
```

Options:

A) id

B) name

C) class

D) type

Answer: B) name

Q53. You want a dropdown list of courses. Which element is correct?

```
<____ name="course">
  <option>HTML</option>
  <option>CSS</option>
</____>
```

Options:

A) select

B) dropdown

C) list

D) datalist

Answer: A) select

Q54. You want "CSS" to be pre-selected when the dropdown loads. Which attribute is used?

```
<option value="css" ____>CSS</option>
```

Options:

A) checked

B) selected

C) default

D) active

Answer: B) selected

Q55. You want a number field that accepts values only up to 10. Which attribute is missing?

```
<input type="number" min="1" ____="10">
```

Options:

A) limit

B) max

C) maxlength

D) upto

Answer: B) max

Q56. What is the behaviour of the placeholder attribute?

```
<input type="text" placeholder="Enter your name">
```

Options:

A) It sets a default value that gets submitted

B) It makes the field mandatory

C) It prevents the user from typing

D) It shows a hint that disappears when the user starts typing

Answer: D) It shows a hint that disappears when the user starts typing

Q57. You want a button that clears all the fields of the form. Which type is correct?

```
<button type="____">Clear</button>
```

Options:

A) reset
B) clear
C) cancel
D) submit

Answer: A) reset

Q58. You want the password field to require at least 8 characters. Which attribute is correct?

```
<input type="password" ____="8">
```

Options:

A) minlength
B) min
C) length
D) size

Answer: A) minlength

Q59. You want a multi-line comment box that is 5 lines tall. Which attribute is correct?

```
<textarea ____="5" cols="30"></textarea>
```

Options:

A) rows
B) lines
C) height
D) maxlength

Answer: A) rows

Q60. You want the browser to show a calendar picker for date of birth. Which input type is correct?

```
<input type="____" name="dob">
```

Options:

A) date
B) calendar
C) datepicker
D) day

Answer: A) date

Unit 7: Semantic HTML, Block/Layout Elements, iframe, Head & Meta Tags

Q61. Which semantic element is used to hold the main navigation links of a site?

```
<____>
  <a href="index.html">Home</a>
  <a href="about.html">About</a>
</____>
```

Options:

A) menu
B) links
C) nav
D) navigate

Answer: C) nav

Q62. Which semantic element should wrap the dominant, unique content of the page?

Options:

A) <section>
B) <main>
C) <aside>
D)

Answer: B) <main>

Q63. You are publishing a blog post that can be read independently of the rest of the page. Which element fits best?

Options:

A) <article>
B) <aside>
C)
D) <address>

Answer: A) <article>

Q64. Which element holds content related to the main content, like a sidebar of related links?

Options:

A) <side>
B) <footer>
C) <aside>
D) <nav>

Answer: C) <aside>

Q65. You want to embed another web page inside your page. Which attribute provides its address?

```
<iframe ____="https://example.com" width="400" height="300"></iframe>
```

Options:

A) href
B) src
C) link
D) url

Answer: B) src

Q66. Which of the following elements is placed inside the <head> section?

Options:

A) <nav>
B) <footer>
C) <section>
D) <title>

Answer: D) <title>

Q67. You want the page to scale correctly on mobile devices. Which value is missing?

```
<meta name="viewport" content="width=____, initial-scale=1.0">
```

Options:

A) device-width
B) 100px
C) screen
D) auto

Answer: A) device-width

Q68. You want to provide a page summary for search engines. Which name attribute is correct?

```
<meta name="____" content="Portfolio of a web developer">
```

Options:

A) summary
B) seo
C) description
D) about

Answer: C) description

Q69. Which statement correctly differentiates and ?

Options:

A) is inline and is block-level
B) is a block-level container and is an inline container
C) Both are semantic elements describing the page's meaning
D) can contain only images

Answer: B) is a block-level container and is an inline container

Q70. You want to link an external stylesheet. Which attribute value is missing?

```
<link ____="stylesheet" href="style.css">
```

Options:

A) rel
B) type-of
C) name
D) src

Answer: A) rel

Unit 8: Charset, HTML Entities, URI Code, Frames & HTML Security Best Practices

Q71. Which charset value supports almost all characters and symbols in the world?

```
<meta charset="____">
```

Options:

A) ASCII
B) UTF-8
C) ISO-8859-1
D) UTF-1

Answer: B) UTF-8

Q72. You want to display the text <p> on the page without the browser treating it as a tag. Which entity is used for the < symbol?

```
<p>Use &____;p&gt; to create a paragraph.</p>
```

Options:

A) gt
B) amp
C) lt
D) less

Answer: C) lt

Q73. You want extra non-breaking space between two words. Which entity is correct?

```
<p>Hello&____;World</p>
```

Options:

A) space
B) sp
C) nbsp
D) blank

Answer: C) nbsp

Q74. Which entity displays the copyright symbol © in the footer?

```
<footer>&____; 2026 MyWebsite</footer>
```

Options:

A) cpr
B) right
C) c
D) copy

Answer: D) copy

Q75. When a space is placed inside a URL, it is encoded as which code?

```
https://example.com/my files/a.pdf
```

Options:

A) %00
B) %20
C) %2B
D) %40

Answer: B) %20

Q76. In this URL, which character separates the two query parameters?

```
search.html?q=html&page=2
```

Options:

A) ?
B) &
C) =
D) %

Answer: B) &

Q77. Which HTML element used in the old days to split the browser window into multiple frames is obsolete in HTML5?

Options:

A) <iframe>
B) <section>
C) <frameset>
D) <figure>

Answer: C) <frameset>

Q78. You open external links with target="_blank". Which attribute should be added to prevent the new page from accessing window.opener?

```
<a href="https://other.com" target="_blank" ____>Open</a>
```

Options:

A) rel="stylesheet"
B) rel="noopener noreferrer"
C) secure="true"
D) protect="opener"

Answer: B) rel="noopener noreferrer"

Q79. You embed a third-party page and want to restrict what it can do (scripts, forms, popups). Which attribute is used?

```
<iframe src="widget.html" ____></iframe>
```

Options:

A) secure
B) restrict
C) protect
D) sandbox

Answer: D) sandbox

Q80. A comment form displays user input directly on the page. What is the best practice to prevent XSS attacks?

Options:

A) Escape or sanitize user input before displaying it
B) Trust the input because it comes from a registered user
C) Hide the input using display: none
D) Convert the input to uppercase

Answer: A) Escape or sanitize user input before displaying it

Unit 9: Complete Semantic Website Using All HTML Concepts

Q81. Which structure represents the correct semantic layout of a typical web page?

Options:

A) <footer>, <main>, <nav>, <header>
B) <header>, <nav>, <main>, <footer>
C) <nav>, <footer>, <header>, <main>
D) <main>, <header>, <footer>, <nav>

Answer: B) <header>, <nav>, <main>, <footer>

Q82. How many visible <main> elements should a page normally have?

Options:

A) Two

B) One per section

C) One

D) As many as needed

Answer: C) One

Q83. Where should the copyright notice and contact details of the page be placed semantically?

Options:

A) <header>

B) <aside>

C) <footer>

D) <head>

Answer: C) <footer>

Q84. You add a skip link so keyboard users can jump to the main content. Which target is correct?

```
<a href="#content">Skip to content</a>
...
<____ id="content">...</____>
```

Options:

A) head

B) main

C) title

D) meta

Answer: B) main

Q85. Which is the best way to mark up a menu with three links?

Options:

A) <menu>Home About Contact</menu>

B) <nav>
Home...
</nav>

C) Home | About | Contact

D) <nav>
Home
</nav>

**Answer: B) <nav>
Home...
</nav>**

Q86. Which structure is the most semantic for a blog post with a title and two parts?

Options:

A) Title Part 1 Part 2

B) <section><article>Title</article></section>

C) <article><h1>Title</h1><section>Part 1</section><section>Part 2</section></article>

D) <main>TitlePart 1</main>

Answer: C) <article><h1>Title</h1><section>Part 1</section><section>Part 2</section></article>

Unit 10: CSS Syntax, Inline/Internal/External CSS & Selectors

Q87. Which option shows the correct syntax of a CSS rule?

Options:

A) selector (property = value)
B) { selector: property value }
C) selector { property: value; }
D) property { selector: value; }

Answer: C) selector { property: value; }

Q88. Which HTML attribute is used to apply inline CSS to an element?

```
<p ____="color: red;">Hello</p>
```

Options:

A) style
B) css
C) class
D) styles

Answer: A) style

Q89. Where is internal CSS written?

```
<head>
  <____>
    p { color: blue; }
  </____>
</head>
```

Options:

A) css
B) script
C) style
D) link

Answer: C) style

Q90. Which attribute links an external stylesheet to an HTML page?

```
<link ____="stylesheet" href="styles.css">
```

Options:

A) rel
B) type-of
C) href-type
D) style

Answer: A) rel

Q91. If a paragraph is styled by an inline style, an internal style and an external style with the same property, which one wins (assuming same specificity of selectors)?

Options:

A) The external style
B) The internal style
C) The browser default
D) The inline style

Answer: D) The inline style

Q92. Which symbol is used to select elements by class name?

```
____note {
  color: green;
}
```

Options:

A) #

B) .

C) *

D) &

Answer: B) .

Q93. Which symbol is used to select an element by its id?

```
____header {
  background: #333;
}
```

Options:

A) #

B) .

C) @

D) $

Answer: A) #

Q94. You want to apply the same style to h1, h2 and p. Which selector is correct?

```
h1____ h2____ p {
  color: navy;
}
```

Options:

A) ,

B) +

C) >

D) ~

Answer: A) ,

Q95. You want to style only the links that open in a new tab. Which attribute selector is correct?

```
a[____="_blank"] {
  color: red;
}
```

Options:

A) href

B) rel

C) open

D) target

Answer: D) target

Q96. Which selector has the highest specificity?

Options:

A) p.note

B) .note

C) #intro

D) p

Answer: C) #intro

Unit 11: Colors, Backgrounds, Borders, Padding, Height & Width

Q97. Which hexadecimal colour code represents pure red?

Options:

A) #00ff00
B) #0000ff
C) #ff0000
D) #ffff00

Answer: C) #ff0000

Q98. You want a 50% transparent blue background. Which value is missing?

```
.box {
  background-color: rgba(0, 0, 255, ____);
}
```

Options:

A) 0.5
B) 50
C) 5
D) 1.5

Answer: A) 0.5

Q99. You want to set an image as the background of the hero section. Which property is correct?

```
.hero {
  background-____: url('bg.jpg');
}
```

Options:

A) src
B) picture
C) file
D) image

Answer: D) image

Q100. You want the background image NOT to be tiled. Which value should be used?

```
.hero {
  background-repeat: ____;
}
```

Options:

A) repeat-none
B) stop
C) single
D) no-repeat

Answer: D) no-repeat

Q101. You want the background image to cover the whole element while keeping its proportions. Which value is correct?

```
.hero {
  background-size: ____;
}
```

Options:

A) cover

B) fill

C) stretch

D) 100px

Answer: A) cover

Q102. Which border shorthand is written in the correct order?

```
.card {
  border: 2px ____ red;
}
```

Options:

A) thick

B) solid

C) line

D) dashed-color

Answer: B) solid

Q103. You have a 100px × 100px image and want to turn it into a perfect circle. Which value is correct?

```
img {
  border-radius: ____;
}
```

Options:

A) 100%px

B) 0

C) circle

D) 50%

Answer: D) 50%

Q104. What is the left padding in the following rule?

```
.box {
  padding: 10px 20px 30px 40px;
}
```

Options:

A) 40px

B) 10px

C) 20px

D) 30px

Answer: A) 40px

Q105. A child div has width: 50% inside a parent that is 600px wide. What is the child's width?

Options:

A) 50px
B) 600px
C) 300px
D) 150px

Answer: C) 300px

Q106. You want an image to shrink on small screens but never grow larger than its container. Which declaration is correct?

```
img {
  ____: 100%;
  height: auto;
}
```

Options:

A) min-width
B) max-width
C) width-limit
D) full-width

Answer: B) max-width

Unit 12: Fonts, Text Properties, Shadows, Outline & Lab: About Us Page (Task 2)

Q107. You are setting a font stack for your About Us page. Which generic family should be given as the last fallback for a clean sans-serif look?

```
body {
  font-family: "Roboto", Arial, ____;
}
```

Options:

A) serif
B) sans-serif
C) cursive
D) monospace-only

Answer: B) sans-serif

Q108. Which unit is relative to the font size of the root (html) element?

```
p {
  font-size: 1.2____;
}
```

Options:

A) em
B) px
C) rem
D) pt

Answer: C) rem

Q109. Which numeric value of font-weight is equivalent to bold?

```
h2 {
  font-weight: ____;
}
```

Options:

A) 100
B) 400
C) 700
D) 300

Answer: C) 700

Q110. You want to remove the underline from all links. Which declaration is correct?

```
a {
  text-decoration: ____;
}
```

Options:

A) remove
B) clear
C) none
D) no-line

Answer: C) none

Q111. You want all heading text to display in capital letters without changing the HTML. Which declaration is correct?

```
h1 {
  text-transform: ____;
}
```

Options:

A) capitalize-all
B) upper
C) uppercase
D) caps

Answer: C) uppercase

Q112. Which property controls the space between the characters of a text?

Options:

A) word-spacing
B) letter-spacing
C) text-indent
D) line-height

Answer: B) letter-spacing

Q113. What does the third value (4px) of the text-shadow declaration control?

```
h1 {
  text-shadow: 2px 2px 4px #888;
}
```

Options:

A) The horizontal offset

B) The vertical offset

C) The blur radius of the shadow

D) The size of the text

Answer: C) The blur radius of the shadow

Q114. Which property adds a shadow around the box of an element such as a card?

Options:

A) text-shadow

B) shadow-box

C) drop-shadow-box

D) box-shadow

Answer: D) box-shadow

Q115. What is a key difference between outline and border?

```
button:focus {
  outline: 2px solid blue;
}
```

Options:

A) Outline adds to the width and height of the element

B) Outline is drawn outside the border and does not take up space in the layout

C) Outline can only be used on images

D) Outline changes the margin of the element

Answer: B) Outline is drawn outside the border and does not take up space in the layout

Q116. You want to load a custom font file for your page. Which at-rule is missing?

```
@font-____ {
  font-family: "MyFont";
  src: url("myfont.woff2");
}
```

Options:

A) style

B) face

C) import

D) family

Answer: B) face

Unit 13: Margin, Padding, Border, Box Model & Box Sizing

Q117. Which option lists the layers of the CSS box model from the inside to the outside?

Options:

A) Content, padding, border, margin

B) Content, border, padding, margin

C) Margin, border, padding, content

D) Padding, content, margin, border

Answer: A) Content, padding, border, margin

Q118. With the default box-sizing, what is the rendered width of the box (content + padding + border, excluding margin)?

```
.box {
  width: 300px;
  padding: 20px;
  border: 5px solid;
  margin: 10px;
}
```

Options:

A) 300px

B) 350px

C) 330px

D) 370px

Answer: B) 350px

Q119. With box-sizing: border-box, what is the width of the content area?

```
.box {
  box-sizing: border-box;
  width: 300px;
  padding: 20px;
  border: 5px solid;
}
```

Options:

A) 250px

B) 300px

C) 260px

D) 350px

Answer: A) 250px

Q120. Two stacked blocks have these margins. What is the vertical gap between them?

```
h1 { margin-bottom: 30px; }
p  { margin-top: 20px; }
```

Options:

A) 50px

B) 20px

C) 10px

D) 30px

Answer: D) 30px

Q121. You want to horizontally centre a block element that has a fixed width. Which declaration works?

```
.container {
  width: 600px;
  margin: 0 ____;
}
```

Options:

A) center

B) auto

C) middle

D) 50%

Answer: B) auto

Q122. What is the left margin in the following declaration?

```
.box {
  margin: 10px 20px;
}
```

Options:

A) 10px

B) 30px

C) 0px

D) 20px

Answer: D) 20px

Q123. Which box-model property can NOT take a negative value?

Options:

A) margin

B) top

C) padding

D) left

Answer: C) padding

Q124. You want padding and border to be included in the declared width of every element on the page. Which reset is correct?

```
* {
  box-sizing: ____;
  margin: 0;
}
```

Options:

A) border-box

B) content-box

C) padding-box

D) margin-box

Answer: A) border-box

Q125. Which part of the box model does NOT show the element's background colour?

Options:

A) Padding

B) Content

C) Border area behind a transparent border

D) Margin

Answer: D) Margin

Q126. With default box-sizing, what is the total height (excluding margin) of this box?

```
.box {
  height: 100px;
  padding: 10px;
  border: 2px solid;
}
```

Options:

A) 100px

B) 124px

C) 114px

D) 120px

Answer: B) 124px

Unit 14: Display, Positioning, Navigation Bar & Images

Q127. What is the difference between display: none and visibility: hidden?

Options:

A) display: none removes the element from the layout; visibility: hidden hides it but keeps its space

B) Both remove the element from the layout

C) visibility: hidden removes the space, display: none keeps it

D) There is no difference

Answer: A) display: none removes the element from the layout; visibility: hidden hides it but keeps its space

Q128. You want elements to sit in one line but still accept width and height. Which display value is correct?

```
.menu-item {
  display: ____;
}
```

Options:

A) inline-block

B) inline

C) block

D) table-row

Answer: A) inline-block

Q129. Which position value moves an element relative to its own normal position?

```
.box {
  position: ____;
  top: 10px;
}
```

Options:

A) relative

B) absolute

C) fixed

D) static

Answer: A) relative

Q130. An absolutely positioned element is placed relative to which element?

Options:

A) The body element always

B) Its nearest positioned ancestor

C) Its previous sibling

D) The browser window always

Answer: B) Its nearest positioned ancestor

Q131. You want a "back to top" button that stays at the bottom-right of the screen while scrolling. Which position is correct?

```
.top-btn {
  position: ____;
  bottom: 20px;
  right: 20px;
}
```

Options:

A) relative

B) static

C) inherit

D) fixed

Answer: D) fixed

Q132. You want the header to stick to the top of the viewport after the user scrolls past it. Which value is correct?

```
header {
  position: ____;
  top: 0;
}
```

Options:

A) stuck

B) sticky

C) absolute-top

D) hold

Answer: B) sticky

Q133. Which elements does the z-index property work on (without flex/grid)?

Options:

A) Only static elements

B) Only inline elements

C) Positioned elements (not static)

D) Only images

Answer: C) Positioned elements (not static)

Q134. You are building a horizontal navigation bar from a list. Which declaration removes the bullets?

```
nav ul {
  list-style-type: ____;
  margin: 0;
  padding: 0;
}
```

Options:

A) none

B) hidden

C) clear

D) 0

Answer: A) none

Q135. You want a thumbnail to fill a 200px × 200px box without distortion, cropping the extra part. Which value is correct?

```
img {
  width: 200px;
  height: 200px;
  object-fit: ____;
}
```

Options:

A) fill

B) stretch

C) crop

D) cover

Answer: D) cover

Q136. You want an image to be centred inside its container. Which pair of declarations works?

Options:

A) display: inline; margin: auto;

B) float: center;

C) position: static; align: center;

D) display: block; margin: 0 auto;

Answer: D) display: block; margin: 0 auto;

Unit 15: Combinators, Pseudo Classes & Pseudo Elements

Q137. Which selector styles ALL paragraphs inside a div, at any depth?

Options:

A) div p

B) div > p

C) div + p

D) div ~ p

Answer: A) div p

Q138. Which selector styles only the paragraphs that are direct children of a div?

Options:

A) div p
B) div + p
C) div ~ p
D) div > p

Answer: D) div > p

Q139. Which selector styles only the paragraph that comes immediately after an h1?

Options:

A) h1 ~ p
B) h1 > p
C) h1 + p
D) h1 p

Answer: C) h1 + p

Q140. Which selector styles all p siblings that follow an h1 (not necessarily immediately)?

Options:

A) h1 + p
B) h1 > p
C) h1 ~ p
D) h1 p

Answer: C) h1 ~ p

Q141. You want a button to change colour when the mouse is over it. Which pseudo-class is correct?

```
button:____ {
  background: orange;
}
```

Options:

A) over
B) mouse
C) active-over
D) hover

Answer: D) hover

Q142. You want an input field to have a blue border when the user clicks inside it. Which pseudo-class is correct?

```
input:____ {
  border: 2px solid blue;
}
```

Options:

A) click
B) focus
C) select
D) hover

Answer: B) focus

Q143. You want to create a drop cap by styling only the first letter of a paragraph. Which pseudo-element is correct?

```
p::____ {
  font-size: 3em;
}
```

Options:

A) first-char
B) first-letter
C) letter-first
D) first-child

Answer: B) first-letter

Q144. You want to change the colour of the text that the user highlights with the mouse. Which pseudo-element is correct?

```
::____ {
  background: yellow;
}
```

Options:

A) highlight
B) select
C) marked
D) selection

Answer: D) selection

Q145. Which declaration is REQUIRED for a ::before pseudo-element to appear?

```
h2::before {
  /* ??? */
  color: red;
}
```

Options:

A) display: inline-only
B) text
C) content
D) visibility: visible

Answer: C) content

Q146. You want to style the label that follows a checked checkbox. Which pseudo-class is correct?

```
input[type="checkbox"]:____ + label {
  font-weight: bold;
}
```

Options:

A) selected
B) on
C) checked
D) active

Answer: C) checked

Unit 16: Responsive Design, Media Queries & User Interface

Q147. Which meta tag is essential for making a page responsive on mobile devices?

Options:

A) <meta name="responsive" content="true">
B) <meta charset="mobile">
C) <meta name="viewport" content="width=device-width, initial-scale=1.0">
D) <meta name="device" content="auto">

Answer: C) <meta name="viewport" content="width=device-width, initial-scale=1.0">

Q148. Which keyword starts a CSS media query?

```
@____ (max-width: 600px) {
  body { background: lightblue; }
}
```

Options:

A) screen
B) media
C) query
D) responsive

Answer: B) media

Q149. In a mobile-first approach, which media feature is mostly used to add styles for larger screens?

Options:

A) min-width
B) max-width
C) max-height
D) orientation: none

Answer: A) min-width

Q150. When does this rule apply?

```
@media (max-width: 768px) {
  .menu { display: none; }
}
```

Options:

A) When the viewport width is 768px or less
B) When the viewport width is 768px or more
C) Only when the width is exactly 768px
D) Only for printers

Answer: A) When the viewport width is 768px or less

Q151. If the viewport is 1000px wide, what is the width of this element?

```
.box {
  width: 10vw;
}
```

Options:

A) 10px
B) 1000px
C) 10% of the parent
D) 100px

Answer: D) 100px

Q152. You want styles to apply only when the device is held horizontally. Which media feature is correct?

```
@media (orientation: ____) {
  .gallery { flex-direction: row; }
}
```

Options:

A) horizontal

B) landscape

C) wide

D) sideways

Answer: B) landscape

Q153. For a better user interface, you want the mouse pointer to become a hand over clickable cards. Which declaration is correct?

```
.card {
  ____: pointer;
}
```

Options:

A) mouse

B) pointer-event

C) cursor

D) hover-icon

Answer: C) cursor

Q154. On screens smaller than 576px you want to hide the sidebar. Which declaration is missing?

```
@media (max-width: 576px) {
  .sidebar { ____: none; }
}
```

Options:

A) display

B) position

C) hide

D) float

Answer: A) display

Unit 17: Gradients, Transformations, Transitions, Animations, Filters & Tooltips

Q155. You want a background that fades from red on the left to blue on the right. Which value is missing?

```
.banner {
  background: linear-gradient(to ____, red, blue);
}
```

Options:

A) east

B) horizontal

C) across

D) right

Answer: D) right

Q156. Which function creates a circular gradient radiating from the centre?

Options:

A) circle-gradient()
B) radial-gradient()
C) round-gradient()
D) conic-line()

Answer: B) radial-gradient()

Q157. Which value rotates an element 45 degrees clockwise?

```
.icon {
  transform: ____;
}
```

Options:

A) rotate(45)
B) turn(45deg)
C) rotate(45deg)
D) spin(45deg)

Answer: C) rotate(45deg)

Q158. What does this declaration do?

```
.card:hover {
  transform: scale(1.5);
}
```

Options:

A) Moves the element 1.5px
B) Enlarges the element to 150% of its size
C) Rotates the element 1.5 times
D) Reduces the element to 50%

Answer: B) Enlarges the element to 150% of its size

Q159. You want a background colour change to take 0.5 seconds. Which property value is missing?

```
.btn {
  transition: background ____ ease;
}
```

Options:

A) 0.5
B) 0.5m
C) half
D) 0.5s

Answer: D) 0.5s

Q160. You want a transition to start only after waiting for 1 second. Which property is used?

```
.btn {
  transition-____: 1s;
}
```

Options:

A) wait
B) start
C) pause
D) delay

Answer: D) delay

Q161. You want an animation named "spin" to repeat forever. Which value is missing?

```
.loader {
  animation: spin 2s linear ____;
}
```

Options:

A) forever

B) loop

C) infinite

D) repeat

Answer: C) infinite

Q162. You want an image to appear blurred. Which function is correct?

```
img {
  filter: ____(5px);
}
```

Options:

A) fog

B) soften

C) smooth

D) blur

Answer: D) blur

Q163. You are building a pure-CSS tooltip. Which declaration makes the tooltip text appear when the parent is hovered?

```
.tooltip:hover .tooltiptext {
  ____: visible;
}
```

Options:

A) display

B) visibility

C) show

D) appear

Answer: B) visibility

Q164. For the tooltip text to be placed relative to its parent element, which positioning should the tooltip text and parent use?

Options:

A) Parent: position: absolute; tooltip text: position: static;

B) Parent: position: static; tooltip text: position: relative;

C) Parent: position: fixed; tooltip text: position: sticky;

D) Parent: position: relative; tooltip text: position: absolute;

Answer: D) Parent: position: relative; tooltip text: position: absolute;

Unit 18: Flexbox Labs - Product Card, Sidebar Layout & Blog Layout (Task 3)

Q165. You want flex items to be stacked vertically in a column. Which value is correct?

```
.cards {
  display: flex;
  flex-direction: ____;
}
```

Options:

A) vertical

B) stack

C) column

D) down

Answer: C) column

Q166. You have many product cards and want them to move to the next line when there is no room. Which value is correct?

```
.products {
  display: flex;
  flex-wrap: ____;
}
```

Options:

A) wrap-none

B) break

C) multiline

D) wrap

Answer: D) wrap

Q167. You want a 20px space between all the flex items without using margins. Which property is correct?

```
.products {
  display: flex;
  ____: 20px;
}
```

Options:

A) space

B) spacing

C) gap

D) item-margin

Answer: C) gap

Q168. In the sidebar layout, you want the main content to take all the remaining width. Which declaration is correct?

```
.main {
  ____: 1;
}
```

Options:

A) display

B) flex

C) width-auto

D) stretch

Answer: B) flex

Q169. In the sidebar layout, you want the sidebar fixed at 250px that never shrinks or grows. Which value is correct?

```
.sidebar {
  flex: ____;
}
```

Options:

A) 1 1 250px

B) 1 0 auto

C) 0 0 250px

D) 250px 0 0

Answer: C) 0 0 250px

Q170. You want the third item of a flex row to appear first. Which declaration is correct?

```
.item3 {
  ____: -1;
}
```

Options:

A) order

B) index

C) z-index

D) sort

Answer: A) order

Q171. In a flex container with align-items: flex-start, you want only one card to be aligned to the bottom. Which declaration is correct?

```
.card.special {
  ____: flex-end;
}
```

Options:

A) justify-self

B) align-content

C) self-align

D) align-self

Answer: D) align-self

Q172. In a flex navigation bar you want the "Login" link pushed to the far right. Which declaration is correct?

```
.login {
  margin-left: ____;
}
```

Options:

A) right

B) auto

C) 100%

D) max

Answer: B) auto

Q173. In a row of product cards inside a flex container, the cards have different content heights. What is the default behaviour of align-items?

Options:

A) flex-start, so cards keep their own height

B) center, so cards are vertically centred

C) stretch, so all the cards have equal height

D) baseline, so cards are hidden

Answer: C) stretch, so all the cards have equal height

Q174. In the blog layout (content + sidebar side by side), you want them to stack on small screens. Which approach is correct?

Options:

A) Use float: none on the body

B) Set display: inline on the container

C) Use a media query to set flex-direction: column on the container

D) Use position: absolute on the sidebar

Answer: C) Use a media query to set flex-direction: column on the container

Unit 19: Bootstrap Installation, Grid System & Containers

Q175. Where is the Bootstrap CSS CDN link normally placed in the HTML file?

Options:

A) At the end of the body using a <script> tag

B) Inside the <head> using a <link> tag

C) Inside a <style> tag in the footer

D) Inside the <title> tag

Answer: B) Inside the <head> using a <link> tag

Q176. Bootstrap 3 JavaScript plugins (such as carousel and modal) depend on which library?

Options:

A) React

B) Angular

C) Node.js

D) jQuery

Answer: D) jQuery

Q177. Which meta tag should be added so that Bootstrap's responsive layout works properly on phones?

Options:

A) <meta name="bootstrap" content="responsive">

B) <meta name="viewport" content="width=device-width, initial-scale=1">

C) <meta charset="responsive">

D) <meta http-equiv="mobile">

Answer: B) <meta name="viewport" content="width=device-width, initial-scale=1">

Q178. Which class creates a container that spans the full width of the viewport?

```
<div class="____">...</div>
```

Options:

A) container
B) container-full
C) wide-container
D) container-fluid

Answer: D) container-fluid

Q179. How many equal-width columns does the Bootstrap grid system have?

Options:

A) 10
B) 12
C) 16
D) 8

Answer: B) 12

Q180. You want two equal columns on medium and larger screens. Which classes are correct?

```
<div class="row">
  <div class="____">Left</div>
  <div class="____">Right</div>
</div>
```

Options:

A) col-md-6
B) col-md-2
C) col-6-md
D) md-col-6

Answer: A) col-md-6

Q181. What is the behaviour of this layout?

```
<div class="col-xs-12 col-md-4">...</div>
```

Options:

A) One-third on phones and full width on large screens
B) Always one-third width
C) Hidden on phones
D) Full width on phones and one-third width (3 across) on medium and larger screens

Answer: D) Full width on phones and one-third width (3 across) on medium and larger screens

Q182. You want to centre a 6-column wide block using the Bootstrap 3 grid. Which class should be added?

```
<div class="col-md-6 ____">Centered</div>
```

Options:

A) col-md-center
B) col-md-offset-3
C) col-md-push-6
D) center-md-3

Answer: B) col-md-offset-3

Q183. In Bootstrap 3, from which viewport width does the medium (md) grid class start to apply?

Options:

A) 576px
B) 768px
C) 1200px
D) 992px

Answer: D) 992px

Unit 20: Bootstrap Buttons, Alerts, Badges, Labels & Panels

Q184. You want a green button indicating a successful action. Which class is correct?

```
<button class="btn ____">Save</button>
```

Options:

A) btn-green
B) btn-primary
C) btn-info-green
D) btn-success

Answer: D) btn-success

Q185. You want a large Bootstrap button. Which class is correct?

```
<button class="btn btn-primary ____">Join</button>
```

Options:

A) btn-lg
B) btn-large
C) btn-big
D) btn-xl-size

Answer: A) btn-lg

Q186. You want a red alert message for an error. Which class is correct?

```
<div class="alert ____">Login failed!</div>
```

Options:

A) alert-error-red
B) alert-warning
C) alert-danger
D) alert-red

Answer: C) alert-danger

Q187. You want the user to be able to close an alert. Which attribute is used on the close button in Bootstrap 3?

```
<div class="alert alert-info alert-dismissible">
  <button type="button" class="close" ____="alert">&times;</button>
  Welcome!
</div>
```

Options:

A) data-close
B) data-remove
C) data-dismiss
D) data-hide

Answer: C) data-dismiss

Q188. You want to show a small count bubble (e.g., 4 new messages) next to a link. Which class is correct?

```
Inbox <span class="____">4</span>
```

Options:

A) bubble
B) count
C) badge
D) label-count

Answer: C) badge

Q189. You want to display a small yellow "New" tag next to a heading in Bootstrap 3. Which classes are correct?

```
<h3>Offer <span class="____">New</span></h3>
```

Options:

A) badge badge-yellow
B) tag tag-warning
C) label-yellow
D) label label-warning

Answer: D) label label-warning

Q190. Which structure creates a Bootstrap 3 panel with a heading and a body?

Options:

A) <h1>Title</h1> Content
B) Title
C) Title Content
D) <panel><heading>Title</heading></panel>

**Answer: C) Title Content **

Q191. You want a button to take the full width of its parent. Which class is correct?

```
<button class="btn btn-primary ____">Submit</button>
```

Options:

A) btn-full
B) btn-block
C) btn-wide
D) btn-100

Answer: B) btn-block

Q192. You want to join three buttons together into a single group. Which class should the wrapper div have?

```
<div class="____">
  <button class="btn btn-default">Left</button>
  <button class="btn btn-default">Middle</button>
  <button class="btn btn-default">Right</button>
</div>
```

Options:

A) btn-set

B) btn-join

C) button-group-row

D) btn-group

Answer: D) btn-group

Unit 21: Bootstrap Themes, Pagination, Pager, Carousel & Progress Bar

Q193. Which additional CSS file adds the optional "theme" look (gradients and shadows) to Bootstrap 3 buttons and panels?

Options:

A) bootstrap-skin.min.css

B) bootstrap-style.min.js

C) theme.bootstrap.php

D) bootstrap-theme.min.css

Answer: D) bootstrap-theme.min.css

Q194. Which class is used on the <ul> to create a pagination component?

```
<ul class="____">
  <li><a href="#">1</a></li>
  <li><a href="#">2</a></li>
</ul>
```

Options:

A) pager-list

B) pagination

C) pages

D) page-nav

Answer: B) pagination

Q195. You want page 2 to be highlighted as the current page. Which class should be added to its ?

```
<li class="____"><a href="#">2</a></li>
```

Options:

A) current

B) selected

C) active

D) highlight

Answer: C) active

Q196. You want simple "Previous" and "Next" links aligned to the left and right sides. Which Bootstrap 3 structure is correct?

Options:

A) <ul class="pagination-simple"><li class="back">Previous

B) Previous

C) <ul class="pager"><li class="previous">Previous
<li class="next">Next

D) <ul class="paging"><li class="left">Previous

**Answer: C) <ul class="pager"><li class="previous">Previous
<li class="next">Next
**

Q197. Which attribute starts the Bootstrap 3 carousel automatically when the page loads?

```
<div id="myCarousel" class="carousel slide" ____="carousel">
```

Options:

A) data-start

B) data-play

C) data-ride

D) data-auto

Answer: C) data-ride

Q198. A carousel does not display any slide. Which is the most likely cause?

```
<div class="carousel-inner">
  <div class="item">Slide 1</div>
  <div class="item">Slide 2</div>
</div>
```

Options:

A) The items are missing the row class

B) The inner div must be named carousel-body

C) Slides cannot contain text

D) None of the items has the active class

Answer: D) None of the items has the active class

Q199. You want a progress bar that is 70% complete. Which value is missing?

```
<div class="progress">
  <div class="progress-bar" style="width: ____%">70%</div>
</div>
```

Options:

A) 70

B) 7

C) 0.7

D) 170

Answer: A) 70

Q200. You want the progress bar to look striped and animated. Which classes are correct?

Options:

A) progress-bar progress-bar-striped active

B) progress-bar striped moving

C) progress-bar-animated-only

D) progress progress-stripe

Answer: A) progress-bar progress-bar-striped active