

Label size : 72 x 18mm

Composition:

Hydroxypropylmethylcellulose IP 0.3% w/v
Dextran 70 USP 0.1% w/v
Glycerin IP 0.2% w/v
Sterile Aqueous Vehicle q.s

Dosage: As directed by the Physician.
Keep the medicine out of reach of children.

For Direction, Warning, Storage & Instructions for use, please see the carton.

Hydroxypropylmethylcellulose,
Glycerin, Dextran 70 Eye Drops



Marketed by:

Rivixa
Lifesciences Pvt. Ltd.
14L Floor 6th Navjeevan Commercial
Premises, Mumbai Central
Mumbai-400008, Maharashtra India.
Manufactured in India by:
ABLE PHARMA
Village Gullarwala, Sai Road,
Baddi, Distt.-Solan-173 205 (H.P.)
(WHO-GMP Certified Unit)

Mfg. Lic. No.: MB/06/490 & MNB/06/489

Batch No. :

बैच नं.

Mfg. Date :

उत्पादन की तिथि

Expiry Date :

समाप्ति की तिथि

M.R.P. ₹ . :

(Inclusive of all taxes)

Caution: Not to be sold by retail without the prescription of a Registered Medical Practitioner.

Label size : 72 x 18mm



Carton size : 45 x 32 x 80mm

Hydroxypropyl-
methylcellulose,
Glycerin, Dextran 70
Eye Drops

AQUAVIX
FORTE

Eye Drops



STERILE / 10 ML



Composition:

Hydroxypropylmethyl-
cellulose IP 0.3% w/v
Dextran 70 USP 0.1% w/v
Glycerin IP 0.2% w/v
Sterile Aqueous Vehicle q.s

Dosage: As directed by the Physician.

Storage: Store in a cool & dry place at a temperature not exceeding 30°C. Protect from light. Do not allow to freeze.

Warning: 1. If irritation persists or increases, discontinue the use and consult the Physician.
2. Do not touch the nozzle tip to any surface. This may contaminate the solution.
3. Do not use the vial if it contains visible particulate matter.

Keep the medicine out of reach of children.

Direction:- Use the solution within one month after opening the vial.

Caution: Not to be sold by retail without the prescription of a Registered Medical Practitioner.

Hydroxypropyl-
methylcellulose,
Glycerin, Dextran 70
Eye Drops

AQUAVIX
FORTE

Eye Drops



STERILE / 10 ML



INSTRUCTIONS FOR USE

- Remove the last ring by pulling the notch.
PULL
- SPIKE**
The spike in the cap will pierce the tip of the vial.
- Tighten the cap on the nozzle as shown.
- Dispense drops with gentle pressure.
- Replace the cap after each use.

FOR EXTERNAL USE ONLY

NOT FOR INJECTION

Mfg. Lic. No.: MB/06/490 & MNB/06/489

Manufactured in India by:
ABLE PHARMA
Village Gullarwala, Sai Road,
Baddi, Distt.-Solan-173 205 (H.P.)
(WHO-GMP Certified Unit)

Marketed by:

Rivixa
Lifesciences Pvt. Ltd.
14L Floor 6th Navjeevan
Commercial Premises, Mumbai
Central Mumbai-400008,
Maharashtra India.

ITC Sapphire, UV Drip off, 300 GSM,
Embossing

Batch No. :

बैच नं.

Mfg. Date :

उत्पादन तिथि

Expiry Date :

समाप्ति तिथि

M.R.P. ₹ . :

(Inclusive of all taxes)

अधिकतम खुदरा मूल्य रु.

(सभी करो सहित)

Insert size : 148 x 125 mm

For the use of an Ophthalmologist or a Hospital or a Laboratory only.

Hydroxypropylmethylcellulose, Glycerin, Dextran 70 Eye Drops

**AQUAVIX
FORTE**
Eye Drops

**10 ml
STERILE**

Composition:

Hydroxypropylmethylcellulose IP 0.3% w/v
Dextran 70 USP 0.1% w/v
Glycerin IP 0.2% w/v
Sterile Aqueous Vehicle q.s

PHARMACOLOGICAL CLASSIFICATION:

Ophthalmic lubricant/Artificial tear preparation

MECHANISM OF ACTION:

Hydroxypropylmethylcellulose (HPMC):

HPMC is a semisynthetic, inert, viscoelastic polymer that forms a transparent lubricating film over the corneal surface. It increases the viscosity of the tear film, prolonging tear breakup time and reducing evaporation. This helps in relieving symptoms of dryness, irritation and discomfort caused by decreased tear production or environmental factors.

Dextran 70:

Dextran 70 is a high-molecular-weight polysaccharide that acts as a demulcent. It enhances the stability of the precorneal tear film and provides a soothing effect to the ocular surface by preventing cell desiccation.

Glycerin:

Glycerin acts as a humectant and osmoprotectant. It attracts and retains moisture, maintaining hydration of the corneal and conjunctival epithelium. It also reduces hyperosmolar stress and cellular irritation associated with dry eye conditions.

Combined Effect:

Together, these agents provide a synergistic lubricating and moisturizing effect, restoring tear film balance, improving ocular comfort, and protecting the eye from further dryness and irritation.

INDICATIONS:

AQUAVIX FORTE Eye Drops are indicated for:

Relief of dryness, irritation, burning, and discomfort due to reduced tear production or environmental factors (such as wind, sun, air conditioning, or prolonged screen exposure). Artificial tear substitute in the management of dry eye syndrome (keratoconjunctivitis sicca). Lubrication and protection of the ocular surface following ophthalmic surgery or corneal trauma. Temporary relief of ocular irritation or discomfort caused by minor eye conditions or exposure to irritants. As an adjunctive therapy for patients using contact lenses (if compatible) to relieve dryness and improve comfort.

CONTRAINDICATION:

AQUAVIX FORTE Eye Drops are contraindicated in patients with known hypersensitivity or allergy to Hydroxypropylmethylcellulose, Glycerin & Dextran 70 or any other ingredient in the formulation.

PRECAUTIONS:

Use Eye Drops with caution if irritation, pain, redness, or vision changes occur; discontinue use and consult a doctor if symptoms persist. The dropper tip should not touch any surface, including the eye, to avoid contamination. Do not use the solution if it changes color or becomes cloudy. For external ophthalmic use only.

DOSAGE:

Instill one or two drops of Eye Drops in the affected eye(s) as needed or as directed by the physician. The frequency of use may vary depending on the severity of dryness. Replace the cap tightly after each use and avoid touching the dropper tip to prevent contamination.

SIDE EFFECTS:

Eye Drops are generally well tolerated. Mild and transient burning, stinging, or irritation may occur occasionally. Rarely, hypersensitivity reactions such as redness, itching or swelling may be observed. If severe or persistent reactions occur, discontinue use and consult a doctor.

INTERACTION:

No significant drug interactions have been reported with **AQUAVIX FORTE Eye Drops**. May temporarily blur vision; avoid driving or operating machinery immediately after administration. Use with other ophthalmic medications only after a 5-10 minute interval between applications. Consult your doctor if using medicated eye drops concurrently.

Storage: Store in a cool & dry place at a temperature not exceeding 30°C.

Protect from light. Do not allow to freeze.

NOT FOR INJECTION. FOR EXTERNAL USE ONLY.

Keep the medicine out of reach of children.

PACK PRESENTATION:- AQUAVIX FORTE Eye Drops is available in LDPE vial.

Manufactured in India by:

ABLE PHARMA, Village Gullarwala, Sai Road,
Baddi, Distt.-Solani-173 205 (H.P.)
(WHO-GMP Certified Unit)

Marketed by:



Rivixa

Lifesciences Pvt. Ltd.

14L Floor 6th Navjeevan Commercial Premises, Mumbai
Central Mumbai-400008, Maharashtra India.