feat: update @angular/material to 1.0.0-beta.2

master

Browse files

visurel committed 2 minutes ago

1 parent c6a7c6f commit 36ea1af16e921024e631ee35c95ac9cabfc96ccd

Showing 51 changed files with **323 additions** and **134 deletions**.

Unified | Split

4 .angular-cli.json

View

```diff
@@ -1,6 +1,6 @@
 {
   "project": {
-    "version": "2.1.0",
     "name": "Fury"
   },
   "apps": [
@@ -61,7 +61,7 @@
     }
   },
   "defaults": {
-    "styleExt": "css",
     "component": {
       "inlineTemplate": false,
       "spec": true
```

```diff
 {
   "project": {
+    "version": "2.2.0",
     "name": "Fury"
   },
   "apps": [
     }
   },
   "defaults": {
+    "styleExt": "scss",
     "component": {
       "inlineTemplate": false,
       "spec": true
```

4 package.json

View

```diff
@@ -1,6 +1,6 @@
 {
   "name": "Fury",
-  "version": "2.1.0",
   "angular-cli": {},
   "scripts": {
     "ng": "ng",
@@ -17,7 +17,7 @@
     "@angular/flex-layout": "2.0.0-beta.5",
     "@angular/forms": "^2.4.0",
     "@angular/http": "^2.4.0",
-    "@angular/material": "2.0.0-beta.1",
     "@angular/platform-browser": "^2.4.0",
     "@angular/platform-browser-dynamic": "^2.4.0",
     "@angular/router": "^3.4.0",
```

```diff
 {
   "name": "Fury",
+  "version": "2.2.0",
   "angular-cli": {},
   "scripts": {
     "ng": "ng",
     "@angular/flex-layout": "2.0.0-beta.5",
     "@angular/forms": "^2.4.0",
     "@angular/http": "^2.4.0",
+    "@angular/material": "2.0.0-beta.2",
     "@angular/platform-browser": "^2.4.0",
     "@angular/platform-browser-dynamic": "^2.4.0",
     "@angular/router": "^3.4.0",
```

5 src/app/app-routing.module.ts

View

```diff
@@ -28,6 +28,7 @@ import {DragAndDropComponent} from "./demo/drag-and-drop/drag-and-drop.component
 import {InboxComponent} from "./demo/apps/inbox/inbox.component";
 import {CalendarComponent} from "./demo/apps/calendar/calendar.component";
 import {ChatComponent} from "./demo/apps/chat/chat.component";

 const routes: Routes = [
   {
@@ -67,6 +68,10 @@ const routes: Routes = [
         component: DashboardV1Component,
       },
       {
```

```diff
 import {InboxComponent} from "./demo/apps/inbox/inbox.component";
 import {CalendarComponent} from "./demo/apps/calendar/calendar.component";
 import {ChatComponent} from "./demo/apps/chat/chat.component";
+import {AutocompleteComponent} from "./demo/components/autocomplete/autocomplete.component";

 const routes: Routes = [
   {
         component: DashboardV1Component,
       },
       {
+        path: 'components/autocomplete',
+        component: AutocompleteComponent
+      },
+      {
```

```
70          path: 'components/buttons',
71          component: ButtonsComponent
72        },
```

```
75          path: 'components/buttons',
76          component: ButtonsComponent
77        },
```

6 src/app/app.module.ts

View

```
@@ -68,6 +68,7 @@ import { CalendarComponent } from './demo/apps/calendar/calendar.component';
68  import { CalendarEditComponent } from
    './demo/apps/calendar/calendar-edit/calendar-edit.component';
69  import { ChatComponent } from
    './demo/apps/chat/chat.component';
70  import {CommonModule} from "@angular/common";
71  import { AutocompleteComponent } from
    './demo/components/autocomplete/autocomplete.component';
71
72  const perfectScrollbarConfig: PerfectScrollbarConfigInterface =
    {
73    suppressScrollX: true
@@ -128,7 +129,8 @@ const sortablejsConfig: SortablejsOptions = {
128     InboxComposeComponent,
129     CalendarComponent,
130     CalendarEditComponent,
131-    ChatComponent
132+    ChatComponent,
133+    AutocompleteComponent
132   ],
133   entryComponents: [
134     DemoDialog,
@@ -141,7 +143,7 @@ const sortablejsConfig: SortablejsOptions = {
141     FormsModule,
142     HttpModule,
143     RoutingModule,
144-    MaterialModule.forRoot(),
146+    MaterialModule,
145     FlexLayoutModule,
146     PerfectScrollbarModule.forRoot(perfectScrollbarConfig),
147     AgmCoreModule.forRoot({
```

2 src/app/core/admin/admin.component.html

View

```
@@ -12,7 +12,7 @@
12
13  </md-sidenav>
14
15- <md-toolbar class="main-toolbar md-elevation-z2">
15+ <md-toolbar class="main-toolbar mat-elevation-z2">
16    <div fxHide="false" fxHide.gt-sm>
17      <button (click)="sidenav.open()" md-icon-button>
18        <md-icon>menu</md-icon>
```

16 src/app/core/admin/admin.component.scss

View

```
@@ -45,15 +45,15 @@
45  }
46 }
47
48-.quickpanel {
48+.mat-sidenav.quickpanel {
49   z-index: 100;
50   width: 330px;
51   min-width: 330px;
52   max-width: 330px;
53 }
54
55 @media screen and (max-width: 959px) {
56-  .quickpanel {
56+  .mat-sidenav.quickpanel {
57     width: 250px;
58     min-width: 250px;
59     max-width: 250px;
```

```
@@ -65,7 +65,7 @@
 }

 @media screen and (min-width: 960px) {
-  .md-sidenav-backdrop {
+  .mat-sidenav-backdrop {
     z-index: 50 !important;
   }
 }
@@ -86,9 +86,9 @@
 }

 @media screen and (min-width: 960px) {
-  .sidenav + .md-sidenav-content {
+  .sidenav + .mat-sidenav-content {
     transition: all .4s cubic-bezier(.25,.8,.25,1);
-    transition-property: transform, max-width;
+    transition-property: transform, max-width, margin-left, margin-right !important;
     margin-left: 0 !important;
     background: #EEE;
     z-index: $z-index__md-sidenav-content;
@@ -97,17 +97,17 @@
     box-shadow: inset 7px 0 9px -7px rgba(0,0,0,0.4);
   }

-  .sidenav + .md-sidenav-content {
+  .sidenav + .mat-sidenav-content {
     max-width: calc(100% - #{$width__sidenav});
     transform: translate3d($width__sidenav, 0, 0) !important;
   }

-  .sidenav.icon-sidenav.collapsed + .md-sidenav-content {
+  .sidenav.icon-sidenav.collapsed + .mat-sidenav-content {
     max-width: calc(100% - #{$max-width__icon-sidenav});
     transform: translate3d($max-width__icon-sidenav, 0, 0) !important;
   }

-  .sidenav.icon-sidenav + .md-sidenav-content {
+  .sidenav.icon-sidenav + .mat-sidenav-content {
     max-width: calc(100% - #{$max-width__icon-sidenav});
   }
```

2 src/app/core/search/search.component.html View

```
@@ -3,7 +3,7 @@
     <md-icon>search</md-icon>
   </button>
   <md-input-container class="search" floatingPlaceholder="false" [class.search-open]="isOpen">
-    <input #input (blur)="close()" md-input placeholder="Search...">
+    <input #input (blur)="close()" mdInput placeholder="Search...">
   </md-input-container>
 </div>
```

2 src/app/core/sidenav-item/sidenav-item.component.scss View

```
@@ -6,7 +6,7 @@

 md-nav-list a.sidenav-anchor {

-  .md-list-item {
+  &.mat-list-item .mat-list-item-content {
     padding-left: $padding-left-right__sidenav-list__md-list-item;
     padding-right: $padding-left-right__sidenav-list__md-list-item;
   }
```

2 src/app/core/sidenav/sidenav.component.html

View

```diff
@@ -1,6 +1,6 @@
 <div class="sidenav-container" fxLayout="column">

-  <md-toolbar color="primary" class="sidenav-toolbar md-elevation-z2">
     <div fxLayout="row" style="width: 100%;">
       <span style="width: 22px; text-align: center; margin-left: -3px;" fxFlexAlign="center"><img src="assets/img/icon.png" style="width: 25px; vertical-align: text-top;"></span>
       <img style="height: 35px; margin-left: 24px; margin-bottom: -5px;" src="assets/img/logo.png" fxFlexAlign="center" class="fade-in-on-icon-sidenav">
```

```diff
 <div class="sidenav-container" fxLayout="column">

+  <md-toolbar color="primary" class="sidenav-toolbar mat-elevation-z2">
     <div fxLayout="row" style="width: 100%;">
       <span style="width: 22px; text-align: center; margin-left: -3px;" fxFlexAlign="center"><img src="assets/img/icon.png" style="width: 25px; vertical-align: text-top;"></span>
       <img style="height: 35px; margin-left: 24px; margin-bottom: -5px;" src="assets/img/logo.png" fxFlexAlign="center" class="fade-in-on-icon-sidenav">
```

2 src/app/core/sidenav/sidenav.component.scss

View

```diff
@@ -1,6 +1,6 @@
 @import "../../../styles/_var";

-md-toolbar.sidenav-toolbar {
   background: $background-color__sidenav-toolbar;
   padding: 0 14px 0 24px;
   z-index: 3;
```

```diff
 @import "../../../styles/_var";

+md-toolbar.mat-toolbar.sidenav-toolbar {
   background: $background-color__sidenav-toolbar;
   padding: 0 14px 0 24px;
   z-index: 3;
```

1 src/app/core/sidenav/sidenav.component.ts

View

```diff
@@ -49,6 +49,7 @@ export class SidenavComponent implements OnInit, OnDestroy {

 this.breadcrumbService.addFriendlyNameForRoute('/apps/calendar', "Calendar");
     this.breadcrumbService.addFriendlyNameForRoute('/apps/chat', "Chat");

 this.breadcrumbService.addFriendlyNameForRoute('/components', "Components");
+this.breadcrumbService.addFriendlyNameForRoute('/components/autocomplete', "Autocomplete");

 this.breadcrumbService.addFriendlyNameForRoute('/components/buttons', "Buttons");

 this.breadcrumbService.addFriendlyNameForRoute('/components/cards', "Cards");

 this.breadcrumbService.addFriendlyNameForRoute('/components/dialogs', "Dialogs");
```

19 src/app/core/sidenav/sidenav.service.ts

View

```diff
@@ -26,15 +26,16 @@ export class SidenavService {
     menu.addItem('Calendar', 'date_range', '/apps/calendar', 3);

     let components =  menu.addItem('Components', 'layers', null, 3);
-    menu.addSubItem(components, 'Buttons', '/components/buttons', 1);
-    menu.addSubItem(components, 'Cards', '/components/cards', 2);
-    menu.addSubItem(components, 'Dialogs', '/components/dialogs', 3);
-    menu.addSubItem(components, 'Grid List', '/components/grid-list', 4);
-    menu.addSubItem(components, 'Lists', '/components/lists', 5);
```

```diff
     menu.addItem('Calendar', 'date_range', '/apps/calendar', 3);

     let components =  menu.addItem('Components', 'layers', null, 3);
+    menu.addSubItem(components, 'Autocomplete', '/components/autocomplete', 1);
+    menu.addSubItem(components, 'Buttons', '/components/buttons', 2);
+    menu.addSubItem(components, 'Cards', '/components/cards', 3);
+    menu.addSubItem(components, 'Dialogs', '/components/dialogs', 4);
+    menu.addSubItem(components, 'Grid List', '/components/grid-list', 5);
```

```
-    menu.addSubItem(components, 'Menu', '/components/menu', 6);
-    menu.addSubItem(components, 'Slider', '/components/slider', 7);
-    menu.addSubItem(components, 'Snack-Bar', '/components/snack-bar', 8);
-    menu.addSubItem(components, 'Tooltips', '/components/tooltips', 8);
```

```
+    menu.addSubItem(components, 'Lists', '/components/lists', 6);
+    menu.addSubItem(components, 'Menu', '/components/menu', 7);
+    menu.addSubItem(components, 'Slider', '/components/slider', 8);
+    menu.addSubItem(components, 'Snack-Bar', '/components/snack-bar', 9);
+    menu.addSubItem(components, 'Tooltips', '/components/tooltips', 10);
```

```
     let forms = menu.addItem('Forms', 'insert_comment', null, 4);
     menu.addSubItem(forms, 'Form Elements', '/forms/form-elements', 1);
```

2 src/app/core/widgets/activity/activity.component.html

View

```
@@ -1,4 +1,4 @@
-<div class="activity-card md-elevation-z2">
   <div class="title-container" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

```
+<div class="activity-card mat-elevation-z2">
   <div class="title-container" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

2 src/app/core/widgets/bar-chart/bar-chart.component.html

View

```
@@ -1,4 +1,4 @@
-<div class="chart-widget md-elevation-z2" [style.background]="bgColor">
   <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

```
+<div class="chart-widget mat-elevation-z2" [style.background]="bgColor">
   <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

2 src/app/core/widgets/line-chart/line-chart.component.html

View

```
@@ -1,4 +1,4 @@
-<div class="chart-widget md-elevation-z2" [style.background]="bgColor">
   <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

```
+<div class="chart-widget mat-elevation-z2" [style.background]="bgColor">
   <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

2 src/app/core/widgets/pie-chart/pie-chart.component.html

View

```
@@ -1,4 +1,4 @@
-<div class="piechart-widget chart-widget md-elevation-z2" [style.background]="bgColor">
   <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

```
+<div class="piechart-widget chart-widget mat-elevation-z2" [style.background]="bgColor">
   <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
     <div fxLayout="column">
       <span class="title">{{ title }}</span>
```

2 src/app/core/widgets/recent-sales/recent-sales.component.html

View

```
@@ -1,4 +1,4 @@
-<div class="recent-sales md-elevation-z2">
   <table class="table table-condensed table-grey-header table-bordered table-hover">
     <thead>
       <tr>
```

```
+<div class="recent-sales mat-elevation-z2">
   <table class="table table-condensed table-grey-header table-bordered table-hover">
     <thead>
       <tr>
```

2 src/app/core/widgets/traffic-sources/traffic-sources.component.html

View

```diff
@@ -1,4 +1,4 @@
-<div class="traffic-sources-card chart-widget md-elevation-z2">
+<div class="traffic-sources-card chart-widget mat-elevation-z2">
  <div class="title-container" [style.color]="textColor" fxLayout="row" fxLayoutAlign="start center">
    <div fxLayout="column">
      <span class="title">{{ title }}</span>
```

6 src/app/demo/apps/calendar/calendar-edit/calendar-edit.component.html

View

```diff
@@ -5,17 +5,17 @@
  <div class="content" md-dialog-content>
    <p fxLayout="row">
      <md-input-container fxFlex>
-       <input md-input placeholder="Event Name" [(ngModel)]="event.title">
+       <input mdInput placeholder="Event Name" [(ngModel)]="event.title">
      </md-input-container>
    </p>
    <p fxLayout="row">
      <md-input-container fxFlex>
-       <input md-input placeholder="Event Start Time" [(ngModel)]="eventStart">
+       <input mdInput placeholder="Event Start Time" [(ngModel)]="eventStart">
      </md-input-container>
    </p>
    <p fxLayout="row">
      <md-input-container fxFlex>
-       <input md-input placeholder="Event End Time" [(ngModel)]="eventEnd">
+       <input mdInput placeholder="Event End Time" [(ngModel)]="eventEnd">
      </md-input-container>
    </p>
  </div>
```

10 src/app/demo/apps/chat/chat.component.html

View

```diff
@@ -1,9 +1,9 @@
 <div class="header"></div>
 <div class="chat-container">
-  <div class="chat md-elevation-z4">
+  <div class="chat mat-elevation-z4">
    <md-sidenav-container>

-     <md-sidenav class="md-elevation-z2" mode="side" [opened]="true" #chatSidenav>
+     <md-sidenav class="mat-elevation-z2" mode="side" [opened]="true" #chatSidenav>
        <div class="sidenav-container">
          <md-toolbar>
            <div class="toolbar" fxLayout="row" fxLayoutAlign="start center">
@@ -64,10 +64,10 @@ <h3 class="name" md-line>{{chat.name}}</h3>
              <div class="chat-message" *ngFor="let message of chats[0].messages" [ngSwitch]="message.who" fxLayout="column" fxLayoutAlign="end start">
                <div class="partner" *ngSwitchCase="'partner'" fxFlexAlign="start" fxLayout="row" fxLayoutAlign="start start">
                  <img class="avatar" [src]="activeChat.picture">
-                 <span class="message md-elevation-z1">{{ message.message }}</span>
+                 <span class="message mat-elevation-z1">{{ message.message }}</span>
                </div>
                <div class="me" *ngSwitchCase="'me'" fxFlexAlign="end" fxLayout="row" fxLayoutAlign="end start">
-                 <span class="message md-elevation-z1">{{ message.message }}</span>
+                 <span class="message mat-elevation-z1">{{ message.message }}</span>
                  <img class="avatar" src="assets/img/avatars/noavatar.png">
```

```
@@ -77,7 +77,7 @@ <h3 class="name" md-line>{{chat.name}}</h3>
 
            <div class="chat-respond" fxLayout="row" fxLayoutAlign="start center">
              <md-input-container fxFlex>
-               <textarea md-input (keyup.enter)="send()" [(ngModel)]="newMessage" placeholder="Type and hit enter to send your message"></textarea>
              </md-input-container>
              <button (click)="send()" md-fab color="primary"><md-icon>send</md-icon></button>
            </div>
```

```
@@ -77,7 +77,7 @@ <h3 class="name" md-line>{{chat.name}}</h3>
 
            <div class="chat-respond" fxLayout="row" fxLayoutAlign="start center">
              <md-input-container fxFlex>
+               <textarea mdInput (keyup.enter)="send()" [(ngModel)]="newMessage" placeholder="Type and hit enter to send your message"></textarea>
              </md-input-container>
              <button (click)="send()" md-fab color="primary"><md-icon>send</md-icon></button>
            </div>
```

2 src/app/demo/apps/chat/chat.component.scss View

```
@@ -164,6 +164,6 @@ $height__chat-container: calc(100% - #{$height__chat-header - $height__chat-tool
   }
 }

-md-sidenav.md-sidenav-opened.md-elevation-z2, md-sidenav.md-sidenav-opening.md-elevation-z2 {
   box-shadow: 0 3px 1px -2px rgba(0,0,0,.2), 0 2px 2px 0 rgba(0,0,0,.14), 0 1px 5px 0 rgba(0,0,0,.12);
 }
```

```
@@ -164,6 +164,6 @@ $height__chat-container: calc(100% - #{$height__chat-header - $height__chat-tool
   }
 }

+md-sidenav.mat-sidenav-opened.mat-elevation-z2, md-sidenav.mat-sidenav-opening.mat-elevation-z2 {
   box-shadow: 0 3px 1px -2px rgba(0,0,0,.2), 0 2px 2px 0 rgba(0,0,0,.14), 0 1px 5px 0 rgba(0,0,0,.12);
 }
```

6 src/app/demo/apps/inbox/inbox-compose/inbox-compose.component.html View

```
@@ -8,19 +8,19 @@
   <div class="content" md-dialog-content>
     <p>
       <md-input-container class="input-container">
-        <input md-input placeholder="To">
       </md-input-container>
     </p>

     <p>
       <md-input-container class="input-container">
-        <input md-input placeholder="From" disabled value="david.smith@demomail.com">
       </md-input-container>
     </p>

     <p>
       <md-input-container class="input-container">
-        <input md-input placeholder="Title">
       </md-input-container>
     </p>

```

```
@@ -8,19 +8,19 @@
   <div class="content" md-dialog-content>
     <p>
       <md-input-container class="input-container">
+        <input mdInput placeholder="To">
       </md-input-container>
     </p>

     <p>
       <md-input-container class="input-container">
+        <input mdInput placeholder="From" disabled value="david.smith@demomail.com">
       </md-input-container>
     </p>

     <p>
       <md-input-container class="input-container">
+        <input mdInput placeholder="Title">
       </md-input-container>
     </p>

```

6 src/app/demo/apps/inbox/inbox.component.html View

```
@@ -1,5 +1,5 @@
 <div class="inbox" fxLayout="column">
-  <div class="header md-elevation-z2"></div>
   <div class="container" fxLayout="row">
     <div class="navigation" fxFlex="250px" fxHide="true" fxHide.gt-md="false">

@@ -72,14 +72,14 @@ <h3 class="nav-title" md-line>
 
     <div class="content-container" fxFlex fxLayout="column">

-      <div class="search md-elevation-z2" fxLayout="row">
         <div fxLayout="row" fxLayoutAlign="center center">
```

```
@@ -1,5 +1,5 @@
 <div class="inbox" fxLayout="column">
+  <div class="header mat-elevation-z2"></div>
   <div class="container" fxLayout="row">
     <div class="navigation" fxFlex="250px" fxHide="true" fxHide.gt-md="false">

@@ -72,14 +72,14 @@ <h3 class="nav-title" md-line>
 
     <div class="content-container" fxFlex fxLayout="column">

+      <div class="search mat-elevation-z2" fxLayout="row">
         <div fxLayout="row" fxLayoutAlign="center center">
```

```
77            <md-icon>search</md-icon>
78          </div>
79          <input fxFlex type="search" placeholder="Search...">
80        </div>
81
82  -     <div class="mails-container md-elevation-z2" fxFlex>
83          <div *ngIf="!shownMailDetail" class="toolbar" fxLayout="row" fxLayoutAlign="start center">
84            <md-checkbox class="checkbox" (click)="toggleSelectAllThreads()"></md-checkbox>
85            <span fxFlex><!-- fill space --></span>
```

```
77            <md-icon>search</md-icon>
78          </div>
79          <input fxFlex type="search" placeholder="Search...">
80        </div>
81
82  +     <div class="mails-container mat-elevation-z2" fxFlex>
83          <div *ngIf="!shownMailDetail" class="toolbar" fxLayout="row" fxLayoutAlign="start center">
84            <md-checkbox class="checkbox" (click)="toggleSelectAllThreads()"></md-checkbox>
85            <span fxFlex><!-- fill space --></span>
```

49 src/app/demo/components/autocomplete/autocomplete.component.html

View

```
...  @@ -0,0 +1,49 @@
1  +<div fxLayout="row" fxLayoutAlign="center center" style="margin: 24px 0;">
2  +  <md-card fxFlex="90%">
3  +    <md-card-title>Material Autocomplete</md-card-title>
4  +
5  +    <md-divider></md-divider>
6  +
7  +    <md-card-content fxLayout="column">
8  +
9  +      <div fxLayout="column" fxLayout.gt-md="row" fxLayoutAlign="start stretch" fxLayoutAlign.gt-md="start start" style="margin: 24px 0">
10 +        <div fxFlex fxFlex.gt-md="30%" style="margin-right: 24px;">
11 +          <div fxLayout="column">
12 +            <h3>Autocomplete</h3>
13 +            <h4>&lt;md-autocomplete&gt;</h4>
14 +            <p>MdAutocomplete can be used to allow for quick selection of predictable entities.</p>
15 +          </div>
16 +        </div>
17 +        <div class="demo-tabs mat-elevation-z2" fxFlex>
18 +          <md-tab-group>
19 +            <md-tab label="PREVIEW">
20 +              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
21 +                <md-card fxFlex="80%" fxFlex.sm="90%">
22 +                  <md-card-content fxLayout="column" fxLayoutAlign="center center">
23 +                    <md-input-container>
24 +                      <input type="text" mdInput name="autocomplete" [mdAutocomplete]="auto" placeholder="Your favorite fruit">
25 +                    </md-input-container>
26 +
27 +                    <md-autocomplete #auto="mdAutocomplete">
28 +                      <md-option *ngFor="let option of options" [value]="option">
29 +                        {{ option }}
30 +                      </md-option>
31 +                    </md-autocomplete>
32 +
33 +                    Alpha version - caution - release coming soon!
34 +                  </md-card-content>
35 +                </md-card>
36 +              </div>
37 +            </md-tab>
38 +            <md-tab label="HTML">
39 +              <code [innerHTML]="getEscaped(autocompleteHTML)" msHighlight class="html"></code>
40 +            </md-tab>
41 +          </md-tab-group>
42 +        </div>
```

```
+      </div>
+
+    </md-card-content>
+
+  </md-card>
+</div>
+
```

0 src/app/demo/components/autocomplete/autocomplete.component.scss View

No changes.

130 src/app/demo/components/autocomplete/autocomplete.component.ts View

```
... @@ -0,0 +1,130 @@
+import { Component, OnInit } from '@angular/core';
+import * as _ from 'lodash';
+import {FormControl} from "@angular/forms";
+
+@Component({
+  selector: 'ms-autocomplete',
+  templateUrl: './autocomplete.component.html',
+  styleUrls: ['./autocomplete.component.scss']
+})
+export class AutocompleteComponent implements OnInit {
+
+  autocompleteHTML: string = `
+<md-input-container>
+  <input type="text" mdInput [mdAutocomplete]="auto">
+</md-input-container>
+
+<md-autocomplete #auto="mdAutocomplete">
+  <md-option *ngFor="let option of options" [value]="option">
+    {{ option }}
+  </md-option>
+</md-autocomplete>
+`;
+
+  formControl: FormControl;
+
+  options: any[];
+
+  constructor() { }
+
+  ngOnInit() {
+    this.formControl = new FormControl();
+
+    this.options = [
+      'Apple',
+      'Apricot',
+      'Avocado',
+      'Banana',
+      'Bilberry',
+      'Blackberry',
+      'Blackcurrant',
+      'Blueberry',
+      'Boysenberry',
+      'Currant',
+      'Cherry',
+      'Cherimoya',
+      'Cloudberry',
+      'Coconut',
+      'Cranberry',
+      'Cucumber',
+      'Custard apple',
+      'Damson',
+      'Date',
+      'Dragonfruit',
+      'Durian',
+      'Elderberry',
```

```
+      'Feijoa',
+      'Fig',
+      'Goji berry',
+      'Gooseberry',
+      'Grape',
+      'Raisin',
+      'Grapefruit',
+      'Guava',
+      'Honeyberry',
+      'Huckleberry',
+      'Jabuticaba',
+      'Jackfruit',
+      'Jambul',
+      'Jujube',
+      'Juniper berry',
+      'Kiwi',
+      'Kumquat',
+      'Lemon',
+      'Lime',
+      'Loquat',
+      'Longan',
+      'Lychee',
+      'Mango',
+      'Marionberry',
+      'Melon',
+      'Cantaloupe',
+      'Honeydew',
+      'Watermelon',
+      'Miracle fruit',
+      'Mulberry',
+      'Nectarine',
+      'Nance',
+      'Olive',
+      'Orange',
+      'Blood orange',
+      'Clementine',
+      'Mandarine',
+      'Tangerine',
+      'Papaya',
+      'Passionfruit',
+      'Peach',
+      'Pear',
+      'Persimmon',
+      'Physalis',
+      'Plantain',
+      'Plum',
+      'Prune (dried plum)',
+      'Pineapple',
+      'Plumcot (or Pluot)',
+      'Pomegranate',
+      'Pomelo',
+      'Purple mangosteen',
+      'Quince',
+      'Raspberry',
+      'Salmonberry',
+      'Rambutan',
+      'Redcurrant',
+      'Salal berry',
+      'Salak',
+      'Satsuma',
+      'Star fruit',
+      'Solanum quitoense',
+      'Strawberry',
+      'Tamarillo',
+      'Tamarind',
+      'Ugli fruit',
+      'Yuzu',
+    ];
+  }
+
```

```
+  getEscaped(text: string) {
+    return _.escape(text);
+  }
+
+}
```

10 src/app/demo/components/buttons/buttons.component.html

View

```
@@ -16,7 +16,7 @@
16  <p><code msHighlight class="html">&lt;button md-button&gt;Button&lt;/button&gt;</code></p>
17  </div>
18  </div>
-19  <div class="demo-tabs md-elevation-z2" fxFlex>
+19  <div class="demo-tabs mat-elevation-z2" fxFlex>
20  <md-tab-group>
21  <md-tab label="PREVIEW">
22  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
@@ -48,7 +48,7 @@
48  <h5>Example:</h5>
49  <p><code msHighlight class="html">&lt;button md-raised-button&gt;<br/>  Button<br/>&lt;/button&gt;</code></p>
50  </div>
-51  <div class="demo-tabs md-elevation-z2" fxFlex>
+51  <div class="demo-tabs mat-elevation-z2" fxFlex>
52  <md-tab-group>
53  <md-tab label="PREVIEW">
54  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
@@ -82,7 +82,7 @@
82  <h5>md-mini-fab Example:</h5>
83  <p><code msHighlight class="html">&lt;button md-mini-fab&gt;<br/>  &lt;md-icon&gt;favorite&lt;/md-icon&gt;<br/>&lt;/button&gt;</code></p>
84  </div>
-85  <div class="demo-tabs md-elevation-z2" fxFlex>
+85  <div class="demo-tabs mat-elevation-z2" fxFlex>
86  <md-tab-group>
87  <md-tab label="PREVIEW">
88  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
@@ -123,7 +123,7 @@
123  <h5>Example:</h5>
124  <p><code msHighlight class="html">&lt;md-button-toggle&gt;<br/>  &lt;md-icon&gt;favorite&lt;/md-icon&gt;<br/>&lt;/md-button-toggle&gt;</code></p>
125  </div>
-126  <div class="demo-tabs md-elevation-z2" fxFlex>
+126  <div class="demo-tabs mat-elevation-z2" fxFlex>
127  <md-tab-group>
128  <md-tab label="PREVIEW">
129  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
@@ -164,7 +164,7 @@
164  <h5>Example:</h5>
165  <p><code msHighlight class="html">&lt;button md-icon-button&gt;<br/>  &lt;md-icon&gt;grade&lt;/md-icon&gt;<br/>&lt;/button&gt;</code></p>
166  </div>
-167  <div class="demo-tabs md-elevation-z2" fxFlex>
+167  <div class="demo-tabs mat-elevation-z2" fxFlex>
168  <md-tab-group>
169  <md-tab label="PREVIEW">
170  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

6 src/app/demo/components/cards/cards.component.html

View

```
@@ -16,7 +16,7 @@
16  <p><code msHighlight class="html">&lt;md-card&gt;<br/>  &lt;md-card-title&gt;Card Title&lt;/md-card-title&gt;
```

```
<br/>  &lt;md-card-content&gt;Card Content&lt;/md-card-content&gt;<br/>  &lt;md-card-actions&gt;<br/> &lt;button&gt;Click Me!&lt;/button&gt;<br/> &lt;/md-card-actions&gt;<br/>&lt;/md-card&gt;</code></p>
        </div>
        </div>
-       <div class="demo-tabs md-elevation-z2" fxFlex>
          <md-tab-group>
            <md-tab label="PREVIEW">
              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
@@ -66,7 +66,7 @@

        <div fxFlex>
          <h3>Standard Card with Actions</h3>
-         <div class="demo-tabs md-elevation-z2" fxFlex>
            <md-tab-group>
              <md-tab label="PREVIEW">
                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
@@ -96,7 +96,7 @@

        <div fxFlex>
          <h3>Standard Card</h3>
-         <div class="demo-tabs md-elevation-z2">
            <md-tab-group>
              <md-tab label="PREVIEW">
                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
<br/>  &lt;md-card-content&gt;Card Content&lt;/md-card-content&gt;<br/>  &lt;md-card-actions&gt;<br/> &lt;button&gt;Click Me!&lt;/button&gt;<br/> &lt;/md-card-actions&gt;<br/>&lt;/md-card&gt;</code></p>
        </div>
        </div>
+       <div class="demo-tabs mat-elevation-z2" fxFlex>
          <md-tab-group>
            <md-tab label="PREVIEW">
              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
        <div fxFlex>
          <h3>Standard Card with Actions</h3>
+         <div class="demo-tabs mat-elevation-z2" fxFlex>
            <md-tab-group>
              <md-tab label="PREVIEW">
                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
        <div fxFlex>
          <h3>Standard Card</h3>
+         <div class="demo-tabs mat-elevation-z2">
            <md-tab-group>
              <md-tab label="PREVIEW">
                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

2 src/app/demo/components/dialogs/dialogs.component.html View

```
@@ -14,7 +14,7 @@
            <p>MdDialogs can be used to open modal dialogs with Material Design styling and animations.</p>
          </div>
        </div>
-       <div class="demo-tabs md-elevation-z2" fxFlex>
          <md-tab-group>
            <md-tab label="PREVIEW">
              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
            <p>MdDialogs can be used to open modal dialogs with Material Design styling and animations.</p>
          </div>
        </div>
+       <div class="demo-tabs mat-elevation-z2" fxFlex>
          <md-tab-group>
            <md-tab label="PREVIEW">
              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

2 src/app/demo/components/grid-list/grid-list.component.html View

```
@@ -16,7 +16,7 @@
            <p><code msHighlight class="html">&lt;md-grid-list cols="4"&gt;<br/>  &lt;md-grid-tile&gt;Content 1&lt;/md-grid-tile&gt;<br/>&lt;/md-grid-list&gt;</code></p>
          </div>
        </div>
-       <div class="demo-tabs md-elevation-z2" fxFlex>
          <md-tab-group>
            <md-tab label="PREVIEW">
              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
            <p><code msHighlight class="html">&lt;md-grid-list cols="4"&gt;<br/>  &lt;md-grid-tile&gt;Content 1&lt;/md-grid-tile&gt;<br/>&lt;/md-grid-list&gt;</code></p>
          </div>
        </div>
+       <div class="demo-tabs mat-elevation-z2" fxFlex>
          <md-tab-group>
            <md-tab label="PREVIEW">
              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

16 src/app/demo/components/lists/lists.component.html View

```
@@ -16,11 +16,11 @@
            <p><code msHighlight class="html">&lt;md-list&gt;<br/>  &lt;md-list-item&gt;<br/>    &lt;img md-list-avatar src="avatar.png"&gt;<br/>    &lt;h3 md-line&gt;John&lt;/h3&gt;<br/>    &lt;p md-line&gt;Brunch?&lt;/p&gt;<br/>  &lt;md-list-item&gt;<br/>&lt;/md-list&gt;</code></p>
```

```
            <p><code msHighlight class="html">&lt;md-list&gt;<br/>  &lt;md-list-item&gt;<br/>    &lt;img md-list-avatar src="avatar.png"&gt;<br/>    &lt;h3 md-line&gt;John&lt;/h3&gt;<br/>    &lt;p md-line&gt;Brunch?&lt;/p&gt;<br/>  &lt;md-list-item&gt;<br/>&lt;/md-list&gt;</code></p>
```

```
17          </div>
18        </div>
19 -      <div class="demo-tabs md-elevation-z2" fxFlex>
20          <md-tab-group>
21            <md-tab label="PREVIEW">
22              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
23 -              <md-list class="demo-list md-elevation-z2">
24                <md-list-item>
25                  <img md-list-avatar src="assets/img/avatars/1.png">
26                  <h3 md-line>John</h3>
```

```
@@ -64,11 +64,11 @@ <h3 md-line>Nancy</h3>
64          <h5>Example:</h5>
65          <p><code msHighlight class="html">&lt;md-list&gt;<br/>  &lt;md-list-item&gt;<br/>    &lt;img md-list-avatar src="avatar.png"&gt;<br/>    &lt;h3 md-line&gt;John&lt;/h3&gt;<br/>    &lt;p md-line&gt;Brunch?&lt;/p&gt;<br/>    &lt;p md-line class="subline"&gt;<br/>      Did you want to go on Sunday?<br/>    &lt;/p&gt;<br/>  &lt;md-list-item&gt;<br/>&lt;/md-list&gt;</code></p>
66        </div>
67 -      <div class="demo-tabs md-elevation-z2" fxFlex>
68          <md-tab-group>
69            <md-tab label="PREVIEW">
70              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
71 -              <md-list class="demo-list md-elevation-z2">
72                <md-list-item>
73                  <img md-list-avatar src="assets/img/avatars/1.png">
74                  <h3 md-line>John</h3>
```

```
@@ -103,11 +103,11 @@ <h3 md-line>Nancy</h3>
103
104       <div fxFlex>
105         <h3>Three-Line List</h3>
106 -       <div class="demo-tabs md-elevation-z2" fxFlex>
107           <md-tab-group>
108             <md-tab label="PREVIEW">
109               <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
110 -               <md-list class="demo-list md-elevation-z2">
111                 <md-list-item>
112                   <h3 md-line>John</h3>
113                   <p md-line>Brunch?</p>
```

```
@@ -137,11 +137,11 @@ <h3 md-line>Nancy</h3>
137
138       <div fxFlex>
139         <h3>One-Line List</h3>
140 -       <div class="demo-tabs md-elevation-z2">
141           <md-tab-group>
142             <md-tab label="PREVIEW">
143               <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
144 -               <md-list class="demo-list md-elevation-z2">
145                 <md-list-item>
146                   <h3 md-line>John</h3>
147                 </md-list-item>
```

```
17          </div>
18        </div>
19 +      <div class="demo-tabs mat-elevation-z2" fxFlex>
20          <md-tab-group>
21            <md-tab label="PREVIEW">
22              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
23 +              <md-list class="demo-list mat-elevation-z2">
24                <md-list-item>
25                  <img md-list-avatar src="assets/img/avatars/1.png">
26                  <h3 md-line>John</h3>
```

```
64          <h5>Example:</h5>
65          <p><code msHighlight class="html">&lt;md-list&gt;<br/>  &lt;md-list-item&gt;<br/>    &lt;img md-list-avatar src="avatar.png"&gt;<br/>    &lt;h3 md-line&gt;John&lt;/h3&gt;<br/>    &lt;p md-line&gt;Brunch?&lt;/p&gt;<br/>    &lt;p md-line class="subline"&gt;<br/>      Did you want to go on Sunday?<br/>    &lt;/p&gt;<br/>  &lt;md-list-item&gt;<br/>&lt;/md-list&gt;</code></p>
66        </div>
67 +      <div class="demo-tabs mat-elevation-z2" fxFlex>
68          <md-tab-group>
69            <md-tab label="PREVIEW">
70              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
71 +              <md-list class="demo-list mat-elevation-z2">
72                <md-list-item>
73                  <img md-list-avatar src="assets/img/avatars/1.png">
74                  <h3 md-line>John</h3>
```

```
103
104       <div fxFlex>
105         <h3>Three-Line List</h3>
106 +       <div class="demo-tabs mat-elevation-z2" fxFlex>
107           <md-tab-group>
108             <md-tab label="PREVIEW">
109               <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
110 +               <md-list class="demo-list mat-elevation-z2">
111                 <md-list-item>
112                   <h3 md-line>John</h3>
113                   <p md-line>Brunch?</p>
```

```
137
138       <div fxFlex>
139         <h3>One-Line List</h3>
140 +       <div class="demo-tabs mat-elevation-z2">
141           <md-tab-group>
142             <md-tab label="PREVIEW">
143               <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
144 +               <md-list class="demo-list mat-elevation-z2">
145                 <md-list-item>
146                   <h3 md-line>John</h3>
147                 </md-list-item>
```

8 src/app/demo/components/lists/lists.component.ts View

```
@@ -16,7 +16,7 @@ import { routeAnimation } from "../../../route.animation";
16  export class ListsComponent implements OnInit {
17
18    twoLineListHTML: string = `
19 -  <md-list class="demo-list md-elevation-z2">
20      <md-list-item>
21        <img md-list-avatar src="assets/img/avatars/John.png">
```

```
16  export class ListsComponent implements OnInit {
17
18    twoLineListHTML: string = `
19 +  <md-list class="demo-list mat-elevation-z2">
20      <md-list-item>
21        <img md-list-avatar src="assets/img/avatars/John.png">
```

```
22        <h3 md-line>John</h3>
@@ -45,7 +45,7 @@ export class ListsComponent implements OnInit {
45    `;
46
47    threeLineListHTML: string = `
48  - <md-list class="demo-list md-elevation-z2">
49      <md-list-item>
50        <img md-list-avatar src="assets/img/avatars/John.png">
51        <h3 md-line>John</h3>
@@ -68,7 +68,7 @@ export class ListsComponent implements OnInit {
68    `;
69
70    threeLineListWithoutAvatarsHTML: string = `
71  - <md-list class="demo-list md-elevation-z2">
72      <md-list-item>
73        <h3 md-line>John</h3>
74        <p md-line>Brunch?</p>
@@ -88,7 +88,7 @@ export class ListsComponent implements OnInit {
88    `;
89
90    oneLineList: string = `
91  - <md-list class="demo-list md-elevation-z2">
92      <md-list-item>
93        <h3 md-line>John</h3>
94      </md-list-item>
```

```
22        <h3 md-line>John</h3>
45    `;
46
47    threeLineListHTML: string = `
48  + <md-list class="demo-list mat-elevation-z2">
49      <md-list-item>
50        <img md-list-avatar src="assets/img/avatars/John.png">
51        <h3 md-line>John</h3>
68    `;
69
70    threeLineListWithoutAvatarsHTML: string = `
71  + <md-list class="demo-list mat-elevation-z2">
72      <md-list-item>
73        <h3 md-line>John</h3>
74        <p md-line>Brunch?</p>
88    `;
89
90    oneLineList: string = `
91  + <md-list class="demo-list mat-elevation-z2">
92      <md-list-item>
93        <h3 md-line>John</h3>
94      </md-list-item>
```

4 src/app/demo/components/menu/menu.component.html

View

```
@@ -16,7 +16,7 @@
16            <p><code msHighlight class="html">&lt;md-menu&gt;<br/>  &lt;button md-menu-item&gt;<br/>    &lt;md-icon&gt;dialpad&lt;/md-icon&gt;<br/>  &lt;/button&gt;<br/>&lt;/md-menu&gt;</code></p>
17          </div>
18        </div>
19  -     <div class="demo-tabs md-elevation-z2" fxFlex>
20          <md-tab-group>
21            <md-tab label="PREVIEW">
22              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
@@ -57,7 +57,7 @@
57
58        <div fxFlex>
59          <h3>Menu without Icons</h3>
60  -       <div class="demo-tabs md-elevation-z2" fxFlex>
61            <md-tab-group>
62              <md-tab label="PREVIEW">
63                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
16            <p><code msHighlight class="html">&lt;md-menu&gt;<br/>  &lt;button md-menu-item&gt;<br/>    &lt;md-icon&gt;dialpad&lt;/md-icon&gt;<br/>  &lt;/button&gt;<br/>&lt;/md-menu&gt;</code></p>
17          </div>
18        </div>
19  +     <div class="demo-tabs mat-elevation-z2" fxFlex>
20          <md-tab-group>
21            <md-tab label="PREVIEW">
22              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
57
58        <div fxFlex>
59          <h3>Menu without Icons</h3>
60  +       <div class="demo-tabs mat-elevation-z2" fxFlex>
61            <md-tab-group>
62              <md-tab label="PREVIEW">
63                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

6 src/app/demo/components/slider/slider.component.html

View

```
@@ -16,7 +16,7 @@
16            <p><code msHighlight class="html">&lt;md-slider min="1" max="5" step="0.5" value="1.5"&gt;&lt;/md-slider&gt;</code></p>
17          </div>
18        </div>
19  -     <div class="demo-tabs md-elevation-z2" fxFlex>
20          <md-tab-group>
21            <md-tab label="PREVIEW">
22              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
@@ -42,7 +42,7 @@
42
43        <div fxFlex>
```

```
16            <p><code msHighlight class="html">&lt;md-slider min="1" max="5" step="0.5" value="1.5"&gt;&lt;/md-slider&gt;</code></p>
17          </div>
18        </div>
19  +     <div class="demo-tabs mat-elevation-z2" fxFlex>
20          <md-tab-group>
21            <md-tab label="PREVIEW">
22              <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
42
43        <div fxFlex>
```

```
44            <h3>Vertical Slider with Thumb-Label</h3>
45 -          <div class="demo-tabs md-elevation-z2" fxFlex>
46              <md-tab-group>
47                <md-tab label="PREVIEW">
48                  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
44            <h3>Vertical Slider with Thumb-Label</h3>
45 +          <div class="demo-tabs mat-elevation-z2" fxFlex>
46              <md-tab-group>
47                <md-tab label="PREVIEW">
48                  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
@@ -64,7 +64,7 @@
64
65          <div fxFlex>
66            <h3>Simple Slider without Thumb-Label and Ticks</h3>
67 -          <div class="demo-tabs md-elevation-z2">
68              <md-tab-group>
69                <md-tab label="PREVIEW">
70                  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
64
65          <div fxFlex>
66            <h3>Simple Slider without Thumb-Label and Ticks</h3>
67 +          <div class="demo-tabs mat-elevation-z2">
68              <md-tab-group>
69                <md-tab label="PREVIEW">
70                  <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

2 src/app/demo/components/snack-bar/snack-bar.component.html View

```
@@ -15,7 +15,7 @@
15              <p><code [innerHTML]="getEscaped(snackbarTS)" msHighlight class="typescript"></code></p>
16            </div>
17          </div>
18 -        <div class="demo-tabs md-elevation-z2" fxFlex>
19            <md-tab-group>
20              <md-tab label="PREVIEW">
21                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
15              <p><code [innerHTML]="getEscaped(snackbarTS)" msHighlight class="typescript"></code></p>
16            </div>
17          </div>
18 +        <div class="demo-tabs mat-elevation-z2" fxFlex>
19            <md-tab-group>
20              <md-tab label="PREVIEW">
21                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

2 src/app/demo/components/tooltip/tooltip.component.html View

```
@@ -16,7 +16,7 @@
16              <p><code msHighlight class="html">&lt;button md-button mdTooltip="I'm a Tooltip!"&gt;<br/>Button<br/>&lt;/button&gt;</code></p>
17            </div>
18          </div>
19 -        <div class="demo-tabs md-elevation-z2" fxFlex>
20            <md-tab-group>
21              <md-tab label="PREVIEW">
22                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
16              <p><code msHighlight class="html">&lt;button md-button mdTooltip="I'm a Tooltip!"&gt;<br/>Button<br/>&lt;/button&gt;</code></p>
17            </div>
18          </div>
19 +        <div class="demo-tabs mat-elevation-z2" fxFlex>
20            <md-tab-group>
21              <md-tab label="PREVIEW">
22                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

4 src/app/demo/custom-pages/forgot-password/forgot-password.component.html View

```
...  @@ -1,12 +1,12 @@
1   <div fxLayout="row" fxLayoutAlign="center center" style="height: 100%;">
2 -  <div class="forgot md-elevation-z12">
3      <div class="forgot-header" fxLayout="column" fxLayoutAlign="center center">
4        <img src="assets/img/icon.png">
5      </div>
6      <form #form="ngForm" (ngSubmit)="send()">
7        <div class="forgot-content" fxLayout="column" fxLayoutAlign="start stretch">
8          <md-input-container>
9 -          <input md-input placeholder="E-Mail" type="text" name="email" required [(ngModel)]="email">
10         </md-input-container>
11         <button color="primary" md-raised-button [disabled]="!form.valid">RECOVER PASSWORD</button>
12         <p class="note"><a [routerLink]="['/login']">Back to login</a></p>
```

```
1   <div fxLayout="row" fxLayoutAlign="center center" style="height: 100%;">
2 +  <div class="forgot mat-elevation-z12">
3      <div class="forgot-header" fxLayout="column" fxLayoutAlign="center center">
4        <img src="assets/img/icon.png">
5      </div>
6      <form #form="ngForm" (ngSubmit)="send()">
7        <div class="forgot-content" fxLayout="column" fxLayoutAlign="start stretch">
8          <md-input-container>
9 +          <input mdInput placeholder="E-Mail" type="text" name="email" required [(ngModel)]="email">
10         </md-input-container>
11         <button color="primary" md-raised-button [disabled]="!form.valid">RECOVER PASSWORD</button>
12         <p class="note"><a [routerLink]="['/login']">Back to login</a></p>
```

6 src/app/demo/custom-pages/login/login.component.html

View

```diff
@@ -1,15 +1,15 @@
 <div fxLayout="row" fxLayoutAlign="center center" style="height: 100%;">
-  <div class="login md-elevation-z12">
+  <div class="login mat-elevation-z12">
     <div class="login-header" fxLayout="column" fxLayoutAlign="center center">
       <img src="assets/img/icon.png">
     </div>
     <form #form="ngForm" (ngSubmit)="login()">
       <div class="login-content" fxLayout="column" fxLayoutAlign="start stretch">
           <md-input-container>
-            <input md-input placeholder="E-Mail" type="text" name="email" required [(ngModel)]="email">
+            <input mdInput placeholder="E-Mail" type="text" name="email" required [(ngModel)]="email">
           </md-input-container>
           <md-input-container>
-            <input md-input placeholder="Password" type="password" name="password" required [(ngModel)]="password">
+            <input mdInput placeholder="Password" type="password" name="password" required [(ngModel)]="password">
           </md-input-container>
           <div class="extra-options" fxLayout="row" fxLayoutAlign="space-between center">
             <md-checkbox class="remember-me">Remember Me</md-checkbox>
```

10 src/app/demo/custom-pages/register/register.component.html

View

```diff
@@ -1,21 +1,21 @@
 <div fxLayout="row" fxLayoutAlign="center center" style="height: 100%;">
-  <div class="register md-elevation-z12">
+  <div class="register mat-elevation-z12">
     <div class="register-header" fxLayout="column" fxLayoutAlign="center center">
       <img src="assets/img/icon.png">
     </div>
     <form #form="ngForm" (ngSubmit)="register()">
       <div class="register-content" fxLayout="column" fxLayoutAlign="start stretch">
         <md-input-container>
-          <input md-input placeholder="Name" type="text" name="name" required [(ngModel)]="name">
+          <input mdInput placeholder="Name" type="text" name="name" required [(ngModel)]="name">
         </md-input-container>
         <md-input-container>
-          <input md-input placeholder="E-Mail" type="text" name="email" required [(ngModel)]="email">
+          <input mdInput placeholder="E-Mail" type="text" name="email" required [(ngModel)]="email">
         </md-input-container>
         <md-input-container>
-          <input md-input placeholder="Password" type="password" name="password" required [(ngModel)]="password">
+          <input mdInput placeholder="Password" type="password" name="password" required [(ngModel)]="password">
         </md-input-container>
         <md-input-container>
-          <input md-input placeholder="Password (Confirm)" type="password" name="password-confirm" required [(ngModel)]="passwordConfirm">
+          <input mdInput placeholder="Password (Confirm)" type="password" name="password-confirm" required [(ngModel)]="passwordConfirm">
         </md-input-container>
         <div class="extra-options" fxLayout="row" fxLayoutAlign="center center">
           <md-checkbox class="remember-me">I accept the <a href="#">terms and conditions.</a></md-checkbox>
```

6 src/app/demo/drag-and-drop/drag-and-drop.component.html

View

```diff
@@ -3,7 +3,7 @@
   <h1><md-icon class="middle">mouse</md-icon> Drag & Drop</h1>

   <div class="list-container" fxLayout="column"
```

```
fxLayoutAlign="center center">
-    <div class="md-elevation-z4">
       <md-toolbar>Drag & Drop Anything!</md-toolbar>
       <md-list [sortablejs]="listArray" [sortablejsOptions]="simpleOptions">
         <md-list-item class="draggable" *ngFor="let list of listArray">
```

```
@@ -19,7 +19,7 @@ <h3 md-line> {{ list.name }} </h3>
   </div>

   <div class="list-container" fxLayout="column" fxLayout.gt-sm="row" fxLayoutAlign="center center" fxLayoutWrap="wrap">
-   <div class="list md-elevation-z4">
      <md-toolbar>Group 1</md-toolbar>
      <md-list [sortablejs]="listWithoutAvatarArray" [sortablejsOptions]="groupOptions">
        <md-list-item class="small-list-item" *ngFor="let list of listWithoutAvatarArray">
```

```
@@ -30,7 +30,7 @@ <h3 class="middle" md-line> <md-icon class="drag-handle">drag_handle</md-icon> {

     <md-icon class="left-right-compare">compare_arrows</md-icon>

-    <div class="list md-elevation-z4">
       <md-toolbar>Group 2</md-toolbar>
       <md-list [sortablejs]="numberListArray" [sortablejsOptions]="groupOptions">
         <md-list-item class="small-list-item" *ngFor="let list of numberListArray">
```

```
fxLayoutAlign="center center">
+    <div class="mat-elevation-z4">
       <md-toolbar>Drag & Drop Anything!</md-toolbar>
       <md-list [sortablejs]="listArray" [sortablejsOptions]="simpleOptions">
         <md-list-item class="draggable" *ngFor="let list of listArray">
   </div>

   <div class="list-container" fxLayout="column" fxLayout.gt-sm="row" fxLayoutAlign="center center" fxLayoutWrap="wrap">
+   <div class="list mat-elevation-z4">
      <md-toolbar>Group 1</md-toolbar>
      <md-list [sortablejs]="listWithoutAvatarArray" [sortablejsOptions]="groupOptions">
        <md-list-item class="small-list-item" *ngFor="let list of listWithoutAvatarArray">
     <md-icon class="left-right-compare">compare_arrows</md-icon>

+    <div class="list mat-elevation-z4">
       <md-toolbar>Group 2</md-toolbar>
       <md-list [sortablejs]="numberListArray" [sortablejsOptions]="groupOptions">
         <md-list-item class="small-list-item" *ngFor="let list of numberListArray">
```

2 src/app/demo/editor/editor.component.html

View

```
@@ -1,6 +1,6 @@
 <div class="container" fxLayout="column" fxLayoutAlign="start center" style="height: 100%;">
   <h1><md-icon class="middle">format_shapes</md-icon> WYSIWYG Editor</h1>
-  <div class="editor-container md-elevation-z16">
     <quill-editor></quill-editor>
   </div>
 </div>
```

```
 <div class="container" fxLayout="column" fxLayoutAlign="start center" style="height: 100%;">
   <h1><md-icon class="middle">format_shapes</md-icon> WYSIWYG Editor</h1>
+  <div class="editor-container mat-elevation-z16">
     <quill-editor></quill-editor>
   </div>
 </div>
```

24 src/app/demo/forms/form-elements/form-elements.component.html

View

```
@@ -18,52 +18,52 @@
                lose the context of the field.
              </p>
              <h5>Example:</h5>
-             <p><code msHighlight class="html">&lt;md-input-container&gt;<br/> &lt;input md-input&gt;<br/>&lt;/md-input-container&gt;</code></p>
            </div>
          </div>

-         <div class="demo-tabs md-elevation-z2" fxFlex>
            <md-tab-group>
              <md-tab label="PREVIEW">
                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
                  <md-card fxFlex="80%" fxFlex.sm="90%">
                    <md-card-content fxLayout="column">
                      <div fxLayout="column" fxLayout.gt-md="row">
                        <md-input-container fxFlex>
-                         <input md-input
                                placeholder="First Name">
                        </md-input-container>
                        <md-input-container fxFlex>
-                         <input md-input
```

```
                lose the context of the field.
              </p>
              <h5>Example:</h5>
+             <p><code msHighlight class="html">&lt;md-input-container&gt;<br/> &lt;input mdInput&gt;<br/>&lt;/md-input-container&gt;</code></p>
            </div>
          </div>

+         <div class="demo-tabs mat-elevation-z2" fxFlex>
            <md-tab-group>
              <md-tab label="PREVIEW">
                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
                  <md-card fxFlex="80%" fxFlex.sm="90%">
                    <md-card-content fxLayout="column">
                      <div fxLayout="column" fxLayout.gt-md="row">
                        <md-input-container fxFlex>
+                         <input mdInput
                                placeholder="First Name">
                        </md-input-container>
                        <md-input-container fxFlex>
+                         <input mdInput
```

```
38                                  placeholder="Last Name">
39                          </md-input-container>
40                      </div>
41                      <div fxLayout="column" fxLayout.gt-md="row">
42                          <md-input-container fxFlex dividerColor="accent">
43 -                        <input md-input
44                                  placeholder="Pre-filled Input + Accent color" value="Material Design">
45                          </md-input-container>
46                      </div>
47                      <div fxLayout="column" fxLayout.gt-md="row">
48                          <md-input-container fxFlex>
49 -                        <input md-input
50                                  placeholder="Address">
51                          <span md-prefix><md-icon>place</md-icon></span>
52                          </md-input-container>
53                          <md-input-container fxFlex>
54 -                        <input md-input
55                                  placeholder="City">
56                          <span md-prefix><md-icon>location_city</md-icon></span>
57                          </md-input-container>
58                          <md-input-container fxFlex>
59 -                        <input md-input
60                                  placeholder="Country">
61                          <span md-suffix><md-icon>local_airport</md-icon></span>
62                          </md-input-container>
63                      </div>
64                      <div fxLayout="column" fxLayout.gt-md="row">
65                          <md-input-container fxFlex>
66 -                        <input md-input
67                                  placeholder="Character count (max. 100)"
68                                  maxlength="100"
69                                  #characterCountHintExample
```

```
38                                  placeholder="Last Name">
39                          </md-input-container>
40                      </div>
41                      <div fxLayout="column" fxLayout.gt-md="row">
42                          <md-input-container fxFlex dividerColor="accent">
43 +                        <input mdInput
44                                  placeholder="Pre-filled Input + Accent color" value="Material Design">
45                          </md-input-container>
46                      </div>
47                      <div fxLayout="column" fxLayout.gt-md="row">
48                          <md-input-container fxFlex>
49 +                        <input mdInput
50                                  placeholder="Address">
51                          <span md-prefix><md-icon>place</md-icon></span>
52                          </md-input-container>
53                          <md-input-container fxFlex>
54 +                        <input mdInput
55                                  placeholder="City">
56                          <span md-prefix><md-icon>location_city</md-icon></span>
57                          </md-input-container>
58                          <md-input-container fxFlex>
59 +                        <input mdInput
60                                  placeholder="Country">
61                          <span md-suffix><md-icon>local_airport</md-icon></span>
62                          </md-input-container>
63                      </div>
64                      <div fxLayout="column" fxLayout.gt-md="row">
65                          <md-input-container fxFlex>
66 +                        <input mdInput
67                                  placeholder="Character count (max. 100)"
68                                  maxlength="100"
69                                  #characterCountHintExample
```

```
@@ -73,15 +73,15 @@
73                      </div>
74                      <div fxLayout="column" fxLayout.gt-md="row">
75                          <md-input-container fxFlex>
76 -                        <input md-input
77                                  placeholder="Primary Color">
78                          </md-input-container>
79                          <md-input-container dividerColor="accent" fxFlex>
80 -                        <input md-input
81                                  placeholder="Accent Color">
82                          </md-input-container>
83                          <md-input-container dividerColor="warn" fxFlex>
84 -                        <input md-input
85                                  placeholder="Warn Color">
86                          </md-input-container>
87                      </div>
```

```
73                      </div>
74                      <div fxLayout="column" fxLayout.gt-md="row">
75                          <md-input-container fxFlex>
76 +                        <input mdInput
77                                  placeholder="Primary Color">
78                          </md-input-container>
79                          <md-input-container dividerColor="accent" fxFlex>
80 +                        <input mdInput
81                                  placeholder="Accent Color">
82                          </md-input-container>
83                          <md-input-container dividerColor="warn" fxFlex>
84 +                        <input mdInput
85                                  placeholder="Warn Color">
86                          </md-input-container>
87                      </div>
```

20 src/app/demo/forms/form-elements/form-elements.component.ts View

```
@@ -30,40 +30,40 @@ export class FormElementsComponent implements OnInit {
30    inputFieldHTML: string = `
31    <div fxLayout="column" fxLayout.gt-md="row">
32      <md-input-container fxFlex>
33 -      <input md-input
34
```

```
30    inputFieldHTML: string = `
31    <div fxLayout="column" fxLayout.gt-md="row">
32      <md-input-container fxFlex>
33 +      <input mdInput
34
```

```
                placeholder="First Name">
      </md-input-container>
      <md-input-container fxFlex>
-       <input md-input
                placeholder="Last Name">
      </md-input-container>
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex dividerColor="accent">
-       <input md-input
                placeholder="Pre-filled Input + Accent color" value="Material Design">
      </md-input-container>
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex>
-       <input md-input
                placeholder="Address">
        <span md-prefix><md-icon>place</md-icon></span>
      </md-input-container>
      <md-input-container fxFlex>
-       <input md-input
                placeholder="City">
        <span md-prefix><md-icon>location_city</md-icon></span>
      </md-input-container>
      <md-input-container fxFlex>
-       <input md-input
                placeholder="Country">
        <span md-suffix><md-icon>local_airport</md-icon></span>
      </md-input-container>
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex>
-       <input md-input
                placeholder="Character count (max. 100)"
                maxlength="100"
                #characterCountHintExample
```

```
                placeholder="First Name">
      </md-input-container>
      <md-input-container fxFlex>
+       <input mdInput
                placeholder="Last Name">
      </md-input-container>
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex dividerColor="accent">
+       <input mdInput
                placeholder="Pre-filled Input + Accent color" value="Material Design">
      </md-input-container>
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex>
+       <input mdInput
                placeholder="Address">
        <span md-prefix><md-icon>place</md-icon></span>
      </md-input-container>
      <md-input-container fxFlex>
+       <input mdInput
                placeholder="City">
        <span md-prefix><md-icon>location_city</md-icon></span>
      </md-input-container>
      <md-input-container fxFlex>
+       <input mdInput
                placeholder="Country">
        <span md-suffix><md-icon>local_airport</md-icon></span>
      </md-input-container>
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex>
+       <input mdInput
                placeholder="Character count (max. 100)"
                maxlength="100"
                #characterCountHintExample
```

```
@@ -73,15 +73,15 @@ export class FormElementsComponent implements OnInit {
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex>
-       <input md-input
                placeholder="Primary Color">
      </md-input-container>
      <md-input-container dividerColor="accent" fxFlex>
-       <input md-input
                placeholder="Accent Color">
      </md-input-container>
      <md-input-container dividerColor="warn" fxFlex>
-       <input md-input
                placeholder="Warn Color">
      </md-input-container>
    </div>
```

```
    </div>
    <div fxLayout="column" fxLayout.gt-md="row">
      <md-input-container fxFlex>
+       <input mdInput
                placeholder="Primary Color">
      </md-input-container>
      <md-input-container dividerColor="accent" fxFlex>
+       <input mdInput
                placeholder="Accent Color">
      </md-input-container>
      <md-input-container dividerColor="warn" fxFlex>
+       <input mdInput
                placeholder="Warn Color">
      </md-input-container>
    </div>
```

24 src/app/demo/forms/form-wizard/form-wizard.component.html View

```
@@ -7,14 +7,14 @@
            <form #form="ngForm">
              <div fxLayout="column" style="padding: 16px;">
                <md-input-container>
-               <input md-input
                        name="username"
                        placeholder="Username"
                        required
                        ngModel="DavidSmith33">
                </md-input-container>
                <md-input-container>
-               <input md-input
```

```
            <form #form="ngForm">
              <div fxLayout="column" style="padding: 16px;">
                <md-input-container>
+               <input mdInput
                        name="username"
                        placeholder="Username"
                        required
                        ngModel="DavidSmith33">
                </md-input-container>
                <md-input-container>
+               <input mdInput
```

```diff
@@ -23,15 +23,15 @@
 <div fxLayout="column" style="padding: 16px;">
   <div fxLayout="column" fxLayout.gt-sm="row">
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
             name="password"
             type="password"
             required
             ngModel
             placeholder="Password">
     </md-input-container>
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
             name="password_confirm"
             type="password"
             required
@@ -60,13 +60,13 @@
 <div fxLayout="column" style="padding: 16px;">
   <div fxLayout="column" fxLayout.gt-sm="row">
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
             name="firstname"
             placeholder="First Name"
             required>
     </md-input-container>
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
             name="lastname"
             placeholder="Last Name"
             required
@@ -75,7 +75,7 @@
   </div>

   <md-input-container fxFlex>
-    <input md-input
+    <input mdInput
          name="street"
          required
          ngModel
@@ -84,14 +84,14 @@

   <div fxLayout="column" fxLayout.gt-sm="row">
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
             name="zipcode"
             required
             ngModel
             placeholder="Zipcode">
     </md-input-container>
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
             name="city"
             required
             ngModel
@@ -118,22 +118,22 @@
 <form #form3="ngForm">
   <div fxLayout="column" style="padding: 16px;">
     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
          name="creditcard"
          placeholder="Credit Card Number"
          required>
     </md-input-container>

     <md-input-container fxFlex>
-      <input md-input
+      <input mdInput
         name="creditcardname"
```

```
130                         required
131                         ngModel
132                         placeholder="Credit Card Owner">
133                 </md-input-container>
134
135                 <md-input-container fxFlex>
136 -                 <input md-input
137                         name="expirydate"
138                         required
139                         ngModel
```

```
130                         required
131                         ngModel
132                         placeholder="Credit Card Owner">
133                 </md-input-container>
134
135                 <md-input-container fxFlex>
136 +                 <input mdInput
137                         name="expirydate"
138                         required
139                         ngModel
```

2 src/app/demo/icons/icons.component.html

View

```
@@ -16,7 +16,7 @@
16              <p><code msHighlight class="html">&lt;md-icon&gt;grade&lt;/md-icon&gt;</code></p>
17            </div>
18          </div>
19 -        <div class="demo-tabs md-elevation-z2" fxFlex>
20            <md-tab-group>
21              <md-tab label="PREVIEW">
22                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

```
@@ -16,7 +16,7 @@
16              <p><code msHighlight class="html">&lt;md-icon&gt;grade&lt;/md-icon&gt;</code></p>
17            </div>
18          </div>
19 +        <div class="demo-tabs mat-elevation-z2" fxFlex>
20            <md-tab-group>
21              <md-tab label="PREVIEW">
22                <div class="demo-preview" fxLayout="row" fxLayoutAlign="center center">
```

2 src/app/demo/tables/fixed-header-table/fixed-header-table.component.html

View

```
@@ -18,7 +18,7 @@
18      </md-card-content>
19    </md-card>
20
21 -  <div fxFlex class="table-container md-elevation-z2">
22
23      <div class="table-header" fxLayout="row" [class.table-condensed]="tableCondensed">
24        <div [style.width.px]="cellWidths[0]"></div>
```

```
@@ -18,7 +18,7 @@
18      </md-card-content>
19    </md-card>
20
21 +  <div fxFlex class="table-container mat-elevation-z2">
22
23      <div class="table-header" fxLayout="row" [class.table-condensed]="tableCondensed">
24        <div [style.width.px]="cellWidths[0]"></div>
```

2 src/app/demo/tables/simple-table/simple-table.component.html

View

```
@@ -18,7 +18,7 @@
18      </md-card-content>
19    </md-card>
20
21 -  <div fxFlex class="md-elevation-z2">
22
23      <table class="table" [class.table-hover]="tableHover" [class.table-striped]="tableStriped" [class.table-condensed]="tableCondensed" [class.table-bordered]="tableBordered">
24        <thead>
```

```
@@ -18,7 +18,7 @@
18      </md-card-content>
19    </md-card>
20
21 +  <div fxFlex class="mat-elevation-z2">
22
23      <table class="table" [class.table-hover]="tableHover" [class.table-striped]="tableStriped" [class.table-condensed]="tableCondensed" [class.table-bordered]="tableBordered">
24        <thead>
```

6 src/styles.scss

View

```
@@ -96,7 +96,7 @@ p {
96    font-size: 18px;
97    vertical-align: middle;
98    height: 16px;
99 -  width: 14px;
100  }
101
102  .demo-list {
@@ -137,8 +137,8 @@ p {
137   vertical-align: middle;
138  }
139
```

```
96    font-size: 18px;
97    vertical-align: middle;
98    height: 16px;
99 +  width: 22px;
100  }
101
102  .demo-list {
137   vertical-align: middle;
138  }
139
```

```
-.quickpanel .md-tab-body-content,
-.quickpanel .md-tab-body-wrapper,
 .quickpanel md-tab-body,
 .quickpanel md-tab-group {
   height: 100%;
```

```
+.quickpanel .mat-tab-body-content,
+.quickpanel .mat-tab-body-wrapper,
 .quickpanel md-tab-body,
 .quickpanel md-tab-group {
   height: 100%;
```

1 src/styles/_cards.scss View

```
@@ -3,6 +3,7 @@

   [md-card-avatar] {
     margin-right: 4px;
+    width: 40px;
   }

   md-card-subtitle {
```

2 src/styles/_inbox.scss View

```
@@ -39,7 +39,7 @@ $color__checkbox__star: #616161;
   }
 }

-.inbox .checkbox .md-checkbox-inner-container {
+.inbox .checkbox .mat-checkbox-inner-container {
   width: 16px;
   height: 16px;
 }
```

2 src/styles/_var.scss View

```
@@ -43,7 +43,7 @@ $padding-left-right__sidenav-list__md-list-item: 24px;
 $margin-left__sidenav-list__item-name: $padding-left-right__sidenav-list__md-list-item;
 $width-height__sidenav-list__icon: 18px;

-$max-width__icon-sidenav: ($padding-left-right__sidenav-list__md-list-item * 2) + $width-height__sidenav-list__icon;
+$max-width__icon-sidenav: ($padding-left-right__sidenav-list__md-list-item * 2) + $width-height__sidenav-list__icon + 2;

 $z-index__md-sidenav: 4;
 $z-index__md-sidenav-content: 5;
```

0 comments on commit `36ea1af`

Lock conversation

Write Preview

Leave a comment

Attach files by dragging & dropping, selecting them, or pasting from the clipboard.

Styling with Markdown is supported

Comment on this commit

Unsubscribe You're receiving notifications because you're subscribed to this repository.

© 2017 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub API Training Shop Blog About

feat: update @angular/cli to 1.0.0-rc.1

Browse files

master

visurel committed 2 hours ago

1 parent 78ad3c0 commit ff2ede3186149f60d2752c80329350bce47b7a0d

Showing 6 changed files with **95 additions** and **52 deletions**.

Unified | Split

29 .angular-cli.json

View

```diff
@@ -15,7 +15,8 @@
      "main": "main.ts",
      "polyfills": "polyfills.ts",
      "test": "test.ts",
-     "tsconfig": "tsconfig.json",
+     "tsconfig": "tsconfig.app.json",
+     "testTsconfig": "tsconfig.spec.json",
      "prefix": "ms",
      "styles": [
        "../node_modules/normalize.css/normalize.css",
@@ -45,12 +46,13 @@
  },
  "lint": [
    {
-     "files": "src/**/*.ts",
-     "project": "src/tsconfig.json"
+     "project": "src/tsconfig.app.json"
    },
    {
-     "files": "e2e/**/*.ts",
-     "project": "e2e/tsconfig.json"
+     "project": "src/tsconfig.spec.json"
+   },
+   {
+     "project": "e2e/tsconfig.e2e.json"
    }
  ],
  "test": {
@@ -59,19 +61,10 @@
    }
  },
  "defaults": {
-   "styleExt": "scss",
-   "prefixInterfaces": false,
-   "inline": {
-     "style": false,
-     "template": false
-   },
-   "spec": {
-     "class": false,
-     "component": true,
-     "directive": true,
-     "module": false,
-     "pipe": true,
-     "service": true
+   "styleExt": "css",
+   "component": {
+     "inlineTemplate": false,
+     "spec": true
    }
  }
}
```

20 karma.conf.js

View

```diff
@@ -8,9 +8,13 @@ module.exports = function (config) {
    plugins: [
      require('karma-jasmine'),
      require('karma-chrome-launcher'),
-     require('karma-remap-istanbul'),
+     require('karma-jasmine-html-reporter'),
+     require('karma-coverage-istanbul-reporter'),
      require('@angular/cli/plugins/karma')
    ],
+   client:{
+     clearContext: false // leave Jasmine Spec Runner output visible in browser
+   },
```

```
14      files: [
15        { pattern: './src/test.ts', watched: false }
16      ],
@@ -20,19 +24,17 @@ module.exports = function (config) {
20      mime: {
21        'text/x-typescript': ['ts','tsx']
22      },
23 -    remapIstanbulReporter: {
24 -      reports: {
25 -        html: 'coverage',
26 -        lcovonly: './coverage/coverage.lcov'
27 -      }
28      },
29      angularCli: {
30 -      config: './angular-cli.json',
31        environment: 'dev'
32      },
33      reporters: config.angularCli &&
config.angularCli.codeCoverage
34 -          ? ['progress', 'karma-remap-istanbul']
35 -          : ['progress'],
36      port: 9876,
37      colors: true,
38      logLevel: config.LOG_INFO,
```

```
18      files: [
19        { pattern: './src/test.ts', watched: false }
20      ],
24      mime: {
25        'text/x-typescript': ['ts','tsx']
26      },
27 +    coverageIstanbulReporter: {
28 +      reports: [ 'html', 'lcovonly' ],
29 +      fixWebpackSourcePaths: true
30      },
31      angularCli: {
32 +      config: './.angular-cli.json',
33        environment: 'dev'
34      },
35      reporters: config.angularCli &&
config.angularCli.codeCoverage
36 +      ? ['progress', 'coverage-istanbul']
37 +      : ['progress', 'kjhtml'],
38      port: 9876,
39      colors: true,
40      logLevel: config.LOG_INFO,
```

33 package.json View

```
@@ -6,21 +6,21 @@
6       "ng": "ng",
7       "start": "ng serve",
8       "test": "ng test",
9 -     "pree2e": "webdriver-manager update --standalone false --
gecko false",
10 -    "e2e": "protractor"
11    },
12    "private": true,
13    "dependencies": {
14 -    "@angular/common": "^2.3.1",
15 -    "@angular/compiler": "^2.3.1",
16 -    "@angular/core": "^2.3.1",
17      "@angular/flex-layout": "2.0.0-beta.5",
18 -    "@angular/forms": "^2.3.1",
19 -    "@angular/http": "^2.3.1",
20      "@angular/material": "2.0.0-beta.1",
21 -    "@angular/platform-browser": "^2.3.1",
22 -    "@angular/platform-browser-dynamic": "^2.3.1",
23 -    "@angular/router": "^3.3.1",
24      "angular-calendar": "^0.7.2",
25      "angular-sortablejs": "^1.3.1",
26      "angular2-google-maps": "^0.17.0",
@@ -35,28 +35,27 @@
35      "normalize.css": "^5.0.0",
36      "nvd3": "^1.8.5",
37      "quill": "^1.1.9",
38 -    "rxjs": "^5.0.1",
39      "screenfull": "^3.0.2",
40      "sortablejs": "^1.5.0-rc1",
41      "ts-helpers": "^1.1.1",
42 -    "zone.js": "^0.7.2"
43    },
44    "devDependencies": {
45 -    "@angular/cli": "1.0.0-rc.0",
46 -    "@angular/compiler-cli": "^2.3.1",
47      "@types/d3": "^3.5.17",
48      "@types/jasmine": "2.5.38",
49      "@types/lodash": "^4.14.44",
50 -    "@types/node": "^6.0.42",
51      "@types/nvd3": "^1.8.33",
```

```
6       "ng": "ng",
7       "start": "ng serve",
8       "test": "ng test",
9 +     "lint": "ng lint",
10 +    "e2e": "ng e2e"
11    },
12    "private": true,
13    "dependencies": {
14 +    "@angular/common": "^2.4.0",
15 +    "@angular/compiler": "^2.4.0",
16 +    "@angular/core": "^2.4.0",
17      "@angular/flex-layout": "2.0.0-beta.5",
18 +    "@angular/forms": "^2.4.0",
19 +    "@angular/http": "^2.4.0",
20      "@angular/material": "2.0.0-beta.1",
21 +    "@angular/platform-browser": "^2.4.0",
22 +    "@angular/platform-browser-dynamic": "^2.4.0",
23 +    "@angular/router": "^3.4.0",
24      "angular-calendar": "^0.7.2",
25      "angular-sortablejs": "^1.3.1",
26      "angular2-google-maps": "^0.17.0",
35      "normalize.css": "^5.0.0",
36      "nvd3": "^1.8.5",
37      "quill": "^1.1.9",
38 +    "rxjs": "^5.1.0",
39      "screenfull": "^3.0.2",
40      "sortablejs": "^1.5.0-rc1",
41      "ts-helpers": "^1.1.1",
42 +    "zone.js": "^0.7.6"
43    },
44    "devDependencies": {
45 +    "@angular/cli": "1.0.0-rc.1",
46 +    "@angular/compiler-cli": "^2.4.0",
47      "@types/d3": "^3.5.17",
48      "@types/jasmine": "2.5.38",
49      "@types/lodash": "^4.14.44",
50 +    "@types/node": "^6.0.60",
51      "@types/nvd3": "^1.8.33",
```

```
52      "codelyzer": "~2.0.0-beta.1",
53      "jasmine-core": "2.5.2",
54  -   "jasmine-spec-reporter": "2.5.0",
55      "karma": "1.2.0",
56      "karma-chrome-launcher": "^2.0.0",
57      "karma-cli": "^1.0.1",
58      "karma-jasmine": "^1.0.2",
59  -   "karma-remap-istanbul": "^0.2.1",
60      "protractor": "~4.0.13",
61      "ts-node": "1.2.1",
62      "tslint": "^4.3.0",
```

```
52      "codelyzer": "~2.0.0-beta.1",
53      "jasmine-core": "2.5.2",
54      "karma": "1.2.0",
55      "karma-chrome-launcher": "^2.0.0",
56      "karma-cli": "^1.0.1",
57      "karma-jasmine": "^1.0.2",
58  +   "karma-coverage-istanbul-reporter": "^0.2.0",
59      "protractor": "~4.0.13",
60      "ts-node": "1.2.1",
61      "tslint": "^4.3.0",
```

22 src/tsconfig.app.json

View

```
...  @@ -0,0 +1,22 @@
1  +{
2  +  "compilerOptions": {
3  +    "sourceMap": true,
4  +    "declaration": false,
5  +    "moduleResolution": "node",
6  +    "emitDecoratorMetadata": true,
7  +    "experimentalDecorators": true,
8  +    "lib": [
9  +      "es2016",
10 +      "dom"
11 +    ],
12 +    "outDir": "../out-tsc/app",
13 +    "target": "es5",
14 +    "module": "es2015",
15 +    "baseUrl": "",
16 +    "types": []
17 +  },
18 +  "exclude": [
19 +    "test.ts",
20 +    "**/*.spec.ts"
21 +  ]
22 +}
```

26 src/tsconfig.spec.json

View

```
...  @@ -0,0 +1,26 @@
1  +{
2  +  "compilerOptions": {
3  +    "sourceMap": true,
4  +    "declaration": false,
5  +    "moduleResolution": "node",
6  +    "emitDecoratorMetadata": true,
7  +    "experimentalDecorators": true,
8  +    "lib": [
9  +      "es2016"
10 +    ],
11 +    "outDir": "../out-tsc/spec",
12 +    "module": "commonjs",
13 +    "target": "es6",
14 +    "baseUrl": "",
15 +    "types": [
16 +      "jasmine",
17 +      "node"
18 +    ]
19 +  },
20 +  "files": [
21 +    "test.ts"
22 +  ],
23 +  "include": [
24 +    "**/*.spec.ts"
25 +  ]
26 +}
```

17 src/tsconfig.json → tsconfig.json

View

```diff
@@ -1,18 +1,19 @@
 {
+  "compileOnSave": false,
   "compilerOptions": {
-    "baseUrl": "",
+    "outDir": "./dist/out-tsc",
+    "sourceMap": true,
     "declaration": false,
+    "moduleResolution": "node",
     "emitDecoratorMetadata": true,
     "experimentalDecorators": true,
-    "lib": ["es6", "dom"],
-    "mapRoot": "./",
-    "module": "es6",
-    "moduleResolution": "node",
-    "outDir": "../dist/out-tsc",
-    "sourceMap": true,
     "target": "es5",
     "typeRoots": [
-      "../node_modules/@types"
+      "node_modules/@types"
+    ],
+    "lib": [
+      "es2016",
+      "dom"
     ]
   }
 }
```

0 comments on commit `ff2ede3`

Lock conversation

Write Preview

Leave a comment

Attach files by dragging & dropping, selecting them, or pasting from the clipboard.

Styling with Markdown is supported

Comment on this commit

Unsubscribe You're receiving notifications because you're subscribed to this repository.

© 2017 GitHub, Inc. Terms Privacy Security Status Help

Contact GitHub API Training Shop Blog About