

WEEK 6 QUIZ 2

Machine Learning System Design

LATEST SUBMISSION GRADE

100%

1. You are working on a spam classification system using regularized logistic regression. "Spam" is a positive class ($y = 1$) and "not spam" is the negative class ($y = 0$). You have trained your classifier and there are $m = 1000$ examples in the cross-validation set. The chart of predicted class vs. actual class is:

1 / 1 point

	Actual Class: 1	Actual Class: 0
Predicted Class: 1	85	890
Predicted Class: 0	15	10

For reference:

- Accuracy = (true positives + true negatives) / (total examples)
 - Precision = (true positives) / (true positives + false positives)
 - Recall = (true positives) / (true positives + false negatives)
 - F_1 score = $(2 * \text{precision} * \text{recall}) / (\text{precision} + \text{recall})$
-

What is the classifier's F_1 score (as a value from 0 to 1)?

Enter your answer in the box below. If necessary, provide at least two values after the decimal point.

0.158



Correct

Precision is 0.087 and recall is 0.85, so F_1 score is $(2 * \text{precision} * \text{recall}) / (\text{precision} + \text{recall}) = 0.158$.

2. Suppose a massive dataset is available for training a learning algorithm. Training on a lot of data is likely to give good performance when two of the following conditions hold true.

1 / 1 point

Which are the two?

☐

When we are willing to include high

order polynomial features of x (such as x_1^2 , x_2^2 ,

$x_1 x_2$, etc.).

- ☒ A human expert on the application domain
can confidently predict y when given only the features x
(or more generally, if we have some way to be confident
that x contains sufficient information to predict y
accurately).



Correct

It is important that the features contain sufficient information, as otherwise no amount of data can solve a learning problem in which the features do not contain enough information to make an accurate prediction.

- ☒ Our learning algorithm is able to
represent fairly complex functions (for example, if we
train a neural network or other model with a large
number of parameters).



Correct

You should use a complex, "low bias" algorithm, as it will be able to make use of the large dataset provided. If the model is too simple, it will underfit the large training set.

- ☐ The classes are not too skewed.
-

1 / 1 point

3. Suppose you have trained a logistic regression classifier which is outputting $h_\theta(x)$.

Currently, you predict 1 if $h_\theta(x) \geq \text{threshold}$, and predict 0 if $h_\theta(x) < \text{threshold}$, where currently the threshold is set to 0.5.

Suppose you **increase** the threshold to 0.7. Which of the following are true? Check all that apply.

- ☐ The classifier is likely to have unchanged precision and recall, but higher accuracy.
- ☒ The classifier is likely to now have higher precision.

✓ **Correct**

Increasing the threshold means more $y = 0$ predictions. This will decrease both true and false positives, so precision will increase.

- ☐ The classifier is likely to now have higher recall.
 - ☐ The classifier is likely to have unchanged precision and recall, and thus the same F_1 score.
-

4. Suppose you are working on a spam classifier, where spam emails are positive examples ($y = 1$) and non-spam emails are negative examples ($y = 0$). You have a training set of emails in which 99% of the emails are non-spam and the other 1% is spam. Which of the following statements are true? Check all that apply.

☒ If you always predict non-spam (output $y = 0$), your classifier will have a recall of 0%.



Correct

Since every prediction is $y = 0$, there will be no true positives, so recall is 0%.

☐ If you always predict spam (output $y = 1$), your classifier will have a recall of 0% and precision of 99%.

- ✓ If you always predict spam (output $y = 1$),
your classifier will have a recall of 100% and precision
of 1%.

✓ **Correct**

Since every prediction is $y = 1$, there are no false negatives, so recall is 100%. Furthermore, the precision will be the fraction of examples with are positive, which is 1%.

- ✓ If you always predict non-spam (output
 $y = 0$), your classifier will have an accuracy of
99%.

✓ **Correct**

Since 99% of the examples are $y = 0$, always predicting 0 gives an accuracy of 99%. Note, however, that this is not a good spam system, as you will never catch any spam.

5. Which of the following statements are true? Check all that apply.

☒ Using a **very large** training set

makes it unlikely for model to overfit the training data.

 **Correct**

A sufficiently large training set will not be overfit, as the model cannot overfit some of the examples without doing poorly on the others.

☐ If your model is underfitting the

training set, then obtaining more data is likely to help.

☐ It is a good idea to spend a lot of time

collecting a **large** amount of data before building your first version of a learning algorithm.

☐ After training a logistic regression

classifier, you **must** use 0.5 as your threshold

for predicting whether an example is positive or negative.

☒ The "error analysis" process of manually

examining the examples which your algorithm got wrong

can help suggest what are good steps to take (e.g.,

developing new features) to improve your algorithm's

performance.

 **Correct**

This process of error analysis is crucial in developing high performance learning systems, as the space of possible improvements to your system is very large, and it gives you direction about what to work on next.
