Cucumber Report

| Start : Feb 07, 4:43:33.455 PM	End : Feb 07, 4:49:32.432 PM	Duration : 5 m 58.977 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 17 FAILED - 4 SKIPPED - 7

Features: 1

Scenarios: 4

Steps: 28

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 60 %

#	Feature Name	T	P	F	S	Duration
1	feature to test amazon.in	4	0	4	0	5 m 58.977 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	feature to test amazon.in	Verify price after updating quantity on cart	7	3	1	3	1 m 27.117 s
2	feature to test amazon.in	Verify item gets deleted from cart after deletion	6	3	1	2	30.818 s
3	feature to test amazon.in	Verify the item saved for later on clicking save-for-later	6	5	1	0	1 m 8.917 s
4	feature to test amazon.in	Verify user added shirt after navigating back on shirt page	9	6	1	2	2 m 51.959 s

(F)- feature to test amazon.in

| FAILED	DURATION - 5 m 58.977 s	Scenarios		Steps	
		Total - 4		Total - 28	
/ 4:43:33.455 PM // 4:49:32.432 PM /		Pass - 0	4	Pass - 17	28
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 7	

(S)- Verify price after updating quantity on cart

FAILED	DURATION - 1 m 27.117 s		Steps	
/ 4:43:33.464 PM // 4:45:00.581 PM /			Total - 7	
feature to test amazon.in			Pass - 3	7
@FirstTest			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Verify user is on amazon.in home page	PASSED	0.087 s
2	When Click hamburgericon and select menuItem	PASSED	27.592 s
3	Then Verify user navigated to shirt page	PASSED	0.354 s
4	Then Select shirtsize with quantity more than two	FAILED	0.003 s
	Step undefined		
5	And Add shirt in cart	SKIPPED	0.002 s
6	Then Select quantity from shirt dropdown	SKIPPED	0.001 s
7	Then Verify two shirt is added with correct price	SKIPPED	0.002 s

(S)- Verify item gets deleted from cart after deletion

FAILED	*DURATION - 30.818 s*		Steps	
/ 4:45:00.694 PM // 4:45:31.512 PM /			Total - 6	
feature to test amazon.in			Pass - 3	
			Fail - 1	
@FirstTest			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Verify user is on amazon.in home page	PASSED	0.076 s
2	When Click hemburgericon and select menuItem	PASSED	17.081 s
3	Then Verify user navigated to shirt page	PASSED	0.069 s
4	Then Select shirtsize with quantity more than two Step undefined	FAILED	0.001 s
5	And Add shirt in cart	SKIPPED	0.001 s
6	Then Click delete link and verify that cart is empty	SKIPPED	0.001 s

(S)- Verify the item saved for later on clicking save-for-later

FAILED	*DURATION - 1 m 8.917 s*		Steps	
/ 4:45:31.533 PM // 4:46:40.450 PM /			Total - 6	
feature to test amazon.in			Pass - 5	
			Fail - 1	
@FirstTest			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Verify user is on amazon.in home page	PASSED	0.275 s
2	When Click hemburgericon and select menuItem	PASSED	18.174 s
3	Then Verify user navigated to shirt page	PASSED	0.108 s
4	Then Select shirt having quantity more than two	PASSED	23.847 s
5	And Add shirt in cart	PASSED	10.855 s

#	Step / Hook Details	Status	Duration
6	Then Click save-for-later and verify the page	FAILED	0.047 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression .//input[contains(@name'submit.save-for-later')] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string './/input[contains(@name'submit.save-for-later')]' is not a valid XPath expression. (Session info: chrome=97.0.4692.99) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'KAVITA', ip: '169.254.190.77', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f701c0d82a283a514c0572bfb8e42dbe, findElement {using=xpath, value=.//input[contains(@name'submit.save-for-later')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:50638}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50638/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f701c0d82a283a514c0572bfb8e42dbe
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at pageobjects.addorbuycart.verify_save_later(addorbuycart.java:103)
	   at stepdefinition.addorbuycartstep.verify_save_later(addorbuycartstep.java:40)
	   at ?.Click save-for-later and verify the page(file:///E:/vivek/Automation/cucumberjava/src/test/java/Features/AmazonMenShirtShopping.feature:28)
	* Not displayable characters are replaced by '?'.		

(S)- Verify user added shirt after navigating back on shirt page

FAILED	DURATION - 2 m 51.959 s
/ 4:46:40.473 PM // 4:49:32.432 PM /	
feature to test amazon.in	
@FirstTest	

Steps
Total - 9
Pass - 6
Fail - 1
Skip - 2

9

#	Step / Hook Details	Status	Duration
1	Given Verify user is on amazon.in home page	PASSED	0.064 s
2	When Click hemburgericon and select menuItem	PASSED	32.597 s
3	Then Verify user navigated to shirt page	PASSED	0.093 s
4	Then Select shirt with only quantity one	PASSED	24.856 s
5	And Add shirt in cart	PASSED	21.433 s
6	Then Select quantity from shirt dropdown	PASSED	20.384 s
7	Then Select shirt having quantity more than two	FAILED	1 m 0.104 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":".//div[@data-asin='B09QBY6RPX']"}   (Session info: chrome=97.0.4692.99) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'KAVITA', ip: '169.254.190.77', os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f39fa482aacceda633f7345ed847d218, findElement {using=xpath, value=.//div[@data-asin='B09QBY6RPX']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:50860}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50860/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f39fa482aacceda633f7345ed847d218
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at pageobjects.menshirts.selectshirtwithasin(menshirts.java:38) at stepdefinition.menshirtsstep.select_shirt(menshirtsstep.java:21) at ?.Select shirt having quantity more than two(file:///E:/vivek/Automation/cucumberjava/src/test/java/Features/AmazonMenShirtShopping.feature:38) * Not displayable characters are replaced by '?'.		
8	And Add shirt in cart	SKIPPED	0.001 s
9	Then Select quantity from shirt dropdown	SKIPPED	0.001 s