

The process for deploying applications on Windows clients using the Intune Management Extension (IME) service involves several steps: polling, detection, installation, and post-installation detection with success/failure notifications.

1. Polling (Checking for New Apps)

- The IME service regularly checks with Intune to see if there are any new or updated apps assigned to the device.
 - This keeps the device up to date with what it should have installed.
-

2. Detection (Is the App Already There?)

- **Before installing**, Intune checks if the app is already on the device using *detection rules* (like checking for certain files, registry entries, or running processes).
 - **After installing**, it checks again to confirm the app was installed correctly.
-

3. Installation

- If the app isn't already installed, the IME starts the installation process.
 - **Download**: It downloads the app package (usually a .intunewin file).
 - **Unpack**: The package is unpacked into a temporary folder.
 - **Run Installer**: The app is installed using a command defined in Intune (like using msixexec or another installer).
 - **Monitor Install**: If the install takes too long, Intune marks it as failed.
-

4. Post-Install Checks & Notifications

- **Re-check**: After installation, Intune checks again to make sure the app was installed properly.
- **Notify User**: The user gets a small **toast notification** saying whether the install was successful or failed.
 - These notifications can include icons, text, and even buttons.
- **Restart (Optional)**: If required by the app or policy, the device may restart after installation.