

RAKSHASAFE WOMEN'S SAFETY SYSTEM

Data Flow Diagrams - Levels 0, 1 and 2

Black-and-white StarUML / Yourdon-DeMarco style
Rendered from PlantUML sources at native resolution
Each diagram is placed on its own portrait page

Contents

This document contains the complete data-flow decomposition of RakshaSafe: the level-0 context diagram, the level-1 major-process level, and three level-2 expansions (Incident Management, Admin Dashboard & Reports, and Notifications & AI Risk). Every diagram is derived from the implemented backend modules and the live API behaviours verified during testing (Chapter 6).

#	Diagram	Filename
1	DFD Level 0 - Context Diagram	dfd-level0.puml
2	DFD Level 1 - Major Processes (1.0 to 10.0)	dfd-level1.puml
3	DFD Level 2 - Incident Management detail	dfd-level2-incident.puml
4	DFD Level 2 - Admin Dashboard & Reports detail	dfd-level2-admin.puml
5	DFD Level 2 - Notifications & AI Risk detail	dfd-level2-notifications.puml

Notation Legend

A strict black-and-white notation is used so the diagrams reproduce cleanly in print: processes are numbered circles or rounded boxes, external entities are squares / actor symbols, data stores are the classic open-ended D* symbols, and arrows carry the name of the data that moves.

Symbol	Meaning
Numbered circle / rounded box, e.g. 2.2	Process - transforms incoming data; sub-numbering expands one higher-level process
Square / hollow rectangle	External entity - person or external system
Open-ended storage box D0...D10	Data store - MongoDB collection (D2a = incident updates)
Directed arrow	Data flow; label states what data moves
Dashed arrow	Control / audit trigger, not a data flow

Figure D-1: DFD Level 0 - Context Diagram

The entire RakshaSafe system as a single process with its external actors: Citizen/User, Emergency Responder, Administrator, SMS Gateway, Email Provider and the AI Risk Service.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
http://www.plantuml.com/plantuml/png/fLLTRzem57tthxZAmmPQKTbhjKqr96...
to
http://www.plantuml.com/plantuml/png/~1fLLTRzem57tthxZAmmPQKTbhjKqr96...

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

fLLTRzem57tthxZAmmPQKTbhjKqr96LHWQ0ae-l4YviOiEhOp7RweMd_VTV90kbBfQeynVUUUyxz59VM
CUFglfAFyFKTFmo7b5vdtSb6ho8OGNWLMZnQHtC0ms2QBFFePmvXJ6SfNGm10PCFD-_Lt8klGo5C8Jcn
zq8Tc64LL5hfOczqnS6Pkk-nUrRgHw5si6NlZs65uwfdUJmXm1CM74_CxfMvLHBRU1cBnptTcrARbhR
H2A8_ErniCAXIOIVIjdUOZZRyJSpa5OucCPv_2jQmZdyoA8q06QRZyuTBQ9q5Ysdjv16slfPXlynnrS7
fE4YNiPPdj8yQl6DfNDdYmncD8zkw6tZnFT9WiPpMAN9EkxO6nCXNMr1EDweHRAS9H3ld4ve5ZMmS4B8
QGR1QPCsQfga4T3LQXvFQHudopQZrOeGfHs7E-sSha1l6nl0bT7ASLN28EMO5dPZZQqRekTJqzN6jTlu
EESGFHqCjxPrBhJQwN029NCC97lcXdYi5o74Dn96eszU12wm2Kc6yK8Lk87AMVmkK1Rr_EV1wAsGF6YZ
len6NLI7nr4pLtieiekjA9WJMZLlipTCwwZrRKfk0q8ESwdhy-i5JjLIU0wiljK-9CBUg6z94wXBuAO
vCPvIMROVQsIsVsTPgP4U6svyM5RLWWfdE3usA0QgxpLy8Cs3QtKE-HggVhQYibd9meFuKyTcDMbS7Yh
J4YlZr2lZgF02CEPrtqqE4JCKGBcskW6107zB7LHTqNzhbfbcbZBfgJUPj4OqZYx1fpCEfwsoqVZeoYw
IQYmzxv4N5eB0wdR-Ppv2nSF_3Jsiurwu0O7oCkkzhDUQuROWRYVOyDh2squ3CQZp-Fn4FTEyWVUhziV
rqLxPkrCO70mec9OKRTZIEpT_UgvnCMgQcv3S6HhJn8HICBsliRO8b_Z99Tu4FXNyG

Captured from dfd-level0.puml - black-and-white, editable in draw.io / PlantUML.

The context diagram defines the system boundary. Human actors are the Citizen/User (SOS incidents, emergency contacts, profile), the Emergency Responder (assignments and incident context) and the Administrator (dashboard, users, facilities, teams, reports and logs). External systems communicate through SMS and email providers, and the AI Risk Service supplies a 0-100 risk score. All entities persist in the MongoDB data store (D0).

Figure D-2: DFD Level 1 - Major Processes (1.0 to 10.0)

Decomposition into ten major processes (1.0 to 10.0) with their associated data stores D1, D2, D3, D4, D5, D6, D7, D8, D9 and D10.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
`http://www.plantuml.com/plantuml/png/fLPBR-Cs4BxhLmnyI7THvE5NOY_QOc...`
to
`http://www.plantuml.com/plantuml/png/~1fLPBR-Cs4BxhLmnyI7THvE5NOY_QOc...`

It will work this way

You may contact the PlantUML team at plantuml@gmail.com

But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPBR-Cs4BxhLmnyI7THvE5NOY_QOcPTflrPKEI4spXYoBHDh4obQNaPDEY_xr3KhAeE8SMcuD3pNpp
u3SFwNDUHA8ux5Fh5_Zz9_xG77po9RWb0PauS0xZoHXcphqpWpPyc9ExXGzBVsa4xGU047r4_EdlusP0x
bb28cOXJQkNV67-AHBI7VSQpU2UoFOL274nDlekI8NnBMoYD3SrXvp6KKxXRmjW5CNVfY8xyCJEqap0
muuLLCepaL2XPQCKGIYRPBm8s5yKsXth7pDlaObem_IR_YT_feSeHXV_szxIPYtR3Tq_7GyOHKuVWkY
N1qgjJDt_AdZsL_1TuBbmXkNcEDJ1IJZkUkvGUYJSA4XlBafWta0Kn8w3-lhKk9p7OAuCrndUxVohaIM
LN7J6hUDxCOZGz41rxFHpWkLqcqekr2dRo-yaDWQPJTGFNaPU-L0w92vqeSDVHz84BXJRru58GtrDKo8
xSxSK5ziqb3UWBS8tObhaz1TU0hWDG03M7bg37ndkV2r_vNVW0nDNLFLlj8imsmnhJWVMLRLewtsnTMQ
arLu2sThZWnFt9cZSCjs3Uf8KCNYci-9HwREyRBBJetilklHqZKIEGqqi5i3Un8ewGpWh6Jl73sZpnBR
gx5zYlqfT9rWpS_0SuW_qdGk-pNoMY8hFj6VfBjQTrsZRjITNV3Tu0iUv189wjlSrC2119Ri4zyXQwvv
TZtDvN9GOuVAgQ9wJ89R33vQ47-CjzCsPHf3W_ehpVtO3O_LMRQIBDnav_fFhX81cpHxolkH9RiS7_v0
A7o2bg1RbXU8keGqspAE_vz4jc4fRLc8-4qYvJmeCtmgpUuUGXDfUEr8TIneL5085e7qYm7WSirtJBRL
A_hjQBzobF2ip6vqCjyF5C62vTyGTcDupEDCKFWLklfCqQr0hbJI8oxxDsOLY3EVet5Nnv23Q83x4inf
91vVGT0yEuY0ldHVe-LeuRbCJc8PZt6nymBPYQE2PRmHUw1IEppk6IPDdp9HeAz1oPeS9ACM6Eufuyb9
GOvxJhligUkyOZ5pjkLx39rBygBaEU8nnMKU5GUPSKz7aPkYEhzDMR91Vs1ATGXLGHMYzgyAr39JZP8z
Ta8pJtSQTUEKZCiEmtGChlfNbAPGvQ7otsJ2oDw0TojuNj3spEwgQ3HNdEXKc_WL5qtKSnLho2xQ_6
3RMgqpCLRFDQrWd3c82X12HHIdlC8f7882KC-vV-A0ixX78QL5Bu4bIDDZJRvOtKVbSQIYibxqedxqgz
TwMouzw8LL-KuYtbL4WYBzKd0QqOKZsX293baJUsWtlyNoud-7iNu5kbmHM-4YIRZBx8b17ZeAHindcZ
vNbMi0tJS_EcdQgvlsvqB0wtphndQ8rEFUgITK3vfiEpFChN_oVr5T2ovBcs5plcxAbeLKZzDO0AkeyO
xXBz_0xUd8X3WYDU23I03uLWsoqLD07S8dfMi77nZld7-dvjkbWuaeKygRLt8kgUYdgdelfwQ70g6fw8
hC-K9_Wv_I
```

Captured from `dfd-level1.puml` - black-and-white, editable in draw.io / PlantUML.

Level 1 shows the ten processes that mirror the implemented modules: 1.0 Auth & Profile, 2.0 Incident Management, 3.0 Emergency Contacts, 4.0 Teams & Assignments, 5.0 Facilities & Nearby, 6.0 Notifications, 7.0 AI Risk Assessment, 8.0 Unsafe Area Reporting, 9.0 Admin Dashboard & Reports and 10.0 Audit Log. Notification dispatch (6.0) is driven by incident and assignment events; every administrative mutation is recorded to D10 ADMIN LOG through the dashed control flows.

Figure D-3: DFD Level 2 - Incident Management Detail

Expansion of process 2.0 into eight sub-processes (2.1 to 2.8) covering creation, validation, persistence, status workflow, ownership, risk trigger, history and assignment linking.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
`http://www.plantuml.com/plantuml/png/fLPRR-9657xthpZY8Ssga0kvgkgkrk...`
to
`http://www.plantuml.com/plantuml/png/~1fLPRR-9657xthpZY8Ssga0kvgkgkrk...`

It will work this way

You may contact the PlantUML team at plantuml@gmail.com

But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPRR-9657xthpZY8Ssga0kvgkgkrk096ONo3Q9KbbQpTe3J6DcsB61qgh_IMTyYUscVLWj3y6UxpIN
xvmXdxESwNoxJgsVuECFVD0SVFiXkBS3-ux009mx1wRaYKnX2CVK7LE7k24ysguz8O_cql6XJQSVa3ew
UlxHw2kHS8Y5ZbDkPQz2RfXcQrWhgUALLciEkTwsaMp54hKNSWaBbcPjHFCuPtAPSIzB0XYn-7MYrLoc
OvKg3SyhaNDphdJ2TNasl5a_TtsdYIDbes7vNtXO36w-6vvgpJhZMb8VoCkdC8y87uFM5Oyr33stvyG
T_m2FWbcdkjKdBUtccWxZzIbGUZReLTIYXFBgWliEKEejlrmwepQ87j3OJvpx92Kf7c7TGLs4D29-rWx
iJlmfSbhF2SG4lknmCCEVjugiWFSWEk5z8wExP1wRa5maM0r2IU69-UH7Fi4Cujafv3PyBnB74RooPvl
fw0U0N5zEhwlgCCkzIAIC-87sBXtJY-wpCj81g4TpeD8Fdl-mztKUww8brtYLIIZPnUTtjCP764gDA0Z
EgNXlyM_wlAI8-dJuC5qbWJ189B5oeK-dKogNis6rrsJcqZUOygU_uAsPEpv3dKd5VMclxsDP2DP9AVK
VMYujvqEsnIAH52Y9pekzRUfXVi-A3yGQyvo3XkMh-epooYABv-C3F0Bz08lmCNyjkLP3iVvOSFx4AFH
Kkb3Fv89ps8jDhbGiW-fGWIVFIgiOrmw6HedckqnoY5LB37Oi8r9fTSi5NzY7YibqVqEtnAJ5vVrTOP1
y8jh4KEiSF64D9366ddMnyn-nu8ZkL1woHFSVfPlizDjnZLDJkjysY4IJCWwGWbubnduee1nXGnCNUn1
s1oZ2EOuusZWavddXyl1bJ3ZVZ2icz9uthO68KKkM8f5v2MhzdLjl4B6U6tA74G2FqCqxqUk2XjeXQr5S
1XaSuxVOSQYjJ5Dss9A5m8mqtoYDhtYTnYB5e3n30T11ArmMAytXR71-TcR2yHrFcrXLRUKj0Lfahxro
2dx54QawDZmxHqEHZAiMVwpqxq6lFqrxfrqMgzjs9UhlRgemkZKEMx9YCEHmJzullpJ7mANZkbs1CN6BI
DvTTXoyF-4F2P2PCev2CYgDvhDQRbEVSL7Fv7zMKsJPeBMLn3F7AZD7_lhZHV3Vu9Fc-Np6JqQ7jwjPm
CPbo8KqltcCioyHIhetKLSc6TLkAt8bsMjtJBPE66fRKd9S_K68dyaE3uXrKR1bVQ9wjO2SoyTMCGeTo
NL867AT_M-nGeNIZJYbtsUqcw-scs9IEpas0hj8c3nEiQYCcer8SMxMNNFVUq4gXXKXphk7heSPRCrUK
WyVDn8ElwQ6UYnQ9fMb3Ub_DRLCDhihRrILAVloFI5EKL3akLBc8_owht5stJBpsSb9UdqJv8hGTE-a
cXiCz9dB1F_N-m
```

Captured from dfd-level2-incident.puml - black-and-white, editable in draw.io / PlantUML.

2.1 receives the SOS request; 2.2 applies the business rules proven by the unit validators (phone normalisation, enum checks, coordinate ranges, rejection of forged fields); 2.3 persists the incident and seeds its history in D2a; 2.4 enforces the status workflow (REPORTED, EN_ROUTE, ON_SCENE, RESOLVED, CLOSED); 2.6 triggers the AI risk service and 2.8 links assignments and re-evaluates risk after transitions. Notation events such as incident.created and assignment.changed are emitted to the notification store (D7).

Figure D-4: DFD Level 2 - Admin Dashboard & Reports Detail

Expansion of processes 9.0 and 10.0 into eight sub-processes (9.1 to 9.8) covering the dashboard, management screens, report generation, export and the audit-log viewer.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
`http://www.plantuml.com/plantuml/png/fLPTRzis57tNhxZmGzTkYxtuAtQnRf...`
to
`http://www.plantuml.com/plantuml/png/~1fLPTRzis57tNhxZmGzTkYxtuAtQnRf...`

It will work this way

You may contact the PlantUML team at plantuml@gmail.com

But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPTRzis57tNhxZmGzTkYxtuAtQnRfKbsT6Mo8Oa9okW5rQYRQ8lvL5qis3TVnyfMX7fsWz53IGmT0xl
FJptaFBxYYF63qLk_G3llkCZbaDe_ndTsf4zz-0AtBaBTzw3TmTzU6sxztu0hXtTpfPswC8h2BtLCeoZ
Du8vU_NulSrt9CEG4fRcsAe-4Rf731LGbBHC TwmiC71sq95gXxBoYT0jR51UwGZ3AKTqcsFurmAOeVJJ
WfK7cZbbNZ9ut16EvVEIPPYfPxDSaAp_zEgyP6ZRLjX-SmMKYXBVIDvlopgrstuKXtQy33k0AgYVM5OZ
hEDUmpho5BPSPnhG1pzmVDSBuXhq3N00thqNBhp0-G3ECeXjHx4SWpKKmusSjGUNPz_NU6pWOvZRZd_d
nnzgS6w0Dn0iOt_kEtRiBuEQ41Y42Qo3Ec8gGMeBeK6PwfW9NV-Yl82xvQ9nPcPPxTGxq-vrGkt58IGM
Tkmbz2MqDNqrJlR9_OHA9nDwRmVsGjXpD6urxPI4GKARRPyX3qpoCA7II3F4eKaS9RIPLqAN3ruO-OIR
XZioKUE4AbylAaReXQt3g-dOfDwqLE-l5ojNqnkJDX5EhLq_bcuczC7t7e-PMaqdbZZJL-e36Qfs7ql4
ikQ9fOPmTVMRT1JUGcVXnT13Uz93MK5exsL5nv84IHGvbSHKd0KEXmgpgiLy7VluB4uWueSAUh1df6I4
FxVKMAToZ0gjp5p7DYWbEU44QuH09z2Iamr94ISbrJWoZ9fGMg4D5jVAlcHSOydSIPrm4mkQEBdaSwrJ
EVEhSEte3Dfk6TuYZZFu8n83quqj41MvBcl5SyxsppXREmUIAunOkliPzcBz6ochhviidX9Qj_pxWdc9
ghggB0CvgRWmcM6A2goATBljtI9oMm-gUzXdefXGheiRl8eJhbrTdMdwG9yAmoWJpPx4EB4fgAvqNFbS
YrABJxKqbEwF9rA6vwlyP6EevyPK8S7JBdAtxA0hh1j8uAZEw3uwCoL2K_5Aexo2ds1bnuyjz5lcPS-H
dlbJGQE113Mrkgf2Dzs90tnYOQq1vJcqZNIGTDG2TypnsRIDPOtLCZ8sSbpGssAA6L8InthKAehsrQxa
BU1V0fnBG7m9c5y2Waj0Stg_Hew07uZhFeO2SoH2ZSHyJEgf-yg0Rhj_tVQncg1a0CbESd5p9XUDdMz9
riF_oEy9_NrJiWBnTqxqy6Nbph-eMqAkrsJNCT6LtkXTDZdY75FW9OWgOIIYZIZVLhgmAoN1t9CgICGR
Glp4edc9CYD1w90H3hB6kGnDpknPSEIOJuoBixsYAfoBbv9YdEeKVztF13-P4YSDB8BEwhl6Uezf9du5
_m
```

Captured from dfd-level2-admin.puml - black-and-white, editable in draw.io / PlantUML.

9.1 aggregates live counts across seven collections; 9.2-9.5 wrap the management end points and log every mutation to D10 ADMIN LOG; 9.6 snapshots seven stores and stores the report with its snapshot in D9; 9.7 exports CSV/PDF/JSON; 9.8 is the read side of the audit trail. Requests map to real API routes (GET /api/admin/dashboard, /users, /facilities, /teams, /incidents, /reports, /logs).

Figure D-5: DFD Level 2 - Notifications & AI Risk Detail

Expansion of processes 6.0 and 7.0 into six sub-processes (6.1 to 6.3, 7.1 to 7.3) covering notification channels, delivery status and AI risk factor scoring.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
http://www.plantuml.com/plantuml/png/fLPTQzj857tNhxZu8UjGqYGsnALqbo...
to
http://www.plantuml.com/plantuml/png/~1fLPTQzj857tNhxZu8UjGqYGsnALqbo...

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPTQzj857tNhxZu8UjGqYGsnALqbohos1dglaQl4xeObbbvx0oHPyH8JWXb__kUaPHOohBBblh1bdJE
_JvtvCzb9MnrsEVUB_JhJtnWJh7_9Rdn4t_6w8ocioajs2rRq8Y6OPJo6G_yb4TXGYVaSufvykKKIEkJ
kvyDVQysaZ9birnvwOFIXR1YJtkZJNPpLvIPGzTfBmN6_Eaz8ws8Y-xY9LP9VGkb_JT8xeMsSFSceFU
12OtbkxkLINTSsCtqZRFhdEGIB-wtYjZnUxeOVV37aG65pzixpLcWu2d_7SMqZcj4XOFI9JrnGIClh9u
piBW6yKiMKRXjEMythqGawy9pVsKtVdVQWBKZpvylg1b7Dto5_FwaUUz53-OZeY70U0mhN4-IUw04-eg
eYQ4FSAOZda6KPZWGUcCwB4kEoNsW0-q2ciTncmPnOtfAkvhHcZc1tp1qwQw6K3IEFx1rVIBjGvYXWQi
zJ-INLvTziaZa6_yC6IBjPxoPEcdmKtB7FMPuxLEKZzT9MiTio2AforjtALDwkZHOi62TAsHQ1h5IKES
NFQ9Y9p03QEJjQxthQMD-hln2vUkuj3nbYnEU9Asp76ly7Or2OszvG6hEJxtiADdpOUqgTHMPQ9IHjCs
DqylY8SXu_etrxwl0EbCsochaW-uhjSws5cfQZa1jh4iLCToIVPFSBAPud02_gsXLLxOPyFCxg2waeQ
EZsUazmBbOE-wjFDavQMtc61oy9ex0QfJJdm7EfO49TZyH1LfVq2K3gMwKZ5m1pL9QPbJeLupeq0xZd0
4LmU7vIr6Aej5TOyAXSGcMxLxc3hQXpQyRQHkNgKA0VHf2ggmQktPfL0gGlx3uyDyN_vX9YQ5hP-cgQK
iYvYt6t8QZc5mDjXO3u9rXLDdh85lsKnc-9wXh3keiw2Fx2BCpvV0K9Adj--WH9j16LFXD5yKOWKcxW
-TKbx5wFcgwjA4krqz366zKCKjA3EAqg7_v5TPE-wdBjfl2EgkT2uWUYCbPLpv1Ft3T28v4oebjP60kv
Qldido3E-ZnJl5ix5JbU7fdALQNaaVqc5GWN8pfMbE4aTtEQj5ARr8FSDgVgetG_3cscY5e1BgC44t55
dwD3iaG_07lilyXNqI3YxFBYuxGrvcXRVII2zNQikci5NXGu_1pOg83tLF2QfYCVIUs6rHv4Bcr5mo36
EoRm5v373P_VE2bybdg3Vn5_0
```

Captured from dfd-level2-notifications.puml - black-and-white, editable in draw.io / PlantUML.

6.1 materialises each notification from the incident event plus primary-contact and recipient lookups; 6.2 dispatches to SMS and email only when a provider is configured; 6.3 records the provider response (SENT / DELIVERED / FAILED / NOT_CONFIGURED) and feeds the in-app feed. On the risk side, 7.1 collects the live factor vector (incident location/type/priority, nearby verified reports, nearby operational facilities, active incident count), 7.2 calls POST /risk/assess, and 7.3 persists the score and raises CRITICAL/HIGH alerts back into the notification flow.
