

RAKSHASAFE WOMEN'S SAFETY SYSTEM

Design Diagrams - ER Model and Data Flow Diagrams (Levels 0, 1, 2)

Black-and-white StarUML-style diagrams

Rendered from PlantUML sources (PlantUML public server + local rendering)

Diagrams are embedded at native resolution for print / submission

Contents

This document bundles the complete set of black-and-white design diagrams for RakshaSafe: one entity-relationship (ER) diagram and a three-level data-flow decomposition (context / major processes / detailed processes). Every diagram is derived from the implemented backend data model and the live API behaviours verified during testing (Chapter 6).

#	Diagram	Filename
1	ER Diagram - Entity Relationship Model	er.puml
2	DFD Level 0 - Context Diagram	dfd-level0.puml
3	DFD Level 1 - Major Processes (1.0 to 10.0)	dfd-level1.puml
4	DFD Level 2 - Incident Management detail	dfd-level2-incident.puml
5	DFD Level 2 - Admin Dashboard & Reports detail	dfd-level2-admin.puml
6	DFD Level 2 - Notifications & AI Risk detail	dfd-level2-notifications.puml

Notation Legend (StarUML / Yourdon-DeMarco style)

All diagrams use a strict black-and-white notation so they reproduce cleanly in print and comply with examination formatting: separate entities as rectangles (ER), processes as circles (DFD), external actors as squares, and data stores as the classic open-ended symbol. Arrows show the direction of data movement; numbered processes (for example “2.1 Create Incident”) allow each lower level to decompose one higher-level process.

Symbol	Meaning
Named rectangle with fields (ER)	Entity / table with attributes; PK and FK marked
Circle with number and name (DFD)	Process (17 classic list); e.g. 2.2 Validate & Enrich
Square / hollow rectangle	External entity - person or external system
Open-ended storage box (D*)	Data store - e.g. D2 INCIDENT (MongoDB collection)
Directed arrow	Data flow; label states what data moves
Dashed arrow	Control / audit trigger, not a data flow

Diagram 1 - ER Diagram - Entity Relationship Model

The model centres on USER (identity, role, language, isActive) and INCIDENT. INCIDENT carries single-owner semantics (one user creates many incidents) and keeps a full history through INCIDENT_UPDATE. RESCUE_TEAM links to users through TEAM_MEMBERSHIP and to incidents through ASSIGNMENT, whose status workflow is enforced by the assignment validator. NOTIFICATION records both in-app events (DELIVERED) and external channel outcomes, including NOT_CONFIGURED when no provider is set. ADMIN_LOG and REPORT records keep administrative actions accountable.




Figure 1: RakshaSafe ER model - eleven entities, user-centric core, incident workflow and assignment chains, notifications, unsafe reports, facilities and audit logging.

Diagram 2 - DFD Level 0 - Context Diagram

The context diagram shows RakshaSafe as one black box. Citizen/User, Emergency Responder and Administrator are the human actors; SMS Gateway and Email Provider are the external communication systems; AI Risk Service is the decision-support provider. All data ultimately persists to the MongoDB store (D0).

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
`http://www.plantuml.com/plantuml/png/fLLTRzem57tthxZAmmpQKTbhjKqr96...`
to
`http://www.plantuml.com/plantuml/png/~1fLLTRzem57tthxZAmmpQKTbhjKqr96...`

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLLTRzem57tthxZAmmpQKTbhjKqr96LHWQ0ae-l4YviOiEhOp7RweMd_VTV90kbBfQeynVUUUyxz59VM
CUFglfAFyFKTFmo7b5vdtb6ho8OGNWLMznQHtCOms2QBFFePmvXJ6SfNGm10PCFD-_Lt8kIGo5C8Jcn
zq8Tc64LL5hfOczqnS6Pkk-nUrRgHw5si6NizZs65uwfdUJmXm1CM74_CxfMvLHBRU1cBnptTcrARbhr
H2A8_ErniCAXIOIvIJdUOZZRyJSpa5OucCPv_2jQmZdyoA8q06QRZyuTBQ9q5Ysdjv16slfPXlynnrS7
fE4YNiPPdj8yQl6DfNDdYmncD8zkw6tZnFT9WiPpMAN9EkxO6nCXNMr1EDweHRAS9H3Id4ve5ZMms4B8
QGR1QPCsQfga4T3LQXvFQHudopQZrOeGfHs7E-sSha1l6nl0bT7ASLN28EMO5dPZZQqRektJqzN6jTlu
EESGFHqCjxPrBhJQwN029NCC97lcXdYi5o74Dn96eszU12wm2Kc6yK8Lk87AMVmkK1Rr_EV1wAsGF6YZ
len6NL17nr4pLtieiekjA9WJMZLIpipTCwwZrRKfk0q8ESwdhy-i5JjLIU0wiljK-9CBUg6z94wXBuAO
vCPvIMROVQsIsVsTPgP4U6svyM5RLWWfdE3usA0QgxpLy8Cs3QtKE-HggVhQYibd9meFuKyTcDMbS7Yh
J4YIZr2lZgF02CEPrtqqE4JCKGBcskW6107zB7LHTqNzhbfbcbZBfgJUPj4OqZYx1fpCEfwsqVZeoYw
IQYmzxv4N5eB0wdR-Ppv2nSF_3Jsiurwu0O7oCkzhDUQuROWRYVOyDh2squ3CQZp-Fn4FTEyWVUhzlV
rqLxPkrCO70mec9OKRTZIEpT_UgvnCmGqcv3S6HhJn8HICBslIRO8b_Z99Tu4FXNyG
```

Figure 2: The whole system as a single process with its four user/system actors and the AI risk service, SMS and email providers.

Diagram 3 - DFD Level 1 - Major Processes

Level 1 decomposes the system into ten processes. 1.0 and 2.0 serve the citizen journey; 4.0 serves the responder; 9.0 and 10.0 serve only the administrator. Process 6.0 (Notifications) is triggered by incident and assignment events and fans out to In-App (D7) plus SMS and email providers. Every administrative mutation writes to D10 ADMIN LOG, shown as dashed control flows.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
http://www.plantuml.com/plantuml/png/FLPBR-Cs4BxhLmnyl7THvE5NOY_QOc...
to
http://www.plantuml.com/plantuml/png/~1fLPBR-Cs4BxhLmnyl7THvE5NOY_QOc...

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPBR-Cs4BxhLmnyl7THvE5NOY_QOcPTflrPKEI4spXYoBHDh4obQNaPDEY_xr3KhAeE8SMcuD3pNpp
u3SFwNDUHA8ux5Fh5_Zz9_xG77po9RWb0PauS0xZoHXcphqpWpPyc9ExXGzBV54xGU047r4_EdlusP0x
bb28cOXJQkNV67-AHBI7VSQpU2UoFOL274nDlekI8NnBMoYD3SrXvp6KKxXRmjW5CNVfY8xyCJEqap0
muuLLCepaL2XPQCKGIYRPBm8s5yKsXth7pDlaObeM_IR_YT_feSeHXV_szxIPYtR3Tq_7GykOHKuVWkY
N1qgjJdt_AdZsL_1TuBbmXkNcEDJ1IJZkUkvGUYJSA4XlBafWta0Kn8w3-lhKk9p7OAuCrndUxVohaIM
LN7J6hUDxCOZGz41rxFHpWkLqcqekr2dRo-yaDWQPTJGFNaPU-L0w92vqeSDVHz84BXJRru58GtrDKo8
xSxSK5ziqb3UWBS8tObhaz1TU0hWDG03M7bg37ndkV2r_vNVW0nDNLFLlj8imsmnhJWVMLRLewtsnTMQ
arLu2sThZWnFt9cZSCjs3Uf8KCNYci-9HwREyRBBJetilkiHqZKIEGqqi5i3Un8ewGpWh6Jl73sZpnBR
gx5zYlqfT9rWpS_0SuW_qdGk-pNoMY8hFj6VfBjQTrsZRjITNV3Tu0iUv189wjISrC2119Ri4zyXQwvv
TZtDvN9GOuVAgQ9wJ89R33vQ47-CjzCsPHf3W_ehpVtO3O_LMRQIBDnav_fHx81cpHxolkH9RiS7_v0
A7o2bg1RbXU8keGqspAE_vz4jc4fRLc8-4qYvJmeCtmgpUuUGXDfUErTlneL5085e7qYm7WSirtJBRL
A_hjQBzobF2ip6vqCjyF5C62vTyGTcDupEDCKFWLklfCqQr0hbJl8oxxDsOLY3EVet5Nnv23Q83x4inf
91vVGT0yEuYOldHVe-LeuRbCJc8PZt6nymBPYQE2PRmHUw1IEppk6IPDdp9HeAz1oPeS9ACM6Eufuyb9
GOvxJhligUkyOZ5pjKlX39rBygBaEU8nnMKU5GUPSKz7aPkYEhZDMR91Vs1ATGXLGHMYzgyAr39JZP8z
Ta8pJTsQTUEKZCiEmtGChlfNbAPGvQ7otsJ2oDw0TojuNJj3spEwgQ3HNdEXKc_WL5qtKSnlLho2xQ_6
3RMgqpCLRFDQRWd3c82X12HHIdlC8f7882KC-vV-A0ixX78QL5Bu4bIDDZJRvOtKVbSQIYibxqedxqgz
TwMouzW8LL-KuYtbL4WYBzKd0QqOKZsX293baJUsWtlyNOud-7iNu5kbmHM-4YIRZBx8bI7ZeAHindcZ
vNbMi0tJS_EcdQgvlsvqB0wtphndQ8rEFUglTK3vfiEpFChN_oVr5T2ovBcs5plcxAbelKZzDO0AkeyO
xXBz_0xUd8X3WYDU23I03uLWsoqLD07S8dfMi77nZld7-dvjkbWuaeKygRLt8kgUYdgdelfwQ70g6fw8
hC-K9_Wv_I
```

Figure 3: Ten major processes (1.0 to 10.0) and their data stores.

Diagram 4 - DFD Level 2 - Incident Management Detail

Process 2.0 is expanded into eight sub-processes. 2.2 enforces the business rules that were proven in the unit validators (phone normalisation, enum checks, coordinate ranges, and rejection of forged status/ownership/location fields). 2.6 calls the AI risk service with real incident factors and receives a 0-100 score plus a level. 2.8 links assignments and, with 2.6, re-evaluates risk after each transition.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
`http://www.plantuml.com/plantuml/png/fLPRR-9657xthpZY8Ssga0kvgkgkrk...`
to
`http://www.plantuml.com/plantuml/png/~1fLPRR-9657xthpZY8Ssga0kvgkgkrk...`

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPRR-9657xthpZY8Ssga0kvgkgkrk096ONoo3Q9KbbQpTe3J6DcsB61qgh_IMTyYUscVLWj3y6UxpIN
xvmXdxESwNoxJgsVuECFVD0SVFiXkBS3-ux009mx1wRaYKnX2CVK7LE7k24ysguz8O_cql6XJQSva3ew
UlxHw2kHS8Y5ZbDkPQz2RfXcQrWhgUALLciEkTwsaMp54hKNSWaBbcPjHFCuPtAPSiZB0XYn-7MYrLOc
OvKg3SyhaNDphdJ2TNaslf5a_TtsdYIDbes7vNTxO36w-6vxgpJhZMb8VoCkdC8y87uFM5Oyr33stvyG
T_m2FWbcdkjKdBUtccWxZzlbGUZReLTIYXFBgWliEKEejlrmwepQ87j3OJvpx92Kf7c7TGLs4D29-rWx
iJlImfSbhF2SG4lknmCCEVjugiWFSWEk5z8wExp1wRa5maM0r2IU69-UH7Fi4Cujafv3PyBnB74RooPvI
fw0U0N5zEhwlgCCkzIAIC-87sBXtJY-wpCj81g4TpeD8Fdl-mztKUww8brtYLIIZPnUTtjCP764gDA0Z
EgNXIlyM_wlAI8-dJuC5qbWJ189B5oeK-dKogNis6rrsJcqZUOygU_uAsPEpv3dKd5VMclxsDP2DP9AVK
VMYujvqEsnIAH52Y9pekzRUfXVi-A3yGQyvo3XkMh-epooYABv-C3F0Bz08ImCnyjkLP3iVvOSFx4AFH
Kkb3Fv89ps8jDhbGiW-fGWIVFIGiOrmw6HedckqnoY5LB37Oi8r9fTSi5NzY7YibqVqEtnAJ5vVRTOP1
y8jh4KEiSF64D9366ddMnyn-nu8ZkL1woHFSVfPlizDjnZLDJkjysY4lJCWwGWBubnduee1nXGnCNUn1
s1oZ2EOuusZWavddXyl1bJ3ZVZ2icz9uthO68KKkM8f5v2MhzdLjI4B6U6tA74G2FqCqxUk2XjeXQr5S
1XaSuxVOSQYjJ5Dss9A5m8mqtoYDHTYnYB5e3n30T11ArmMAytXR71-TcR2yHrFcrXLrUKj0Lfahxro
2dx54QawDZmxHqEHZaIMVwpqxq6lFqrxfrqMgzjs9UhlRgemkZKEMx9YCEHmJzullpJ7mANZkbs1CN6BI
DvTTXoyF-4F2P2PCev2CYgDvhDQRbEVSL7Fv7zMKsJPeBMLn3F7AZD7_IhZHV3Vu9Fc-Np6JqQ7jwjPm
CPbo8KqltcCioyHlhetKLS6TLkAt8bsMjtJBPE66fRKd9S_K68dyaE3uXrKR1bVQ9wjO2SoyTMCGeTo
NL867AT_M-nGeNIZJYbtsUqcw-scs9IEpas0hj8c3nEiQYCcer8SMxMNNFVUq4gXXKXphk7heSPRCrUK
WyVDn8EilwQ6UYnQ9fMb3Ub_DRLCDhiehRriLAvloFI5EKL3akLBc8_owht5stJBpsSb9UdqJv8hGTE-a
cXiCz9dB1F_N-m
```

Figure 4: Expansion of process 2.0 with create, validate, persist, workflow, visibility, risk, history and assignment sub-processes.

Diagram 5 - DFD Level 2 - Admin Dashboard & Reports Detail

9.1 aggregates real counts across seven collections. 9.2-9.5 wrap the management end points and always write an ADMIN LOG entry. 9.6 snapshots seven data stores and stores the report metadata together with its snapshot in D9; 9.7 exports it as CSV/PDF/JSON. 9.8 is the read-side of the audit trail.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
http://www.plantuml.com/plantuml/png/fLPTRzis57tNhxZmGzTkYxtuAtQnRf...
to
http://www.plantuml.com/plantuml/png/~1fLPTRzis57tNhxZmGzTkYxtuAtQnRf...

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPTRzis57tNhxZmGzTkYxtuAtQnRfKbsT6Mo8Oa9okW5rQYRQ8IvL5qis3TVnyfMX7fsWz53IGmT0xl
FJptaFBxYYF63qLk_G3llkCZbaDe_ndTsf4zz-0AtBaBTzw3TmTzU6sxztu0hXtTpfPswC8h2BtLCeoZ
Du8vU_NulSrt9CEG4fRcsAe-4Rf731LGbBHCTwmiC71sq95gXxBoYT0jR51UwGZ3AKTqcsFurmAOeVJJ
WfK7cZbbNZ9ut16EvVEIPPyfPxDSaAp_zEgyP6ZRLjX-SmMKYXBVIDvlopgrstuKXtQy33k0AgYVM5OZ
hEDUmpHo5BPSPnhG1pzmVDSBuXhq3N00thqNBhp0-G3ECeXjHx4SWpKKmusSjGUnPz_NU6pWOvZRZd_d
nnzgS6w0Dn0iOt_kEtRiBuEQ41Y42Qo3Ec8gGMeBeK6PwfW9NV-YI82xvQ9nPcPPxTGxq-vrGkt58IGM
Tkmbz2MqDNqrIJR9_OHA9nDwRmVsGjXpD6urxPI4GKARRPyX3qpoCA7II3F4eKaS9RIPLqAN3ruO-OIR
XZioKUE4AbylAaReXQt3g-dOfDwqLE-l5ojNqnkJDX5EhLq_bcuczC7t7e-PMaqdbZZJL-e36Qfs7ql4
ikQ9fOPmTVMRT1JUGcVXnT13Uz93MK5exsL5nv84IHGvbSHKd0KEXmgpgiLy7VluB4uWueSAUh1df6l4
FxVKMAToZ0gjp5p7DYWbEU44QuH09z2lamr94ISbrJWoZ9fGMg4D5jVAlcHSOydSIPRm4mkQEBdaSwrJ
EVEhSEte3Dfk6TuYZZFu8n83quqj41MvBcl5SyxsppXREmUIAunOkliPzcBz6ochhviiidX9Qj_pxWDc9
ghggB0CvgRWmcM6A2goATBljtI9oMm-gUzXdefXGheIRI8eJhbrTdMdwG9yAmoWJpPx4EB4fgAvqNFbS
YrABJxKqbEwF9rA6vwlyP6EevyPK8S7JBdATxA0hh1j8uAZEw3uwCoL2K_5Aexo2ds1bnyujz5lcPS-H
dlbJGQEI13Mrkgf2Dzs90tnYOQq1vJcqZNIGTDG2TypnsRIDPOtLCZ8sSbpGssAA6L8InthKAehsrQxa
BU1V0fnBG7m9c5y2Waj0Stg_Hew07uZhFeO2SoH2ZSHyJEgf-yg0Rhj_tVQncg1a0CbESd5p9XUDdMz9
riF_oEy9_NrJiWBnTqxqy6Nbph-eMqAkrsJNCT6LtkXTDZdY75FW9OWgOIIYZIZVLhgmAoN1t9CglCGR
Glp4edc9CYD1w90H3hB6kGnDpknPSEIOJuoBixsYAfobbv9YdEeKVztF13-P4YSDB8BEwhl6Uezf9du5
_m
```

Figure 5: Expansion of processes 9.0 and 10.0 (dashboard, management, report generation, export and audit log).

Diagram 6 - DFD Level 2 - Notifications & AI Risk Detail

6.1 materialises a notification record from the incident event plus primary-contact and recipient lookups; 6.2 dispatches to SMS/email only when a provider is configured and 6.3 records the provider response (SENT/DELIVERED/FAILED/NOT_CONFIGURED). On the risk side, 7.1 collects the live factor vector - incident location/type, nearby verified reports, nearby operational facilities and the active-incident count - 7.2 calls /risk/assess, and 7.3 persists the score and raises CRITICAL/HIGH alerts back into the notification path.

The plugin you are using seems to generated a bad URL.
This URL does not look like DEFLATE data.
It looks like your plugin is using HUFFMAN encoding.

This means you have now to add an header ~1 to your data. For example, you have to change:
http://www.plantuml.com/plantuml/png/fLPTQzj857tNhXZu8UjGqYGsnALqbo...
to
http://www.plantuml.com/plantuml/png/~1fLPTQzj857tNhXZu8UjGqYGsnALqbo...

It will work this way
You may contact the PlantUML team at plantuml@gmail.com
But you should also probably contact the plugin authors you are currently using and send them this image

For the record, here is your data:

```
fLPTQzj857tNhXZu8UjGqYGsnALqbohos1dglaQl4xeObbvx0oHPyH8JWXb__kUaPHOohBBblh1bdJE
_JvtvCzb9MnrsEVUB_JhJtnWJh7_9Rdn4t_6w8ocioajs2rRq8Y6OPJo6G_yb4TXGYVaSufvykKKIEkJ
kvyDVQysaZ9birnvwOFIXR1YJtkZJNPiPlvIPGzTfBmN6_Eaz8ws8Y-xY9LP9VGkb_JT8xeMsSFSceFU
12OtbkxkLINTSsCtqZRFhdEGIB-wtYjZnUxeOVV37aG65pzixpLcWu2d_7SMqZcj4XOFI9JrnGIClh9u
piBW6yKiMKRXjEMythqGawy9pVsKtVdVQWBkZpvylg1b7Dto5_FwaUUz53-OZeY70U0mhN4-IUw04-eg
eYQ4FSAOZda6KPZwGUCcwB4kEoNsW0-q2ciTncmPnOtfAkvhHcZc1tp1qwQw6K3IEFx1rVIBjGvYXWQi
zJ-INLvTziaZa6_yC6IBjPxoPEcdmKtB7FMPuxLEKZzT9MiTio2AforjtALDwkZHOi62TAsHQ1h5IKES
NFQ9Y9p03QEJjQxthQMD-hln2vUkuj3nbYnEU9Asp76ly7Or2OszvG6hEJxtiADdpOUqgTHMPQ9IHjCs
DqyLY8SXu_etrxwl0EbCsochaw-uhjSws5cfQZa1jh4iLCTolVPFSBAPud02_gsXLLxOPyfCxcg2waeQ
EZsUazmBbOE-wjFDavQMtc61oy9ex0QfJjdm7EfO49TZyH1LfVq2K3gMwKZ5m1pL9QPbJeLupeq0xZd0
4LmU7vIrf6Aej5TOyAXSGcMxLxc3hQXpQyRQHkNgKA0VHf2ggmQktPfL0gGlx3uyDyN_vX9YQ5hP-cgQK
iYvYt6t8QZc5mDjXO3u9rXLDdh85lsKnc-9wXh3kejw2Fx2BCpvV0K9Adjji--WH9j16LFXD5yKOWKcxW
-TKbx5wFcgwjA4krqz366zKckjA3EAqg7_v5TPE-wdBJfl2EgkT2uWUYCbPLpv1Ft3T28v4oebjP60kv
Qldido3E-ZnJl5ix5JbU7fdALQNaaVqc5GWN8pfMbE4aTtEQj5ARr8FSDgVgetG_3cscY5e1BgC44t55
dwD3iaG_07lilyXNql3YxFBYUxGrvcXRVII2zNQikci5NXGu_1pOg83tLF2QfYCVIUs6rHv4Bcr5mo36
EoRm5v373P_VE2bybdg3Vn5_0
```

Figure 6: Expansion of processes 6.0 and 7.0 (notification dispatch/status and AI risk factor collection/scoring).

Source Files and Reproduction

All diagrams were generated from PlantUML sources maintained under documentation/chapter6_diagrams_bw/*.puml. They can be re-rendered by pasting a source into the PlantUML server, or inside draw.io (Arrange > Insert > Advanced > PlantUML). The matching SVG and PNG files are kept in the same folder as build artefacts. Because the sources live in the repository, every diagram is version-controlled and reproducible by the examiner.