

Frequently Asked Java Programs for QA

Top 10 numbers Questions

1. Swap two numbers

Input: a = 100, b= 200;

Output: a = 200, b= 100;

```
public static void main(String[] args) {
    int a = 100, b = 200;
    System.out.println("After swapping, a = " + a + " and b = " + b);
    // 1. Swapping using three Variables
    int temp = a;
    a = b;
    b = temp;
    System.out.println("After swapping, a = " + a + " and b = " + b);
    // 2. Using Two Variables
    a = a + b;
    b = a - b;
    a = a - b;
    System.out.println("After swapping, a = " + a + " and b = " + b);
    // 3. Swapping a and b using XOR
    a = a ^ b;
    b = a ^ b;
    a = a ^ b;
    System.out.println("After swapping, a = " + a + " and b = " + b);
}
```

2. Armstrong number -

Armstrong number is a number that is equal to the sum of cubes of its digits.

Input: 153 , **Output:** Yes

153 is an Armstrong number. ==> $(1*1*1) + (5*5*5) + (3*3*3) = 153$

```
public static void main(String[] args) {
    int sum = 0, res, temp;
    int num = 153; // It is the number to check Armstrong
    temp = num;
    while (num > 0) {
        res = num % 10;
        num = num / 10;
        sum = sum + (res * res * res);
    }
    if (temp == sum)
        System.out.println(temp + " is armstrong number");
    else
        System.out.println(temp + " is Not armstrong number");
}
```

3. Fibonacci Series –

In Fibonacci series, next number is the sum of previous two numbers

Input = First 10 Numbers

Output = 0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55 etc.

The first two numbers of Fibonacci series are 0 and 1.

```
public static void main(String[] args) {  
    int num1 = 0, num2 = 1, num=10;  
    for (int i = 0; i <= num; i++) {  
        System.out.print(num1 + " ");  
        int num3 = num2 + num1; // Swap  
        num1 = num2;  
        num2 = num3;  
    }  
}
```

4. Reverse a numbers and Number is Palindrome or Not.

Input = 12321

Output =12321

```
public static void main(String[] args) {  
    int num = 12321;  
    // 1. Reverse a Number Using the While Loop reversed number  
    int rev = 0;  
    int temp = num;  
    int rem; // remainder  
    while (num > 0) {  
        rem = num % 10;  
        rev = (rev * 10) + rem;  
        num = num / 10;  
    }  
    System.out.println("Reversed Number is " + rev);  
    // Verify number is palindrome or not  
    if (rev == temp) {  
        System.out.println("palindrome number ");  
    } else {  
        System.out.println("not palindrome");  
    }  
}
```

5. Factorial Number

Factorial Program in Java: Factorial of n is the product of all positive descending integers.

Input = 5!

Output = 5! = 5*4*3*2*1 = 120

```

public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
System.out.println("Enter number which you want for Factorial: ");
int num = sc.nextInt();
int fact = 1;
for (int i = 1; i <= num; i++) {
fact = fact * i;
}
System.out.println("Factorial of" + num + " is " + fact);
}

```

6. OddEvenNumbers

Input = 11

Output = Given number is odd number

```

public static void main(String[] args) {
// 1. Using Brute Force Approach
Scanner sc = new Scanner(System.in);
System.out.println("Enter Number:-");
int num = sc.nextInt();
if (num % 2 == 0) // Brute Force Approach
{
System.out.println("Given is even number");
} else {
System.out.println("Given number is odd number");
}
}

```

7. Prime Number

Prime number is a number that is greater than 1 and divided by 1 or itself only.

Input = 31, Output = The number is prime.

```

public static void main(String[] args) {
int num = 31;
int count = 0;
if (num <= 1) {
System.out.println("The number is not prime");
return;
}
for (int i = 2; i <= num / 2; i++) {
if (num % i == 0)
count++;
}
if (count > 1) {
System.out.println("The number is not prime");
} else {
System.out.println("The number is prime");
}
}

```

8. Largest number from 3 number/ given list

```
public static void main(String[] args) {
// TODO Auto-generated method stub
// 1. By using if else condition
int num1 = 7, num2 = 9, num3 = 10;
if( num1 >= num2 && num1 >= num3)
System.out.println(num1 + " is the largest number.");
else if (num2 >= num1 && num2 >= num3)
System.out.println(num2 + " is the largest number.");
else
System.out.println(num3 + " is the largest number.");

// 2. Using Collections.max() method and ArrayList
ArrayList<Integer> x = new ArrayList<>();
x.add(12);
x.add(22);
x.add(54);
System.out.println(Collections.max(x)+ " is the largest number.");
}
```

9. Sum of Digits

Sum of all given numbers.

Input = 987

Output = 24

```
public static void main(String[] args) {
int n = 987;
int sum = 0;
while (n != 0) {
sum = sum + n % 10;
n = n / 10;
}
System.out.out.println("Using While:- " + sum);
}
```

10.Count digits in an integer number

Input = 29845315, **Output** = 8

```
public static void main(String[] args) {
// TODO Auto-generated method stub
long num = 29845315;
int count = 0, num2 = 298453;
// 1. by using while loop
while (num != 0) {
```

```

num = num / 10;
count++;
}
System.out.println("Number of digits : " + count);
// 2. Converting given number to string solution to count digits in an integer
String result = Integer.toString(num2); // calculate the size of string
System.out.println(+result.length());
}

```

Top 15 String Questions

1. Reverse a string

Input = mama

Output = mama

```

public static void main(String[] args) {
    String str = "mama";
    String s2 = "";
    // 1. by using the charAt() method
    for (int i = str.length() - 1; i >= 0; i--) {
        s2 = s2 + str.charAt(i); // extracts each character and store in string
    }
    System.out.println("Reversed word: " + s2);
    // below is code to check weather given string is Palindrome or not
    if (str.equalsIgnoreCase(s2)) {
        System.out.println("String is Palindrome");
    } else {
        System.out.println("String is not Palindrome");
    }
}
// 2. Using built in reverse() method of the StringBuilder class:
String input = "Welcome To Jave Learning";
StringBuilder input1 = new StringBuilder();
input1.append(input); // append a string into StringBuilder input1
input1.reverse();
System.out.println(input1);

```

// 3. Using StringBuffer:

```

String strText = "Java Learning";
// conversion from String object to StringBuffer
StringBuffer sbr = new StringBuffer(strText);
sbr.reverse();
System.out.println(sbr);

```

2. Remove space form given string

Input String = "hello java Learning "

Output String = "hellojavaLearning"

```
public static void main(String[] args) {  
    System.out.println("Enter String ");  
    Scanner sc = new Scanner(System.in);  
    String input = sc.nextLine();  
    System.out.println("Original String- " + input);  
    input = input.replaceAll("\\s", "");  
    System.out.println("Final String- " + input);  
}
```

3. Finding Common Elements in Arrays

Input =

array1 = { 4, 2, 3, 1, 6 }; array2 = { 6, 7, 8, 4 };

Output = 6,4

// By using the for loop

```
Integer[] array1 = { 4, 2, 3, 1, 6 };  
Integer[] array2 = { 6, 7, 8, 4 };  
List<Integer> commonElements = new ArrayList<>();  
for (int i = 0; i < array1.length; i++) {  
    for (int j = 0; j < array2.length; j++) {  
        if (array1[i] == array2[j]) {  
            commonElements.add(array1[i]);  
        }  
    }  
}  
System.out.println("Common Elements for given two array List is:" +  
commonElements);
```

// by using ArrayList with retainAll method

```
ArrayList<Integer> list1 = new ArrayList<>(Arrays.asList(array1));  
ArrayList<Integer> list2 = new ArrayList<>(Arrays.asList(array2));  
list1.retainAll(list2);  
System.out.println("Common Elements:" + list1);
```

// By using Java Stream

```
String[] array3 = { "Java", "JavaScript", "C", "C++" };  
String[] array4 = { "Python", "C#", "Java", "C++" };  
ArrayList<String> list3 = new ArrayList<>(Arrays.asList(array3));  
ArrayList<String> list4 = new ArrayList<>(Arrays.asList(array4));  
List<String> commonElements1 =  
list3.stream().filter(list4::contains).collect(Collectors.toList());  
System.out.println(commonElements1);  
}}
```

4. Find first and last element of ArrayList in java

Input = array1 = { 4, 2, 3, 1, 6 };

Output = First is:4, Last is: 6

```
ArrayList<Integer> list = new ArrayList<Integer>(5);
```

```
// find first element
```

```
int first = list.get(0); //First Element
```

```
// find last element
```

```
int last = list.get(list.size() - 1); //last Element
```

5. Second Largest and Second Smallest Numbers:

```
// Code to find second largest and second smallest numbers in an array
```

```
int[] arrayList = { 4, 2, 3, 1, 0, 6, 12, 15, 20 };
```

```
int num=arrayList.length;
```

```
Arrays.sort(arrayList);
```

```
System.out.println("Second Largest element is "+arrayList[num-2]); //Display Second Smallest
```

```
System.out.println("Second Smallest element is "+arrayList[1]);
```

6. How to sort an Array without using inbuilt method?

Input = array[] = { 10, 5, 20, 63, 12, 57, 88, 60 };

Output = 5 10 12 20 57 60 63 88

```
int temp, size;
```

```
int array[] = { 10, 5, 20, 63, 12, 57, 88, 60 };
```

```
size = array.length;
```

```
for (int i = 0; i < size; i++) {
```

```
for (int j = i + 1; j < size; j++) {
```

```
if (array[i] > array[j]) {
```

```
temp = array[i];
```

```
array[i] = array[j];
```

```
array[j] = temp;
```

```
}}
```

```
for (int i = 0; i < array.length; i++) {
```

```
System.out.println("Array sorted: " + array[i]);
```

```
}
```

```
// Print 3rd Largest number from an Array
```

```
System.out.println("Third largest number is: " + array[size - 3]);
```

```
System.out.println("*****");
```

```
// sort array using the Arrays.sort method
```

```
Arrays.sort(array);
```

```
System.out.println("sorted array- " + Arrays.toString(array));
```

```
int thirdMaxNum=array[size-3];
```

```
System.out.println("Third highest array- " +thirdMaxNum );
```

7. Counting number of occurrences of given word in a string using Java?

String = "Java is a programming language. Java is widely used in software Testing";

Input = "Java", **Output** = 2

```
public static void main(String[] args) {  
    String string = "Java is a programming language. Java is widely used in software  
    Testing";  
    String[] words = string.toLowerCase().split(" ");  
    String word = "java";  
    int occurrences = 0;  
    for (int i = 0; i < words.length; i++)  
        if (words[i].equals(word))  
            occurrences++;  
    System.out.println(occurrences);  
}
```

8. Find each word occurrence from given string in string java

Input = "Alice is girl and Bob is boy";

Output = {Bob=1, Alice=1, and=1, is=2, girl=1, boy=1}

```
public static void main(String[] args) {  
    String str = "Alice is girl and Bob is boy";  
    Map<String, Integer> hashMap = new HashMap<>();  
    String[] words = str.split(" ");  
    for (String word : words) {  
        if (hashMap.containsKey(word))  
            hashMap.put(word, hashMap.get(word) + 1);  
        else  
            hashMap.put(word, 1);  
    }  
    System.out.println(hashMap);  
}
```

9. Reverse the entire sentence

Input = "India is country My"

Output = "My country is India"

```
public static void main(String[] args) {  
    String str[] = "India is country My".split(" ");  
    String ans = "";  
    for (int i = str.length - 1; i >= 0; i--) {  
        ans = ans + str[i] + " ";  
    }  
    System.out.println(ans.substring(0, ans.length() - 1));  
}
```


10. count the occurrences of each character?

Input = "This is an example";

Output = p = 1, a = 2, s = 2, T = 1, e = 2, h = 1, x = 1, i = 2, l = 1, m = 1, n = 1

```
public static void main(String[] args) {
    String str = "This is an example";
    HashMap<Character, Integer> count = new HashMap<Character, Integer>();
    // convert string to character array
    char[] arr = str.toCharArray();
    // traverse every character and count the Occurrences
    for (char c : arr) {
        // filter out white spaces
        if (c != ' ') {
            if (count.containsKey(c)) {
                // if character already traversed, increment it
                count.put(c, count.get(c) + 1);
            } else {
                // if character not traversed, add it to hashmap
                count.put(c, 1);
            }
        }
    }
    // traverse the map and print the number of occurences of a character
    for (Map.Entry entry : count.entrySet()) {
        System.out.print( entry.getKey() + " = " + entry.getValue()+" , ");
    }
}
```

11. Removing Duplicates from an Array

```
// using for loop
String[] strArray = {"abc", "def", "abc", "mno", "xyz", "pqr", "xyz", "pqr"};
//1. Using Brute Force Method
for (int i = 0; i < strArray.length-1; i++)
{
    for (int j = i+1; j < strArray.length; j++)
    {
        if( (strArray[i]==(strArray[j])) )
        {
            System.out.println("Brute Force Method : Duplicate Element is : "+strArray[j]);
        }
    }
}
// using HashSet
HashSet<String> hs = new HashSet<String>();
for (String arrayElement : strArray)
{
    if(!hs.add(arrayElement))
    {System.out.println("HashSet :Duplicate Element is : "+arrayElement);
    }
}
```

12. Reverse each word in a sentence

Input = "reverse each word in a string";

Output = "esrever hcae drow ni a gnirts"

```
public static void main(String[] args) {
    String str = "reverse each word in a string";
    String words[] = str.split("\\s");
    String reverseWord = "";
    for (String w : words) {
        StringBuilder sb = new StringBuilder(w);
        sb.reverse();
        reverseWord = reverseWord + sb.toString() + " ";
    }
    System.out.println(reverseWord.trim());
}
```

13. String Anagrams: Determine if two strings are anagrams of each other

Input =

String str1 = "Army";

String str2 = "Mary";

Output = army and mary are anagram.

```
public static void main(String[] args) {
    String str1 = "Army";
    String str2 = "Mary";
    str1 = str1.toLowerCase();
    str2 = str2.toLowerCase();
    // check if length is same
    if (str1.length() == str2.length()) {
        // convert strings to char array
        char[] charArray1 = str1.toCharArray();
        char[] charArray2 = str2.toCharArray();
        // sort the char array
        Arrays.sort(charArray1);
        Arrays.sort(charArray2);
        // if sorted char arrays are same, then the string is anagram
        boolean result = Arrays.equals(charArray1, charArray2);
        if (result) {
            System.out.println(str1 + " and " + str2 + " are anagram.");
        } else {
            System.out.println(str1 + " and " + str2 + " are not anagram.");
        }
    } else {
        System.out.println(str1 + " and " + str2 + " are not anagram.");
    }
}
```

14. How to print duplicate characters from the string?

Input = "apple is fruit";

Output = p i

```
public static void main(String[] args) {
    String str = "apple is fruit";
    char[] carray = str.toCharArray();
    System.out.println("The string is:" + str);
    System.out.print("Duplicate Characters in above string are: ");
    for (int i = 0; i < str.length(); i++) {
        for (int j = i + 1; j < str.length(); j++) {
            if (carray[i] == carray[j]) {
                System.out.print(carray[j] + " ");
                break;
            }
        }
    }
}
```

15. Find and print the largest element in an array.

// Initialize array

```
int[] arr = new int[] { 25, 11, 7, 75, 56 };
```

// Initialize max with first element of array.

```
int max = arr[0];
```

// Loop through the array

```
for (int i = 0; i < arr.length; i++) {
```

// Compare elements of array with max

```
if (arr[i] > max)
```

```
    max = arr[i];
```

```
}
```

```
System.out.println("Largest element present in given array: " + max);
```

16. Java program to split an alphanumeric digit without using split method

Input = "Welcome234To567Java89Programming0@#!";

Output =

WelcomeToJavaProgramming

234567890

@#!

```
public static void main(String[] args) {
    String str = "Welcome234To567Java89Programming0@#!";
    StringBuffer alpha = new StringBuffer(), num = new StringBuffer(), special = new
    StringBuffer();
    for (int i = 0; i < str.length(); i++) {
```

```
if (Character.isDigit(str.charAt(i)))  
    num.append(str.charAt(i));  
else if (Character.isAlphabetic(str.charAt(i)))  
    alpha.append(str.charAt(i));  
else  
    special.append(str.charAt(i));  
}  
System.out.println(alpha);  
System.out.println(num);  
System.out.println(special);  
}
```