

BLOCK ELEMENTS (MOST COMMONLY USED FIRST)

<div>: A generic container for flow content.

<p>: Paragraph.

<h1>, <h2>, <h3>, <h4>, <h5>, <h6>: Headings.

: Unordered list.

: Ordered list.

: List item.

<form>: A section containing form controls.

<table>: Table.

<section>: A standalone section of a document.

<header>: A container for introductory content or a set of navigational links.

<footer>: Footer of a section or page.

<nav>: A section of a page that contains navigation links.

<article>: A self-contained composition in a document.

<aside>: A section of a page that contains information indirectly related to the main content.

<main>: The main content of a document.

<fieldset>: A set of form controls grouped under a common name.

<blockquote>: A block of text that is a quotation from another source.

<pre>: Preformatted text.

<canvas>: A container used to draw graphics via JavaScript.

<dl>: Description list.

<dt>: Term in a description list.

<dd>: Description in a description list.

<figure>: Any content that is referenced from the main content.

<figcaption>: A caption for a <figure> element.

<address>: Contact information for the author or owner of the document.

<hr>: A thematic break or a horizontal rule.

<tfoot>: Footer of a table.

INLINE ELEMENTS (MOST COMMONLY USED FIRST)

<a>: Anchor or hyperlink.

: Image.

: Generic inline container.

<input>: Input field.

<label>: Label for a form element.

: Strong emphasis.

: Emphasized text.

**
: Line break.**

<code>: Code snippet.

: Bold text.

<i>: Italic text.

<u>: Underlined text.

<small>: Smaller text.

<sub>: Subscript.

<sup>: Superscript.

<mark>: Marked or highlighted text.

<q>: Short inline quotation.

<cite>: Citation.

<kbd>: Keyboard input.

<samp>: Sample output.

<var>: Variable in a mathematical expression or programming context.

<time>: Time.

<abbr>: Abbreviation.

<data>: Machine-readable translation of content.

<acronym>: Acronym (Not supported in HTML5).