

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering
CO1 ASSESSMENT TOOL 2 – Agile Sprint Planning & User Story Workshop

Course Code:	CSA10 / CSA1063	Course Title:	Software Engineering
CO Assessed:	CO1	Assessment:	Assessment Tool 2 – Agile Sprint Planning & User Story Workshop
Weightage:	20%	Total Marks:	25
CO1 Statement:	<i>Apply advanced methodologies and agile project management techniques to manage software projects effectively</i>		
Student Name:	VIVETHA B	Reg. No.:	192424170
Date:		Duration:	60 minutes

Code of Conduct

I VIVETHA B 192424170 (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: VIVETHA B

Annexure A – Agile Sprint Planning & User Story Workshop

PHISHING EMAIL DETECTION AND CYBER THREAT INTELLIGENCE SYSTEM

1. Identify the Project Vision and Stakeholders

- Define the project's vision, objectives, and identify all key stakeholders involved.

Project Vision

The vision of the **Phishing Email Detection and Cyber Threat Intelligence System** is to develop a smart and reliable software system that can automatically identify phishing emails and analyse cyber threat information. The system aims to protect users and organizations from malicious emails, fake links, suspicious attachments, credential theft, and other cyber threats by using **machine learning, email analysis, and cyber threat intelligence**.

Project Objectives

- **Detect phishing emails automatically** by analysing email content, sender information, URLs, and attachments.
- **Classify emails** as legitimate or phishing based on identified characteristics and threat indicators.

- **Analyse suspicious URLs and domains** to identify potentially harmful websites.
- **Use Cyber Threat Intelligence (CTI)** such as malicious IP addresses, domains, URLs, and known threat indicators to improve detection.
- **Provide alerts and warnings** when a potentially dangerous email is detected.
- **Reduce human error** by helping users identify phishing attempts before interacting with them.
- **Maintain threat reports and detection history** for further analysis and security monitoring.
- **Improve detection accuracy over time** using machine-learning models and updated threat intelligence.

Key Stakeholders

Stakeholder	Role / Interest in the Project
End Users / Employees	Use the system to check emails and receive phishing warnings.
System Administrator	Manages users, system settings, security policies, and system operations.
Cybersecurity Analysts	Investigate detected phishing emails and analyze threat intelligence.
Security Operations Team (SOC)	Monitors security alerts and responds to potential cyber threats.
IT Team	Handles system integration, deployment, maintenance, and technical support.
Project Manager	Plans, coordinates, and monitors the development of the system.
Software Developers	Design, develop, test, and maintain the application.
Data Scientists / ML Engineers	Develop and train machine-learning models for phishing detection.
Organization Management	Provides resources and ensures that the system supports organizational security goals.
Threat Intelligence Providers	Provide information about malicious URLs, domains, IP addresses, malware, and other threats.

2. Create Epics and User Stories

- Break down the requirements into Epics and formulate well-structured User Stories using the format:

As a <user>, I want <feature>, so that <benefit>.

For the **Phishing Email Detection and Cyber Threat Intelligence System**, the requirements can be divided into the following major **Epics** and **User Stories**.

Epic 1: User Registration and Authentication

Purpose: Allow users to securely access the system.

- **US1:** As a **user**, I want to create an account, so that I can securely access the phishing detection system.
- **US2:** As a **user**, I want to log in using my credentials, so that only authorized users can access the system.
- **US3:** As an **administrator**, I want to manage user accounts and roles, so that system access can be controlled securely.

Epic 2: Phishing Email Detection

Purpose: Identify whether an email is legitimate or potentially phishing.

- **US4:** As a **user**, I want to upload or submit an email, so that the system can analyze it for phishing threats.
- **US5:** As a **user**, I want the system to analyze email content, so that suspicious messages can be identified.
- **US6:** As a **user**, I want the system to analyze the sender's email address, so that suspicious or spoofed senders can be detected.
- **US7:** As a **user**, I want the system to analyze links contained in emails, so that malicious URLs can be identified.
- **US8:** As a **user**, I want the system to classify an email as **Phishing or Legitimate**, so that I can decide whether it is safe to interact with.

- **US9:** As a **user**, I want to receive a risk score for an email, so that I can understand the severity of the detected threat.

Epic 3: Machine Learning-Based Analysis

Purpose: Use machine learning to improve phishing detection.

- **US10:** As a **security analyst**, I want the system to use a trained machine-learning model, so that phishing emails can be detected automatically.
- **US11:** As a **system administrator**, I want to update the detection model with new datasets, so that the system can adapt to new phishing patterns.
- **US12:** As a **security analyst**, I want to view model performance metrics, so that I can evaluate the accuracy and reliability of phishing detection.

Epic 4: Cyber Threat Intelligence

Purpose: Collect and analyze information about known cyber threats.

- **US13:** As a **security analyst**, I want the system to collect threat intelligence data, so that known cyber threats can be identified.
- **US14:** As a **security analyst**, I want to check URLs, domains, and IP addresses against threat intelligence data, so that known malicious indicators can be detected.
- **US15:** As a **security analyst**, I want to view threat indicators, so that I can investigate suspicious activities.
- **US16:** As a **security analyst**, I want threat intelligence to be updated regularly, so that the system can detect newly identified threats.

Epic 5: Alert and Notification Management

Purpose: Notify users and security teams about detected threats.

- **US17:** As a **user**, I want to receive a warning when a phishing email is detected, so that I can avoid interacting with it.
- **US18:** As a **security analyst**, I want to receive high-risk alerts, so that I can investigate serious threats quickly.

- **US19:** As an **administrator**, I want to configure alert settings, so that notifications can be managed according to organizational requirements.

Epic 6: Threat Investigation and Reporting

Purpose: Help cybersecurity teams investigate and document detected threats.

- **US20:** As a **security analyst**, I want to view detailed analysis of suspicious emails, so that I can investigate their characteristics.
- **US21:** As a **security analyst**, I want to view detection history, so that I can track previously identified threats.
- **US22:** As a **security analyst**, I want to generate threat reports, so that security incidents can be documented and reviewed.
- **US23:** As a **security analyst**, I want to filter threats based on severity and type, so that important incidents can be investigated quickly.

Epic 7: Dashboard and System Monitoring

Purpose: Provide an overview of phishing detection and cyber threats.

- **US24:** As a **security analyst**, I want to view a dashboard containing phishing statistics, so that I can monitor the current security situation.
- **US25:** As an **administrator**, I want to view system activity, so that I can monitor the performance and usage of the system.
- **US26:** As a **security analyst**, I want to view the number of detected phishing emails and threats, so that I can identify security trends.

3. Define Acceptance Criteria

- Write clear and measurable acceptance criteria for each selected user story using the Given–When–Then format or equivalent.

Below are clear and measurable acceptance criteria for the selected user stories of the **Phishing Email Detection and Cyber Threat Intelligence System**.

Epic 1: User Registration and Authentication

US1 – User Registration

As a user, I want to create an account, so that I can securely access the phishing detection system.

- **Given** the user is on the registration page, **When** valid details are entered and submitted, **Then** the system should create the user account successfully.
- **Given** an email address is already registered, **When** the user attempts to register again, **Then** the system should display an appropriate error message.
- **Given** required fields are empty, **When** the user submits the form, **Then** the system should identify the missing fields.

US2 – User Login

As a user, I want to log in using my credentials, so that only authorized users can access the system.

- **Given** a registered user has valid credentials, **When** they log in, **Then** the system should grant access to the dashboard.
- **Given** invalid credentials are entered, **When** the user attempts to log in, **Then** the system should deny access and display an error message.
- **Given** the user is not authenticated, **When** they try to access the dashboard, **Then** the system should redirect them to the login page.

Epic 2: Phishing Email Detection

US4 – Submit Email for Analysis

As a user, I want to upload or submit an email, so that the system can analyze it for phishing threats.

- **Given** the user is logged in, **When** they upload a supported email file, **Then** the system should accept the file and begin analysis.
- **Given** an unsupported or invalid file is uploaded, **When** the user submits it, **Then** the system should display an error message.
- **Given** a valid email is submitted, **When** analysis is completed, **Then** the system should display the detection result.

US5 – Analyze Email Content

As a user, I want the system to analyze email content, so that suspicious messages can be identified.

- **Given** an email has been submitted, **When** the analysis starts, **Then** the system should examine the email text and relevant characteristics.
- **Given** suspicious phrases or patterns are detected, **When** analysis is completed, **Then** the system should identify them as potential phishing indicators.
- **Given** no significant suspicious indicators are found, **When** analysis is completed, **Then** the system should report a lower-risk result.

US7 – Analyze URLs

As a user, I want the system to analyze links contained in emails, so that malicious URLs can be identified.

- **Given** an email contains one or more URLs, **When** the email is analyzed, **Then** the system should extract the URLs.
- **Given** a URL matches known malicious indicators, **When** it is checked, **Then** the system should mark it as suspicious or malicious.
- **Given** no suspicious URLs are found, **When** the analysis is completed, **Then** the system should report that no malicious URL was detected.

US8 – Email Classification

As a user, I want the system to classify an email as Phishing or Legitimate, so that I can decide whether it is safe to interact with.

- **Given** an email has been analyzed, **When** detection is completed, **Then** the system should classify it as **Phishing** or **Legitimate**.
- **Given** the system identifies phishing indicators, **When** classification is performed, **Then** the result should indicate **Phishing**.
- **Given** no significant phishing indicators are identified, **When** classification is performed, **Then** the result should indicate **Legitimate**.

US9 – Risk Score

As a user, I want to receive a risk score for an email, so that I can understand the severity of the detected threat.

- **Given** an email has been analyzed, **When** the analysis is complete, **Then** the system should generate a risk score.

- **Given** multiple high-risk indicators are identified, **When** the risk score is calculated, **Then** the email should receive a higher risk rating.
- **Given** few or no suspicious indicators are identified, **When** the risk score is calculated, **Then** the email should receive a lower risk rating.

Epic 3: Machine Learning-Based Analysis

US10 – Machine Learning Detection

As a security analyst, I want the system to use a trained machine-learning model, so that phishing emails can be detected automatically.

- **Given** a trained model is available, **When** an email is submitted, **Then** the system should process it using the model.
- **Given** the model completes prediction, **When** the result is returned, **Then** the system should display the predicted classification.
- **Given** the model is unavailable, **When** an email is submitted, **Then** the system should show an appropriate error or fallback message.

US12 – Model Performance

As a security analyst, I want to view model performance metrics, so that I can evaluate the accuracy and reliability of phishing detection.

- **Given** test results are available, **When** the analyst opens the model performance section, **Then** the system should display relevant metrics.
- **Given** model evaluation is completed, **When** results are displayed, **Then** metrics such as accuracy, precision, recall, and F1-score should be shown where available.

Epic 4: Cyber Threat Intelligence

US13 – Collect Threat Intelligence

As a security analyst, I want the system to collect threat intelligence data, so that known cyber threats can be identified.

- **Given** a threat intelligence source is available, **When** the system performs an update, **Then** new threat indicators should be collected.
- **Given** new indicators are received, **When** the update is completed, **Then** the system should store the relevant indicators.
- **Given** the source is unavailable, **When** an update is attempted, **Then** the system should report the update failure.

US14 – Check Threat Indicators

As a security analyst, I want to check URLs, domains, and IP addresses against threat intelligence data, so that known malicious indicators can be detected.

- **Given** an indicator is submitted, **When** it is checked against the threat intelligence database, **Then** the system should return its status.
- **Given** the indicator is present in the malicious database, **When** the check is completed, **Then** the system should mark it as suspicious or malicious.
- **Given** the indicator is not found, **When** the check is completed, **Then** the system should report that it is not currently listed as malicious.

US16 – Update Threat Intelligence

As a security analyst, I want threat intelligence to be updated regularly, so that the system can detect newly identified threats.

- **Given** a configured threat intelligence source is available, **When** an update is scheduled, **Then** the system should retrieve the latest available indicators.
- **Given** new indicators are received, **When** the update finishes, **Then** they should be added without creating duplicate records.
- **Given** an update fails, **When** the process ends, **Then** the system should record or display the failure status.

Epic 5: Alert and Notification Management

US17 – Phishing Warning

As a user, I want to receive a warning when a phishing email is detected, so that I can avoid interacting with it.

- **Given** an email is classified as phishing, **When** detection is completed, **Then** the system should display a clear phishing warning.
- **Given** an email has a high-risk score, **When** the result is displayed, **Then** the system should clearly indicate the high-risk status.
- **Given** an email is classified as legitimate, **When** the result is displayed, **Then** the system should not show a phishing warning.

US18 – High-Risk Alert

As a security analyst, I want to receive high-risk alerts, so that I can investigate serious threats quickly.

- **Given** a threat reaches the configured high-risk level, **When** detection is completed, **Then** an alert should be generated.
- **Given** a high-risk alert is generated, **When** the analyst opens the alert, **Then** relevant threat details should be displayed.

Epic 6: Threat Investigation and Reporting

US20 – Detailed Threat Analysis

As a security analyst, I want to view detailed analysis of suspicious emails, so that I can investigate their characteristics.

- **Given** a suspicious email has been detected, **When** the analyst opens its details, **Then** the system should display available indicators and analysis results.
- **Given** URLs or suspicious sender information are detected, **When** the details are viewed, **Then** they should be included in the analysis.
- **Given** no additional indicators are available, **When** the analyst views the details, **Then** the system should clearly indicate that no additional indicators were found.

US21 – Detection History

As a security analyst, I want to view detection history, so that I can track previously identified threats.

- **Given** previous email analyses exist, **When** the analyst opens detection history, **Then** the system should display previous results.
- **Given** multiple records exist, **When** the analyst searches or filters them, **Then** the system should display matching records.
- **Given** no records match the search, **When** the search is performed, **Then** the system should display an appropriate "No results found" message.

US22 – Threat Reports

As a security analyst, I want to generate threat reports, so that security incidents can be documented and reviewed.

- **Given** threat records are available, **When** the analyst requests a report, **Then** the system should generate a report containing relevant threat information.
- **Given** the report is generated, **When** the analyst views it, **Then** it should include the detection result, risk level, and relevant indicators.
- **Given** there are no threat records, **When** a report is requested, **Then** the system should indicate that there is insufficient data.

Epic 7: Dashboard and System Monitoring

US24 – Security Dashboard

As a security analyst, I want to view a dashboard containing phishing statistics, so that I can monitor the current security situation.

- **Given** the analyst is authenticated, **When** they open the dashboard, **Then** the system should display phishing and threat statistics.
- **Given** detection records exist, **When** the dashboard loads, **Then** it should display relevant counts and risk information.
- **Given** new detection data is available, **When** the dashboard is refreshed, **Then** the displayed statistics should reflect the latest available data.

US26 – Threat Statistics

As a security analyst, I want to view the number of detected phishing emails and threats, so that I can identify security trends.

- **Given** detection data exists, **When** the analyst views statistics, **Then** the system should display the number of phishing and legitimate emails.
- **Given** threat records have different severity levels, **When** statistics are displayed, **Then** the system should distinguish the relevant risk levels.
- **Given** no detection data exists, **When** the statistics page is opened, **Then** the system should display zero or an appropriate "No data available" message.

4. Prioritize the Product Backlog

- Organize and prioritize the product backlog based on business value, customer needs, and project dependencies.

For the **Phishing Email Detection and Cyber Threat Intelligence System**, the product backlog is prioritized based on **business value, user/customer needs, security importance, technical dependencies, and implementation priority**.

Product Backlog Prioritization

Priority	ID	Product Backlog Item / User Story	Business Value	Dependency
1 – Critical	US2	User Login and Authentication	High – Protects system access	US1
2 – Critical	US4	Submit/Upload Email for Analysis	High – Core system functionality	US2
3 – Critical	US5	Analyze Email Content	Very High – Identifies phishing characteristics	US4
4 – Critical	US7	Analyze URLs in Emails	Very High – Detects malicious links	US4

5 – Critical	US8	Classify Email as Phishing/Legitimate	Very High – Main purpose of the system	US5, US7
6 – Critical	US9	Generate Phishing Risk Score	Very High – Helps users understand threat severity	US8
7 – High	US10	Machine Learning-Based Phishing Detection	Very High – Improves automated detection	US4, US5
8 – High	US14	Check URLs/Domains/IPs Against Threat Intelligence	Very High – Identifies known threats	US7
9 – High	US17	Phishing Warning/Alert	High – Protects users from interacting with threats	US8, US9
10 – High	US24	Security Dashboard	High – Provides an overview of threats	US8, US9
11 – High	US13	Collect Cyber Threat Intelligence	High – Provides threat information	US14
12 – High	US16	Update Threat Intelligence	High – Keeps threat data current	US13
13 – Medium	US20	Detailed Threat Investigation	Medium/High – Supports security analysts	US8, US14
14 – Medium	US21	Detection History	Medium – Helps track previous threats	US8

15 – Medium	US18	High-Risk Security Alerts	High – Enables quick response to serious threats	US9
16 – Medium	US22	Generate Threat Reports	Medium – Supports documentation and analysis	US20, US21
17 – Medium	US26	Threat Statistics and Trends	Medium – Helps identify security patterns	US21
18 – Medium	US12	ML Model Performance Metrics	Medium – Helps evaluate model quality	US10
19 – Low	US3	User and Role Management	Medium – Useful for administration	US1, US2
20 – Low	US19	Configure Alert Settings	Medium – Provides customization	US17

Priority Categories

❖ Critical Priority

These features are essential for the **Minimum Viable Product (MVP)**:

1. User authentication
2. Email submission
3. Email content analysis
4. URL analysis
5. Phishing/Legitimate classification
6. Risk scoring

Without these features, the main phishing detection system cannot function properly.

❖ High Priority

These features significantly improve the security capabilities:

1. Machine-learning-based detection
2. Cyber threat intelligence checking
3. Phishing alerts
4. Security dashboard
5. Threat intelligence collection and updating

These should be implemented after the basic detection functionality is working.

❖ **Medium Priority**

These features support investigation, monitoring, and reporting:

1. Detailed threat investigation
2. Detection history
3. High-risk alerts
4. Threat reports
5. Threat statistics
6. ML performance metrics

They add significant value but are not required for the basic detection process.

❖ **Low Priority**

These features can be implemented later:

1. Advanced user/role management
2. Custom alert configuration

They improve administration and customization but are less important than the core security features.

5. **Plan the Sprint Backlog**

- Select high-priority user stories for the first sprint and divide them into actionable development tasks.

- **Develop User Authentication:** Create a secure login and authentication module that allows authorized users to access the phishing email detection system and prevents unauthorized users from accessing sensitive security information.
- **Develop Email Submission Module:** Create a user-friendly interface where users can upload or enter suspicious emails so that the system can receive the email content and prepare it for further analysis.
- **Analyze Email Content:** Develop functionality to examine the sender address, subject, message body, suspicious words, urgent requests, and other characteristics that may indicate a phishing attempt.
- **Analyze Email URLs:** Develop a module that extracts links from emails and analyzes their domain names, URL structure, and other characteristics to identify potentially malicious or suspicious websites.
- **Integrate Machine Learning Model:** Prepare the phishing email dataset, preprocess the data, and integrate a machine-learning model that can automatically classify submitted emails as **Phishing** or **Legitimate**.
- **Implement Cyber Threat Intelligence:** Connect the system with available threat intelligence information to check suspicious URLs, domains, and IP addresses against known malicious indicators.
- **Generate Risk Score:** Develop a risk assessment mechanism that considers detected phishing indicators and generates a suitable **Low, Medium, or High Risk** level for each analyzed email.
- **Create Security Dashboard:** Design a dashboard that displays the email analysis result, phishing classification, risk score, suspicious URLs, threat indicators, and other important security information in an understandable format.
- **Perform Testing and Validation:** Test the complete system using different phishing and legitimate email samples to verify detection accuracy, identify errors, and ensure that all system modules work correctly.
- **Prepare Sprint Demonstration and Deliverable:** At the end of the sprint, integrate all completed modules and demonstrate a working prototype where a user can log in, submit an email, analyze its content and URLs, detect phishing threats, and view the final risk assessment.

6. Estimate Effort Using Story Points

- Assign story points to each selected user story using an appropriate estimation technique (e.g., Fibonacci sequence or Planning Poker) and justify your estimates.

For the **Phishing Email Detection and Cyber Threat Intelligence System**, the **Fibonacci sequence** is used for story point estimation: **1, 2, 3, 5, 8, 13**. Story points represent the **relative effort, complexity, uncertainty, and technical difficulty** of each user story.

Story Point Estimation

User Story	User Story Description	Story Points	Justification
US2	User Login and Authentication	3	Requires login interface, credential validation, authentication, and error handling. It has relatively low complexity.
US4	Submit/Upload Email	3	Requires an email submission interface, file validation, and handling of uploaded email data.
US5	Analyze Email Content	5	Requires extraction and analysis of sender details, subject, message body, keywords, and suspicious patterns.
US7	Analyze URLs	5	Requires URL extraction, URL validation, domain analysis, and identification of suspicious links.

US8	Classify Email as Phishing/Legitimate	8	Requires dataset preparation, preprocessing, machine-learning model integration, prediction, and classification.
US9	Generate Risk Score	5	Requires defining threat indicators, assigning risk values, calculating the overall score, and categorizing the result.
US14	Check URLs/Domains/IPs Against Threat Intelligence	8	Requires integration with threat intelligence sources and checking indicators against known malicious data.
US17	Phishing Warning and Alerts	3	Requires creating warning messages and displaying alerts when suspicious or high-risk emails are detected.
US24	Security Dashboard	5	Requires designing dashboard components, displaying statistics, and connecting analysis results to the user interface.
US21	Detection History	5	Requires storing previous analysis results and providing search/filter

			functionality for security analysts.
--	--	--	--------------------------------------

Total Story Points

$3 + 3 + 5 + 5 + 8 + 5 + 8 + 3 + 5 + 5 = 50$ Story Points

Therefore, the selected backlog contains **50 story points**.

Justification of the Estimation Technique

The **Fibonacci sequence** is suitable because the effort becomes more uncertain as the complexity increases. For example, a simple login feature can be estimated as **3 points**, while machine-learning classification is **8 points** because it involves more technical complexity, data preparation, model integration, and testing.

- **1–2 points:** Very simple tasks with minimal effort.
- **3 points:** Small tasks with limited complexity.
- **5 points:** Medium-complexity tasks requiring several development activities.
- **8 points:** Complex tasks involving integrations, machine learning, or significant uncertainty.
- **13 points:** Very large or highly uncertain tasks that should ideally be broken into smaller user stories.

7. Present the Sprint Goal and Expected Deliverables



- Define a clear sprint goal and describe the expected sprint deliverables, including the features to be completed at the end of the sprint.

Sprint Goal

The main goal of **Sprint 1** is to develop a working prototype of the **Phishing Email Detection and Cyber Threat Intelligence System** that can securely accept an email from a user, analyze its content and URLs, identify phishing indicators, classify the email as **Phishing or Legitimate**, and provide a clear **risk score** to help users understand the threat level.

Expected Sprint Deliverables

- **User Authentication Module:** A functional login system that allows authorized users to securely access the phishing detection platform.
- **Email Submission Module:** A working interface that allows users to upload or enter suspicious email content for analysis.
- **Email Content Analysis:** A completed module that analyzes sender details, subject, email body, suspicious keywords, and other phishing-related characteristics.
- **URL Detection and Analysis:** A functional feature that extracts URLs from submitted emails and identifies potentially suspicious or malicious links.
- **Machine Learning Classification:** Integration of a machine-learning model that analyzes email features and classifies each email as **Phishing** or **Legitimate**.
- **Cyber Threat Intelligence Checking:** A basic threat intelligence feature that checks suspicious URLs, domains, or IP addresses against available threat information.
- **Risk Score Generation:** A risk assessment feature that calculates the threat level and categorizes emails as **Low Risk**, **Medium Risk**, or **High Risk**.
- **Security Dashboard:** A basic dashboard that displays the email classification, risk score, suspicious indicators, and important analysis results.
- **Testing and Validation:** Test the system using both phishing and legitimate email samples to verify that the implemented features work correctly.
- **Working Sprint Prototype:** At the end of Sprint 1, the team will demonstrate a working prototype where a user can **log in** → **submit an email** → **analyze the email** → **detect suspicious URLs** → **classify the email** → **generate a risk score** → **view the result on the dashboard**.



Rubrics for Calculation

Criteria	Excellent (5 Marks)	Good (3 Marks)	Satisfactory (2 Marks)	Needs Improvement (1 Mark)
Project Vision & Stakeholder Identification	Project vision is clear, comprehensive, and aligned with the problem statement. All relevant stakeholders and their roles are correctly identified.	Vision is clear with minor omissions. Most stakeholders are correctly identified.	Vision is partially defined. Some stakeholders are missing or incorrectly identified.	Vision is unclear or incomplete. Stakeholders are poorly identified or missing.
Epics & User Stories	Epics are well-defined and user stories are complete, follow Agile format, and fully capture functional requirements.	Epics and user stories are mostly complete with minor formatting or requirement issues.	User stories are partially complete with limited Agile structure.	User stories are incomplete, unclear, or do not follow Agile practices.
Acceptance Criteria	Acceptance criteria are specific, measurable, testable, and aligned with all user stories.	Acceptance criteria are mostly clear and testable with minor gaps.	Acceptance criteria are partially defined and lack clarity or completeness.	Acceptance criteria are missing or not aligned with user stories.
Product Backlog Prioritization & Sprint Planning	Product backlog is logically prioritized, sprint backlog is realistic, and task breakdown is complete.	Backlog prioritization and sprint planning are mostly appropriate with minor issues.	Prioritization or sprint planning is partially complete with limited justification.	Backlog prioritization and sprint planning are poorly organized or incomplete.
Story Point Estimation, Sprint Goal & Presentation	Story point estimation is well justified, sprint goal is clear, deliverables are realistic, and presentation is	Estimation and sprint goal are mostly appropriate with minor inconsistencies. Presentation is clear.	Estimation or sprint goal lacks justification. Presentation is	Estimation is unrealistic or missing. Sprint goal, deliverables, and presentation are

	professional and well organized.		adequate but incomplete.	unclear or incomplete.
--	----------------------------------	--	--------------------------	------------------------

Criteria	Mark
Project Vision & Stakeholder Identification	/5
Epics & User Stories	/5
Acceptance Criteria	/5
Product Backlog Prioritization & Sprint Planning	/5
Story Point Estimation, Sprint Goal & Presentation	/5
TOTAL	/25