

LAPORAN TUGAS PEMROGRAMAN BERBASIS WEB

AKTIVITAS MANDIRI 5 DAN 6

NAMA : ADINE VIVIA

NIM : 242410101083

KELAS : PWEB A

AKTIVITAS MANDIRI 5

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa


```
PS C:\xampp\htdocs\visyum-app> php artisan make:controller MenuController --resource --model=Menu
```

INFO Controller [C:\xampp\htdocs\visyum-app\app\Http\Controllers\MenuController.php] created successfully.


2. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa

```
.env DashboardController.php 2026_05_05_130000_create_categories_table.php.php web.php X
routes > web.php
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\DashboardController;
5 use App\Http\Controllers\MenuController;
6
7 Route::get('/', function () {
8     return view('welcome');
9 });
10
11 Route::get('/dashboard', [DashboardController::class, 'index']);
12
13 Route::resource('menu', MenuController::class);
14
15 Route::get('/hitung/{a}/{b}', function ($a, $b) {
16     return $a + $b;
17 });
18 Route::view('/tentang', 'tentang');
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)



The screenshot shows a web browser window with a registration form. The form has four input fields: 'Name', 'Email', 'Password', and 'Confirm Password'. Below the fields is a 'Register' button. The browser's address bar shows 'localhost:3000/register'. The page has a light blue background with a small icon at the top.



- Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```

13     public function index()
14     {
15         $menus = Menu::latest()->paginate(10);
16         return view('menu.index', compact('menus'));
17     }
18 
```

Vi's Yum | [Dashboard](#) | [Tentang](#)

Daftar Menu Jajanan VisYum

[+ Tambah Menu](#)

Kode	Nama Jajanan	Harga	Stok	Aksi
VIS001	Donat Gula Klasik	Rp 3.000	50	Edit
VIS002	Lemper Ayam Bakar	Rp 4.000	40	Edit
VIS006	Klepon Gula Merah	Rp 5.000	25	Edit
VIS003	Pastel Sayur Renyah	Rp 3.500	30	Edit
VIS004	Kue Lapis Kanji	Rp 2.500	45	Edit
VIS005	Risoles Mayo	Rp 5.000	20	Edit

© 2024 Vi's Yum

- Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)

```

22     public function create()
23     {
24         return view('menu.create');
25     }
26 
```

```
resources > views > menu > create.blade.php > div.container > form
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container">
5 <h2>Tambah Menu Jajanan Baru</h2>
6 <hr>
7
8 <form action="{{ route('menu.store') }}" method="POST">
9     @csrf
10
11     <div class="mb-3">
12         <label>Kode Menu</label>
13         <input type="text" name="kode_menu" class="form-control" placeholder="Contoh: VTS007">
14     </div>
15
16     <div class="mb-3">
17         <label>Nama Jajanan</label>
18         <input type="text" name="nama_menu" class="form-control" placeholder="Nama Jajanan">
19     </div>
20
21     <div class="mb-3">
22         <label>Harga</label>
23         <input type="number" name="harga" class="form-control">
24     </div>
25
26     <div class="mb-3">
27         <label>Stok</label>
28         <input type="number" name="stok" class="form-control">
29     </div>
30
31     <button type="submit" class="btn btn-success">Simpan Menu</button>
32     <a href="{{ route('menu.index') }}" class="btn btn-secondary">Batal</a>
33 </form>
34 </div>
35 @endsection
```

```
20
21 public function store(Request $request)
22 {
23     $request->validate([
24         'kode_menu' => 'required|unique:menus,kode_menu',
25         'nama_menu' => 'required|min:3',
26         'harga' => 'required|numeric',
27         'stok' => 'required|numeric',
28     ]);
29
30     Menu::create($request->all());
31
32     return redirect()->route('menu.index')->with('success', 'Jajanan berhasil ditambahkan');
33 }
34
```

- Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```
public function edit(Menu $menu)
{
    return view('menu.edit', compact('menu'));
}
```

```
resources > views > menu > edit.blade.php > div.container.py-5 > div.card.shadow > div.card-body > form
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container py-5">
5   <div class="card shadow">
6     <div class="card-header bg-warning text-dark">
7       <h4 class="mb-0">Edit Menu Jajanan: {{ $menu->nama_menu }}</h4>
8     </div>
9     <div class="card-body">
10      <form action="{{ route('menu.update', $menu->id) }}" method="POST">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label class="form-label">Kode Menu</label>
16          <input type="text" name="kode_menu" class="form-control" value="{{ old('kode_menu', $menu->kode_menu) }}" readonly>
17        </div>
18
19        <div class="mb-3">
20          <label class="form-label">Nama Jajanan</label>
21          <input type="text" name="nama_menu" class="form-control" value="{{ old('nama_menu', $menu->nama_menu) }}">
22        </div>
23
24        <div class="mb-3">
25          <label class="form-label">Harga</label>
26          <input type="number" name="harga" class="form-control" value="{{ old('harga', $menu->harga) }}">
27        </div>
28
29        <div class="mb-3">
30          <label class="form-label">Stok</label>
31          <input type="number" name="stok" class="form-control" value="{{ old('stok', $menu->stok) }}">
32        </div>
33
34        <div class="mt-4">
35          <button type="submit" class="btn btn-primary">Simpan Perubahan</button>
36          <a href="{{ route('menu.index') }}" class="btn btn-secondary">Batal</a>
37        </div>
38      </form>
39    </div>
40  </div>
41</div>
42</section>
43</div>
```

Form Edit

[Vi's Yum](#) | [Dashboard](#) | [Tentang](#)

Edit Menu Jajanan: Donat Gula Klasik

Kode Menu

VIS001

Nama Jajanan

Donat Gula Klasik

Harga

3000.00

Stok

50

Simpan Perubahan

[Batal](#)

© 2024 Vi's Yum

Update Produk

[Vi's Yum](#) | [Dashboard](#) | [Tentang](#)

Data jajanan berhasil diupdate!

Daftar Menu Jajanan VisYum

[+ Tambah Menu](#)

Kode	Nama Jajanan	Harga	Stok	Aksi
VIS001	Donat Gula Manis	Rp 5.000	40	Edit
VIS002	Lemper Ayam Bakar	Rp 4.000	40	Edit
VIS006	Klepon Gula Merah	Rp 5.000	25	Edit
VIS003	Pastel Sayur Renyah	Rp 3.500	30	Edit
VIS004	Kue Lapis Kanji	Rp 2.500	45	Edit
VIS005	Risoles Mayo	Rp 5.000	20	Edit

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```
resources > views > menu > index.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container py-5">
5     @if(session('success'))
6         <div class="alert alert-success alert-dismissible fade show" role="alert">
7             <strong>Berhasil!</strong> {{ session('success') }}
8             <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
9         </div>
10    @endif
11
12    <div class="d-flex justify-content-between align-items-center mb-4">
13        <h2 class="fw-bold text-primary">Daftar Menu Jajanan VisYum</h2>
14        <a href="{{ route('menu.create') }}" class="btn btn-primary shadow-sm">+ Tambah Menu Baru</a>
15    </div>
16
17    <div class="card shadow-sm border-0">
18        <div class="card-body">
19            <div class="table-responsive">
20                <table class="table table-hover align-middle">
21                    <thead class="table-light">
22                        <tr>
23                            <th width="10%">Kode</th>
24                            <th width="30%">Nama Jajanan</th>
25                            <th width="20%">Harga</th>
26                            <th width="10%">Stok</th>
27                            <th width="30%" class="text-center">Aksi</th>
28                        </tr>
29                    </thead>
30                    <tbody>
31                        @foreach($menus as $menu)
32                            <tr>
33                                <td><span class="badge bg-secondary text-uppercase">{{ $menu->kode_menu }}</span></td>
34                                <td class="fw-bold">{{ $menu->nama_menu }}</td>
35                                <td>Rp {{ number_format($menu->harga, 0, ',', '.') }}</td>
36                                <td>{{ $menu->stok }} pcs</td>
37                                <td class="text-center">
```

```
                <form action="{{ route('menu.destroy', $menu->id) }}" method="POST" class="d-inline">
38                    @csrf
39                    @method('DELETE')
40                    <button type="submit" class="btn btn-sm btn-danger"
41                        onclick="return confirm('Apakah Anda yakin ingin menghapus jajanan {{ $menu->nama_menu }}?')">
42                        <i class="bi bi-trash"></i> Hapus
43                    </button>
44                </form>
45            </td>
46        </tr>
47        @empty
48            <tr>
```


Vi's Yum | [Dashboard](#) | [Tentang](#)

Daftar Menu Jajanan VisYum

[+ Tambah Menu Baru](#)

Kode	Nama Jajanan	Harga	Stok	Aksi
VIS001	Donat Gula Manis	Rp 5.000	40 pcs	Edit Hapus
VIS002	Lemper Ayam Bakar	Rp 4.000	40 pcs	Edit Hapus
VIS006	Klepon Gula Merah	Rp 5.000	25 pcs	Edit Hapus
VIS003	Pastel Sayur Renyah	Rp 3.500	30 pcs	Edit Hapus
VIS004	Kue Lapis Kanji	Rp 2.500	45 pcs	Edit Hapus
VIS005	Risoles Mayo	Rp 5.000	20 pcs	Edit Hapus

© 2024 Vi's Yum



8. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```
<div class="container py-5">
    @if(session('success'))
        <div class="alert alert-success alert-dismissible fade show" role="alert">
            <strong>Berhasil!</strong> {{ session('success') }}
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
        </div>
    @endif
```

Vi's Yum | [Dashboard](#) | [Tentang](#)
Berhasil! Jajanan berhasil dihapus!

```
<div class="d-flex justify-content-between align-items-center mb-4">
  <h2 class="fw-bold text-primary">Daftar Menu Jajanan VisYum</h2>
  <a href="{{ route('menu.create') }}" class="btn btn-primary shadow-sm">+ Tambah Menu Baru</a>
</div>
```

Vi's Yum | [Dashboard](#) | [Tentang](#)
Berhasil! Jajanan berhasil ditambahkan!

9. Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```
resources > views > menu > create.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container py-5">
5   <div class="row justify-content-center">
6     <div class="col-md-8">
7       <div class="card shadow-sm">
8         <div class="card-header bg-success text-white">
9           <h4 class="mb-0">Tambah Menu Jajanan Baru</h4>
10        </div>
11        <div class="card-body">
12          <form action="{{ route('menu.store') }}" method="POST">
13            @csrf
14
15            <div class="mb-3">
16              <label class="form-label fw-bold">Kode Menu</label>
17              <input type="text" name="kode_menu"
18                class="form-control @error('kode_menu') is-invalid @enderror"
19                value="{{ old('kode_menu') }}" placeholder="Contoh: VIS007">
20              @error('kode_menu')
21                <div class="invalid-feedback">{{ $message }}</div>
22              @enderror
23            </div>
24
25            <div class="mb-3">
26              <label class="form-label fw-bold">Nama Jajanan</label>
27              <input type="text" name="nama_menu"
28                class="form-control @error('nama_menu') is-invalid @enderror"
29                value="{{ old('nama_menu') }}" placeholder="Masukkan Nama Jajanan">
30              @error('nama_menu')
31                <div class="invalid-feedback">{{ $message }}</div>
32              @enderror
33            </div>
34
35            <div class="row">
36              <div class="col-md-6 mb-3">
37                <label class="form-label fw-bold">Harga (Rp)</label>
```

Tambah Menu Jajanan Baru

Kode Menu

Nama Jajanan

The nama menu field is required.

Harga (Rp)

Stok

[Batal](#)

AKTIVITAS MANDIRI 6

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS C:\xampp\htdocs\visyum-app> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi
```

```
PS C:\xampp\htdocs\visyum-app> php artisan breeze:install blade

  INFO  Installing and building Node dependencies.

added 157 packages, and audited 158 packages in 2m

38 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> build
> vite build

vite v7.3.3 building client environment for production...
transforming...
✓ 55 modules transformed.
rendering chunks...
computing gzip size...
public/build/manifest.json          0.33 kB | gzip: 0.17 kB
public/build/assets/app-CFLlvJ1Z.css 47.43 kB | gzip: 8.36 kB
public/build/assets/app-DsTK1Umc.js 88.71 kB | gzip: 32.65 kB
```

2. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS C:\xampp\htdocs\visyum-app> php artisan migrate

  INFO  Nothing to migrate.
```

3. Jalankan npm install && npm run dev untuk build assets

```
PS C:\xampp\htdocs\visyum-app> npm install
```

up to date, audited 158 packages in 2s

38 packages are looking for funding
run `npm fund` for details

```
PS C:\xampp\htdocs\visyum-app> npm run dev
```

> dev
> vite

VITE v7.3.3 ready in 375 ms


→ Local: <http://localhost:5173/>

→ Network: use `--host` to expose


→ press `h + enter` to show help

LARAVEL v12.58.0 plugin v2.1.0

→ APP_URL: <http://localhost>




Register form with fields: Name (vivivivivi), Email (vivi@gmail.com), Password (masked), Confirm Password (masked). Includes a "REGISTER" button and a link "Already registered?".



Login form with fields: Email (vivi@gmail.com), Password (masked). Includes a "Remember me" checkbox, a "Forgot your password?" link, and a "LOG IN" button.

4. Coba register dan login di <http://127.0.0.1:8000/register>


 <http://127.0.0.1:8000/register>




Register form with fields: Name, Email, Password, Confirm Password. Includes a "REGISTER" button and a link "Already registered?".

5. Amankan semua route mahasiswa dengan middleware auth:


Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)



6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login



7. Tambahkan nama user di navbar: {{ auth()->user()->name }}



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu
- Jika form tambah disimpan tanpa di isi, maka muncul alert seperti dibawah

Dashboard / Daftar Menu / Tambah Jajanan

Tambah Menu Jajanan Baru

Pastikan semua data terisi dengan benar untuk stok kantin.

Kode Menu

 Contoh: VIS-001 ❗

The kode menu field is required.
Gunakan kode unik untuk setiap jenis jajanan.

Nama Jajanan

 Contoh: Cireng Bumbu Rujak ❗

The nama menu field is required.

Harga Satuan

Rp 0 ❗

The harga field is required.

Stok Awal

 0 ❗

The stok field is required.

[← Kembali ke Daftar](#) [Simpan Menu](#)

- Jika kolom harga di isi huruf, hanya huruf e yang dapat terinput dan tidak bisa diketik lagi begitupun dengan kolom stok

Harga Satuan

Rp e ❗

The harga field is required.

Stok Awal

 0 ❗

The stok field is required.

- Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

Vi's Yum [Daftar Menu](#) vivivivivi

Daftar Menu Jajanan VisYum

Selamat datang kembali, [vivivivivivi](#) [vivivivivivi@gmail.com](#) [Dashboard](#) [+ Tambah Menu](#)

Kode Menu	Nama Jajanan	Harga Satuan	Status Stok	Tindakan
VIS007	Kue Pukis ID: #6	Rp 8.000	15 Pcs	Edit Hapus
VIS001	Donat Gula Manis ID: #1	Rp 5.000	40 Pcs	Edit Hapus
VIS002	Lemper Ayam Bakar ID: #2	Rp 4.000	40 Pcs	Edit Hapus
VIS006	Klepon Gula Merah ID: #3	Rp 5.000	25 Pcs	Edit Hapus
VIS003	Pastel Sayur Renyah ID: #4	Rp 3.500	30 Pcs	Edit Hapus
VIS004	Kue Lapis Kanji ID: #5	Rp 2.500	45 Pcs	Edit Hapus