

Ene

0.15.1

Generated by Doxygen 1.8.13

Wed Aug 7 2019 23:27:39

Contents

1	Ene	1
2	Namespace Index	3
2.1	Packages	3
3	Hierarchical Index	3
3.1	Class Hierarchy	3
4	Class Index	4
4.1	Class List	4
5	File Index	5
5.1	File List	5
6	Namespace Documentation	7
6.1	Package ene	7
6.1.1	Detailed Description	7
6.2	Package ene.controllers	7
6.2.1	Detailed Description	7
6.3	Package ene.databases	8
6.3.1	Detailed Description	8
6.4	Package ene.interfaces	8
6.4.1	Detailed Description	8
6.5	Package ene.models	8
6.5.1	Detailed Description	9
6.6	Package ene.views	9
6.6.1	Detailed Description	9
6.7	Package ene.views.gui	9
6.7.1	Detailed Description	9
6.8	Package ene.views.gui.partial	10
6.8.1	Detailed Description	10

7	Class Documentation	10
7.1	ene.controllers.AbstractController< ModelType > Class Template Reference	11
7.1.1	Detailed Description	12
7.1.2	Member Function Documentation	13
7.1.3	Member Data Documentation	13
7.2	ene.views.AbstractMasterView< CoreComponentType > Class Template Reference	14
7.2.1	Detailed Description	15
7.2.2	Member Function Documentation	16
7.2.3	Member Data Documentation	17
7.3	ene.models.AbstractModel Class Reference	18
7.3.1	Detailed Description	19
7.3.2	Member Function Documentation	20
7.3.3	Member Data Documentation	21
7.4	ene.AbstractObject Class Reference	21
7.4.1	Detailed Description	22
7.4.2	Member Function Documentation	23
7.4.3	Member Data Documentation	26
7.5	ene.views.AbstractPartialView< CoreComponentType, ModelType > Class Template Reference . .	27
7.5.1	Detailed Description	28
7.5.2	Member Function Documentation	29
7.5.3	Member Data Documentation	30
7.6	ene.views.gui.partial.AbstractTrackListView Class Reference	31
7.6.1	Detailed Description	33
7.6.2	Member Function Documentation	33
7.6.3	Member Data Documentation	38
7.7	ene.views.AbstractView< CoreComponentType > Class Template Reference	39
7.7.1	Detailed Description	40
7.7.2	Member Function Documentation	41
7.7.3	Member Data Documentation	44
7.8	ene.Application Class Reference	45

7.8.1	Detailed Description	46
7.8.2	Member Function Documentation	47
7.9	ene.views.gui.partial.ContentView Class Reference	50
7.9.1	Detailed Description	51
7.9.2	Constructor & Destructor Documentation	52
7.9.3	Member Function Documentation	52
7.10	ene.interfaces.Controller< ModelType > Interface Template Reference	54
7.10.1	Detailed Description	55
7.10.2	Member Function Documentation	55
7.11	ene.interfaces.DatabaseConnection Interface Reference	56
7.11.1	Detailed Description	57
7.11.2	Member Function Documentation	57
7.12	ene.controllers.LibraryController Class Reference	59
7.12.1	Detailed Description	61
7.12.2	Constructor & Destructor Documentation	61
7.12.3	Member Function Documentation	62
7.13	ene.models.LibraryModel Class Reference	67
7.13.1	Detailed Description	68
7.13.2	Member Function Documentation	69
7.14	ene.views.gui.partial.LibraryView Class Reference	73
7.14.1	Detailed Description	75
7.14.2	Constructor & Destructor Documentation	75
7.14.3	Member Function Documentation	76
7.14.4	Member Data Documentation	80
7.15	ene.interfaces.Localization Interface Reference	80
7.15.1	Detailed Description	81
7.15.2	Member Function Documentation	81
7.15.3	Member Data Documentation	82
7.16	ene.interfaces.MasterView< CoreComponentType > Interface Template Reference	83
7.16.1	Detailed Description	84

7.16.2	Member Function Documentation	85
7.17	ene.interfaces.Model Interface Reference	86
7.17.1	Detailed Description	87
7.17.2	Member Function Documentation	87
7.18	ene.interfaces.PartialView< CoreComponentType, ModelType > Interface Template Reference	88
7.18.1	Detailed Description	89
7.18.2	Member Function Documentation	90
7.19	ene.controllers.PlayerController Class Reference	92
7.19.1	Detailed Description	94
7.19.2	Constructor & Destructor Documentation	94
7.19.3	Member Function Documentation	94
7.20	ene.models.PlayerModel Class Reference	98
7.20.1	Detailed Description	100
7.20.2	Member Function Documentation	100
7.20.3	Member Data Documentation	106
7.21	ene.views.gui.partial.PlayerView Class Reference	108
7.21.1	Detailed Description	110
7.21.2	Constructor & Destructor Documentation	110
7.21.3	Member Function Documentation	111
7.21.4	Member Data Documentation	117
7.22	ene.models.PlaylistModel Class Reference	119
7.22.1	Detailed Description	120
7.22.2	Member Function Documentation	121
7.22.3	Member Data Documentation	121
7.23	ene.databases.SQLDatabase Class Reference	122
7.23.1	Detailed Description	123
7.23.2	Constructor & Destructor Documentation	124
7.23.3	Member Function Documentation	124
7.23.4	Member Data Documentation	128
7.24	ene.models.TrackListModel Class Reference	129

7.24.1 Detailed Description	130
7.24.2 Member Function Documentation	131
7.24.3 Member Data Documentation	132
7.25 ene.models.TrackModel Class Reference	134
7.25.1 Detailed Description	136
7.25.2 Constructor & Destructor Documentation	136
7.25.3 Member Function Documentation	137
7.25.4 Member Data Documentation	144
7.26 ene.interfaces.View< CoreComponentType > Interface Template Reference	146
7.26.1 Detailed Description	147
7.26.2 Member Function Documentation	147
7.27 ene.views.gui.WindowView Class Reference	150
7.27.1 Detailed Description	151
7.27.2 Constructor & Destructor Documentation	152
7.27.3 Member Function Documentation	152
8 File Documentation	155
8.1 README.md File Reference	155
8.2 src/ene/AbstractObject.java File Reference	155
8.3 src/ene/Application.java File Reference	155
8.4 src/ene/controllers/AbstractController.java File Reference	156
8.5 src/ene/controllers/LibraryController.java File Reference	156
8.6 src/ene/controllers/package-info.java File Reference	156
8.7 src/ene/databases/package-info.java File Reference	156
8.8 src/ene/interfaces/package-info.java File Reference	156
8.9 src/ene/models/package-info.java File Reference	156
8.10 src/ene/package-info.java File Reference	157
8.11 src/ene/views/gui/package-info.java File Reference	157
8.12 src/ene/views/gui/partial/package-info.java File Reference	157
8.13 src/ene/views/package-info.java File Reference	157
8.14 src/ene/controllers/PlayerController.java File Reference	157

8.15	src/ene/databases/SQLDatabase.java File Reference	157
8.16	src/ene/interfaces/Controller.java File Reference	158
8.17	src/ene/interfaces/DatabaseConnection.java File Reference	158
8.18	src/ene/interfaces/Localization.java File Reference	158
8.19	src/ene/interfaces/MasterView.java File Reference	158
8.20	src/ene/interfaces/Model.java File Reference	158
8.21	src/ene/interfaces/PartialView.java File Reference	159
8.22	src/ene/interfaces/View.java File Reference	159
8.23	src/ene/models/AbstractModel.java File Reference	159
8.24	src/ene/models/LibraryModel.java File Reference	159
8.25	src/ene/models/PlayerModel.java File Reference	160
8.26	src/ene/models/PlaylistModel.java File Reference	160
8.27	src/ene/models/TrackListModel.java File Reference	160
8.28	src/ene/models/TrackModel.java File Reference	160
8.29	src/ene/views/AbstractMasterView.java File Reference	160
8.30	src/ene/views/AbstractPartialView.java File Reference	161
8.31	src/ene/views/AbstractView.java File Reference	161
8.32	src/ene/views/gui/partial/AbstractTrackListView.java File Reference	161
8.33	src/ene/views/gui/partial/ContentView.java File Reference	161
8.34	src/ene/views/gui/partial/LibraryView.java File Reference	162
8.35	src/ene/views/gui/partial/PlayerView.java File Reference	162
8.36	src/ene/views/gui/WindowView.java File Reference	162

Index

163

1 Ene

About

This project is a simple music library as a homework in the context of my computer science studies. For more details about the source code please check out the documentation: <https://vivi90.github.io/ene> (Also available as PDF download: <https://vivi90.github.io/ene/ene.pdf>)

Naming

We have named it after the character 'Ene' from the anime 'Mekakucity Actors'.

Usage

Just compile it. Currently it supports only WAV files.

Requirements

- Doxygen (only for contribution)

Contribution

Please issue **right after** cloning the following command to use all necessary hooks: `git config --local core.hooksPath .githooks`

Translation

Please take a look at the directory `src/ene/resources/locales`.

Troubleshooting

If you run this application on a Linux operating system, the sound doesn't work, and you get an `LineUnavailableException` in debug mode, then please force Java to use the Pulse Audio system by issuing: `padsp java -jar bin/ene.jar` You need to start this application with the `-d` argument to enable debug infos.

License

This project is free software under the terms of the GNU General Public License v3 as published by the Free Software Foundation. It is distributed WITHOUT ANY WARRANTY (without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE). For more details please see the LICENSE file or: <http://www.gnu.org/licenses>

Credits

- 2019 by Vivien Richter vivien-richter@outlook.de and Mathias Telling mathias.telling@stud.htwk-leipzig.de
- Our Git repository: <https://github.com/vivi90/ene.git>
- Application icon repository (by Google Limited): <https://github.com/google/material-design-icons>
- SQLite JDBC driver library repository: <https://bitbucket.org/xerial/sqlite-jdbc>

2 Namespace Index

2.1 Packages

Here are the packages with brief descriptions (if available):

ene	7
ene.controllers	7
ene.databases	8
ene.interfaces	8
ene.models	8
ene.views	9
ene.views.gui	9
ene.views.gui.partial	10

3 Hierarchical Index

3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

ene.controllers.AbstractController< LibraryModel >	11
ene.controllers.LibraryController	59
ene.controllers.AbstractController< PlayerModel >	11
ene.controllers.PlayerController	92
ene.views.AbstractMasterView< JFrame >	14
ene.views.AbstractMasterView< JTabbedPane >	14
ene.AbstractObject	21
ene.Application	45
ene.controllers.AbstractController< ModelType >	11
ene.databases.SQLDatabase	122
ene.models.AbstractModel	18
ene.models.PlayerModel	98
ene.models.TrackListModel	129
ene.models.LibraryModel	67
ene.models.PlaylistModel	119

ene.models.TrackModel	134
ene.views.AbstractView< CoreComponentType >	39
ene.views.AbstractMasterView< CoreComponentType >	14
ene.views.gui.partial.ContentView	50
ene.views.gui.WindowView	150
ene.views.AbstractPartialView< CoreComponentType, ModelType >	27
ene.views.gui.partial.AbstractTrackListView	31
ene.views.gui.partial.LibraryView	73
ene.views.gui.partial.PlayerView	108
ene.views.AbstractPartialView< JPanel, PlayerModel >	27
ene.views.AbstractPartialView< JPanel, TrackListModel >	27
ene.interfaces.Controller< ModelType >	54
ene.controllers.AbstractController< ModelType >	11
ene.interfaces.DatabaseConnection	56
ene.databases.SQLDatabase	122
ene.interfaces.Localization	80
ene.views.AbstractView< CoreComponentType >	39
ene.interfaces.Model	86
ene.models.AbstractModel	18
ene.interfaces.View< CoreComponentType >	146
ene.interfaces.MasterView< CoreComponentType >	83
ene.views.AbstractMasterView< CoreComponentType >	14
ene.interfaces.PartialView< CoreComponentType, ModelType >	88
ene.views.AbstractPartialView< CoreComponentType, ModelType >	27
ene.views.AbstractView< CoreComponentType >	39
LineListener	
ene.models.PlayerModel	98
ListSelectionListener	
ene.views.gui.partial.AbstractTrackListView	31

4 Class Index

4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

ene.controllers.AbstractController< ModelType >	11
ene.views.AbstractMasterView< CoreComponentType >	14
ene.models.AbstractModel	18
ene.AbstractObject	21
ene.views.AbstractPartialView< CoreComponentType, ModelType >	27
ene.views.gui.partial.AbstractTrackListView	31
ene.views.AbstractView< CoreComponentType >	39
ene.Application	45
ene.views.gui.partial.ContentView	50
ene.interfaces.Controller< ModelType >	54
ene.interfaces.DatabaseConnection	56
ene.controllers.LibraryController	59
ene.models.LibraryModel	67
ene.views.gui.partial.LibraryView	73
ene.interfaces.Localization	80
ene.interfaces.MasterView< CoreComponentType >	83
ene.interfaces.Model	86
ene.interfaces.PartialView< CoreComponentType, ModelType >	88
ene.controllers.PlayerController	92
ene.models.PlayerModel	98
ene.views.gui.partial.PlayerView	108
ene.models.PlaylistModel	119
ene.databases.SQLDatabase	122
ene.models.TrackListModel	129
ene.models.TrackModel	134
ene.interfaces.View< CoreComponentType >	146
ene.views.gui.WindowView	150

5 File Index

5.1 File List

Here is a list of all files with brief descriptions:

src/ene/ AbstractObject.java	155
src/ene/ Application.java	155
src/ene/ package-info.java	157
src/ene/controllers/ AbstractController.java	156
src/ene/controllers/ LibraryController.java	156
src/ene/controllers/ package-info.java	156
src/ene/controllers/ PlayerController.java	157
src/ene/databases/ package-info.java	156
src/ene/databases/ SQLDatabase.java	157
src/ene/interfaces/ Controller.java	158
src/ene/interfaces/ DatabaseConnection.java	158
src/ene/interfaces/ Localization.java	158
src/ene/interfaces/ MasterView.java	158
src/ene/interfaces/ Model.java	158
src/ene/interfaces/ package-info.java	156
src/ene/interfaces/ PartialView.java	159
src/ene/interfaces/ View.java	159
src/ene/models/ AbstractModel.java	159
src/ene/models/ LibraryModel.java	159
src/ene/models/ package-info.java	156
src/ene/models/ PlayerModel.java	160
src/ene/models/ PlaylistModel.java	160
src/ene/models/ TrackListModel.java	160
src/ene/models/ TrackModel.java	160
src/ene/views/ AbstractMasterView.java	160
src/ene/views/ AbstractPartialView.java	161
src/ene/views/ AbstractView.java	161
src/ene/views/ package-info.java	157
src/ene/views/gui/ package-info.java	157
src/ene/views/gui/ WindowView.java	162
src/ene/views/gui/partial/ AbstractTrackListView.java	161
src/ene/views/gui/partial/ ContentView.java	161

src/ene/views/gui/partial/LibraryView.java	162
src/ene/views/gui/partial/package-info.java	157
src/ene/views/gui/partial/PlayerView.java	162

6 Namespace Documentation

6.1 Package ene

Packages

- package [controllers](#)
- package [databases](#)
- package [interfaces](#)
- package [models](#)
- package [views](#)

Classes

- class [AbstractObject](#)
- class [Application](#)

6.1.1 Detailed Description

Simple music library.

Version

0.15.1

6.2 Package ene.controllers

Classes

- class [AbstractController](#)
- class [LibraryController](#)
- class [PlayerController](#)

6.2.1 Detailed Description

Controllers.

Since

0.2.0

6.3 Package ene.databases

Classes

- class [SQLDatabase](#)

6.3.1 Detailed Description

Databases.

Since

0.9.0

6.4 Package ene.interfaces

Classes

- interface [Controller](#)
- interface [DatabaseConnection](#)
- interface [Localization](#)
- interface [MasterView](#)
- interface [Model](#)
- interface [PartialView](#)
- interface [View](#)

6.4.1 Detailed Description

Interfaces.

Since

0.2.0

6.5 Package ene.models

Classes

- class [AbstractModel](#)
- class [LibraryModel](#)
- class [PlayerModel](#)
- class [PlaylistModel](#)
- class [TrackListModel](#)
- class [TrackModel](#)

6.5.1 Detailed Description

Data holding models.

Since

0.2.0

6.6 Package ene.views

Packages

- package [gui](#)

Classes

- class [AbstractMasterView](#)
- class [AbstractPartialView](#)
- class [AbstractView](#)

6.6.1 Detailed Description

Views.

Since

0.2.0

6.7 Package ene.views.gui

Packages

- package [partial](#)

Classes

- class [WindowView](#)

6.7.1 Detailed Description

GUI views.

Since

0.11.0

6.8 Package ene.views.gui.partial

Classes

- class [AbstractTrackListView](#)
- class [ContentView](#)
- class [LibraryView](#)
- class [PlayerView](#)

6.8.1 Detailed Description

Partial GUI views.


Since

0.11.0


7 Class Documentation

7.1 ene.controllers.AbstractController< ModelType > Class Template Reference

Inheritance diagram for ene.controllers.AbstractController< ModelType >:



Collaboration diagram for ene.controllers.AbstractController< ModelType >:



Public Member Functions

- void [setModel](#) ([Model model](#))
- [ModelType](#) [getModel](#) ()

Protected Attributes

- [ModelType](#) [model](#)

Additional Inherited Members

7.1.1 Detailed Description

Abstract controller.

Version

1.0.0

Definition at line 11 of file `AbstractController.java`.

7.1.2 Member Function Documentation

7.1.2.1 getModel()

```
ModelType ene.controllers.AbstractController< ModelType >.getModel ( )
```

Returns the model instance.

Returns

Model instance.

Implements [ene.interfaces.Controller< ModelType >](#).

Definition at line 24 of file AbstractController.java.

7.1.2.2 setModel()

```
void ene.controllers.AbstractController< ModelType >.setModel (
    Model model )
```

Sets the model instance.

Parameters

<i>model</i>	Model instance.
--------------	-----------------

Implements [ene.interfaces.Controller< ModelType >](#).

Definition at line 19 of file AbstractController.java.

7.1.3 Member Data Documentation

7.1.3.1 model

```
ModelType ene.controllers.AbstractController< ModelType >.model [protected]
```

Model instance.

Definition at line 15 of file AbstractController.java.


Referenced by [ene.controllers.AbstractController< PlayerModel >.getModel\(\)](#).

The documentation for this class was generated from the following file:


- [src/ene/controllers/AbstractController.java](#)

7.2 ene.views.AbstractMasterView< CoreComponentType > Class Template Reference

Inheritance diagram for ene.views.AbstractMasterView< CoreComponentType >:



Collaboration diagram for ene.views.AbstractMasterView< CoreComponentType >:



Public Member Functions

- void `addView` (`View` view)
- void `setAllViews` (`List< View >` views)
- `List< View >` `getAllViews` ()

Protected Attributes

- `List< View >` `views` = new `ArrayList<>()`

Additional Inherited Members

7.2.1 Detailed Description

Abstract master view.

Since

0.3.0

Version

1.0.0

Definition at line 14 of file `AbstractMasterView.java`.

7.2.2 Member Function Documentation

7.2.2.1 addView()

```
void ene.views.AbstractMasterView< CoreComponentType >.addView (
    View view )
```

Adds view instance.

Parameters


<i>view</i>	View instance.
-------------	----------------

Implements [ene.interfaces.MasterView< CoreComponentType >](#).

Definition at line 21 of file AbstractMasterView.java.

Referenced by [ene.views.gui.partial.ContentView.ContentView\(\)](#), and [ene.views.gui.WindowView.WindowView\(\)](#).

Here is the caller graph for this function:



7.2.2.2 getAllViews()

```
List<View> ene.views.AbstractMasterView< CoreComponentType >.getAllViews ( )
```

Returns all contained view instances.

Returns


List of view instances.

Implements [ene.interfaces.MasterView< CoreComponentType >](#).

Definition at line 31 of file AbstractMasterView.java.

Referenced by `ene.views.gui.partial.ContentView.render()`, and `ene.views.gui.WindowView.render()`.

Here is the caller graph for this function:

**7.2.2.3 setAllViews()**

```
void ene.views.AbstractMasterView< CoreComponentType >.setAllViews (
    List< View > views )
```

Sets all contained view instances.

Parameters

<i>views</i>	List of view instances.
--------------	-------------------------

Implements [ene.interfaces.MasterView< CoreComponentType >](#).

Definition at line 26 of file AbstractMasterView.java.

7.2.3 Member Data Documentation**7.2.3.1 views**

```
List<View> ene.views.AbstractMasterView< CoreComponentType >.views = new ArrayList<>() [protected]
```

Contained view instances.

Definition at line 18 of file AbstractMasterView.java.


Referenced by `ene.views.AbstractMasterView< JFrame >.getAllViews()`, and `ene.views.AbstractMasterView< JFrame >.setAllViews()`.

The documentation for this class was generated from the following file:


- `src/ene/views/AbstractMasterView.java`

7.3 ene.models.AbstractModel Class Reference

Inheritance diagram for ene.models.AbstractModel:



Collaboration diagram for ene.models.AbstractModel:



Public Member Functions

- void `addView` (`PartialView` view)

Protected Member Functions

- void `changed` ()

Protected Attributes

- `List< PartialView > views = new ArrayList<>()`

Additional Inherited Members

7.3.1 Detailed Description

Abstract model.

Version

2.0.0

Definition at line 13 of file `AbstractModel.java`.

7.3.2 Member Function Documentation

7.3.2.1 addView()

```
void ene.models.AbstractModel.addView (
    PartialView view )
```

Add related view.

Parameters

<i>view</i>	View.
-------------	-------

Implements [ene.interfaces.Model](#).

Definition at line 20 of file AbstractModel.java.

7.3.2.2 changed()

```
void ene.models.AbstractModel.changed ( ) [protected]
```

Update event.

Definition at line 27 of file AbstractModel.java.


References [ene.interfaces.PartialView< CoreComponentType, ModelType >.update\(\)](#).

Referenced by [ene.models.TrackListModel.add\(\)](#), [ene.models.TrackListModel.remove\(\)](#), [ene.models.TrackModel.setArtist\(\)](#), [ene.models.TrackModel.setFilename\(\)](#), [ene.models.TrackModel.setGenre\(\)](#), [ene.models.TrackModel.setTitle\(\)](#), and [ene.models.PlayerModel.update\(\)](#).

Here is the call graph for this function:



Collaboration diagram for ene.AbstractObject:



Static Public Member Functions

- static void [enableDebugMode](#) ()
- static void [disableDebugMode](#) ()
- static boolean [isDebugEnabled](#) ()
- static void [debugInfoAbout](#) (Object object)
- static void [consoleOutput](#) (String text)

Protected Member Functions

- void [delay](#) (long milliseconds)

Static Protected Attributes

- static boolean [debugModeEnabled](#) = false

7.4.1 Detailed Description

Abstract object class.

Since

0.4.0

Version

1.0.1

Definition at line 11 of file `AbstractObject.java`.

7.4.2 Member Function Documentation

7.4.2.1 consoleOutput()

```
static void ene.AbstractObject.consoleOutput (
    String text ) [static]
```

Console output.


Parameters

<i>text</i>	Text.
-------------	-------

Definition at line 53 of file AbstractObject.java.

Referenced by ene.AbstractObject.debugInfoAbout(), and ene.Application.processArguments().

Here is the caller graph for this function:



7.4.2.2 debugInfoAbout()

```
static void ene.AbstractObject.debugInfoAbout (
    Object object ) [static]
```

Debug info.

Parameters


<i>object</i>	Object instance to show information about.
---------------	--

Definition at line 43 of file AbstractObject.java.


References ene.AbstractObject.consoleOutput(), and ene.AbstractObject.isDebugEnabled().

Referenced by `ene.views.gui.partial.PlayerView.initialize()`, `ene.models.PlayerModel.load()`, `ene.models.PlayerModel.pause()`, `ene.models.PlayerModel.start()`, `ene.models.PlayerModel.update()`, and `ene.views.gui.partial.AbstractTrackListView.valueChanged()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.4.2.3 delay()

```
void ene.AbstractObject.delay (
    long milliseconds ) [protected]
```

Let's wait for a while in the current thread.


Parameters

<i>milliseconds</i>	Wait time in milliseconds.
---------------------	----------------------------

Definition at line 61 of file `AbstractObject.java`.

Referenced by ene.models.PlayerModel.getTrackLength(), and ene.models.PlayerModel.getTrackPosition().

Here is the caller graph for this function:



7.4.2.4 disableDebugMode()

```
static void ene.AbstractObject.disableDebugMode ( ) [static]
```

Disables debug mode.

Definition at line 27 of file AbstractObject.java.

References `ene.AbstractObject.debugModeEnabled`.

7.4.2.5 enableDebugMode()

```
static void ene.AbstractObject.enableDebugMode ( ) [static]
```


Enables debug mode.

Definition at line 20 of file AbstractObject.java.

References `ene.AbstractObject.debugModeEnabled`.

Referenced by `ene.Application.processArguments()`.

Here is the caller graph for this function:



7.4.2.6 isDebugEnabled()

```
static boolean ene.AbstractObject.isDebugEnabled ( ) [static]
```

Returns debug mode state.

Returns


Returns TRUE, if the debug mode is enabled. Otherwise FALSE.

Definition at line 35 of file AbstractObject.java.

References ene.AbstractObject.isDebugEnabled.

Referenced by ene.AbstractObject.debugInfoAbout().

Here is the caller graph for this function:



7.4.3 Member Data Documentation

7.4.3.1 debugModeEnabled

```
boolean ene.AbstractObject.debugModeEnabled = false [static], [protected]
```

Debug mode state.

Definition at line 15 of file AbstractObject.java.


Referenced by `ene.AbstractObject.disableDebugMode()`, `ene.AbstractObject.enableDebugMode()`, and `ene.AbstractObject.isDebugEnabled()`.

The documentation for this class was generated from the following file:

- [src/ene/AbstractObject.java](#)

7.5 ene.views.AbstractPartialView< CoreComponentType, ModelType > Class Template Reference

Inheritance diagram for ene.views.AbstractPartialView< CoreComponentType, ModelType >:



7.5.2 Member Function Documentation

7.5.2.1 getModel()

```
ModelType ene.views.AbstractPartialView< CoreComponentType, ModelType >.getModel ( )
```

Returns the model instance.

Returns


Model instance.

Implements [ene.interfaces.PartialView< CoreComponentType, ModelType >](#).

Definition at line 25 of file AbstractPartialView.java.

Referenced by `ene.views.gui.partial.LibraryView.initialize()`, `ene.views.gui.partial.LibraryView.update()`, `ene.views.gui.partial.PlayerView.update()`, `ene.views.gui.partial.PlayerView.updateProgress()`, and `ene.views.gui.partial.AbstractTrackListView.valueChanged()`.

Here is the caller graph for this function:



7.5.2.2 setModel()

```
void ene.views.AbstractPartialView< CoreComponentType, ModelType >.setModel (
    Model model )
```

Sets the model instance.

Parameters


<i>model</i>	Model instance.
--------------	-----------------

Implements [ene.interfaces.PartialView< CoreComponentType, ModelType >](#).

Definition at line 20 of file AbstractPartialView.java.

Referenced by ene.views.gui.partial.LibraryView.LibraryView(), and ene.views.gui.partial.PlayerView.PlayerView().

Here is the caller graph for this function:



7.5.3 Member Data Documentation

7.5.3.1 model

ModelType `ene.views.AbstractPartialView`< CoreComponentType, ModelType >.model [protected]

Model instance.

Definition at line 16 of file AbstractPartialView.java.


Referenced by `ene.views.AbstractPartialView`< JPanel, TrackListModel >.getModel().

The documentation for this class was generated from the following file:


- `src/ene/views/AbstractPartialView.java`

7.6 ene.views.gui.partial.AbstractTrackListView Class Reference

Inheritance diagram for ene.views.gui.partial.AbstractTrackListView:



Collaboration diagram for ene.views.gui.partial.AbstractTrackListView:



Public Member Functions

- void [valueChanged](#) (ListSelectionEvent event)
- void [render](#) ()

Protected Member Functions

- void [setTable](#) (JTable [table](#))
- JTable [getTable](#) ()
- void [setTableContent](#) (DefaultTableModel [tableContent](#))
- DefaultTableModel [getTableContent](#) ()
- void [setPlayerController](#) (Controller [playerController](#))
- PlayerController [getPlayerController](#) ()
- void [hideColumn](#) (JTable [table](#), int columnIndex)
- String [getSelectedFilename](#) ()

Protected Attributes

- JTable [table](#)
- DefaultTableModel [tableContent](#)
- PlayerController [playerController](#)

Additional Inherited Members

7.6.1 Detailed Description

Track list view.

Since

0.14.0

Version

1.0.0

Definition at line 19 of file AbstractTrackListView.java.

7.6.2 Member Function Documentation

7.6.2.1 getPlayerController()

`PlayerController` ene.views.gui.partial.AbstractTrackListView.getPlayerController () [protected]

Returns the player controller instance.

Returns


Player controller instance.

Definition at line 89 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.playerController.

Referenced by ene.views.gui.partial.AbstractTrackListView.valueChanged().

Here is the caller graph for this function:



7.6.2.2 `getSelectedFilename()`

```
String ene.views.gui.partial.AbstractTrackListView.getSelectedFilename ( ) [protected]
```

Returns the selected filename.

Returns

Selected filename or empty string, if nothing is selected.

Since


0.12.0

Definition at line 109 of file `AbstractTrackListView.java`.


References `ene.views.gui.partial.AbstractTrackListView.getTable()`.

Referenced by `ene.views.gui.partial.LibraryView.initialize()`, and `ene.views.gui.partial.AbstractTrackListView.valueChanged()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.6.2.3 `getTable()`

```
JTable ene.views.gui.partial.AbstractTrackListView.getTable ( ) [protected]
```

Returns the table instance.

Returns


Table instance.

Definition at line 57 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.table.

Referenced by ene.views.gui.partial.AbstractTrackListView.getSelectedFilename().

Here is the caller graph for this function:

7.6.2.4 `getTableContent()`

```
DefaultTableModel ene.views.gui.partial.AbstractTrackListView.getTableContent ( ) [protected]
```

Returns the table content instance.

Returns


Table content instance.

Definition at line 73 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.tableContent.

Referenced by ene.views.gui.partial.LibraryView.initialize(), and ene.views.gui.partial.LibraryView.loadContent().

Here is the caller graph for this function:

7.6.2.5 `hideColumn()`

```
void ene.views.gui.partial.AbstractTrackListView.hideColumn (
    JTable table,
    int columnIndex ) [protected]
```

Hide table column.


Parameters

<i>table</i>	Table instance.
<i>columnIndex</i>	Column index.

Definition at line 98 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.LibraryView.initialize().

Here is the caller graph for this function:

**7.6.2.6 render()**

```
void ene.views.gui.partial.AbstractTrackListView.render ( )
```

Renders the view.

Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 129 of file AbstractTrackListView.java.

7.6.2.7 setPlayerController()

```
void ene.views.gui.partial.AbstractTrackListView.setPlayerController (
    Controller playerController ) [protected]
```

Sets the player controller instance.


Parameters

<i>playerController</i>	Player controller instance.
-------------------------	-----------------------------

Definition at line 81 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.LibraryView.LibraryView().

Here is the caller graph for this function:



7.6.2.8 setTable()

```
void ene.views.gui.partial.AbstractTrackListView.setTable (
    JTable table ) [protected]
```

Sets the table instance.

Parameters


<i>table</i>	Table instance.
--------------	-----------------

Definition at line 49 of file `AbstractTrackListView.java`.

References `ene.views.gui.partial.AbstractTrackListView.table`.

Referenced by `ene.views.gui.partial.LibraryView.initialize()`.

Here is the caller graph for this function:



7.6.2.9 setTableContent()

```
void ene.views.gui.partial.AbstractTrackListView.setTableContent (
    DefaultTableModel tableContent ) [protected]
```

Sets the table content instance.

Parameters

<i>tableContent</i>	Table content instance.
---------------------	-------------------------

Definition at line 65 of file AbstractTrackListView.java.

References ene.views.gui.partial.AbstractTrackListView.tableContent.


7.6.2.10 valueChanged()

```
void ene.views.gui.partial.AbstractTrackListView.valueChanged (
    ListSelectionEvent event )
```

Definition at line 119 of file AbstractTrackListView.java.

References ene.AbstractObject.debugInfoAbout(), ene.views.AbstractPartialView< CoreComponentType, Model<Type> >.getModel(), ene.views.gui.partial.AbstractTrackListView.getPlayerController(), ene.views.gui.partial.AbstractTrackListView.getSelectedFilename(), and ene.controllers.PlayerController.load().

Here is the call graph for this function:



7.6.3 Member Data Documentation

7.6.3.1 playerController

`PlayerController` ene.views.gui.partial.AbstractTrackListView.playerController [protected]

Player controller instance.

Definition at line 43 of file AbstractTrackListView.java.

Referenced by ene.views.gui.partial.AbstractTrackListView.getPlayerController().

7.6.3.2 table

`JTable ene.views.gui.partial.AbstractTrackListView.table` [protected]

Table instance.

Definition at line 23 of file `AbstractTrackListView.java`.

Referenced by `ene.views.gui.partial.AbstractTrackListView.getTable()`, `ene.views.gui.partial.LibraryView.initialize()`, and `ene.views.gui.partial.AbstractTrackListView.setTable()`.

7.6.3.3 tableContent

`DefaultTableModel ene.views.gui.partial.AbstractTrackListView.tableContent` [protected]

Initial value:

```
= new DefaultTableModel() {
    private static final long serialVersionUID = 1L;

    @Override
    public boolean isCellEditable(int row, int column) {
        return false;
    }
}
```

Table content instance.

Definition at line 28 of file `AbstractTrackListView.java`.


Referenced by `ene.views.gui.partial.AbstractTrackListView.getTableContent()`, `ene.views.gui.partial.LibraryView.initialize()`, `ene.views.gui.partial.LibraryView.loadContent()`, and `ene.views.gui.partial.AbstractTrackListView.setTableContent()`.

The documentation for this class was generated from the following file:


- src/ene/views/gui/partial/[AbstractTrackListView.java](#)

7.7 ene.views.AbstractView< CoreComponentType > Class Template Reference

Inheritance diagram for `ene.views.AbstractView< CoreComponentType >`:



Collaboration diagram for ene.views.AbstractView< CoreComponentType >:



Public Member Functions

- void `setTitle` (String `title`)
- String `getTitle` ()
- void `setCoreComponent` (CoreComponentType `coreComponent`)
- CoreComponentType `getCoreComponent` ()
- void `setLayoutPosition` (String `layoutPosition`)
- String `getLayoutPosition` ()

Protected Attributes

- String `title` = ""
- CoreComponentType `coreComponent`
- String `layoutPosition`

Additional Inherited Members

7.7.1 Detailed Description

Abstract view.

Version

1.1.0

Definition at line 11 of file `AbstractView.java`.

7.7.2 Member Function Documentation

7.7.2.1 getCoreComponent()

CoreComponentType [ene.views.AbstractView](#)< CoreComponentType >.getCoreComponent ()

Returns the core component instance.

Returns

Core component instance.


Implements [ene.interfaces.View](#)< [CoreComponentType](#) >.

Definition at line 43 of file AbstractView.java.

References [ene.views.AbstractView](#)< [CoreComponentType](#) >.coreComponent.

Referenced by [ene.views.gui.WindowView.getTitle\(\)](#), [ene.views.gui.partial.LibraryView.initialize\(\)](#), [ene.views.gui.partial.ContentView.render\(\)](#), [ene.views.gui.WindowView.render\(\)](#), and [ene.views.gui.WindowView.setTitle\(\)](#).

Here is the caller graph for this function:



7.7.2.2 getLayoutPosition()

String [ene.views.AbstractView](#)< [CoreComponentType](#) >.getLayoutPosition ()

Returns the layout position.

Returns

Layout position.

Implements [ene.interfaces.View](#)< [CoreComponentType](#) >.

Definition at line 53 of file AbstractView.java.

References [ene.views.AbstractView](#)< [CoreComponentType](#) >.layoutPosition.

7.7.2.3 getTitle()

```
String ene.views.AbstractView< CoreComponentType >.getTitle ( )
```

Returns the title.

Returns

Title.

Since

0.13.0

Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 33 of file AbstractView.java.

References [ene.views.AbstractView< CoreComponentType >.title](#).

7.7.2.4 setCoreComponent()

```
void ene.views.AbstractView< CoreComponentType >.setCoreComponent (
    CoreComponentType coreComponent )
```

Sets the core component instance.

Parameters

<i>coreComponent</i>	Core component instance.
----------------------	--------------------------


Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 38 of file AbstractView.java.

References [ene.views.AbstractView< CoreComponentType >.coreComponent](#).

Referenced by [ene.views.gui.partial.ContentView.initialize\(\)](#), [ene.views.gui.WindowView.initialize\(\)](#), [ene.views.gui.partial.LibraryView.initialize\(\)](#), and [ene.views.gui.partial.PlayerView.initialize\(\)](#).

Here is the caller graph for this function:



7.7.2.5 setLayoutPosition()

```
void ene.views.AbstractView< CoreComponentType >.setLayoutPosition (
    String layoutPosition )
```

Sets the layout position.

Parameters

<i>layoutPosition</i>	Layout position.
-----------------------	------------------


Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 48 of file AbstractView.java.

References [ene.views.AbstractView< CoreComponentType >.layoutPosition](#).

Referenced by [ene.views.gui.partial.LibraryView.LibraryView\(\)](#), and [ene.views.gui.partial.PlayerView.PlayerView\(\)](#).

Here is the caller graph for this function:



7.7.2.6 setTitle()

```
void ene.views.AbstractView< CoreComponentType >.setTitle (
    String title )
```

Sets the title.

Parameters

<i>title</i>	Title.
--------------	--------

Since

0.13.0


Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 28 of file AbstractView.java.

References [ene.views.AbstractView< CoreComponentType >.title](#).

Referenced by [ene.views.gui.partial.LibraryView.LibraryView\(\)](#).

Here is the caller graph for this function:



7.7.3 Member Data Documentation

7.7.3.1 coreComponent

CoreComponentType [ene.views.AbstractView< CoreComponentType >.coreComponent](#) [protected]

Core component instance.

Definition at line 20 of file AbstractView.java.

Referenced by [ene.views.AbstractView< CoreComponentType >.getCoreComponent\(\)](#), and [ene.views.AbstractView< CoreComponentType >.setCoreComponent\(\)](#).

7.7.3.2 layoutPosition

String [ene.views.AbstractView< CoreComponentType >.layoutPosition](#) [protected]

Layout position.

Definition at line 25 of file AbstractView.java.

Referenced by [ene.views.AbstractView< CoreComponentType >.getLayoutPosition\(\)](#), and [ene.views.AbstractView< CoreComponentType >.setLayoutPosition\(\)](#).

7.7.3.3 title

```
String ene.views.AbstractView< CoreComponentType >.title = "" [protected]
```

Title.

Definition at line 15 of file AbstractView.java.


Referenced by `ene.views.AbstractView< CoreComponentType >.getTitle()`, `ene.views.gui.partial.LibraryView.initialize()`, and `ene.views.AbstractView< CoreComponentType >.setTitle()`.

The documentation for this class was generated from the following file:


- `src/ene/views/AbstractView.java`

7.8 ene.Application Class Reference

Inheritance diagram for `ene.Application`:



Collaboration diagram for ene.Application:



Static Public Member Functions

- static void `main` (String args[])

Static Protected Member Functions

- static void `processArguments` (String arguments[])
- static void `run` ()

Additional Inherited Members

7.8.1 Detailed Description

Bootstrap class.

Since

0.8.0

Version

1.1.0

Definition at line 21 of file Application.java.

7.8.2 Member Function Documentation

7.8.2.1 main()

```
static void ene.Application.main (  
    String args[] ) [static]
```

Entry point.


Parameters

<i>args</i>	Arguments.
-------------	------------

Definition at line 27 of file Application.java.

References ene.Application.processArguments(), and ene.Application.run().

Here is the call graph for this function:



7.8.2.2 processArguments()

```
static void ene.Application.processArguments (  
    String arguments[] ) [static], [protected]
```

Processes arguments.

Parameters


<i>arguments</i>	Arguments.
------------------	------------

Definition at line 36 of file Application.java.

References ene.AbstractObject.consoleOutput(), and ene.AbstractObject.enableDebugMode().

Referenced by ene.Application.main().

Here is the call graph for this function:



Here is the caller graph for this function:

**7.8.2.3 run()**

```
static void ene.Application.run ( ) [static], [protected]
```


Runs application.

Definition at line 56 of file Application.java.

References ene.interfaces.View< CoreComponentType >.render().

Referenced by ene.Application.main().

Here is the call graph for this function:



Here is the caller graph for this function:




The documentation for this class was generated from the following file:

- [src/ene/Application.java](#)

7.9 ene.views.gui.partial.ContentView Class Reference

Inheritance diagram for ene.views.gui.partial.ContentView:



7.9.2 Constructor & Destructor Documentation

7.9.2.1 ContentView()

```
ene.views.gui.partial.ContentView.ContentView (
    View ... views )
```

Constructor.


Parameters

<i>views</i>	View instances.
--------------	-----------------

Definition at line 18 of file ContentView.java.

References `ene.views.AbstractMasterView< CoreComponentType >.addView()`, and `ene.views.gui.partial.ContentView.initialize()`.

Here is the call graph for this function:



7.9.3 Member Function Documentation

7.9.3.1 initialize()

```
void ene.views.gui.partial.ContentView.initialize ( ) [protected]
```


Initializing.

Definition at line 28 of file ContentView.java.


References `ene.views.AbstractView< CoreComponentType >.setCoreComponent()`.

Referenced by `ene.views.gui.partial.ContentView.ContentView()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.9.3.2 render()

```
void ene.views.gui.partial.ContentView.render ( )
```


Renders the view.

Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 33 of file `ContentView.java`.

References `ene.views.AbstractMasterView< CoreComponentType >.getAllViews()`, and `ene.views.AbstractView< CoreComponentType >.getCoreComponent()`.

Here is the call graph for this function:




The documentation for this class was generated from the following file:


- `src/ene/views/gui/partial/ContentView.java`

7.10 ene.interfaces.Controller< ModelType > Interface Template Reference

Inheritance diagram for ene.interfaces.Controller< ModelType >:



Collaboration diagram for ene.interfaces.Controller< ModelType >:



Public Member Functions

- void [setModel](#) ([Model](#) model)
- [ModelType](#) [getModel](#) ()

7.10.1 Detailed Description

[Controller](#).

Version

1.0.0

Definition at line 9 of file `Controller.java`.

7.10.2 Member Function Documentation

7.10.2.1 [getModel\(\)](#)

`ModelType` [ene.interfaces.Controller](#)< `ModelType` >.getModel ()

Returns the model instance.

Returns

[Model](#) instance.

Implemented in [ene.controllers.AbstractController](#)< `ModelType` >.

7.10.2.2 [setModel\(\)](#)

void [ene.interfaces.Controller](#)< `ModelType` >.setModel (
 [Model](#) model)

Sets the model instance.

Parameters

<i>model</i>	Model instance.
--------------	---------------------------------


Implemented in [ene.controllers.AbstractController< ModelType >](#).

The documentation for this interface was generated from the following file:


- [src/ene/interfaces/Controller.java](#)

7.11 ene.interfaces.DatabaseConnection Interface Reference

Inheritance diagram for ene.interfaces.DatabaseConnection:



Collaboration diagram for ene.interfaces.DatabaseConnection:



Public Member Functions

- int [execute](#) (String statement) throws Exception
- List< Map< String, String > > [query](#) (String statement) throws Exception

7.11.1 Detailed Description

Database connection.

Since

0.9.0

Version

1.0.0

Definition at line 11 of file DatabaseConnection.java.

7.11.2 Member Function Documentation

7.11.2.1 execute()

```
int ene.interfaces.DatabaseConnection.execute (  
    String statement ) throws Exception
```

Executes statement.

Parameters

<i>statement</i>	Statement.
------------------	------------

Returns

Number of affected rows.

Implemented in [ene.databases.SQLDatabase](#).

7.11.2.2 query()

```
List<Map<String,String> > ene.interfaces.DatabaseConnection.query (  
    String statement ) throws Exception
```

Query statement.

Parameters

<i>statement</i>	Statement.
------------------	------------

Returns

Returns a list of maps of rows.


Implemented in [ene.databases.SQLDatabase](#).

The documentation for this interface was generated from the following file:


- [src/ene/interfaces/DatabaseConnection.java](#)

7.12 ene.controllers.LibraryController Class Reference

Inheritance diagram for ene.controllers.LibraryController:



Collaboration diagram for ene.controllers.LibraryController:



Public Member Functions

- [LibraryController](#) ([Model model](#))
- boolean [add](#) (String filename)
- boolean [remove](#) (String filename)

Protected Member Functions

- boolean [addFile](#) (File file, String ... genre)
- boolean [addDirectoryContent](#) (File directory)
- int [scan](#) (File path, String ... genre)

Additional Inherited Members

7.12.1 Detailed Description

Library controller.

Version

3.0.0

Definition at line 13 of file LibraryController.java.

7.12.2 Constructor & Destructor Documentation

7.12.2.1 LibraryController()

```
ene.controllers.LibraryController.LibraryController (
    Model model )
```

Constructor.


Parameters

<i>model</i>	Library model instance.
--------------	-------------------------

Definition at line 18 of file LibraryController.java.

References [ene.controllers.AbstractController< LibraryModel >.setModel\(\)](#).

Here is the call graph for this function:



7.12.3 Member Function Documentation

7.12.3.1 add()

```
boolean ene.controllers.LibraryController.add (
    String filename )
```

Adds a file to the library.

Parameters

<i>filename</i>	File path.
-----------------	------------

Returns

Returns TRUE, if successful. Otherwise FALSE.

Since

0.12.0

Definition at line 28 of file LibraryController.java.

References `ene.controllers.LibraryController.addDirectoryContent()`, and `ene.controllers.LibraryController.addFile()`.

Referenced by `ene.views.gui.partial.LibraryView.initialize()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.12.3.2 addDirectoryContent()

```
boolean ene.controllers.LibraryController.addDirectoryContent (
    File directory ) [protected]
```

Adds the files of a whole directory to the library.

Parameters

<i>directory</i>	File instance of the directory.
------------------	---------------------------------

Returns


Returns TRUE, if successful. Otherwise FALSE.

Definition at line 78 of file LibraryController.java.


References ene.controllers.LibraryController.scan().

Referenced by ene.controllers.LibraryController.add().

Here is the call graph for this function:



Here is the caller graph for this function:



7.12.3.3 addFile()

```
boolean ene.controllers.LibraryController.addFile (
    File file,
    String ... genre ) [protected]
```

Adds a file to the library.

Parameters

<i>file</i>	File instance.
<i>genre</i>	Given track genre (Optional, for internal usage only).

Returns


Returns TRUE, if successful. Otherwise FALSE.

Definition at line 57 of file LibraryController.java.

References `ene.models.TrackModel.detectArtist()`, `ene.models.TrackModel.detectTitle()`, and `ene.controllers.↔ AbstractController< LibraryModel >.getModel()`.

Referenced by `ene.controllers.LibraryController.add()`, and `ene.controllers.LibraryController.scan()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.12.3.4 remove()

```
boolean ene.controllers.LibraryController.remove (
    String filename )
```

Removes a file from the library.

Parameters

<i>filename</i>	File path.
-----------------	------------

Returns

Returns TRUE, if successful. Otherwise FALSE.


Since

0.10.0

Definition at line 47 of file LibraryController.java.

References ene.controllers.AbstractController< LibraryModel >.getModel().

Here is the call graph for this function:



7.12.3.5 scan()

```
int ene.controllers.LibraryController.scan (
    File path,
    String ... genre ) [protected]
```

Scans and adds files recursively.

Parameters

<i>path</i>	File instance of the path.
<i>genre</i>	Given track genre (Optional, for internal usage only).

Returns


Returns the amount of added files.

Definition at line 92 of file LibraryController.java.

References ene.controllers.LibraryController.addFile().

Referenced by ene.controllers.LibraryController.addDirectoryContent().

Here is the call graph for this function:



Here is the caller graph for this function:




The documentation for this class was generated from the following file:


- `src/ene/controllers/LibraryController.java`

7.13 ene.models.LibraryModel Class Reference

Inheritance diagram for ene.models.LibraryModel:



Collaboration diagram for ene.models.LibraryModel:



Public Member Functions

- Map< String, [TrackModel](#) > [getByArtist](#) (String artist)
- Map< String, [TrackModel](#) > [getByTitle](#) (String title)
- Map< String, [TrackModel](#) > [getByGenre](#) (String genre)
- Map< String, [TrackModel](#) > [search](#) (String title, String artist, String genre)

Additional Inherited Members

7.13.1 Detailed Description

Library model.

Version

4.1.0

Definition at line 12 of file `LibraryModel.java`.

7.13.2 Member Function Documentation

7.13.2.1 getByArtist()

```
Map<String, TrackModel> ene.models.LibraryModel.getByArtist (
    String artist )
```

Returns all tracks by an particular artist.

Parameters

<i>artist</i>	Artist.
---------------	---------

Returns

Tracks.


Since

0.10.0

Definition at line 19 of file LibraryModel.java.

References ene.models.TrackModel.getArtist(), ene.models.TrackModel.getFilename(), and ene.models.TrackListModel.tracks.

Here is the call graph for this function:



7.13.2.2 getByGenre()

```
Map<String, TrackModel> ene.models.LibraryModel.getByGenre (
    String genre )
```

Returns all tracks from a particular genre.

Parameters

<i>genre</i>	Genre.
--------------	--------

Returns

Tracks.


Since

0.10.0

Definition at line 53 of file LibraryModel.java.

References `ene.models.TrackModel.getFilename()`, `ene.models.TrackModel.getGenre()`, and `ene.models.Track↔ListModel.tracks`.

Here is the call graph for this function:

**7.13.2.3 getByTitle()**

```
Map<String, TrackModel> ene.models.LibraryModel.getByTitle (  
    String title )
```

Returns all tracks with a particular title.

Parameters

<i>title</i>	Title.
--------------	--------

Returns

Tracks.


Since

0.10.0

Definition at line 36 of file LibraryModel.java.

References ene.models.TrackModel.getFilename(), ene.models.TrackModel.getTitle(), and ene.models.TrackList↔Model.tracks.

Here is the call graph for this function:



7.13.2.4 search()

```
Map<String, TrackModel> ene.models.LibraryModel.search (
    String title,
    String artist,
    String genre )
```

Returns all matching tracks.

Parameters

<i>title</i>	Title.
<i>artist</i>	Artist.
<i>genre</i>	Genre.

Returns

Map of tracks and it's absolute file path.

Since

0.15.0


Version

1.0.0

Definition at line 73 of file LibraryModel.java.

References `ene.models.TrackModel.getArtist()`, `ene.models.TrackModel.getFilename()`, `ene.models.TrackModel.getGenre()`, `ene.models.TrackModel.getTitle()`, and `ene.models.TrackListModel.tracks`.

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- [src/ene/models/LibraryModel.java](#)

7.14 ene.views.gui.partial.LibraryView Class Reference

Inheritance diagram for ene.views.gui.partial.LibraryView:



Protected Attributes

- [LibraryController](#) `libraryController`

Additional Inherited Members

7.14.1 Detailed Description

Library view.

Version

2.1.0

Since

0.13.0

Definition at line 32 of file `LibraryView.java`.

7.14.2 Constructor & Destructor Documentation

7.14.2.1 LibraryView()

```
ene.views.gui.partial.LibraryView.LibraryView (
    Model model,
    Controller libraryController,
    Controller playerController )
```

Constructor.


Parameters

<i>model</i>	Library model instance.
<i>libraryController</i>	Library controller instance.
<i>playerController</i>	Player controller instance.

Definition at line 60 of file `LibraryView.java`.

References `ene.interfaces.Model.addView()`, `ene.interfaces.Localization.getString()`, `ene.views.gui.partial.LibraryView.initialize()`, `ene.views.AbstractView< CoreComponentType >.setLayoutPosition()`, `ene.views.gui.partial.LibraryView.setLibraryController()`, `ene.views.AbstractPartialView< CoreComponentType, ModelType >.setModel()`, `ene.views.gui.partial.AbstractTrackListView.setPlayerController()`, and `ene.views.AbstractView< CoreComponentType >.setTitle()`.

Here is the call graph for this function:



7.14.3 Member Function Documentation

7.14.3.1 getLibraryController()

```
LibraryController ene.views.gui.partial.LibraryView.getLibraryController ( ) [protected]
```

Returns the library controller instance.

Returns


Library controller instance.

Definition at line 50 of file LibraryView.java.

References ene.views.gui.partial.LibraryView.libraryController.

Referenced by ene.views.gui.partial.LibraryView.initialize().

Here is the caller graph for this function:



7.14.3.2 initialize()

```
void ene.views.gui.partial.LibraryView.initialize ( ) [protected]
```


Initializing.

Definition at line 73 of file LibraryView.java.


References ene.controllers.LibraryController.add(), ene.views.AbstractView< CoreComponentType >.getCoreComponent(), ene.views.gui.partial.LibraryView.getLibraryController(), ene.views.AbstractPartialView< CoreComponentType, ModelType >.getModel(), ene.views.gui.partial.AbstractTrackListView.getSelectedFilename(), ene.interfaces.Localization.getString(), ene.views.gui.partial.AbstractTrackListView.getTableContent(), ene.views.gui.partial.AbstractTrackListView.hideColumn(), ene.views.gui.partial.LibraryView.loadContent(), ene.views.AbstractView< CoreComponentType >.setCoreComponent(), ene.views.gui.partial.AbstractTrackListView.setTable(), ene.views.gui.partial.AbstractTrackListView.table, ene.views.gui.partial.AbstractTrackListView.tableContent, and ene.views.AbstractView< CoreComponentType >.title.

Referenced by ene.views.gui.partial.LibraryView.LibraryView().

Here is the call graph for this function:



Here is the caller graph for this function:



7.14.3.3 loadContent()

```
void ene.views.gui.partial.LibraryView.loadContent (
    Map< String, TrackModel > tracks ) [protected]
```

Loads the table content from the model.

Parameters


<i>tracks</i>	Map of Tracks.
---------------	----------------

Definition at line 145 of file LibraryView.java.


References ene.models.TrackModel.getArtist(), ene.models.TrackModel.getFilename(), ene.models.TrackModel.getGenre(), ene.views.gui.partial.AbstractTrackListView.getTableContent(), ene.models.TrackModel.getTitle(), and ene.views.gui.partial.AbstractTrackListView.tableContent.

Referenced by ene.views.gui.partial.LibraryView.initialize(), and ene.views.gui.partial.LibraryView.update().

Here is the call graph for this function:



Here is the caller graph for this function:

**7.14.3.4 setLibraryController()**

```
void ene.views.gui.partial.LibraryView.setLibraryController (
    Controller libraryController ) [protected]
```

Sets the library controller instance.


Parameters

<i>libraryController</i>	Library controller instance.
--------------------------	------------------------------

Definition at line 42 of file LibraryView.java.

Referenced by `ene.views.gui.partial.LibraryView.LibraryView()`.

Here is the caller graph for this function:



7.14.3.5 update()

```
void ene.views.gui.partial.LibraryView.update ( )
```


Request update.

Implements [ene.interfaces.PartialView< CoreComponentType, ModelType >](#).


Definition at line 155 of file LibraryView.java.

References `ene.views.AbstractPartialView< CoreComponentType, ModelType >.getModel()`, and `ene.views.gui.partial.LibraryView.loadContent()`.

Here is the call graph for this function:



Collaboration diagram for ene.interfaces.Localization:



Public Member Functions

- default String [getString](#) (String stringName)

Static Public Attributes

- static final String [DEFAULT_LOCALE](#) = "en_US"

7.15.1 Detailed Description

[Localization.](#)

Version

1.0.1

Definition at line 10 of file Localization.java.

7.15.2 Member Function Documentation

7.15.2.1 getString()

```
default String ene.interfaces.Localization.getString (
    String stringName )
```

Get the localized string.

Parameters

<i>stringName</i>	String name.
-------------------	--------------


Returns

Localized string.

Definition at line 21 of file Localization.java.

Referenced by ene.views.gui.WindowView.initialize(), ene.views.gui.partial.LibraryView.initialize(), ene.views.gui.partial.PlayerView.initialize(), ene.views.gui.partial.LibraryView.LibraryView(), and ene.views.gui.partial.PlayerView.update().

Here is the caller graph for this function:

**7.15.3 Member Data Documentation****7.15.3.1 DEFAULT_LOCALE**

```
final String ene.interfaces.Localization.DEFAULT_LOCALE = "en_US" [static]
```

Default locale.


Definition at line 14 of file Localization.java.

The documentation for this interface was generated from the following file:


- src/ene/interfaces/[Localization.java](#)

7.16 ene.interfaces.MasterView< CoreComponentType > Interface Template Reference

Inheritance diagram for ene.interfaces.MasterView< CoreComponentType >:



Collaboration diagram for ene.interfaces.MasterView< CoreComponentType >:



Public Member Functions

- void `addView` (`View` view)
- void `setAllViews` (List< `View` > views)
- List< `View` > `getAllViews` ()

7.16.1 Detailed Description

Master view.

Since

0.3.0

Version

2.0.0

Definition at line 11 of file MasterView.java.

7.16.2 Member Function Documentation

7.16.2.1 addView()

```
void ene.interfaces.MasterView< CoreComponentType >.addView (
    View view )
```

Adds view instance.

Parameters

<i>view</i>	View instance.
-------------	----------------

Implemented in [ene.views.AbstractMasterView< CoreComponentType >](#).

7.16.2.2 getAllViews()

```
List<View> ene.interfaces.MasterView< CoreComponentType >.getAllViews ( )
```

Returns all contained view instances.

Returns

List of view instaces.

Implemented in [ene.views.AbstractMasterView< CoreComponentType >](#).

7.16.2.3 setAllViews()

```
void ene.interfaces.MasterView< CoreComponentType >.setAllViews (
    List< View > views )
```

Sets all contained view instances.

Parameters

<i>views</i>	List of view instaces.
--------------	------------------------


Implemented in [ene.views.AbstractMasterView< CoreComponentType >](#).

The documentation for this interface was generated from the following file:


- [src/ene/interfaces/MasterView.java](#)

7.17 ene.interfaces.Model Interface Reference

Inheritance diagram for ene.interfaces.Model:



Collaboration diagram for ene.interfaces.Model:



Public Member Functions

- void [addView](#) ([PartialView](#) view)

7.17.1 Detailed Description

[Model](#).

Version

2.0.0

Definition at line 9 of file [Model.java](#).

7.17.2 Member Function Documentation

7.17.2.1 [addView\(\)](#)

```
void ene.interfaces.Model.addView (  
    PartialView view )
```

Add related view.


Parameters

view	View .
----------------------	------------------------

Implemented in [ene.models.AbstractModel](#).

Referenced by [ene.views.gui.partial.LibraryView.LibraryView\(\)](#), and [ene.views.gui.partial.PlayerView.PlayerView\(\)](#).

Here is the caller graph for this function:




The documentation for this interface was generated from the following file:


- [src/ene/interfaces/Model.java](#)

7.18 ene.interfaces.PartialView< CoreComponentType, ModelType > Interface Template Reference

Inheritance diagram for ene.interfaces.PartialView< CoreComponentType, ModelType >:



Collaboration diagram for ene.interfaces.PartialView< CoreComponentType, ModelType >:



Public Member Functions

- void [setModel](#) ([Model](#) model)
- [ModelType](#) [getModel](#) ()
- void [update](#) ()

7.18.1 Detailed Description

Partial view.

Since

0.11.0

Version

1.0.0

Definition at line 11 of file PartialView.java.

7.18.2 Member Function Documentation

7.18.2.1 getModel()

```
ModelType ene.interfaces.PartialView< CoreComponentType, ModelType >.getModel ( )
```

Returns the model instance.

Returns

[Model](#) instance.

Implemented in [ene.views.AbstractPartialView< CoreComponentType, ModelType >](#).

7.18.2.2 setModel()

```
void ene.interfaces.PartialView< CoreComponentType, ModelType >.setModel (
    Model model )
```

Sets the model instance.

Parameters

<i>model</i>	Model instance.
--------------	---------------------------------

Implemented in [ene.views.AbstractPartialView< CoreComponentType, ModelType >](#).

7.18.2.3 update()


```
void ene.interfaces.PartialView< CoreComponentType, ModelType >.update ( )
```

Request update.

Implemented in [ene.views.gui.partial.PlayerView](#), and [ene.views.gui.partial.LibraryView](#).

Referenced by [ene.models.AbstractModel.changed\(\)](#).

Here is the caller graph for this function:




The documentation for this interface was generated from the following file:


- [src/ene/interfaces/PartialView.java](#)

7.19 ene.controllers.PlayerController Class Reference

Inheritance diagram for ene.controllers.PlayerController:



Collaboration diagram for ene.controllers.PlayerController:



Public Member Functions

- [PlayerController](#) ([Model model](#))
- void [changeTrackPosition](#) (int newPosition)
- boolean [load](#) ([TrackModel track](#))
- void [togglePlayback](#) ()

Additional Inherited Members

7.19.1 Detailed Description

Player controller.

Version

1.0.0

Definition at line 13 of file PlayerController.java.

7.19.2 Constructor & Destructor Documentation

7.19.2.1 PlayerController()

```
ene.controllers.PlayerController.PlayerController (
    Model model )
```

Constructor.


Parameters

<i>model</i>	Player model instance.
--------------	------------------------

Definition at line 18 of file PlayerController.java.

References ene.controllers.AbstractController< PlayerModel >.setModel().

Here is the call graph for this function:



7.19.3 Member Function Documentation

7.19.3.1 changeTrackPosition()

```
void ene.controllers.PlayerController.changeTrackPosition (
    int newPosition )
```

Changes the current track position.

Parameters


<i>newPosition</i>	New track position in seconds.
--------------------	--------------------------------

Definition at line 26 of file PlayerController.java.


References ene.controllers.AbstractController< PlayerModel >.getModel().

Referenced by ene.views.gui.partial.PlayerView.initialize(), and ene.views.gui.partial.PlayerView.resetProgress().

Here is the call graph for this function:



Here is the caller graph for this function:



7.19.3.2 load()

```
boolean ene.controllers.PlayerController.load (
    TrackModel track )
```

Load track.

Parameters

<i>track</i>	Track instance.
--------------	-----------------

Returns


Returns TRUE, if successful. Otherwise FALSE.

Definition at line 35 of file PlayerController.java.


References ene.controllers.AbstractController< PlayerModel >.getModel().

Referenced by ene.views.gui.partial.AbstractTrackListView.valueChanged().

Here is the call graph for this function:



Here is the caller graph for this function:



7.19.3.3 togglePlayback()

```
void ene.controllers.PlayerController.togglePlayback ( )
```


Toggle playback.

Definition at line 42 of file PlayerController.java.


References ene.controllers.AbstractController< PlayerModel >.getModel().

Referenced by ene.views.gui.partial.PlayerView.initialize().

Here is the call graph for this function:



Here is the caller graph for this function:




The documentation for this class was generated from the following file:


- `src/ene/controllers/PlayerController.java`

7.20 ene.models.PlayerModel Class Reference

Inheritance diagram for ene.models.PlayerModel:



Collaboration diagram for ene.models.PlayerModel:



Public Member Functions

- Clip `getClip ()`
- LineEvent `getLastEvent ()`
- int `getTrackLength ()`
- void `setTrackPosition (int position)`
- int `getTrackPosition ()`
- boolean `load (TrackModel track)`
- boolean `start ()`
- boolean `pause ()`
- void `update (LineEvent event)`

Protected Member Functions

- void `setClip (Clip clip)`
- void `setLastEvent (LineEvent event)`

Package Attributes

- Clip `clip`
- LineEvent `lastEvent`
- int `trackLength`

Additional Inherited Members

7.20.1 Detailed Description

Player model.

Version

1.0.0

Definition at line 18 of file PlayerModel.java.

7.20.2 Member Function Documentation

7.20.2.1 getClip()

```
Clip ene.models.PlayerModel.getClip ( )
```

Returns the clip.

Returns


Clip instance.

Definition at line 46 of file PlayerModel.java.

References ene.models.PlayerModel.clip.

Referenced by ene.models.PlayerModel.getTrackLength(), ene.models.PlayerModel.getTrackPosition(), ene.models.PlayerModel.load(), ene.models.PlayerModel.pause(), ene.models.PlayerModel.setTrackPosition(), and ene.models.PlayerModel.start().

Here is the caller graph for this function:



7.20.2.2 getLastEvent()

```
LineEvent ene.models.PlayerModel.getLastEvent ( )
```

Returns the last event.

Returns

Line event instance.

Definition at line 62 of file PlayerModel.java.

References ene.models.PlayerModel.lastEvent.

7.20.2.3 getTrackLength()

```
int ene.models.PlayerModel.getTrackLength ( )
```

Returns the track length.

Returns


Track length in seconds.

Definition at line 70 of file PlayerModel.java.


References ene.AbstractObject.delay(), and ene.models.PlayerModel.getClip().

Referenced by ene.views.gui.partial.PlayerView.update().

Here is the call graph for this function:



Here is the caller graph for this function:



7.20.2.4 getTrackPosition()

```
int ene.models.PlayerModel.getTrackPosition ( )
```

Returns the current track position.

Returns


Current track position in seconds.

Definition at line 87 of file PlayerModel.java.


References ene.AbstractObject.delay(), and ene.models.PlayerModel.getClip().

Referenced by ene.models.PlayerModel.setTrackPosition(), and ene.views.gui.partial.PlayerView.update().

Here is the call graph for this function:



Here is the caller graph for this function:



7.20.2.5 load()

```
boolean ene.models.PlayerModel.load (
    TrackModel track )
```

Load track. Implementation inspired by: <https://www.tutorials.de/threads/kontinuierlich-laufende-hintere-359029>

Parameters

<i>track</i>	Track model instance.
--------------	-----------------------


Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 98 of file PlayerModel.java.

References ene.AbstractObject.debugInfoAbout(), ene.models.PlayerModel.getClip(), ene.models.TrackModel.getFilename(), and ene.models.PlayerModel.setClip().

Here is the call graph for this function:

**7.20.2.6 pause()**

```
boolean ene.models.PlayerModel.pause ( )
```

Pause playing.


Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 140 of file PlayerModel.java.

References ene.AbstractObject.debugInfoAbout(), and ene.models.PlayerModel.getClip().

Here is the call graph for this function:



7.20.2.7 setClip()

```
void ene.models.PlayerModel.setClip (
    Clip clip ) [protected]
```

Sets the clip.

Parameters

<i>clip</i>	Clip instance.
-------------	----------------

Definition at line 38 of file PlayerModel.java.

References ene.models.PlayerModel.clip.

Referenced by ene.models.PlayerModel.load().

Here is the caller graph for this function:



7.20.2.8 setLastEvent()

```
void ene.models.PlayerModel.setLastEvent (
    LineEvent event ) [protected]
```

Sets the last event.


Parameters

<i>event</i>	Line event instance.
--------------	----------------------

Definition at line 54 of file PlayerModel.java.

Referenced by ene.models.PlayerModel.update().

Here is the caller graph for this function:



7.20.2.9 setTrackPosition()

```
void ene.models.PlayerModel.setTrackPosition (
    int position )
```

Sets the current track position.


Parameters

<i>position</i>	Track position in seconds.
-----------------	----------------------------

Definition at line 79 of file PlayerModel.java.

References `ene.models.PlayerModel.getClip()`, and `ene.models.PlayerModel.getTrackPosition()`.

Here is the call graph for this function:



7.20.2.10 start()

```
boolean ene.models.PlayerModel.start ( )
```

Start playing.


Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 126 of file PlayerModel.java.

References ene.AbstractObject.debugInfoAbout(), and ene.models.PlayerModel.getClip().

Here is the call graph for this function:


**7.20.2.11 update()**

```
void ene.models.PlayerModel.update (
    LineEvent event )
```

Definition at line 151 of file PlayerModel.java.

References ene.models.AbstractModel.changed(), ene.AbstractObject.debugInfoAbout(), and ene.models.PlayerModel.setLastEvent().

Here is the call graph for this function:

**7.20.3 Member Data Documentation****7.20.3.1 clip**

```
Clip ene.models.PlayerModel.clip [package]
```

Clip instance.

Definition at line 22 of file PlayerModel.java.

Referenced by ene.models.PlayerModel.getClip(), and ene.models.PlayerModel.setClip().

7.20.3.2 lastEvent

LineEvent ene.models.PlayerModel.lastEvent [package]

Line event instance.

Definition at line 27 of file PlayerModel.java.

Referenced by ene.models.PlayerModel.getLastEvent().

7.20.3.3 trackLength

int ene.models.PlayerModel.trackLength [package]

Track length.


Definition at line 32 of file PlayerModel.java.

The documentation for this class was generated from the following file:


- src/ene/models/[PlayerModel.java](#)

7.21 ene.views.gui.partial.PlayerView Class Reference

Inheritance diagram for ene.views.gui.partial.PlayerView:



Collaboration diagram for ene.views.gui.partial.PlayerView:



Public Member Functions

- [PlayerView](#) ([Model model](#), [Controller playerController](#))
- void [update](#) ()
- void [render](#) ()

Protected Member Functions

- void [setPlayerController](#) ([Controller playerController](#))
- [PlayerController](#) [getPlayerController](#) ()
- void [initialize](#) ()
- void [enablePlayerControls](#) ()
- void [disablePlayerControls](#) ()
- void [updateProgress](#) ()
- void [resetProgress](#) ()
- String [formatTimeToString](#) (int timeInSeconds)

Protected Attributes

- [PlayerController](#) [playerController](#)
- JButton [playButton](#)
- JSlider [progressSlider](#)
- JLabel [progressLabel](#)

Package Attributes

- Timer [progressTimer](#)
- SimpleDateFormat [trackTimeFormat](#)

Additional Inherited Members

7.21.1 Detailed Description

Player view.

Version

2.0.1

Definition at line 26 of file `PlayerView.java`.

7.21.2 Constructor & Destructor Documentation

7.21.2.1 `PlayerView()`

```
ene.views.gui.partial.PlayerView.PlayerView (
    Model model,
    Controller playerController )
```

Constructor.


Parameters

<i>model</i>	Player model instance.
<i>playerController</i>	Player controller instance.

Definition at line 78 of file `PlayerView.java`.

References `ene.interfaces.Model.addView()`, `ene.views.gui.partial.PlayerView.initialize()`, `ene.views.AbstractView< CoreComponentType >.setLayoutPosition()`, `ene.views.AbstractPartialView< CoreComponentType, ModelType >.setModel()`, and `ene.views.gui.partial.PlayerView.setPlayerController()`.

Here is the call graph for this function:



7.21.3 Member Function Documentation

7.21.3.1 disablePlayerControls()


```
void ene.views.gui.partial.PlayerView.disablePlayerControls ( ) [protected]
```

Disables player controls.

Definition at line 140 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.initialize(), and ene.views.gui.partial.PlayerView.update().

Here is the caller graph for this function:



7.21.3.2 enablePlayerControls()


```
void ene.views.gui.partial.PlayerView.enablePlayerControls ( ) [protected]
```

Enables player controls.

Definition at line 131 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.update().

Here is the caller graph for this function:



7.21.3.3 formatTimeToString()

```
String ene.views.gui.partial.PlayerView.formatTimeToString (
    int timeInSeconds ) [protected]
```

Returns a string representation of the time.

Parameters

<i>timeInSeconds</i>	Time in seconds.
----------------------	------------------


Returns

String representation of the time.

Definition at line 174 of file PlayerView.java.

Referenced by ene.views.gui.partial.PlayerView.updateProgress().

Here is the caller graph for this function:



7.21.3.4 getPlayerController()

```
PlayerController ene.views.gui.partial.PlayerView.getPlayerController ( ) [protected]
```

Returns the player controller instance.

Returns


Player controller instance.

Definition at line 69 of file PlayerView.java.

References ene.views.gui.partial.PlayerView.playerController.

Referenced by ene.views.gui.partial.PlayerView.initialize(), and ene.views.gui.partial.PlayerView.resetProgress().

Here is the caller graph for this function:



7.21.3.5 initialize()

```
void ene.views.gui.partial.PlayerView.initialize ( ) [protected]
```


Initializing.

Definition at line 89 of file PlayerView.java.


References ene.controllers.PlayerController.changeTrackPosition(), ene.AbstractObject.debugInfoAbout(), ene.views.gui.partial.PlayerView.disablePlayerControls(), ene.views.gui.partial.PlayerView.getPlayerController(), ene.interfaces.Localization.getString(), ene.views.AbstractView< CoreComponentType >.setCoreComponent(), ene.controllers.PlayerController.togglePlayback(), and ene.views.gui.partial.PlayerView.updateProgress().

Referenced by ene.views.gui.partial.PlayerView.PlayerView().

Here is the call graph for this function:



Here is the caller graph for this function:



7.21.3.6 render()

```
void ene.views.gui.partial.PlayerView.render ( )
```

Renders the view.

Implements [ene.interfaces.View<CoreComponentType>](#).

Definition at line 204 of file `PlayerView.java`.

7.21.3.7 resetProgress()

```
void ene.views.gui.partial.PlayerView.resetProgress ( ) [protected]
```


Resets the track progress.

Definition at line 164 of file PlayerView.java.


References `ene.controllers.PlayerController.changeTrackPosition()`, `ene.views.gui.partial.PlayerView.getPlayerController()`, and `ene.views.gui.partial.PlayerView.updateProgress()`.

Referenced by `ene.views.gui.partial.PlayerView.update()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.21.3.8 setPlayerController()

```
void ene.views.gui.partial.PlayerView.setPlayerController (
    Controller playerController ) [protected]
```

Sets the player controller instance.


Parameters

<i>playerController</i>	Player controller instance.
-------------------------	-----------------------------

Definition at line 61 of file PlayerView.java.

Referenced by `ene.views.gui.partial.PlayerView.PlayerView()`.

Here is the caller graph for this function:



7.21.3.9 update()

```
void ene.views.gui.partial.PlayerView.update ( )
```


Request update.

Implements [ene.interfaces.PartialView< CoreComponentType, ModelType >](#).

Definition at line 179 of file PlayerView.java.

References `ene.views.gui.partial.PlayerView.disablePlayerControls()`, `ene.views.gui.partial.PlayerView.enablePlayerControls()`, `ene.views.AbstractPartialView< CoreComponentType, ModelType >.getModel()`, `ene.interfaces.Localization.getString()`, `ene.models.PlayerModel.getTrackLength()`, `ene.models.PlayerModel.getTrackPosition()`, and `ene.views.gui.partial.PlayerView.resetProgress()`.

Here is the call graph for this function:



7.21.3.10 updateProgress()

```
void ene.views.gui.partial.PlayerView.updateProgress ( ) [protected]
```


Updates the progress slider and label.

Definition at line 149 of file PlayerView.java.


References `ene.views.gui.partial.PlayerView.formatTimeToString()`, and `ene.views.AbstractPartialView< CoreComponentType, ModelType >.getModel()`.

Referenced by `ene.views.gui.partial.PlayerView.initialize()`, and `ene.views.gui.partial.PlayerView.resetProgress()`.

Here is the call graph for this function:



Here is the caller graph for this function:



7.21.4 Member Data Documentation

7.21.4.1 playButton

```
JButton ene.views.gui.partial.PlayerView.playButton [protected]
```

Play/Stop button.

Definition at line 35 of file PlayerView.java.

7.21.4.2 `playerController`

```
PlayerController ene.views.gui.partial.PlayerView.playerController [protected]
```

Player controller instance.

Definition at line 30 of file `PlayerView.java`.

Referenced by `ene.views.gui.partial.PlayerView.getPlayerController()`.

7.21.4.3 `progressLabel`

```
JLabel ene.views.gui.partial.PlayerView.progressLabel [protected]
```

Progress label.

Definition at line 45 of file `PlayerView.java`.

7.21.4.4 `progressSlider`

```
JSlider ene.views.gui.partial.PlayerView.progressSlider [protected]
```

Progress slider.

Definition at line 40 of file `PlayerView.java`.

7.21.4.5 `progressTimer`

```
Timer ene.views.gui.partial.PlayerView.progressTimer [package]
```

Progress refresh timer.

Definition at line 50 of file `PlayerView.java`.

7.21.4.6 `trackTimeFormat`

```
SimpleDateFormat ene.views.gui.partial.PlayerView.trackTimeFormat [package]
```

Track time format instance.


Definition at line 55 of file `PlayerView.java`.

The documentation for this class was generated from the following file:


- `src/ene/views/gui/partial/PlayerView.java`

7.22 ene.models.PlaylistModel Class Reference

Inheritance diagram for ene.models.PlaylistModel:



Collaboration diagram for ene.models.PlaylistModel:



Public Member Functions

- void `setName` (String `name`)
- String `getName` ()

Package Attributes

- String `name`

Additional Inherited Members

7.22.1 Detailed Description

Playlist model.

Since

0.14.0

Version

1.0.0

Definition at line 10 of file PlaylistModel.java.

7.22.2 Member Function Documentation**7.22.2.1 getName()**

```
String ene.models.PlaylistModel.getName ( )
```

Returns the playlist name.

Returns

Playlist name.

Definition at line 28 of file PlaylistModel.java.

References ene.models.PlaylistModel.name.

7.22.2.2 setName()

```
void ene.models.PlaylistModel.setName (
    String name )
```

Sets the playlist name.

Parameters

<i>name</i>	Playlist name.
-------------	----------------

Definition at line 20 of file PlaylistModel.java.

References ene.models.PlaylistModel.name.

7.22.3 Member Data Documentation

7.22.3.1 name

```
String ene.models.PlaylistModel.name [package]
```

Playlist name.

Definition at line 14 of file PlaylistModel.java.


Referenced by `ene.models.PlaylistModel.getName()`, and `ene.models.PlaylistModel.setName()`.

The documentation for this class was generated from the following file:


- `src/ene/models/PlaylistModel.java`

7.23 ene.databases.SQLDatabase Class Reference

Inheritance diagram for `ene.databases.SQLDatabase`:



Collaboration diagram for ene.databases.SQLDatabase:



Public Member Functions

- [SQLDatabase](#) (String url, int statementTimeout) throws Exception
- int [execute](#) (String [statement](#)) throws Exception
- List< Map< String, String > > [query](#) (String [statement](#)) throws Exception

Protected Member Functions

- void [setConnection](#) (Connection [connection](#))
- Connection [getConnection](#) ()
- void [setStatement](#) (Statement [statement](#))
- Statement [getStatement](#) ()

Protected Attributes

- Connection [connection](#) = null
- Statement [statement](#) = null

Additional Inherited Members

7.23.1 Detailed Description

JDBC SQL database.

Version

1.0.0

Definition at line 19 of file SQLiteDatabase.java.

7.23.2 Constructor & Destructor Documentation

7.23.2.1 SQLiteDatabase()

```
ene.databases.SQLiteDatabase.SQLiteDatabase (
    String url,
    int statementTimeout ) throws Exception
```

Constructor.


Parameters

<i>url</i>	A database url of the form jdbc:subprotocol:subname.
<i>statementTimeout</i>	Statement timeout in seconds.

Definition at line 67 of file SQLiteDatabase.java.

References `ene.databases.SQLiteDatabase.getConnection()`, `ene.databases.SQLiteDatabase.createStatement()`, `ene.databases.SQLiteDatabase.setConnection()`, and `ene.databases.SQLiteDatabase.setStatement()`.

Here is the call graph for this function:



7.23.3 Member Function Documentation

7.23.3.1 execute()

```
int ene.databases.SQLiteDatabase.execute (
    String statement ) throws Exception
```

Executes statement.

Parameters

<i>statement</i>	Statement.
------------------	------------

Returns


Number of affected rows.

Implements [ene.interfaces.DatabaseConnection](#).

Definition at line 74 of file SQLDatabase.java.

References [ene.databases.SQLDatabase.createStatement\(\)](#).

Here is the call graph for this function:

**7.23.3.2 getConnection()**

```
Connection ene.databases.SQLDatabase.getConnection ( ) [protected]
```

Returns the connection instance.

Returns


Connection instance.

Definition at line 42 of file SQLDatabase.java.

References [ene.databases.SQLDatabase.connection](#).

Referenced by [ene.databases.SQLDatabase.SQLDatabase\(\)](#).

Here is the caller graph for this function:



7.23.3.3 `getStatement()`

```
Statement ene.databases.SQLDatabase.getStatement ( ) [protected]
```

Returns the statement instance.

Returns


Statement instance.

Definition at line 58 of file `SQLDatabase.java`.

References `ene.databases.SQLDatabase.statement`.

Referenced by `ene.databases.SQLDatabase.execute()`, `ene.databases.SQLDatabase.query()`, and `ene.databases.SQLDatabase.SQLDatabase()`.

Here is the caller graph for this function:



7.23.3.4 `query()`

```
List<Map<String,String> > ene.databases.SQLDatabase.query (
    String statement ) throws Exception
```

Query statement.

Parameters

<i>statement</i>	Statement.
------------------	------------

Returns


Returns a list of maps of rows.

Implements [ene.interfaces.DatabaseConnection](#).

Definition at line 79 of file `SQLDatabase.java`.

References ene.databases.SQLDatabase.createStatement().

Here is the call graph for this function:



7.23.3.5 setConnection()

```
void ene.databases.SQLDatabase.setConnection (
    Connection connection ) [protected]
```

Sets the connection instance.

Parameters


<i>connection</i>	Connection instance.
-------------------	----------------------

Definition at line 34 of file SQLDatabase.java.

References ene.databases.SQLDatabase.connection.

Referenced by ene.databases.SQLDatabase.SQLDatabase().

Here is the caller graph for this function:



7.23.3.6 setStatement()

```
void ene.databases.SQLDatabase.setStatement (
    Statement statement ) [protected]
```

Sets the statement instance.

Parameters


<i>statement</i>	Statement instance.
------------------	---------------------

Definition at line 50 of file SQLiteDatabase.java.

References ene.databases.SQLiteDatabase.statement.

Referenced by ene.databases.SQLiteDatabase.SQLiteDatabase().

Here is the caller graph for this function:

**7.23.4 Member Data Documentation****7.23.4.1 connection**

```
Connection ene.databases.SQLiteDatabase.connection = null [protected]
```

Connection instance.

Definition at line 23 of file SQLiteDatabase.java.

Referenced by ene.databases.SQLiteDatabase.getConnection(), and ene.databases.SQLiteDatabase.setConnection().

7.23.4.2 statement

```
Statement ene.databases.SQLiteDatabase.statement = null [protected]
```

Statement instance.

Definition at line 28 of file SQLiteDatabase.java.


Referenced by ene.databases.SQLiteDatabase.getStatement(), and ene.databases.SQLiteDatabase.setStatement().

The documentation for this class was generated from the following file:

- src/ene/databases/[SQLiteDatabase.java](#)

7.24 ene.models.TrackListModel Class Reference

Inheritance diagram for ene.models.TrackListModel:



7.24.2 Member Function Documentation

7.24.2.1 add()

```
void ene.models.TrackListModel.add (  
    TrackModel track )
```

Adds a track.


Parameters

<i>track</i>	Track model instance.
--------------	-----------------------

Definition at line 22 of file TrackListModel.java.

References ene.models.AbstractModel.changed(), and ene.models.TrackModel.getFilename().

Here is the call graph for this function:



7.24.2.2 get()

```
TrackModel ene.models.TrackListModel.get (  
    String filename )
```

Returns track.

Parameters

<i>filename</i>	File path.
-----------------	------------

Returns

Track.

Definition at line 46 of file TrackListModel.java.

7.24.2.3 getAll()

```
Map<String, TrackModel> ene.models.TrackListModel.getAll ( )
```

Returns all tracks.

Returns

Tracks.

Definition at line 54 of file TrackListModel.java.

References ene.models.TrackListModel.tracks.

7.24.2.4 remove()

```
boolean ene.models.TrackListModel.remove (
    String filename )
```

Removes a track.

Parameters

<i>filename</i>	File path.
-----------------	------------


Returns

Returns TRUE, if successful. Otherwise FALSE.

Definition at line 32 of file TrackListModel.java.

References ene.models.AbstractModel.changed().

Here is the call graph for this function:



7.24.3 Member Data Documentation

7.24.3.1 tracks

```
Map<String, TrackModel> ene.models.TrackListModel.tracks = new HashMap<>() [protected]
```

All tracks.

Definition at line 16 of file TrackListModel.java.


Referenced by `ene.models.TrackListModel.getAll()`, `ene.models.LibraryModel.getByArtist()`, `ene.models.LibraryModel.getByGenre()`, `ene.models.LibraryModel.getByTitle()`, and `ene.models.LibraryModel.search()`.

The documentation for this class was generated from the following file:


- `src/ene/models/TrackListModel.java`

7.25 ene.models.TrackModel Class Reference

Inheritance diagram for ene.models.TrackModel:



Collaboration diagram for ene.models.TrackModel:



Public Member Functions

- String `getFilename` ()
- void `setFilename` (String `filename`)
- String `getArtist` ()
- void `setArtist` (String `artist`)
- String `getTitle` ()
- void `setTitle` (String `title`)
- String `getGenre` ()
- void `setGenre` (String `genre`)
- `TrackModel` (String `filename`, String `artist`, String `title`, String `genre`)
- String `toString` ()

Static Public Member Functions

- static String [detectArtist](#) (String [filename](#))
- static String [detectTitle](#) (String [filename](#))

Protected Attributes

- String [filename](#)
- String [artist](#)
- String [title](#)
- String [genre](#)

Additional Inherited Members

7.25.1 Detailed Description

Track model.

Version

2.0.1

Definition at line 9 of file TrackModel.java.

7.25.2 Constructor & Destructor Documentation

7.25.2.1 TrackModel()

```
ene.models.TrackModel.TrackModel (
    String filename,
    String artist,
    String title,
    String genre )
```

Constructor.

Parameters

<i>filename</i>	Filename.
<i>artist</i>	Artist.
<i>title</i>	Title.
<i>genre</i>	Genre.


Since

0.10.0

Definition at line 106 of file TrackModel.java.

References `ene.models.TrackModel.setArtist()`, `ene.models.TrackModel.setFilename()`, `ene.models.TrackModel.setGenre()`, and `ene.models.TrackModel.setTitle()`.

Here is the call graph for this function:



7.25.3 Member Function Documentation

7.25.3.1 detectArtist()

```
static String ene.models.TrackModel.detectArtist (
    String filename ) [static]
```

Detects the artist by the filename.

Parameters

<i>filename</i>	The filename.
-----------------	---------------

Returns

Returns the artist or a empty string.

Since

0.10.1

Definition at line 132 of file TrackModel.java.

Referenced by `ene.controllers.LibraryController.addFile()`.

Here is the caller graph for this function:



7.25.3.2 detectTitle()

```
static String ene.models.TrackModel.detectTitle (
    String filename ) [static]
```

Detects the title by the filename.

Parameters

<i>filename</i>	The filename.
-----------------	---------------

Returns

Returns the title or a empty string.

Since

0.10.1

Definition at line 147 of file TrackModel.java.

Referenced by ene.controllers.LibraryController.addFile().

Here is the caller graph for this function:



7.25.3.3 getArtist()

```
String ene.models.TrackModel.getArtist ( )
```

Get the artist.

Returns


Artist.

Definition at line 51 of file TrackModel.java.

References ene.models.TrackModel.artist.

Referenced by ene.models.LibraryModel.getByArtist(), ene.views.gui.partial.LibraryView.loadContent(), ene.models.LibraryModel.search(), and ene.models.TrackModel.toString().

Here is the caller graph for this function:



7.25.3.4 getFilename()

```
String ene.models.TrackModel.getFilename ( )
```

Get the filename.

Returns


Filename.

Definition at line 34 of file TrackModel.java.

References ene.models.TrackModel.filename.

Referenced by ene.models.TrackListModel.add(), ene.models.LibraryModel.getByArtist(), ene.models.LibraryModel.getByGenre(), ene.models.LibraryModel.getByTitle(), ene.models.PlayerModel.load(), ene.views.gui.partial.LibraryView.loadContent(), ene.models.LibraryModel.search(), and ene.models.TrackModel.toString().

Here is the caller graph for this function:



7.25.3.5 getGenre()

```
String ene.models.TrackModel.getGenre ( )
```

Get the genre.

Returns


Genre.

Definition at line 85 of file TrackModel.java.

References ene.models.TrackModel.genre.

Referenced by ene.models.LibraryModel.getByGenre(), ene.views.gui.partial.LibraryView.loadContent(), ene.models.LibraryModel.search(), and ene.models.TrackModel.toString().

Here is the caller graph for this function:

**7.25.3.6 getTitle()**

```
String ene.models.TrackModel.getTitle ( )
```

Get the title.

Returns


Title.

Definition at line 68 of file TrackModel.java.

References ene.models.TrackModel.title.

Referenced by ene.models.LibraryModel.getByTitle(), ene.views.gui.partial.LibraryView.loadContent(), ene.models.LibraryModel.search(), and ene.models.TrackModel.toString().

Here is the caller graph for this function:

**7.25.3.7 setArtist()**

```
void ene.models.TrackModel.setArtist (
    String artist )
```

Set the artist.

Parameters


<i>artist</i>	Artist.
---------------	---------

Definition at line 59 of file TrackModel.java.

References ene.models.TrackModel.artist, and ene.models.AbstractModel.changed().

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:



Here is the caller graph for this function:



7.25.3.8 setFilename()

```
void ene.models.TrackModel.setFilename (  
    String filename )
```

Set the filename.

Parameters


<i>filename</i>	Filename.
-----------------	-----------

Definition at line 42 of file TrackModel.java.

References ene.models.AbstractModel.changed(), and ene.models.TrackModel.filename.

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:



Here is the caller graph for this function:



7.25.3.9 setGenre()

```
void ene.models.TrackModel.setGenre (
    String genre )
```

Set the genre

Parameters


<i>genre</i>	Genre.
--------------	--------

Definition at line 93 of file TrackModel.java.

References ene.models.AbstractModel.changed(), and ene.models.TrackModel.genre.

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:



Here is the caller graph for this function:



7.25.3.10 setTitle()

```
void ene.models.TrackModel.setTitle (
    String title )
```

Set the title.

Parameters


<i>title</i>	Title.
--------------	--------

Definition at line 76 of file TrackModel.java.

References ene.models.AbstractModel.changed(), and ene.models.TrackModel.title.

Referenced by ene.models.TrackModel.TrackModel().

Here is the call graph for this function:



Here is the caller graph for this function:



7.25.3.11 toString()

```
String ene.models.TrackModel.toString ( )
```

Returns a string representation of the object.


Returns

String representation of the object.

Definition at line 117 of file TrackModel.java.

References `ene.models.TrackModel.getArtist()`, `ene.models.TrackModel.getFilename()`, `ene.models.TrackModel.getGenre()`, and `ene.models.TrackModel.getTitle()`.

Here is the call graph for this function:



7.25.4 Member Data Documentation

7.25.4.1 artist

```
String ene.models.TrackModel.artist [protected]
```

Artist.

Definition at line 18 of file TrackModel.java.

Referenced by `ene.models.TrackModel.getArtist()`, and `ene.models.TrackModel.setArtist()`.

7.25.4.2 filename

```
String ene.models.TrackModel.filename [protected]
```

Filename.

Definition at line 13 of file TrackModel.java.

Referenced by ene.models.TrackModel.getFilename(), and ene.models.TrackModel.setFilename().

7.25.4.3 genre

```
String ene.models.TrackModel.genre [protected]
```

Genre.

Definition at line 28 of file TrackModel.java.

Referenced by ene.models.TrackModel.getGenre(), and ene.models.TrackModel.setGenre().

7.25.4.4 title

```
String ene.models.TrackModel.title [protected]
```

Title.

Definition at line 23 of file TrackModel.java.


Referenced by ene.models.TrackModel.getTitle(), and ene.models.TrackModel.setTitle().

The documentation for this class was generated from the following file:


- src/ene/models/[TrackModel.java](#)

7.26 ene.interfaces.View< CoreComponentType > Interface Template Reference

Inheritance diagram for ene.interfaces.View< CoreComponentType >:



Collaboration diagram for ene.interfaces.View< CoreComponentType >:



Public Member Functions

- void [setTitle](#) (String title)
- String [getTitle](#) ()
- void [setCoreComponent](#) (CoreComponentType coreComponent)
- CoreComponentType [getCoreComponent](#) ()
- void [setLayoutPosition](#) (String layoutPosition)
- String [getLayoutPosition](#) ()
- void [render](#) ()

7.26.1 Detailed Description

[View](#).

Version

2.1.0

Definition at line 7 of file View.java.

7.26.2 Member Function Documentation

7.26.2.1 getCoreComponent()

CoreComponentType [ene.interfaces.View](#)< CoreComponentType >.getCoreComponent ()

Returns the core component instance.

Returns

Core component instance.

Implemented in [ene.views.AbstractView](#)< CoreComponentType >.

7.26.2.2 getLayoutPosition()

String [ene.interfaces.View](#)< CoreComponentType >.getLayoutPosition ()

Returns the layout position.

Returns

Layout position.

Implemented in [ene.views.AbstractView](#)< CoreComponentType >.

7.26.2.3 getTitle()

String [ene.interfaces.View](#)< CoreComponentType >.getTitle ()

Returns the title.

Returns

Title.

Since

0.13.0

Implemented in [ene.views.AbstractView](#)< CoreComponentType >, and [ene.views.gui.WindowView](#).

7.26.2.4 render()


```
void ene.interfaces.View< CoreComponentType >.render ( )
```

Renders the view.

Implemented in [ene.views.gui.partial.PlayerView](#), [ene.views.gui.partial.AbstractTrackListView](#), [ene.views.gui.WindowView](#), and [ene.views.gui.partial.ContentView](#).

Referenced by `ene.Application.run()`.

Here is the caller graph for this function:



7.26.2.5 setCoreComponent()

```
void ene.interfaces.View< CoreComponentType >.setCoreComponent (
    CoreComponentType coreComponent )
```

Sets the core component instance.

Parameters

<i>coreComponent</i>	Core component instance.
----------------------	--------------------------

Implemented in [ene.views.AbstractView< CoreComponentType >](#).

7.26.2.6 setLayoutPosition()

```
void ene.interfaces.View< CoreComponentType >.setLayoutPosition (
    String layoutPosition )
```

Sets the layout position.

Parameters

<i>layoutPosition</i>	Layout position.
-----------------------	------------------

Implemented in [ene.views.AbstractView< CoreComponentType >](#).

7.26.2.7 setTitle()

```
void ene.interfaces.View< CoreComponentType >.setTitle (
    String title )
```

Sets the title.

Parameters

<i>title</i>	Title.
--------------	--------

Since

0.13.0


Implemented in [ene.views.AbstractView< CoreComponentType >](#), and [ene.views.gui.WindowView](#).

The documentation for this interface was generated from the following file:

- [src/ene/interfaces/View.java](#)

7.27 ene.views.gui.WindowView Class Reference

Inheritance diagram for ene.views.gui.WindowView:



7.27.2 Constructor & Destructor Documentation

7.27.2.1 WindowView()

```
ene.views.gui.WindowView.WindowView (
    View ... views )
```

Constructor.


Parameters

<i>views</i>	View instances.
--------------	-----------------

Definition at line 30 of file WindowView.java.

References `ene.views.AbstractMasterView< CoreComponentType >.addView()`, and `ene.views.gui.WindowView.initialize()`.

Here is the call graph for this function:



7.27.3 Member Function Documentation

7.27.3.1 getTitle()

```
String ene.views.gui.WindowView.getTitle ( )
```

Returns the title.

Returns

Title.

Since

0.13.0

Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 22 of file WindowView.java.

References [ene.views.AbstractView< CoreComponentType >.getCoreComponent\(\)](#).

Here is the call graph for this function:



7.27.3.2 initialize()

```
void ene.views.gui.WindowView.initialize ( ) [protected]
```


Initializing.

Definition at line 40 of file WindowView.java.


References [ene.interfaces.Localization.getString\(\)](#), [ene.views.AbstractView< CoreComponentType >.setCoreComponent\(\)](#), and [ene.views.gui.WindowView.setTitle\(\)](#).

Referenced by [ene.views.gui.WindowView.WindowView\(\)](#).

Here is the call graph for this function:



Here is the caller graph for this function:



7.27.3.3 render()

```
void ene.views.gui.WindowView.render ( )
```


Renders the view.

Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 49 of file WindowView.java.

References [ene.views.AbstractMasterView< CoreComponentType >.getAllViews\(\)](#), and [ene.views.AbstractView< CoreComponentType >.getCoreComponent\(\)](#).

Here is the call graph for this function:



7.27.3.4 setTitle()

```
void ene.views.gui.WindowView.setTitle (
    String title )
```

Sets the title.

Parameters

<i>title</i>	Title.
--------------	--------

Since

0.13.0


Implements [ene.interfaces.View< CoreComponentType >](#).

Definition at line 17 of file WindowView.java.


References [ene.views.AbstractView< CoreComponentType >.getCoreComponent\(\)](#).

Referenced by [ene.views.gui.WindowView.initialize\(\)](#).

Here is the call graph for this function:



Here is the caller graph for this function:



The documentation for this class was generated from the following file:

- `src/ene/views/gui/WindowView.java`

8 File Documentation

8.1 README.md File Reference

8.2 `src/ene/AbstractObject.java` File Reference

Classes

- class [ene.AbstractObject](#)

Packages

- package [ene](#)

8.3 `src/ene/Application.java` File Reference

Classes

- class [ene.Application](#)

Packages

- package [ene](#)

8.4 [src/ene/controllers/AbstractController.java](#) File Reference

Classes

- class [ene.controllers.AbstractController](#)< [ModelType](#) >

Packages

- package [ene.controllers](#)

8.5 [src/ene/controllers/LibraryController.java](#) File Reference

Classes

- class [ene.controllers.LibraryController](#)

Packages

- package [ene.controllers](#)

8.6 [src/ene/controllers/package-info.java](#) File Reference

Packages

- package [ene.controllers](#)

8.7 [src/ene/databases/package-info.java](#) File Reference

Packages

- package [ene.databases](#)

8.8 [src/ene/interfaces/package-info.java](#) File Reference

Packages

- package [ene.interfaces](#)

8.9 [src/ene/models/package-info.java](#) File Reference

Packages

- package [ene.models](#)

8.10 src/ene/package-info.java File Reference

Packages

- package [ene](#)

8.11 src/ene/views/gui/package-info.java File Reference

Packages

- package [ene.views.gui](#)

8.12 src/ene/views/gui/partial/package-info.java File Reference

Packages

- package [ene.views.gui.partial](#)

8.13 src/ene/views/package-info.java File Reference

Packages

- package [ene.views](#)

8.14 src/ene/controllers/PlayerController.java File Reference

Classes

- class [ene.controllers.PlayerController](#)

Packages

- package [ene.controllers](#)

8.15 src/ene/databases/SQLDatabase.java File Reference

Classes

- class [ene.databases.SQLDatabase](#)

Packages

- package [ene.databases](#)

8.16 src/ene/interfaces/Controller.java File Reference

Classes

- interface [ene.interfaces.Controller](#)< [ModelType](#) >

Packages

- package [ene.interfaces](#)

8.17 src/ene/interfaces/DatabaseConnection.java File Reference

Classes

- interface [ene.interfaces.DatabaseConnection](#)

Packages

- package [ene.interfaces](#)

8.18 src/ene/interfaces/Localization.java File Reference

Classes

- interface [ene.interfaces.Localization](#)

Packages

- package [ene.interfaces](#)

8.19 src/ene/interfaces/MasterView.java File Reference

Classes

- interface [ene.interfaces.MasterView](#)< [CoreComponentType](#) >

Packages

- package [ene.interfaces](#)

8.20 src/ene/interfaces/Model.java File Reference

Classes

- interface [ene.interfaces.Model](#)

Packages

- package [ene.interfaces](#)

8.21 src/ene/interfaces/PartialView.java File Reference

Classes

- interface [ene.interfaces.PartialView](#)< [CoreComponentType](#), [ModelType](#) >

Packages

- package [ene.interfaces](#)

8.22 src/ene/interfaces/View.java File Reference

Classes

- interface [ene.interfaces.View](#)< [CoreComponentType](#) >

Packages

- package [ene.interfaces](#)

8.23 src/ene/models/AbstractModel.java File Reference

Classes

- class [ene.models.AbstractModel](#)

Packages

- package [ene.models](#)

8.24 src/ene/models/LibraryModel.java File Reference

Classes

- class [ene.models.LibraryModel](#)

Packages

- package [ene.models](#)

8.25 src/ene/models/PlayerModel.java File Reference

Classes

- class [ene.models.PlayerModel](#)

Packages

- package [ene.models](#)

8.26 src/ene/models/PlaylistModel.java File Reference

Classes

- class [ene.models.PlaylistModel](#)

Packages

- package [ene.models](#)

8.27 src/ene/models/TrackListModel.java File Reference

Classes

- class [ene.models.TrackListModel](#)

Packages

- package [ene.models](#)

8.28 src/ene/models/TrackModel.java File Reference

Classes

- class [ene.models.TrackModel](#)

Packages

- package [ene.models](#)

8.29 src/ene/views/AbstractMasterView.java File Reference

Classes

- class [ene.views.AbstractMasterView](#)< [CoreComponentType](#) >

Packages

- package [ene.views](#)

8.30 src/ene/views/AbstractPartialView.java File Reference

Classes

- class [ene.views.AbstractPartialView](#)< [CoreComponentType](#), [ModelType](#) >

Packages

- package [ene.views](#)

8.31 src/ene/views/AbstractView.java File Reference

Classes

- class [ene.views.AbstractView](#)< [CoreComponentType](#) >

Packages

- package [ene.views](#)

8.32 src/ene/views/gui/partial/AbstractTrackListView.java File Reference

Classes

- class [ene.views.gui.partial.AbstractTrackListView](#)

Packages

- package [ene.views.gui.partial](#)

8.33 src/ene/views/gui/partial/ContentView.java File Reference

Classes

- class [ene.views.gui.partial.ContentView](#)

Packages

- package [ene.views.gui.partial](#)

8.34 src/ene/views/gui/partial/LibraryView.java File Reference

Classes

- class [ene.views.gui.partial.LibraryView](#)

Packages

- package [ene.views.gui.partial](#)

8.35 src/ene/views/gui/partial/PlayerView.java File Reference

Classes

- class [ene.views.gui.partial.PlayerView](#)

Packages

- package [ene.views.gui.partial](#)

8.36 src/ene/views/gui/WindowView.java File Reference

Classes

- class [ene.views.gui.WindowView](#)

Packages

- package [ene.views.gui](#)

Index

- add
 - ene::controllers::LibraryController, 62
 - ene::models::TrackListModel, 131
- addDirectoryContent
 - ene::controllers::LibraryController, 62
- addFile
 - ene::controllers::LibraryController, 63
- addView
 - ene::interfaces::MasterView, 85
 - ene::interfaces::Model, 87
 - ene::models::AbstractModel, 20
 - ene::views::AbstractMasterView, 16
- artist
 - ene::models::TrackModel, 144
- changeTrackPosition
 - ene::controllers::PlayerController, 94
- changed
 - ene::models::AbstractModel, 20
- clip
 - ene::models::PlayerModel, 106
- connection
 - ene::databases::SQLDatabase, 128
- consoleOutput
 - ene::AbstractObject, 23
- ContentView
 - ene::views::gui::partial::ContentView, 52
- coreComponent
 - ene::views::AbstractView, 44
- DEFAULT_LOCALE
 - ene::interfaces::Localization, 82
- debugInfoAbout
 - ene::AbstractObject, 23
- debugModeEnabled
 - ene::AbstractObject, 26
- delay
 - ene::AbstractObject, 24
- detectArtist
 - ene::models::TrackModel, 137
- detectTitle
 - ene::models::TrackModel, 137
- disableDebugMode
 - ene::AbstractObject, 25
- disablePlayerControls
 - ene::views::gui::partial::PlayerView, 111
- enableDebugMode
 - ene::AbstractObject, 25
- enablePlayerControls
 - ene::views::gui::partial::PlayerView, 111
- ene, 7
- ene.AbstractObject, 21
- ene.Application, 45
- ene.controllers, 7
- ene.controllers.AbstractController< ModelType >, 11
- ene.controllers.LibraryController, 59
- ene.controllers.PlayerController, 92
- ene.databases, 8
- ene.databases.SQLDatabase, 122
- ene.interfaces, 8
- ene.interfaces.Controller< ModelType >, 54
- ene.interfaces.DatabaseConnection, 56
- ene.interfaces.Localization, 80
- ene.interfaces.MasterView< CoreComponentType >, 83
- ene.interfaces.Model, 86
- ene.interfaces.PartialView< CoreComponentType, ModelType >, 88
- ene.interfaces.View< CoreComponentType >, 146
- ene.models, 8
- ene.models.AbstractModel, 18
- ene.models.LibraryModel, 67
- ene.models.PlayerModel, 98
- ene.models.PlaylistModel, 119
- ene.models.TrackListModel, 129
- ene.models.TrackModel, 134
- ene.views, 9
- ene.views.AbstractMasterView< CoreComponentType >, 14
- ene.views.AbstractPartialView< CoreComponentType, ModelType >, 27
- ene.views.AbstractView< CoreComponentType >, 39
- ene.views.gui, 9
- ene.views.gui.partial, 10
- ene.views.gui.partial.AbstractTrackListView, 31
- ene.views.gui.partial.ContentView, 50
- ene.views.gui.partial.LibraryView, 73
- ene.views.gui.partial.PlayerView, 108
- ene.views.gui.WindowView, 150
- ene::AbstractObject
 - consoleOutput, 23
 - debugInfoAbout, 23
 - debugModeEnabled, 26
 - delay, 24
 - disableDebugMode, 25
 - enableDebugMode, 25
 - isDebugModeEnabled, 25
- ene::Application
 - main, 47
 - processArguments, 47
 - run, 48
- ene::controllers::AbstractController
 - getModel, 13
 - model, 13
 - setModel, 13
- ene::controllers::LibraryController
 - add, 62
 - addDirectoryContent, 62
 - addFile, 63
 - LibraryController, 61

- remove, 64
- scan, 65
- ene::controllers::PlayerController
 - changeTrackPosition, 94
 - load, 95
 - PlayerController, 94
 - togglePlayback, 96
- ene::databases::SQLDatabase
 - connection, 128
 - execute, 124
 - getConnection, 125
 - getStatement, 125
 - query, 126
 - SQLDatabase, 124
 - setConnection, 127
 - setStatement, 127
 - statement, 128
- ene::interfaces::Controller
 - getModel, 55
 - setModel, 55
- ene::interfaces::DatabaseConnection
 - execute, 57
 - query, 57
- ene::interfaces::Localization
 - DEFAULT_LOCALE, 82
 - getString, 81
- ene::interfaces::MasterView
 - addView, 85
 - getAllViews, 85
 - setAllViews, 85
- ene::interfaces::Model
 - addView, 87
- ene::interfaces::PartialView
 - getModel, 90
 - setModel, 90
 - update, 90
- ene::interfaces::View
 - getCoreComponent, 147
 - getLayoutPosition, 147
 - getTitle, 147
 - render, 147
 - setCoreComponent, 148
 - setLayoutPosition, 148
 - setTitle, 148
- ene::models::AbstractModel
 - addView, 20
 - changed, 20
 - views, 21
- ene::models::LibraryModel
 - getByArtist, 69
 - getByGenre, 69
 - getByTitle, 70
 - search, 71
- ene::models::PlayerModel
 - clip, 106
 - getClip, 100
 - getLastEvent, 100
 - getTrackLength, 101
 - getTrackPosition, 101
 - lastEvent, 106
 - load, 102
 - pause, 103
 - setClip, 103
 - setLastEvent, 104
 - setTrackPosition, 105
 - start, 105
 - trackLength, 107
 - update, 106
- ene::models::PlaylistModel
 - getName, 121
 - name, 121
 - setName, 121
- ene::models::TrackListModel
 - add, 131
 - get, 131
 - getAll, 131
 - remove, 132
 - tracks, 132
- ene::models::TrackModel
 - artist, 144
 - detectArtist, 137
 - detectTitle, 137
 - filename, 144
 - genre, 145
 - getArtist, 138
 - getFilename, 138
 - getGenre, 139
 - getTitle, 140
 - setArtist, 140
 - setFilename, 141
 - setGenre, 142
 - setTitle, 143
 - title, 145
 - toString, 143
 - TrackModel, 136
- ene::views::AbstractMasterView
 - addView, 16
 - getAllViews, 16
 - setAllViews, 17
 - views, 17
- ene::views::AbstractPartialView
 - getModel, 29
 - model, 30
 - setModel, 29
- ene::views::AbstractView
 - coreComponent, 44
 - getCoreComponent, 41
 - getLayoutPosition, 41
 - getTitle, 41
 - layoutPosition, 44
 - setCoreComponent, 42
 - setLayoutPosition, 43
 - setTitle, 43
 - title, 44
- ene::views::gui::WindowView
 - getTitle, 152

- initialize, 153
- render, 153
- setTitle, 154
- WindowView, 152
- ene::views::gui::partial::AbstractTrackListView
 - getPlayerController, 33
 - getSelectedFilename, 33
 - getTable, 34
 - getTableContent, 35
 - hideColumn, 35
 - playerController, 38
 - render, 36
 - setPlayerController, 36
 - setTable, 37
 - setTableContent, 37
 - table, 38
 - tableContent, 39
 - valueChanged, 38
- ene::views::gui::partial::ContentView
 - ContentView, 52
 - initialize, 52
 - render, 53
- ene::views::gui::partial::LibraryView
 - getLibraryController, 76
 - initialize, 76
 - libraryController, 80
 - LibraryView, 75
 - loadContent, 77
 - setLibraryController, 78
 - update, 79
- ene::views::gui::partial::PlayerView
 - disablePlayerControls, 111
 - enablePlayerControls, 111
 - formatTimeToString, 112
 - getPlayerController, 112
 - initialize, 113
 - playButton, 117
 - playerController, 117
 - PlayerView, 110
 - progressLabel, 118
 - progressSlider, 118
 - progressTimer, 118
 - render, 114
 - resetProgress, 114
 - setPlayerController, 115
 - trackTimeFormat, 118
 - update, 116
 - updateProgress, 116
- execute
 - ene::databases::SQLDatabase, 124
 - ene::interfaces::DatabaseConnection, 57
- filename
 - ene::models::TrackModel, 144
- formatTimeToString
 - ene::views::gui::partial::PlayerView, 112
- genre
 - ene::models::TrackModel, 145
- get
 - ene::models::TrackListModel, 131
- getAll
 - ene::models::TrackListModel, 131
- getAllViews
 - ene::interfaces::MasterView, 85
 - ene::views::AbstractMasterView, 16
- getArtist
 - ene::models::TrackModel, 138
- getByArtist
 - ene::models::LibraryModel, 69
- getByGenre
 - ene::models::LibraryModel, 69
- getByTitle
 - ene::models::LibraryModel, 70
- getClip
 - ene::models::PlayerModel, 100
- getConnection
 - ene::databases::SQLDatabase, 125
- getCoreComponent
 - ene::interfaces::View, 147
 - ene::views::AbstractView, 41
- getFilename
 - ene::models::TrackModel, 138
- getGenre
 - ene::models::TrackModel, 139
- getLastEvent
 - ene::models::PlayerModel, 100
- getLayoutPosition
 - ene::interfaces::View, 147
 - ene::views::AbstractView, 41
- getLibraryController
 - ene::views::gui::partial::LibraryView, 76
- getModel
 - ene::controllers::AbstractController, 13
 - ene::interfaces::Controller, 55
 - ene::interfaces::PartialView, 90
 - ene::views::AbstractPartialView, 29
- getName
 - ene::models::PlaylistModel, 121
- getPlayerController
 - ene::views::gui::partial::AbstractTrackListView, 33
 - ene::views::gui::partial::PlayerView, 112
- getSelectedFilename
 - ene::views::gui::partial::AbstractTrackListView, 33
- getStatement
 - ene::databases::SQLDatabase, 125
- getString
 - ene::interfaces::Localization, 81
- getTable
 - ene::views::gui::partial::AbstractTrackListView, 34
- getTableContent
 - ene::views::gui::partial::AbstractTrackListView, 35
- getTitle
 - ene::interfaces::View, 147
 - ene::models::TrackModel, 140
 - ene::views::AbstractView, 41
 - ene::views::gui::WindowView, 152

- getTrackLength
 - ene::models::PlayerModel, 101
- getTrackPosition
 - ene::models::PlayerModel, 101
- hideColumn
 - ene::views::gui::partial::AbstractTrackListView, 35
- initialize
 - ene::views::gui::WindowView, 153
 - ene::views::gui::partial::ContentView, 52
 - ene::views::gui::partial::LibraryView, 76
 - ene::views::gui::partial::PlayerView, 113
- isDebugEnabled
 - ene::AbstractObject, 25
- lastEvent
 - ene::models::PlayerModel, 106
- layoutPosition
 - ene::views::AbstractView, 44
- LibraryController
 - ene::controllers::LibraryController, 61
- libraryController
 - ene::views::gui::partial::LibraryView, 80
- LibraryView
 - ene::views::gui::partial::LibraryView, 75
- load
 - ene::controllers::PlayerController, 95
 - ene::models::PlayerModel, 102
- loadContent
 - ene::views::gui::partial::LibraryView, 77
- main
 - ene::Application, 47
- model
 - ene::controllers::AbstractController, 13
 - ene::views::AbstractPartialView, 30
- name
 - ene::models::PlaylistModel, 121
- pause
 - ene::models::PlayerModel, 103
- playButton
 - ene::views::gui::partial::PlayerView, 117
- PlayerController
 - ene::controllers::PlayerController, 94
- playerController
 - ene::views::gui::partial::AbstractTrackListView, 38
 - ene::views::gui::partial::PlayerView, 117
- PlayerView
 - ene::views::gui::partial::PlayerView, 110
- processArguments
 - ene::Application, 47
- progressLabel
 - ene::views::gui::partial::PlayerView, 118
- progressSlider
 - ene::views::gui::partial::PlayerView, 118
- progressTimer
 - ene::views::gui::partial::PlayerView, 118
- query
 - ene::databases::SQLDatabase, 126
 - ene::interfaces::DatabaseConnection, 57
- README.md, 155
- remove
 - ene::controllers::LibraryController, 64
 - ene::models::TrackListModel, 132
- render
 - ene::interfaces::View, 147
 - ene::views::gui::WindowView, 153
 - ene::views::gui::partial::AbstractTrackListView, 36
 - ene::views::gui::partial::ContentView, 53
 - ene::views::gui::partial::PlayerView, 114
- resetProgress
 - ene::views::gui::partial::PlayerView, 114
- run
 - ene::Application, 48
- SQLDatabase
 - ene::databases::SQLDatabase, 124
- scan
 - ene::controllers::LibraryController, 65
- search
 - ene::models::LibraryModel, 71
- setAllViews
 - ene::interfaces::MasterView, 85
 - ene::views::AbstractMasterView, 17
- setArtist
 - ene::models::TrackModel, 140
- setClip
 - ene::models::PlayerModel, 103
- setConnection
 - ene::databases::SQLDatabase, 127
- setCoreComponent
 - ene::interfaces::View, 148
 - ene::views::AbstractView, 42
- setFilename
 - ene::models::TrackModel, 141
- setGenre
 - ene::models::TrackModel, 142
- setLastEvent
 - ene::models::PlayerModel, 104
- setLayoutPosition
 - ene::interfaces::View, 148
 - ene::views::AbstractView, 43
- setLibraryController
 - ene::views::gui::partial::LibraryView, 78
- setModel
 - ene::controllers::AbstractController, 13
 - ene::interfaces::Controller, 55
 - ene::interfaces::PartialView, 90
 - ene::views::AbstractPartialView, 29
- setName
 - ene::models::PlaylistModel, 121
- setPlayerController
 - ene::views::gui::partial::AbstractTrackListView, 36
 - ene::views::gui::partial::PlayerView, 115
- setStatement

- ene::databases::SQLDatabase, 127
- setTable
 - ene::views::gui::partial::AbstractTrackListView, 37
- setTableContent
 - ene::views::gui::partial::AbstractTrackListView, 37
- setTitle
 - ene::interfaces::View, 148
 - ene::models::TrackModel, 143
 - ene::views::AbstractView, 43
 - ene::views::gui::WindowView, 154
- setTrackPosition
 - ene::models::PlayerModel, 105
- src/ene/AbstractObject.java, 155
- src/ene/Application.java, 155
- src/ene/controllers/AbstractController.java, 156
- src/ene/controllers/LibraryController.java, 156
- src/ene/controllers/PlayerController.java, 157
- src/ene/controllers/package-info.java, 156
- src/ene/databases/SQLDatabase.java, 157
- src/ene/databases/package-info.java, 156
- src/ene/interfaces/Controller.java, 158
- src/ene/interfaces/DatabaseConnection.java, 158
- src/ene/interfaces/Localization.java, 158
- src/ene/interfaces/MasterView.java, 158
- src/ene/interfaces/Model.java, 158
- src/ene/interfaces/PartialView.java, 159
- src/ene/interfaces/View.java, 159
- src/ene/interfaces/package-info.java, 156
- src/ene/models/AbstractModel.java, 159
- src/ene/models/LibraryModel.java, 159
- src/ene/models/PlayerModel.java, 160
- src/ene/models/PlaylistModel.java, 160
- src/ene/models/TrackListModel.java, 160
- src/ene/models/TrackModel.java, 160
- src/ene/models/package-info.java, 156
- src/ene/package-info.java, 157
- src/ene/views/AbstractMasterView.java, 160
- src/ene/views/AbstractPartialView.java, 161
- src/ene/views/AbstractView.java, 161
- src/ene/views/gui/WindowView.java, 162
- src/ene/views/gui/package-info.java, 157
- src/ene/views/gui/partial/AbstractTrackListView.java, 161
- src/ene/views/gui/partial/ContentView.java, 161
- src/ene/views/gui/partial/LibraryView.java, 162
- src/ene/views/gui/partial/PlayerView.java, 162
- src/ene/views/gui/partial/package-info.java, 157
- src/ene/views/package-info.java, 157
- start
 - ene::models::PlayerModel, 105
- statement
 - ene::databases::SQLDatabase, 128
- table
 - ene::views::gui::partial::AbstractTrackListView, 38
- tableContent
 - ene::views::gui::partial::AbstractTrackListView, 39
- title
 - ene::models::TrackModel, 145
- ene::views::AbstractView, 44
- toString
 - ene::models::TrackModel, 143
- togglePlayback
 - ene::controllers::PlayerController, 96
- trackLength
 - ene::models::PlayerModel, 107
- TrackModel
 - ene::models::TrackModel, 136
- trackTimeFormat
 - ene::views::gui::partial::PlayerView, 118
- tracks
 - ene::models::TrackListModel, 132
- update
 - ene::interfaces::PartialView, 90
 - ene::models::PlayerModel, 106
 - ene::views::gui::partial::LibraryView, 79
 - ene::views::gui::partial::PlayerView, 116
- updateProgress
 - ene::views::gui::partial::PlayerView, 116
- valueChanged
 - ene::views::gui::partial::AbstractTrackListView, 38
- views
 - ene::models::AbstractModel, 21
 - ene::views::AbstractMasterView, 17
- WindowView
 - ene::views::gui::WindowView, 152