


H40: The call clock sets the coupling

Vivian Rogers, with Claude Opus 5.5 · agent-swarm physics · Updated 2026-10-04

not yet rated

Bottom line. Pending.

level: hypothesis · pipeline checks 57% · updated —



WHAT HAPPENED

Not yet summarized. The question: Is a recipient’s coupling per unit wall time its coupling per model call times its call rate, so that call cadence is a coupling knob and slow-cadence agents are weakly coupled ”heavy spins”? Equivalently: does the response to another agent’s message run on the recipient’s call clock (a fixed chance per model call) or on the wall clock (a fixed chance per minute, whatever the cadence)?

PHYSICAL MODEL

From: physics-models/02-nonequilibrium-ising (kinetic Ising with Glauber single-spin updates at agent-specific attempt rates) and physics-models/09-hawkes (the response kernel to a message). H40 variant: kinetic Ising on the call clock. Recipient *i* updates only at its model calls $c = 1, 2, \dots$ (attempt times t_c , the ledger’s t_{call}). For a message *m* from sender *j* that *i* reads out at call c_1 (the first call assembled a

SO WHAT? PRACTICAL VALUE FOR UNDERSTANDING AGENT SWARMS

Pending.
Observables. Pending.

RESULTS VS PREDICTIONS

Pending.

FAITHFULNESS SCORECARD

A mapping	–	F identifiability	–
B assumptions	–	G ground truth	–
C adequacy	–	H comparative	–
D unfitted predictions	–	I transfer	–
E interventional	–		

Level: **hypothesis**. Scale 0 not done or failed, 1 partial, 2 passed (`writeup/paper.tex`).

CAVEATS

Pending.

GOAL PERIODS IN DETAIL

No goal-period folders yet.

ROUND 2

No round-2 redirects yet.
H40-call-clock-coupling · generated 2026-10-04 01:33 by in-
fra/summaries/build_summaries.py · card hypotheses/H40-call-clock-
coupling/README.md · ratings: not rated · DRAFT: auto stub, not yet
written (page 2)