


H136: Zero-temperature Potts freeze at the read-out call: each agent commits to a named target at its first read of the kickoff, not at the kickoff time

Vivian Rogers, with Claude Opus 5.5 · agent-swarm physics · Updated 2026-10-07

Complete 35% Faithfulness 0.5/5 Usefulness 1/5


Bottom line. In 17 day-start kickoff units, 171 of 178 kickoff readers (96%) read the kickoff within 2 active min, at day boot, with at most 2 delayed active readers per unit, so the read-locked vs clock freeze test is untestable on exploration data.

level: hypothesis · pipeline checks 71% · updated 2026-10-07



WHAT HAPPENED

HH379 asks whether each agent commits to a kickoff's named target at its own first call that reads the kickoff, plus about one call, as a zero-temperature Potts spin aligns at its first update in a strong field. The rival is a common delay after the kickoff post (R-clock). The test needs agents who were active before the kickoff but read it late. H136 counted them first, before computing any freeze time. In 17 non-reserved kickoff units (G18–G44, regimes I–III), no unit has more than 2 such delayed active readers; 5 are needed. The kill is untestable on exploration data, and the outcome analysis stopped there.



Observables. Left: per kickoff unit, the kickoff readers, the readers with $D_r \geq 2$ active min, and the delayed active readers (also active in the 30 active min before t_k); the dashed line is the precondition of 5. Right: synthetic O1 power (W1 read-locked) on five real skeletons, 500 runs per world, for the card's sample (all zero) and for all readers, with the size under W2 (clock).

SO WHAT? PRACTICAL VALUE FOR UNDERSTANDING AGENT SWARMS

PHYSICAL MODEL

Zero-temperature kinetic Potts quench with read-out updates (model 10; asynchronous updates, model 02). A field h on the named target x appears at the kickoff post t_k . Agent i updates only at its own calls, and the field enters at its kickoff read-out call $t_{r,i}$ (DQ1 ledger). With h above every other field, the agent freezes on x K_i calls after the read, with K_i independent of the read delay $D_{r,i}$. R-clock instead freezes at $t_k + D_i$, truncated at the read.

$$t_{f,i} = t_{r,i} + K_i \text{ calls}, \quad K_i \sim \text{Geom}, \quad K_i \perp D_{r,i} = t_{r,i} - t_k$$

$$\text{R-clock: } t_{f,i} = \max(t_k + D_i, t_{r,i}), \quad D_i \perp D_{r,i}$$

$$\text{O1: } D_{f,i} = a + b D_{r,i} \quad (\text{H136: } b = 1; \text{ R-clock: } b \approx 0)$$

H136-freeze-at-first-kickoff-read · generated 2026-10-07 17:50 by infra/summaries/build_summaries.py · card hypotheses/H136-freeze-at-first-kickoff-read/README.md · ratings: H136 agent (suggested)

RESULTS VS PREDICTIONS

Prediction (dated)	Observed	Verdict
S0 ≥ 2 units with ≥ 5 delayed active readers	0/17; max 2 (G39)	failed
S1 power < 0.8 below 10 readers	card sample 0.00 in 5/5 skeletons	holds
P1 read alignment $b \ni 1$	not computed	untestable
P2 $K \leq 2$ for $\geq 1/2$	not computed (stop)	not run
P3 $\rho(K, D_r) \ni 0$	not computed; O3 power ≤ 0.08	untestable
P4 (A1) read beats peer-link anchor	not computed; read = post anchor	not run
N1 G44 rooms	0 + 0 delayed active readers	untestable
N2 G40 hub link	0 of 15	untestable
N3 NE38	no readable message	excluded
Overall	kill untestable	inconclusive

Level: **hypothesis**. Scale 0 not done or failed, 1 partial, 2 passed (`writeup/paper.tex`).

CAVEATS

All 17 kickoffs are posted 0.6–1.6 min before the day window opens, so the kickoff read, the first call of the day and the post are the same instant to within one call: no reader has an own call between t_k and t_r . The active-before window therefore reaches back to the previous evening, and in 5 units that day is reserved. Without the active-before condition the count is still at most 3. The synthetic all-readers power of 0.96 in G39 rests on one reader who read the next day, which is the late-starter impostor; it is not a result. Amendment A1 merged the post and day-start anchors in O4 before any outcome.

ROUND 2

GOAL PERIODS IN DETAIL

G18 – n/a (untestable)
 G19 – n/a (untestable)
 G26 – n/a (untestable)
 G30 – n/a (untestable)
 G31 – n/a (untestable)
 G33 – n/a (untestable)
 G35 – n/a (untestable)
 G36 – n/a (untestable)
 G37 – n/a (untestable)
 G38 – n/a (untestable)
+6 more periods: see the card.

Find fields that arrive mid-day through a readable message (operator reassignments with a chat source, room kickoffs inside a window). Check the reserved kickoffs' post times against the window start, a calendar fact, before spending a reserved use. Pre-register any all-readers widening with the late-starter world as its null.

- **Essence.** whether a field acts on each agent at its own read-out call; this needs a field that arrives while agents are already calling, not at day boot.
- **H136-R1** Mid-day fields.
- **H136-R2** Reserved kickoffs: check the post time first.
- **H136-R3** All-readers widening (post hoc idea).

FAITHFULNESS SCORECARD

A mapping	1	F identifiability	1
B assumptions	0	G ground truth	0
C adequacy	0	H comparative	0
D unfitted predictions	0	I transfer	0
E interventional	0		

H136-freeze-at-first-kickoff-read · generated 2026-10-07 17:50 by infra/summaries/build-summaries.py · card hypotheses/H136-freeze-at-first-kickoff-read/README.md · ratings: H136 agent (suggested) (page 2)