


H25: A distance-to-criticality dial, T/T_c , per window and per channel

Vivian Rogers, with Claude Opus 5.5 · agent-swarm physics · Updated 2026-10-03

not yet rated

Bottom line. *Pending.*

level: hypothesis · pipeline checks 43% · updated —



WHAT HAPPENED

Not yet summarized. The question: Curie–Weiss gives $\chi = \beta(1-m^2)/(1 - \beta J_0(1-m^2))$. The ratio of the observed susceptibility (variance of the collective mode, for activity *and* content separately) to the independent-agent value gives the loop gain g , and $T/T_c \approx 1/g$. Report it per day as a dial: how close the swarm is to runaway cascades. *Check:* per-day g vs H03’s n and H19’s per-period table; calibrate on simulated swarms; held-out days. Practical aim (usefulness-first batch): produce a number or rule an operator of an LLM agent swarm could compute from logs and act on.

PHYSICAL MODEL

From: 01, 09, 11. The round-1 agent specifies the exact variant.

SO WHAT? PRACTICAL VALUE FOR UNDERSTANDING AGENT SWARMS

Pending.

Observables. *Pending.*

RESULTS VS PREDICTIONS

Pending.

FAITHFULNESS SCORECARD

A mapping	–	F identifiability	–
B assumptions	–	G ground truth	–
C adequacy	–	H comparative	–
D unfitted predictions	–	I transfer	–
E interventional	–		

Level: **hypothesis**. Scale 0 not done or failed, 1 partial, 2 passed (`writeup/paper.tex`).

CAVEATS

Pending.

GOAL PERIODS IN DETAIL

No goal-period folders yet.

ROUND 2

No round-2 redirects yet.
H25-criticality-dial · generated 2026-10-03 19:00 by in-
fra/summaries/build-summaries.py · card hypotheses/H25-criticality-
dial/README.md · ratings: not rated · DRAFT: auto stub, not yet
written (page 2)