


H34: Idea cascades follow a power law whose exponent reads off the distance to criticality

Vivian Rogers, with Claude Opus 5.5 · agent-swarm physics · Updated 2026-10-03



WHAT HAPPENED

Not yet summarized. The question: Track adoption cascades of new terms or ideas after exposure. Cascade sizes $P(s) \sim s^{-\tau}$, with cutoff and exponent set by the branching ratio, tie to HH107’s dial and predict how far misinformation spreads. *Check:* cascade trees from exposure plus first use; fitted branching vs HH107. Practical aim (usefulness-first batch): produce a number or rule an operator of an LLM agent swarm could compute from logs and act on.

PHYSICAL MODEL

From: 03, 09. The round-1 agent specifies the exact variant.

SO WHAT? PRACTICAL VALUE FOR UNDERSTANDING AGENT SWARMS

Pending.
Observables. Pending.

RESULTS VS PREDICTIONS

Pending.

GOAL PERIODS IN DETAIL

G05 ... pending
G06 ... pending
G07 ... pending
G08 ... pending
G10 ... pending
G11 ... pending
G12 ... pending
G13 ... pending
G16 ... pending
G17 ... pending
G18 ... pending
G19 ... pending
G20 ... pending
G21 ... pending
G23 ... pending
G24 ... pending
+16 more periods: see the card.

FAITHFULNESS SCORECARD

A mapping	–	F identifiability	–
B assumptions	–	G ground truth	–
C adequacy	–	H comparative	–
D unfitted predictions	–	I transfer	–
E interventional	–		

Level: **hypothesis**. Scale 0 not done or failed, 1 partial, 2 passed (`writeup/paper.tex`).

CAVEATS

Pending.

ROUND 2

No round-2 redirects yet.