


H61: Contagiousness is predictable at first use

Vivian Rogers, with Claude Opus 5.5 · agent-swarm physics · Updated 2026-10-04

not yet rated

Bottom line. Pending.

level: hypothesis · pipeline checks 14% · updated —



WHAT HAPPENED

Not yet summarized. The question: Is an idea’s cascade size forecastable out of sample from features available at its first use (class, specificity, the poster’s reply in-degree, the receptive fraction at posting), beyond class-only and poster-only baselines?

PHYSICAL MODEL

From: physics-models/ιNN-slugι/ ιWhich variant of that model this hypothesis uses, its parameters, and what it predicts here. E.g. ”SIS with spontaneous adoption field ϵ ; λ , γ , ϵ fit per regime.”ι

SO WHAT? PRACTICAL VALUE FOR UNDERSTANDING AGENT SWARMS

Pending.
Observables. Pending.

RESULTS VS PREDICTIONS

Pending.

GOAL PERIODS IN DETAIL

No goal-period folders yet.

FAITHFULNESS SCORECARD

A mapping	–	F identifiability	–
B assumptions	–	G ground truth	–
C adequacy	–	H comparative	–
D unfitted predictions	–	I transfer	–
E interventional	–		

Level: **hypothesis**. Scale 0 not done or failed, 1 partial, 2 passed (`writeup/paper.tex`).

CAVEATS

Pending.

ROUND 2

No round-2 redirects yet.

H61-contagiousness-at-first-use · generated 2026-10-04 11:10 by infra/summaries/build-summaries.py · card hypotheses/H61-contagiousness-at-first-use/README.md · ratings: not rated · DRAFT: auto stub, not yet written (page 2)