1. Data Pipleline Blueprint

Olist Data Lakehouse

	Raw Tables		Staging Tables		Dimension / Fact Tables		Notes		Marts Tables		
	olist_raw		**olist_dwh_stg**		**olist_dwh**				**olist_dwh_marts**		
	9 .csv files		**9 tables**		**5 facts and 5 dims**				5 mart Tables		
	raw_customers		stg_customers		dim_customers			1	marts_sales_summary	description	Tableau
PK	customer_id	str(32)	customer_id	str(32)	customer_id	str(32)	PK to fact_orders		order_date	date of order	revenue trend
FK	customer_unique_id	str(32)	customer_unique_id	str(32)	customer_unique_id	str(32)	Original unique ID		total_orders	number of orders	orders trend
	customer_zip_code_prefix	str(5)	zip_code_prefix	str(5)	zip_code_prefix	str(5)	FK to fact_geolocation		total_revenue	total payment value	average order value
	customer_city	str	city	str, UPPER	city	str, UPPER	Optional		avg_order_value	average order value	
	customer_state	str	state	str, UPPER	state	str, UPPER	Optional				
size (MB)	9.03										
row	99441										
column	5										
	raw_sellers		stg_sellers		dim_sellers			2	marts_product_performance	description	Tableau
PK	seller_id	str(32)	seller_id	str(32)	seller_id	str(32)	PK to fact_order_items		category_name_english	category name	top categories
	seller_zip_code_prefix	str(5)	zip_code_prefix	str(5)	zip_code_prefix	str(5)	FK to fact_geolocation		items_sold	number of items	revenue by category
	seller_city	str	city	str, UPPER	city	str, UPPER	Optional		revenue	total revenue	rating vs sales
	seller_state	str	state	str, UPPER	state	str, UPPER	Optional		avg_review_score	customer rating	
size (MB)	174.7										
row	3095										
column	4										
	raw_geolocation		stg_geolocation		fact_geolocation			3	marts_customer_geography	description	Tableau
PK	geolocation_zip_code_prefix (first	str(5)	zip_code_prefix	str(5)	location_key	str(5)	PK		state	customer state	Brazil map
	geolocation_lat	str	latitude	int64	latitude	int64	Geo		city	customer city	orders by state
	geolocation_lng	str	longitude	int64	longitude	int64	Geo		total_orders	number of orders	revenue by city
	geolocation_city	str	city	str, UPPER	city	str, UPPER	City name		revenue	total revenue	
	geolocation_state	str	state	str, UPPER	state	str, UPPER	State				
size (MB)	61.27										
row	1000163										
column	5										
	raw_products		stg_products		dim_products			4	mart_delivery_Performance	description	Tableau
PK	product_id	str(32)	product_id	str(32)	product_id	str	PK		order_id	Unique identifier	delivery heatmap
	product_category_name	str	category_name	str, LOWER	category_name	str, LOWER	Standardized/translated		customer_city	customer city	delivery days by state
					category_name_english	str, LOWER	Translation		customer_state	customer location	delivery trend
	product_name_lenght	str	name_length	int64	name_length	int64	Name length		seller_city	seller city	
	product_description_lenght	str	description_length	int64	description_length	int64	Description length		seller_state	seller location	
	product_photos_qty	str	photos_qty	int64	photos_qty	int64	Number of photos		order_date	purchase date	
	product_weight_g	str	weight_g	float64	weight_g	float64	having missing value, SAFE_CAST		delivery_days	delivery duration	
	product_length_cm	str	length_cm	float64	length_cm	float64					
	product_height_cm	str	height_cm	float64	height_cm	float64		5	mart_customer_analytics	description	Tableau
	product_width_cm	str	width_cm	float64	width_cm	float64			customer_id	unique customer	customer segmentation
size (MB)	2.38								total_orders	number of orders	repeat customers
row	32951								total_spent	lifetime value	customer lifetime value
column	9								avg_order_value	average order	
	raw_product_category		stg_product_category		-						
PK	product_category_name	str	category_name	str, LOWER	-						
	product_category_name_english	str	category_name_english	str, LOWER							
size (MB)	2.61										
row	71										
column	2										
					dim_date				dim_date		

	–		–		date_key		YYYYMMDD, PK		date_key	int	
	–		–		full_date	Datetime	Actual date		full_date	Datetime	
	–		–		year	int64	Year		year	int64	
	–		–		quarter	int64	1–4		quarter	int64	
	–		–		month	int64	1–12		month	int64	
	–		–		month_name	str	January …		month_name	str	
					year_month	str	2018-Jan		year_month	str	
	–		–		week_of_year	int64	1–52		week_of_year	int64	
	–		–		day_of_month	int64	1–31		day_of_month	int64	
	–		–		day_of_week	str	Monday…		day_of_week	str	
	–		–		is_weekend	boolean	Sat/Sun (1,0)		is_weekend	boolean	
	raw_order_items		stg_order_items		fact_order_items		Grain: One row per product per order				
FK	order_id	str	order_id	str(32)	order_id	str(32)	FK fact_orders				
PK	order_item_id	str	order_item_id	int	order_item_id	int	PK				
FK	product_id	str	product_id	str(32)	product_id	str(32)	FK dim_products				
FK	seller_id	str	seller_id	str(32)	seller_id	str(32)	FK dim_sellers				
	shipping_limit_date	str	shipping_limit_ts	datetime	shipping_limit_ts	datetime					
	price	str	price	float(2)	price	float(2)	Item price				
	freight_value	str	freight_value	float(2)	freight_value	float(2)	Shipping cost				
size (MB)	15.44				shipping_limit_date_key		FK dim_date				
row	112650										
column	7										
	fact_orders		stg_orders		fact_orders		Grain: One row per order				
PK	order_id	str(32)	order_id	str(32)	order_id	str(32)	PK				
FK	customer_id	str(32)	customer_id	str(32)	customer_id	str(32)	FK to dim_customers				
	order_status	str	order_status	lower()	order_status	lower()	Status				
	order_purchase_timestamp	str	order_purchase_ts	datetime	order_purchase_ts	datetime					
	order_approved_at	str	order_approved_ts	datetime	order_approved_ts	datetime					
	order_delivered_carrier_date	str	order_delivered_carrier_ts	datetime	order_delivered_carrier_ts	datetime					
	order_delivered_customer_date	str	order_delivered_customer_ts	datetime	order_delivered_customer_ts	datetime					
	order_estimated_delivery_date	str	order_estimated_delivery_ts	datetime	order_estimated_delivery_ts	datetime					
size (MB)	17.65				purchase_date_key		FK dim_date				
row	99441				approved_date_key		FK dim_date				
column	8				carrier_date_key		FK dim_date				
					delivered_date_key		FK dim_date				
					estimated_delivery_date_key		FK dim_date				
	raw_payments		stg_payments		fact_payments						
	order_id	str	order_id	str(32)	order_id		FK fact_orders				
	payment_sequential	str	payment_seq	int	payment_seq						
	payment_type	str	payment_type	str	payment_type_key		FK dim_payment_type				
	payment_installments	str	payment_installments	int	payment_installments		Number of installments				
	payment_value	str	payment_value	float(2)	payment_value		Amount				
size (MB)	5.78										
row	103886		11		dim_payment_types						
column	5				payment_type_key		PK to fact_payments only				
					payment_type						
	raw_reviews		stg_reviews		fact_reviews						
	review_id	str	review_id	str(32)	review_id		PK				
	order_id	str	order_id	str(32)	order_id		FK fact_orders				
	review_score	str	review_score	int64(1-5 scale)	review_score		1–5 scale				

	review_comment_title	str	comment_title	str	comment_title		
	review_comment_message	str	comment_message	str	comment_message		
	review_creation_date	str	review_creation_ts	timestamp	review_creation_ts		
	review_answer_timestamp	str	review_answer_ts	timestamp	review_answer_ts		
size (MB)	14.45				review_date_key		FK dim_date
row	99224				answer_date_key		FK dim_date
column	7						

2. Project Structure

```
.
├── README.md
├── data
│   └── raw
├── logs
│   └── dbt.log
├── meltano-ingest-olist
│   ├── README.md
│   ├── analyze
│   ├── catalog.json
│   ├── extract
│   ├── load
│   ├── logs
│   ├── meltano.yml
│   ├── notebook
│   ├── orchestrate
│   ├── output
│   ├── plugins
│   ├── requirements.txt
│   └── transform
└── olist_ecommerce
    ├── README.md
    ├── analyses
    ├── dbt_packages
    ├── dbt_project.yml
    ├── logs
    ├── macros
    ├── models
    ├── package-lock.yml
    ├── packages.yml
    ├── profiles.yml
    ├── seeds
    ├── snapshots
    ├── target
    └── tests
```

3. Lineage Graph