

Data Analytics Report


Community Mental Health Signposting Portal (Escale)

Prepared by: Vivian Enenta
Role: Data Analytics Lead
Team: Apex Innovators

Dashboard Link: Community Mental Health Signposting Portal Dashboard
<https://public.tableau.com/views/CommunityMentalHealthSignpostingPortalDashboard/Dashboard1>

Figure 1. Mental Health and Burnout Risk Among Early-Career Professionals

The dashboard provides an overview of burnout risk, stress levels, mental health conditions, workplace stigma, and Employee Assistance Program (EAP) access among early-career professionals. It highlights key patterns that informed the recommendations and proposed portal design.



Source: Author's analysis of the Workplace Mental Health Dataset (Kaggle), 2026.

Executive Summary

This analysis examined mental health challenges among 4,327 early-career professionals (0–10 years of experience). Findings revealed high burnout risk associated with increasing stress levels, significant industry differences, a substantial burden of mental health

conditions, and low utilization of available support services. These findings informed the design of the Escale Community Mental Health Signposting Portal, a platform intended to improve awareness of, navigation to, and access to mental health resources and peer-support services.

Objectives

The primary goal of this research was to investigate burnout trends, mental health obstacles, and support availability deficits within the early-career workforce to guide the development of the Escale Community Mental Health Signposting Portal.

Dataset Description

Item	Description
Source	Workplace Mental Health Dataset (Kaggle)
Total dataset	10,000
Target Group	Early-Career professionals
Early-Career Subgroup	4,327
Definition	0-10 years of experience
Variables Used	Stress level, Industry, Mental Health condition, EAP Availability, EAP Usage, Burnout Risk.

Methodology

The dataset was cleaned and filtered to isolate early-career professionals (0–10 years of experience). Pivot table analysis was used to examine burnout risk across stress levels, industries, mental health conditions, and access to workplace support services. Visualisations were created to identify key patterns and trends.

Summary Table

Metric	Value
Average Burnout Risk	4.04
EAP Availability Rate	51.8%
EAP Utilisation Rate	32.5%
Total Records Analysed	4,327

Early-Career Professional Segment (n = 4,327)

Key Findings

Finding 1: Stress and Burnout

Burnout risk increased as stress levels increased. Respondents reporting very severe stress had the highest average burnout risk score (4.80), while those reporting very low stress had the lowest score (3.32). This suggests that stress management should be a key component of mental health interventions for early-career professionals.

Stress level	Average of burnout_risk_score
Very Low	3.32
Low	3.47
Moderate	3.73
High	4.44
Very Severe	4.80

Finding 2: Industry sector differences

Burnout risk varied across industries, with Consulting, Technology, and Finance & Banking recording the highest scores. These sectors may benefit from targeted mental health support and resource navigation services.

Industry	Average of burnout_risk_score
Consulting	5.00
Technology	4.95
Finance & Banking	4.94
Legal	4.68
Healthcare	4.50

Finding 3: Mental Health Conditions

Respondents experiencing burnout or multiple mental health conditions reported substantially higher burnout risk scores than those reporting no mental health conditions. This highlights the need for timely identification and support. Approximately 72.1% of early-career professionals reported mild, moderate, or severe mental health concerns, indicating a substantial mental health burden within the target population.

Mental Health Conditions	Average of burnout_risk_score
Burnout	6.71
Multiple Conditions	6.69
ADHD	4.12
None	3.02

Finding 4: Support Access Gap

Only 51.8% of respondents had access to an Employee Assistance Program (EAP), while 48.2% had no access to workplace mental health support services. Although EAPs were available to many respondents, utilization remained low. With only 728 individuals engaging with EAP offerings, the utilization rate stands at 32.5%. This indicates that obstacles such as restricted knowledge, social stigma, lack of confidence, or complexities in finding help may hinder professionals from accessing these supportive resources.

Variables	Values
eap_available	2,241
eap_not_available	2,086
eap_users	728
eap_non-users	1,513
Utilization rate	32.5%

Tools Used

- Excel
- Tableau Public
- Kaggle Workplace Mental Health Dataset

Conclusion

The data highlights a significant mental health burden among early-career professionals, characterized by elevated burnout risk, high stress levels, and under-utilization of available support services. These findings provide evidence for the development of the Escale Community Mental Health Signposting Portal, which aims to improve awareness, navigation, and access to mental health resources and peer-support services.

Recommendations

1. Encourage early help-seeking behaviors.
2. Improve awareness of available support services.
3. Develop a Mental Health Signposting Portal.
4. Reduce workplace stigma through education and training.
5. Target high-risk industries with tailored interventions.

Proposed Solution

The portal was designed to address the gaps identified in this analysis, particularly low utilisation of support services, limited awareness of available resources, and challenges in navigating mental health support options. Escale was developed to address the gaps identified in this analysis, particularly low utilisation of support services, limited awareness of available resources, and challenges in navigating mental health support options. The portal:

- Match users to relevant mental health and peer-support services.
- Provide plain-language guidance on available resources.
- Improve awareness and navigation of support options.
- Centralize verified mental health resources in one location.
- Help users identify appropriate support based on their needs.

Limitations

- 1) Secondary data was used for this project
- 2) The dataset may not represent all industry sectors equally.
- 3) Findings indicate associations and do not establish causation.