A. KPIs

1. Total Revenue

The sum of TOTAL PRICE of all pizza orders

```
USE  sql_pizza_project;
SELECT SUM(total_price) AS sum_total_price
FROM pizza_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	sum_total_price
▶	817860.0508384705

2. Average Order Value

The average amount spent per order, calculating by dividing the total revenue by the total number of orders

```
SELECT SUM(total_price) / COUNT(DISTINCT order_id) AS average_order_value
FROM pizza_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	average_order_value
▶	38.30726233435459

3. Total Pizzas Sold

The Sum of the quantities of all pizzas sold

```
SELECT SUM(quantity) AS sum_quantity
FROM pizza_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	sum_quantity
▶	49574

4. Total orders

The total numbers of orders placed

```
SELECT COUNT(DISTINCT order_id)
FROM pizza_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	COUNT(DISTINCT order_id)
▶	21350

5. **Average pizzas per order**
   The average number of pizzas sold per order, calculated by dividing the total number of pizzas sold by the total numbers of orders

   SELECT CAST(CAST(SUM(quantity) AS DECIMAL (10,2)) / CAST(COUNT(DISTINCT order_id) AS DECIMAL (10,2)) AS DECIMAL (10,2)) AS avg_pizzas_order
   FROM pizza_sales;

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	avg_pizzas_order
▶	2.32

B. Charts

1. **Daily Trend for Total Orders:**
   Create a bar chart that displays the daily trend of total orders over a specific time period.This chart will help us identify any patterns or fluctuations in order volumes on a daily basis.

   SELECT DAYNAME(order_date) AS order_day, COUNT(DISTINCT order_id) AS total_orders
   FROM pizza_sales
   GROUP BY order_day;

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	order_day	total_orders
▶	Friday	3538
	Monday	2794
	Saturday	3158
	Sunday	2624
	Thursday	3239
	Tuesday	2973
	Wednesday	3024

2. **Monthly Trend for Total Orders:**
Create a line chart that illustrates the hourly trend of total orders throughout the day. This chart will allow us to identify peak hours or periods of high order activity.

```
SELECT MONTHNAME(order_date) AS order_month, COUNT(DISTINCT order_id)
AS total_orders
FROM pizza_sales
GROUP BY order_month
ORDER BY total_orders DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

order_month	total_orders
July	1935
May	1853
January	1845
August	1841
March	1840
April	1799
November	1792
June	1773
February	1685
December	1680
September	1661
October	1646

3.Percentage of Sales by Pizza Category:
Create a pie chart that shows the distribution of sales across different pizza categories. This chart will provide insights into the popularity of various pizza categories and their contribution to overall sales.

```
SELECT pizza_category,
FORMAT(
SUM(total_price),0) AS total_sales,
ROUND(
SUM(total_price) *100 /
(SELECT SUM(total_price) FROM pizza_sales WHERE MONTH(order_date)=1),2)
AS percentage
FROM pizza_sales
WHERE MONTH(order_date)=1
GROUP BY pizza_category
ORDER BY percentage DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_category	total_sales	percentage
Classic	18,619	26.68
Supreme	17,930	25.69
Veggie	17,055	24.44
Chicken	16,189	23.2

4. Percentage of Sales by Pizza Size:
Generate a pie chart that represents the percentage of sales attributed to different pizza sizes. This chart will help us understand customer preferences for pizza sizes and their impact on sales.

```
SELECT pizza_size, CAST(SUM(total_price) AS DECIMAL(10,2)) AS total_sales,
CAST(SUM(total_price) * 100 /
(SELECT SUM(total_price) FROM pizza_sales WHERE QUARTER(order_date)=1)
AS DECIMAL(10,2)) AS percentage_sales_per_size
FROM pizza_sales
WHERE QUARTER(order_date)=1
GROUP BY pizza_size
ORDER BY percentage_sales_per_size DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_size	total_sales	percentage_sales_per_size
L	95229.65	46.37
M	61159.00	29.78
S	45384.25	22.10
XL	3289.50	1.60
XXL	287.60	0.14

5. Total Pizzas Sold by Pizza Category:
Create a funnel chart that presents the total number of pizzas sold for each category. This chart will allow us to compare the sales performance of different pizza categories.

```
SELECT
pizza_category, #
SUM(quantity) AS total_sales_per_category
FROM pizza_sales
GROUP BY pizza_category
ORDER BY total_sales_per_category DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_category	total_sales_per_category
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

6. Top 5 Best Sellers by Revenue, Total Quantity, and Total Orders:
Create a bar chart highlighting the top 5 best-selling pizzas based on revenue, total quantity, and total orders. This chart will help us identify the most popular pizza options.

6.1 TOP 5 BESTSELLER PER REVENUE

```
SELECT pizza_name,
CONCAT('€', FORMAT(SUM(total_price),2, 'de_DE')) AS total_revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY SUM(total_price) DESC
LIMIT 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

pizza_name	total_revenue
The Thai Chicken Pizza	€43.434,25
The Barbecue Chicken Pizza	€42.768,00
The California Chicken Pizza	€41.409,50
The Classic Deluxe Pizza	€38.180,50
The Spicy Italian Pizza	€34.831,25

6.2 TOP 5 BESTSELLER PER QUANTITY

```
SELECT pizza_name,
CAST(SUM(quantity) AS DECIMAL(10,0)) AS total_quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_quantity DESC
LIMIT 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

pizza_name	total_quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Result 96

6.3 TOP 5 BESTSELLER PER TOTAL ORDER

```
SELECT pizza_name,
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,0)) AS total_order
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_order DESC
LIMIT 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

pizza_name	total_order
The Classic Deluxe Pizza	2329
The Hawaiian Pizza	2280
The Pepperoni Pizza	2278
The Barbecue Chicken Pizza	2273
The Thai Chicken Pizza	2225

Result 97

7. Bottom 5 Best Sellers by Revenue, Total Quantity, and Total Orders:

Create a bar chart showcasing the bottom 5 worst-selling pizzas based on revenue, total quantity, and total orders. This chart will enable us to identify underperforming or less popular pizza options.

7.1 TOP 5 LESS SALES PER REVENUE

```
SELECT pizza_name,
CONCAT('€', FORMAT(SUM(total_price),2, 'DE_de'))AS total_revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_revenue ASC
Limit 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

pizza_name	total_revenue
The Brie Carre Pizza	€11.588,50
The Green Garden Pizza	€13.955,75
The Spinach Supreme Pizza	€15.277,75
The Mediterranean Pizza	€15.360,50
The Spinach Pesto Pizza	€15.596,00

Result 98

7.2 TOP 5 LESS PER QUANTITY

```
SELECT pizza_name,
CAST(SUM(quantity) AS DECIMAL(10,0)) AS total_quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_quantity ASC
LIMIT 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

pizza_name	total_quantity
The Brie Carre Pizza	490
The Mediterranean Pizza	934
The Calabrese Pizza	937
The Spinach Supreme Pizza	950
The Soppressata Pizza	961

Result 99

7.3 TOP 5 LESS PER TOTAL ORDER

```
SELECT pizza_name,
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,0)) AS total_order
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_order ASC
LIMIT 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

pizza_name	total_quantity
The Brie Carre Pizza	490
The Mediterranean Pizza	934
The Calabrese Pizza	937
The Spinach Supreme Pizza	950
The Soppressata Pizza	961

Result 100