

Global Hantavirus Outbreak Dashboard

country

virus\_str...

Select date range

Total Cases



2,000

Fatality Rate



7.75%

Hospitalization Rate




0.5

Avg Recovery Days




26.35


Cases by Country




Record Count over time



Virus Strain Distribution



Transmission Type



Insights :

- 1. High concentration of cases observed in several hotspot countries.
- 2. Human-to-human transmission remained dominant.
- 3. Recovery duration varied across patient groups.

# Patient Demographic Analysis

country




virus\_str...




Select date range




Age Group




Gender Distribution



Count by Symptom




Hospitalization by Age




## Insights :

- 1. Adult & senior groups showed higher case prevalence.
- 2. Fever and fatigue were dominant symptoms.
- 3. Hospitalization increased with age.


Temperature vs Recovery



Air Quality Impact vs Fatality




Rodent Index by Transmission




- Insights :
- 1. Higher rodent presence linked to transmission risk.
  - 2. Dense populations experienced more outbreaks.
  - 3. Environmental conditions may affect severity.


Strain Severity Score




Fatality by Strain



Avg Recovery by Strain



Hospitalization by Strain



Insights :

- 1. Some strains exhibited higher clinical severity.
- 2. Recovery duration varied significantly across strains.
- 3. Fatality risk differed by virus type.