WORKFORCE AI PRO

Live Test Evidence Report

Swagger API + authenticated workforce dashboard

Prepared from live local service checks and UI evidence

Test date: 23 October 2026

Verification at a glance

17
backend tests passed

39
OpenAPI paths

10
active employees

47.6%
average risk score

Scope: reachable local demo instance only; not a production security or performance certification.

1. Scope and test setup

This report records a live check of the locally running WorkForce AI Pro frontend and FastAPI service. The goal was to confirm that Swagger/OpenAPI is served, demo authentication works, protected workforce data is returned, and the dashboard renders the API-backed summary.

Test surfaces

- **Swagger UI:** `http://127.0.0.1:8000/docs`
- **OpenAPI schema:** `http://127.0.0.1:8000/openapi.json`
- **Dashboard UI:** `http://localhost:5173/`
- **API base:** `http://127.0.0.1:8000`

Environment and test method


The services were already listening on ports 8000 and 5173. Browser testing used the documented demo ADMIN login and the frontend origin configured by the backend CORS policy (localhost). API assertions were also executed directly against the live service. No records were created or modified during the checks.

Component	Observed state
API service	Reachable; root health endpoint returned HTTP 200
Swagger UI	Reachable; page returned HTTP 200
Dashboard	Login completed; workforce metrics and charts rendered
Dataset	10 active employees across 6 departments

Test run timestamp is reported at date granularity; endpoint results reflect the running demo database at test time.

2. Application flow verified

The live demo follows the documented React/Vite to FastAPI flow. The dashboard performs a form-encoded login, stores a bearer token in browser local storage, and loads protected dashboard data through the API client.




Observed dashboard requests

- Login succeeds using the demo ADMIN account; authenticated identity is returned as role ADMIN.
- Dashboard summary reports counts and latest-per-active-employee prediction rows.
- The unauthenticated employee-list request is rejected with HTTP 401.
- The UI uses a documented illustrative risk trend and labels it as demo data.

The system diagram reflects the existing application flow; this test did not evaluate deployment infrastructure, production database scaling, or external integrations.

3. Swagger UI and OpenAPI

The live Swagger UI loaded successfully. Its route catalog shows workforce, account, attendance, leave, payroll, AI prediction, notification, and report operations, with authorization indicators on protected routes.



Swagger UI route catalog (live local instance).

Live schema

- OpenAPI version: 3.1
- API version: 1.0.0
- 39 path entries
- 51 operation methods
- Interactive docs reachable at /docs

Evidence image is a readable crop of the live Swagger page. The uncropped full-page screenshot is included alongside this report.

4. API checks and results

The checks below were sent to the running API. Success statuses and returned summary values were observed during the live session.

Check	Request / observation	Result
Service health	GET /	PASS - HTTP 200
Interactive docs	GET /docs	PASS - HTTP 200
OpenAPI schema	GET /openapi.json	PASS - 39 paths
Demo authentication	POST /api/auth/login	PASS - bearer token returned
Authenticated identity	GET /api/auth/me	PASS - role ADMIN
Dashboard summary	GET /api/dashboard/summary	PASS - 10 employees; 4 high risk
Anonymous access control	GET /api/employees	PASS - HTTP 401

This is a focused smoke check, not exhaustive endpoint-by-endpoint functional testing. The separate automated backend suite provides broader API regression coverage.

Route coverage snapshot

The OpenAPI document currently advertises 39 paths and 51 HTTP operations. Documentation is available without authentication; individual protected operations require bearer authorization, as shown in the UI and confirmed by the anonymous request check.

5. Authentication and access behavior

The tested user flow matches the product demo: the login form sends an OAuth2-style form request and the API responds with a token. The dashboard then uses that token for authenticated data retrieval.

Verified behaviors

- A valid demo ADMIN login was accepted by the API.
- The authenticated identity endpoint reported role ADMIN.
- A request to the employee list without a bearer token was rejected with 401 Unauthorized.
- The browser dashboard completed login and rendered data from the demo workforce.

Test setup note


The Vite page was opened at `localhost:5173`, matching the backend default allowed origin. An initial browser attempt using `127.0.0.1:5173` did not match that default CORS origin; the documented localhost origin succeeded without changing application configuration.

Security scope boundary

These checks confirm a basic bearer-authenticated happy path and one anonymous denial only. They are not a penetration test and do not validate secret management, token lifetime, brute-force defenses, TLS, browser storage hardening, role-by-role authorization, or production deployment settings.

6. Dashboard live view

After login, the dashboard displayed real API-backed workforce cards, department counts, and recent risk rows. The screen below is a readable top-of-page crop; the full-page capture is also included in the evidence folder.



Dashboard overview with current demo summary values.

Visible summary

- 10 active employees
- 4 high-risk employees
- 47.6% average risk
- 6 departments
- 0 check-ins today
- 0 payroll records this month

The screenshot is captured from the authenticated local dashboard session.

7. Dashboard data and interpretation

The live summary response and the dashboard display agreed on core workforce measures. These values are a snapshot of seeded demo data rather than an organization-wide production report.

Metric	Live value	Interpretation
Active workforce	10	Active employee profiles in the demo database
Departments	6	Six departments included in the current summary
High-risk employees	4	Current high-risk count; alert for human review only
Average risk score	47.6%	Average latest score for active employees
Attendance check-ins	0	No attendance check-in sessions recorded today
Approved leave today	0	No approved leave is counted for today
Payroll this month	0 records	No payroll draft or payment rows for this month

Risk and trend caveat

The dashboard explicitly labels its monthly attrition line chart as illustrative sample data, not a historical workforce calculation. Risk estimates are model outputs trained on synthetic demo data. They are not validated probabilities, and they must never be used as automatic employment decisions.

The dashboard guidance recommends supportive, confidential human review. Any use of workforce risk scores with real employees requires representative-data validation, fairness assessment, privacy controls, calibrated interpretation, and meaningful human oversight.

8. Automated validation

After the live checks, the existing test suite and frontend production build were run using the repository package commands and correct working directories.

Validation	Result	Notes
Backend pytest	PASS - 17 passed	Run from backend directory; 1 dependency deprecation warning
Frontend Vite build	PASS	2253 modules transformed; production bundle emitted
Bundle-size notice	Advisory	Minified JavaScript chunk is about 658 kB (above 500 kB warning threshold)
Live API smoke checks	PASS	Health, docs, schema, login, identity, dashboard, anonymous denial
Browser dashboard check	PASS	Demo sign-in and summary content rendered

Build notice

The build succeeded. Vite reported that a minified JavaScript chunk exceeded 500 kB and suggested code splitting or manual chunking. This is a performance optimization notice, not a failed build and not a regression introduced by this verification task.

Test command context

The backend test module imports the local app package. Running pytest from the backend package root is therefore required for module discovery; in that supported context the full current suite completed successfully.

9. Conclusion and follow-up

The local Swagger page and authenticated workforce dashboard are live and usable. The service advertises a 39-path API, accepts the documented demo login, returns protected dashboard data, and rejects an anonymous employee-list request. Backend tests and the frontend production build both pass.

Recommended next steps

- Address the existing frontend bundle-size advisory with measured code splitting if load performance becomes a priority.
- Run an endpoint matrix for each role before any release; the live session validated the ADMIN path only.
- For production, replace demo credentials and secrets, use HTTPS, and validate CORS origins against deployment hosts.
- Validate attrition model quality, fairness, and calibration with representative, consented data before any real-world use.

Evidence files

- **swagger-live.png** and **dashboard-live.png** are full-page browser screenshots.
- **swagger-routes.png** and **dashboard-summary.png** are readable crops used in this report.
- **WorkForce_AI_Pro_Live_Test_Report.pdf** is this 10-page report.

Limitations

This evidence covers a local demo instance at one point in time. It does not constitute a production readiness assessment, load test, exhaustive security review, or employment decision validation.